

## TECHNICAL SPECIFICATION

### Fluorescent fixture – MONA



#### Technical data

- Nominal voltage: 230V/50-60Hz
- Fluorescent tube type (not included in the commercial kit): T8/G13
- Power supply: Electronic control gear
- Product colour: White
- Housing: White powder coated sheet metal
- Optical cover: Prismatic thermoplast
- Installation : Surface mounting
- Dimmable: No
- Lampholder designation: G13
- Type of connection: Terminal, 3-pole, max. 2,5 mm<sup>2</sup>
- Protection against dust and moisture: IP21
- Protection against electric shock : I


## Areas of application

- Commercial buildings
- Administrative buildings
- Banks
- Hospitals
- Education facilities

## Product benefits


- Uniform illumination
- Creates visual comfort
- Simple fixing
- Easy tube replacement and cleaning

## Variants and dimensions



Watt	Colour body	Size (mm)			Ballast	Catalogue number	Packing (pcs)
		Length	Width	Height			
1X18W	white	647	91	75	electronic	930118EB	5
1X36W	white	1255	91	75	electronic	930136EB	5
2X18W	white	647	160	62	electronic	930218EB	5
2X36W	White	1255	160	62	electronic	930236EB	5

## Energy efficiency



## Barcodes

Barcode	Catalogue number
3800131185525	930118EB
3800131185549	930136EB
3800131185532	930218EB
3800131185556	930236EB

## Standards

EN 55015

EN 61000-4-2; EN 61000-4-4; EN 61000-4-5; EN 61000-4-8; EN 61000-4-11

EN 61000-3-2; EN 61000-3-3

EN 61547

EN 60598-1; EN 60598-2-1

