

## **TECHNICAL SPECIFICATION**

### **INDOOR RECESSED FIXTURES GLOM**



#### **Technical data**

- Nominal voltage: 230V/50-60Hz
- Power: 18W/21W
- Colour temperature: 2700k/4000k
- LED type: COB
- Light source: Epistar
- Body: Aluminium
- Beam Angle: 60°
- Colour rendering index: Ra≥80
- Average Lifetime: 30 000h
- Switch on/off > 20000
- Non dimmable

**Product benefits:**

- Lower maintenance cost thanks to longer lifetime
- Recessed mounting fixture
- Reduced operational cost thanks to lower energy consumption.
- Mercury free.
- Maximum resistance to switching loads.
- Correct operation even at low temperature.
- Instant-on light.


**Areas of application:**

- Inside mounting for ceiling lamps
- Hidden lighting

**Variants and dimensions:**

Watt	Colour	LED lamp lumens (lm)	Colour temp. (K)	Size (mm)		Catalogue number
				Height	Diameter	
18x1W	White	1260	4000-4300	115	115	92GLOM222WH
18x1W	White	1260	2700-3000	115	115	92GLOM222WW
21x1W	White	1470	4000-4300	130	200	92GLOM223WH
21x1W	White	1470	2700-3000	130	200	92GLOM223WW

**Energy efficiency:**



**Standards:**

EN 55015

EN 61000-3-2; EN 61000-3-3; EN 61000-4-2; EN 61000-4-4; EN 61000-4-5; EN 61000-4-8; EN 61000-4-11

EN 61547

EN 62560

