

TECHNICAL SPECIFICATION

LED Lamp - LED AR111



Technical data

- Nominal voltage: 12V AC/DC
- Power: 11W
- Colour temperature: 2700K; 4000K
- LED type: High Power
- Light source: Epistar Taiwan
- Base: G53
- Beam Angle: 36°
- Colour rendering index: Ra≥80
- Average Lifetime: 30 000h
- Colour rendering index: Ra≥80
- Switch on/off > 20000


Areas of application

- Shops
- Galleries
- Museums
- Shops and exhibition rooms
- Directional light sources

Product benefits


- Lower maintenance cost thanks to longer lifetime
- Reduced operational cost thanks to lower energy consumption.
- Mercury free.
- Maximum resistance to switching loads.
- Correct operation even at low temperature.
- Instant-on light.

Variants and dimensions



Watt	Colour	LED chip lumens (lm) / LED(pcs)	LED lamp lumens (lm)	Colour temp. (K)	Size (mm)		Catalogue number	Packing (pcs)
					Length	Diameter		
11W	white	200/6	630	4000	58	111	99LED702	30
11W	warm white	200/6	630	2700	58	111	99LED702	30

Energy efficiency



Barcodes

Barcode	Catalogue number
3800131188052	99LED702
3800131188069	99LED703

Standards

EN 55015

EN 61000-3-2; EN 61000-3-3; EN 61000-4-2; EN 61000-4-4; EN 61000-4-5; EN 61000-4-8; EN 61000-4-11

EN 61547

EN 62560

