

DECOR LUX DJENY



Technical data

<i>Nominal voltage:</i>	230V/ 50-60Hz
<i>Lamp holder:</i>	E14
<i>Colour:</i>	Silver
<i>Material:</i>	Metal with crystal
<i>Protection against electric shock:</i>	I
<i>Surface requirements:</i>	Class F

Features

- *Environmentally friendly - no mercury and lead*
- *Attractive design*
- *No ultraviolet and infrared rays*
- *Resistant to shock and vibration stable body*
- *Low heat emission*

Area of application

- *Residential buildings*
- *Commercial buildings*
- *Hotels*
- *Restaurants*


Variants and Dimensions

<i>Description</i>	<i>Lamp holder</i>	<i>Colour body</i>	<i>Size (mm)</i>			<i>Catalogue number</i>
			<i>Diameter</i>	<i>Length</i>	<i>Height</i>	
Chandelier	5xE14	Black	530	-	200	955DJENY5
Ceiling lamp	3xE14	Black	450	-	240	955DJENY3
Wall lamp	5xE14	Black	660	145	100	955DJENY5W

Barcodes

3800131200778	955DJENY5
3800131200785	955DJENY3
3800131200792	955DJENY5W

Energy efficiency



Standards

- EN 55015 • EN 60598-1 • EN 60598-2-1 • EN 61547 •

