

ELMARK[®]

The Brand of Electricity

SKY TLR



TECHNICAL SPECIFICATION

INDOOR- SPOTLIGHTS

ELMARK[®]

The Brand of Electricity

Technical data:

- Rated voltage: 230V/ 50-60Hz
- Power: 10W; 15W
- Power supply: Control gear; DC device- driver, included in the set
- Colour temperature: 2700K; 4000K; 6400K
- LED source: Epistar Taiwan
- Type of LED: COB
- Colour: White; Black; Grey
- Body: Aluminium
- Beam angle: 24°
- Colour rendering index: Ra≥80
- Switch on/off: >20 000
- Long life: 30 000h
- Protection against dust and moisture: IP40

Features:

- Completely replace traditional lighting fixtures
- Pleasant and uniform light distribution
- Low power consumption
- Repeated switch on/off does not affect the lifespan
- Instant light with maximum luminous flux
- Environmentally friendly - no mercury and lead
- No ultraviolet and infrared rays
- Resistant to shock and vibration-free body
- Low heat emission

TECHNICAL SPECIFICATION

INDOOR- SPOTLIGHTS

ELMARK[®]

The Brand of Electricity

Area of application:

- Commercial sites
- Administrative buildings
- Banks
- Hospitals
- Schools
- Entertainment and leisure spots

Variants and Dimensions:



▪ SKY TLR503

Watt	Whole fixture lumens	Colour temp.	Colour body	Size (mm)		Catalogue number
				Diameter	Height	
10	900	4000	White	142	105	93TLR503W/WH
10	900	2700	White	142	105	93TLR503WW/WH
10	900	6400	White	142	105	93TLR503CW/WH
10	900	4000	Black	142	105	93TLR503W/BL
10	900	2700	Black	142	105	93TLR503WW/BL
10	900	6400	Black	142	105	93TLR503CW/BL
10	900	4000	Grey	142	105	93TLR503W/GR
10	900	2700	Grey	142	105	93TLR503WW/GR
10	900	6400	Grey	142	105	93TLR503CW/GR

TECHNICAL SPECIFICATION

INDOOR- SPOTLIGHTS

ELMARK[®]

The Brand of Electricity

▪ SKY TLR504

Watt	Whole fixture lumens	Colour temp.	Colour body	Size (mm)		Catalogue number
				Diameter	Height	
(W)	(lm)	(K)				
15	1350	4000	White	142	105	93TLR504W/WH
15	1350	2700	White	142	105	93TLR504WW/WH
15	1350	6400	White	142	105	93TLR504CW/WH
15	1350	4000	Black	142	105	93TLR504W/BL
15	1350	2700	Black	142	105	93TLR504WW/BL
15	1350	6400	Black	142	105	93TLR504CW/BL
15	1350	4000	Grey	142	105	93TLR504W/GR
15	1350	2700	Grey	142	105	93TLR504WW/GR
15	1350	6400	Grey	142	105	93TLR504CW/GR

Barcodes:


3800131208507	93TLR503CW/BL
3800131208569	93TLR503CW/GR
3800131208446	93TLR503CW/WH
3800131208460	93TLR503W/BL
3800131208521	93TLR503W/GR
3800131207708	93TLR503W/WH
3800131208484	93TLR503WW/BL
3800131208545	93TLR503WW/GR
3800131208422	93TLR503WW/WH
3800131208514	93TLR504CW/BL
3800131208576	93TLR504CW/GR
3800131208453	93TLR504CW/WH
3800131208477	93TLR504W/BL
3800131208538	93TLR504W/GR
3800131207715	93TLR504W/WH
3800131208491	93TLR504WW/BL
3800131208552	93TLR504WW/GR
3800131208439	93TLR504WW/WH

TECHNICAL SPECIFICATION


INDOOR- SPOTLIGHTS

ELMARK[®]








The Brand of Electricity


ELMARK
lighting

93TLR503CW/BL




This luminaire contains built-in LED lamps.

	}	L E D
		
		
		
		
		
		

The lamps cannot be changed in the luminaire.

874/2012



EN 55015 • EN 61000-3-2 • EN 61000-3-3 • EN 61547 • EN 60598-1 • EN 60598-2-2 • EN 61347-1 • EN 61347-2-13 • EN 13032-4

  **RoHS**
COMPLIANT

www.elmarkholding.eu