

## LED CABINET LIGHT CAB-15



### Technical data:

<b>Rated voltage:</b>	<b>12VDC</b>
<b>Power:</b>	1.8W
<b>Power Supply:</b>	Control gear – driver for 12VDC (not included in the set)
<b>Color temperature:</b>	White; Warm white
<b>Type of LED:</b>	SMD3014
<b>Light source:</b>	Epistar Taiwan
<b>Luminous flux:</b>	160lm
<b>Housing:</b>	ABS 57x57x10mm
<b>Colour of the housing:</b>	Silver
<b>Diffuser:</b>	Polycarbonate
<b>Long life:</b>	30000h
<b>Beam angle:</b>	120°
<b>Colour rendering index:</b>	Ra≥80
<b>Protection against dust and moisture:</b>	IP20


## Product benefits

- Safety, low voltage operation
- Uniform and gentle illumination
- Low power consumption
- Repeated switch on/off does not affect life span
- Instant light with maximum luminous flux
- Environmentally friendly - no mercury and lead
- No ultraviolet and infrared rays

## Areas of application

- Kitchen facilities
- Service areas
- Residential buildings
- Retail Showcases and counters

## Variants and dimensions




Watt	Lumen (lm)	Colour temp.	Colour body	Size (mm)			Catalogue number	Packing (pcs)
				Length	Width	Height		
1.8W	160	white	silver	57	57	10	915LED03	10
1.8W	160	warm white	silver	57	57	10	915LED13	10

## Barcodes

3800131185662	915LED03
3800131185679	915LED13

## Energy efficiency



## Standards

- EN 60598-1 • EN 60598-2-1 • EN 55015 • EN 61547 • EN 61000-3-2 •

