TECHNICAL SPECIFICATION



SPOTHLIGHTS WITH CRYSTAL CR-776



Technical data

Nominal voltage: | 12VAC

Rated power: Max 50W

Housing: Aluminium with glass and crystal

Lamp holder: GU5.3

Cutting hole: 60mm

1 | Page

TECHNICAL SPECIFICATION



Features

- o Attractive design
- o LED Light ring included
- o Luxury appearance
- o Suitable for indoor mounting
- o Glass and crystal material body
- o The glass and crystal housing allows the light to spread through it
- o Environmentally friendly no mercury and lead
- o Resistant to shock and vibration stable body

Area of application

- o Domestic application
- Accent lighting
- o Indoor lighting
- o Decorative lighting

Variants and Dimensions

Model	Description	Colour of housing	Size			Catalogue	
			(mm)			number	
			Width/	Length	Height	Cutting	
			Diameter			hole	
925776R/SL	Spotlight round	Chrome and silver	90	-	25	60	925776R/SL
925776S/SL	Spotlight square	Chrome and silver	90	90	25	60	925776S/SL
925776R/GD	Spotlight round	Chrome and gold	90	-	25	60	925776R/GD
925776S/GD	Spotlight square	Chrome and gold	90	90	25	60	925776S/GD

Barcodes


3800131197283		925776R/SL		
	3800131197290	925776S/SL		
	3800131197306	925776R/GD		
	3800131197313	925776S/GD		

2 | P a g e elmarkholding.eu

TECHNICAL SPECIFICATION



Energy efficiency



Standards

• EN 60598-1 • EN 60598-2-2 •

