


DOWNLIGHTS

SA-70V/ SA-90V



Technical data

<i>Rated voltage:</i>	12V; 230V; 50-60Hz
<i>Power:</i>	Max 50W
<i>Lamp holder (commercial kit):</i>	GU5.3 silicone cable 0,75 mm ² and a length of 100mm
<i>Light source(optional):</i>	Recommended MR- 16 lamp, socket GU5.3, Voltage - 12V, diameter - 50mm
<i>Model options:</i>	Fixed (SA-71) / Moveable (SA-91)
<i>Body:</i>	Aluminium alloy
<i>Installation:</i>	Indoor recessed mounting
<i>Protection against electric shock:</i>	III
<i>Protection against ignition and fire:</i>	Class F
<i>Protection against dust and moisture:</i>	IP20

*NOTE: With the purchase of additional lampholder GU10, spotlight can be used with 230V GU10 lamps.


Features

- o Ideal for flexible and functional architectural solutions
- o Compact size
- o Variety of colors
- o Easy maintenance

Area of application

- o Hotels
- o Restaurants
- o Shops
- o Corridors
- o Conference Halls

Variants and Dimensions



o SA-70V


Model	Fitting	Colour body	Size (mm)			Catalogue number
			Diameter	Height	Diameter1	
SA-70V	Fixed	Red antique brass	86	29	60	9270V/AC
SA-70V	Fixed	Antique brass	86	29	60	9270V/AB
SA-70V	Fixed	Pearl silver	86	29	60	9270V/PS
SA-70V	Fixed	Chrome	86	29	60	9270V/CH
SA-70V	Fixed	Gold	86	29	60	9270V/G

TECHNICAL SPECIFICATION

○ **SA-90V**

Model	Fitting	Colour body	Size (mm)			Catalogue number
			Diameter	Height	Diameter1	
SA-90V	Movable	Red antique brass	93	25	75	9290V/AC
SA-90V	Movable	Antique brass	93	25	75	9290V/AB
SA-90V	Movable	Pearl silver	93	25	75	9290V/PS
SA-90V	Movable	Chrome	93	25	75	9290V/CH
SA-90V	Movable	Gold	93	25	75	9290V/G

Energy efficiency



Standards

- EN 60598-1 • EN 60598-2-2 •

