

The Brand of Electricity

COMMERCIAL LED FIXTURE



TECHNICAL SPECIFICATION

INDOOR- LED FIXTURES



Technical data:

Rated voltage: 220-240V/ 50-60Hz

■ Power: 50W

Power supply: Driver mounted in the body

Colour temperature: 4000K

LED type: SMD2835Colour: AluminiumBody: Alu + PC

■ Colour rendering index: Ra≥80

Switch on/off: 20 000Average life: 20 000h

Protection against dust and moisture: IP40

Features:

- Completely replace traditional lighting fixtures
- Pleasant and uniform light distribution
- Low power consumption
- Repeated switch on/off does not affect the lifespan
- Instant light with maximum luminous flux
- Environmentally friendly no mercury and lead
- No ultraviolet and infrared rays
- Resistant to shock and vibration-free body
- Low heat emission

Area of application:


- Commercial sites
- Residence buildings
- Domestic lightings


TECHNICAL SPECIFICATION





Product details:





Catalogue number	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Beam angle	Size (mm)		Packing /Box (pcs)	
						Length	Width	Height	
95204550	50	4800	4000	aluminium	90°	1475	75	35	1/10



Installation accessories:

Wire and fittings for hanging mounting 2,5m 2 pcs/ pack


Catalogue number: 92ACC03



TECHNICAL SPECIFICATION



INDOOR- LED FIXTURES



EN 55015 • EN 61000-3-2 • EN 61000-3-3 • EN 61547 • EN 60598-1 • EN 60598-2-2 • EN 61347-1 • EN 61347-2-13 • EN 13032-4

