

ELMARK[®]

The Brand of Electricity

LED FLAME LAMP



Technical data:

- Rated voltage: 230V; 50-60Hz
- Power: 1.5-5W
- Colour temperature: 1500-1800K;
- LED source: SMD 2835
- Lamp holder: E27
- Beam angle: 360°
- Colour rendering index: Ra≥80
- Switch on/off: >20 000
- Average life: 30 000h
- Protection degree: IP20


Features:

- Artificial Vivid Fire & Dynamic Moving Flame.
- Simulates nature flicker flame and is safe for any place.
- Safe & Energy efficient because of the LED Light Source.
- Replacement of traditional gas lantern
- Suitable for places that have antique or classic style
- Reduced operational cost thanks to lower energy consumption.
- Mercury free.
- Correct operation even at low temperature.
- Long lifetime.
- Instant-on light.

Area of application:

- Home decoration
- Bars
- Hotels
- Restaurant
- Outdoor applications in suitable luminaires
- Wedding and party's decorations

Variants and Dimensions:



Watt (W)	LED lamp lumens (lm)	Colour temp. (K)	Beam angle	Size (mm)		Catalogue number
				Length	Diameter	
1.5-5	200	1500-1800	360°	138	65	99LED851

TECHNICAL SPECIFICATION


LAMPS AND COMPONENTS

ELMARK[®]

The Brand of Electricity

Barcodes:

99LED851	3800131214430
----------	---------------



EN 55015 • EN 61000-3-2 • EN 61000-3-3 • EN 61547 • EN 62560 • EN 13032-4 • EN 50581:2012

CE RoHS COMPLIANT

www.elmarkholding.eu