

EL[®]MARK

The Brand of Electricity

LED FLAME LAMPS E14



Technical data:

- Rated voltage: 230V; 50-60Hz
- Power: 6W;
- Colour temperature: 2700K; 4000K; 6400K
- LED type: SMD2835;
- Lamp holder: E14
- Beam angle: 220°
- Colour rendering index: Ra≥80
- Number of switching cycles: >20 000
- Average life: 30 000h
- Power factor: $\lambda > 0.80$
- Starting time: < 0.50s
- Warm-up time (60 %): Instant
- Lamp mercury content: 0.0mg
- Protection degree: IP20

Features:

- Reduced operational cost thanks to lower energy consumption.
- Lower maintenance cost thanks to longer lifetime
- Mercury free.
- Maximum resistance to switching loads.
- Correct operation even at low temperature.
- Long lifetime.
- Instant-on light.

Area of application:

- General illumination
- Domestic applications
- Chandeliers
- Outdoor applications only in suitable luminaires

Variants and Dimensions:



Watt (W)	Dimmable	Lamp holder	LED lamp lumens (lm)	Colour temp. (K)	Beam angle	Size (mm)		Catalogue number
						Length	Diameter	
6	-	E14	500	4000	220°	100	37	99LED753
6	-	E14	500	2700	220°	100	37	99LED754
6	-	E14	500	6400	220°	100	37	99LED820

TECHNICAL SPECIFICATION


LAMPS AND COMPONENTS

ELMARK[®]

The Brand of Electricity

Barcodes:

99LED753	3800131194565
99LED754	3800131194572
99LED820	3800131206077



EN 55015 • EN 61000-3-2 • EN 61000-3-3 • EN 61547 • EN 62560 • EN 13032-4 • EN 50581:2012

CE RoHS COMPLIANT

www.elmarkholding.eu