

EL[®]MARK

The Brand of Electricity

LED MODULES EPISTAR



TECHNICAL SPECIFICATION

LED MODULES

ELMARK[®]

The Brand of Electricity

Technical data:

- Rated voltage: 230V; 50-60Hz
- Power: 12W; 24W;
- Colour temperature: 3000K; 4000K; 6000K
- LED Chip: Epistar
- Lens angle: 160°
- Colour rendering index: Ra≥80
- Average life: 30 000h
- Protection degree: IP20
- Mounting: With magnet, for the lamps with iron plates, the modules have magnets that can be attached to the installation. For the plastic lamps, the modules have double-sided conductive adhesive tape, which can be pasted and installed.

Features:

- Suitable for ceiling lamp, wall lamp, Bulkhead light etc.
- Fast & easy installation.
- Instant start, no flickering, no humming
- Reduced operational cost thanks to lower energy consumption.

Variants:


Catalogue number	Watt (W)	Lumen (lm)	Colour temp. (K)	Size (mm)		Packing/Box (pcs)
				Length	Height	
99LEDMOD1230	12	1140	3000	63	63	1/100
99LEDMOD1240	12	1140	4000	63	63	1/100
99LEDMOD1260	12	1140	6000	63	63	1/100
99LEDMOD2430	24	2280	3000	120	63	1/80
99LEDMOD2440	24	2280	4000	120	63	1/80
99LEDMOD2460	24	2280	6000	120	63	1/80

TECHNICAL SPECIFICATION


LED MODULES

ELMARK®








The Brand of Electricity


ELMARK
lighting

99LEDMOD1230




This luminaire contains built-in LED lamps.

	}	L
		E
		D
		
		
		
		

The lamps cannot be changed in the luminaire.

874/2012



EN 55015 • EN 61000-3-2 • EN 61000-3-3 • EN 61547 • EN 13032-4 • EN 50581:2012

