

LED HIGH POWER AR111 DIMMABLE



Technical data

<i>Rated voltage:</i>	230V; 50/60Hz
<i>Power:</i>	11W;
<i>Colour temperature:</i>	4000K; 2700K
<i>LED source:</i>	Epistar Taiwan
<i>LED type:</i>	High power
<i>Base:</i>	E53
<i>Beam angle:</i>	36°
<i>Dimmable:</i>	Yes
<i>Colour rendering index:</i>	Ra≥80
<i>Switch on/off:</i>	>20 000
<i>Average life:</i>	30 000h


Product benefits

- Lower maintenance cost thanks to longer lifetime
- Reduced operational cost thanks to lower energy consumption.
- Mercury free.
- Maximum resistance to switching loads.
- Compact and efficient.
- Correct operation even at low temperature.
- Instant-on light.

Areas of application

- Shops and exhibition rooms
- Galleries
- Directional light source

Variants and dimensions




Watt	Socket type	LED lamp lumens	Colour temp.	Beam angle	Size (mm)		Catalogue number
(W)		(lm)	(K)		Length	Diameter	
11	G53	800	4000	36°	58	111	99LED904
11	G53	800	2700	36°	58	111	99LED905

Barcodes

3800131205940	99LED904
3800131205957	99LED905

Energy efficiency



Standards

- EN 55015 • EN 61000-3-2 • EN 61000-3-3 • EN 61547 • EN 13032-4 • EN 62560 •

