

ELMARK[®]

The Brand of Electricity
LED HIGH BAYS

OSLO SMD



GENERAL INFORMATION »

- ∴ Rated voltage: 220-240V/ 50-60Hz
- ∴ Power: 100W,150W,200W
- ∴ Colour temperature: 5500K
- ∴ LED type: SMD 2835
- ∴ Colour of housing: Black
- ∴ Gear box: Aluminium
- ∴ Beam angle: 110°
- ∴ Colour rendering index: Ra≥ 80
- ∴ Surge Protection: 4kV
- ∴ Protection against dust and moisture: IP65
- ∴ Approximate mounting height: 7m,9m,10m

*** Have 3 (three) years or 35 000 working hours (which come first)
warranty from the manufacturer ELMARK Industries SC.**


FEATURES »

- ∴ Produced for Industrial usage - with replaced modules, easy and reliable service
- ∴ Wide distribution of homogenous, highly efficient light
- ∴ Economic- low power consumption
- ∴ Repeated switch on/off does not effect the fixture lifespan
- ∴ Instant light at maximum luminous flux
- ∴ Environmentally friendly - no mercury and lead
- ∴ No ultraviolet and infrared rays
- ∴ Resistant to shock and vibration stable body
- ∴ Voltage supply fluctuations do not affect the normal operation of the fixture
- ∴ Suitable for Sports halls, Commercial areas, Warehouses, Production facilities, Squares, Parking lot

PRODUCT DETAILS »

Catalogue number	Watt (W)	Whole fixture lumens (lm)	Efficiency (lm/W)	Colour temp. (K)	Beam angle	Colour body
98OSLO100SMD	100	17000	170	5500	110°	Black
98OSLO150SMD	150	25500	170	5500	110°	Black
98OSLO200SMD	200	34000	170	5500	110°	Black

DIMENSIONS »



Catalogue number	Diameter (mm)	Height (mm)
98OSLO100SMD	258	115
98OSLO150SMD	295	115
98OSLO200SMD	298	115

[ADDITIONAL INFORMATION »](#)

Catalogue number	Barcode	Packing/Box (pcs)
98OSLO100SMD	3800131242075	1/1
98OSLO150SMD	3800131242082	1/1
98OSLO200SMD	3800131242099	1/1

