


ELMARK[®]

The Brand of Electricity

LED ROAD FIXTURES STREETII



TECHNICAL SPECIFICATION

LED ROAD LIGHTS

ELMARK[®]

The Brand of Electricity

Technical data:

- Rated voltage: 230V
- Power: 24W; 40W; 120W
- Power supply: low-voltage, direct-current device – driver
- LED type: SMD
- Light source: SAMSUNG
- Color temperature: 4000K
- Beam angle: 120°
- Housing: aluminum body
- Colour of the housing: grey
- Ambient temperature: -40°C ÷ +65°C
- Long life: 30000 hours
- Colour rendering index: Ra≥70
- Protection against dust and moisture: IP65


Features:

- Completely replace traditional street lamps
- Wide distribution of homogeneous, highly efficient light
- Economic - low power consumption
- Repeated switch on/off does not effect the fixture lifespan
- Instant light at maximum luminous flux
- Environmentally friendly - no mercury and lead
- No ultraviolet and infrared rays
- Resistant to shock and vibration stable body
- Voltage supply fluctuations do not affect the normal operation of the fixture

Area of application:

- Roads and streets
- Squares
- Fleets
- Parking lots
- Warehouses

Variants and Dimensions:



Watt (W)	Whole fixture lumens (lm)	Colour temp (K)	Beam angle	Size (mm)			Catalogue number
				Length	Width	Height	
24	1920	4000	120°	284	166	85	98AT8024
40	3200	4000	120°	474	166	85	98AT8040
120	9600	4000	120°	890	166	85	98AT80120

Barcodes:


3800131190512	98AT8024
3800131190529	98AT8040
3800131190543	98AT80120

TECHNICAL SPECIFICATION

LED ROAD LIGHTS

ELMARK[®]

The Brand of Electricity



• EN 55015 • EN 61000-3-2 • EN 61000-3-3 • EN 61547 • EN 13032-4 • EN 60598-1 • EN 60598-2-3 • EN 50581:2012

CE RoHS
COMPLIANT