

## TECHNICAL SPECIFICATION

### Garden lighting - GRF966



### Technical characteristics

<b>Nominal voltage:</b>	230V
	50-60Hz
<b>Power of the light source:</b>	Max 18W (not included in the commercial kit)
<b>Lampholder:</b>	E27
<b>Housing:</b>	Aluminum
<b>Diffuser:</b>	Polycarbonate (PC)
<b>Type Installation:</b>	Surface mounting on a wall
	Ground mounting

## Safety


Dust and humidity protection level:	IP65
Protection against electric shock:	I
Surface requirements:	Class F

## Areas of application

- Suitable for outdoor use
- Gardens
- Parks


## Variants and dimensions

- GRF966 (wall mounting)




Model	Watt	Colour body	Size (mm)			Catalogue number	Packing (pcs)
			Length	Width	Height		
GRF966-W	max 18W	dark grey	250	72	107	966W250	16

- GRF966 (ground mounting)





Model	Watt	Colour body	Size (mm)			Catalogue number	Packing (pcs)
			Length	Width	Height		
GRF966-30	max 18W	dark grey	300	72	72	966P300	9
GRF966-50	max 18W	dark grey	500	72	72	966P500	9
GRF966-80	max 18W	dark grey	800	72	72	966P800	9


## Energy efficiency



This luminaire is compatible with bulbs of the energy classes:







966W250  
966P300  
966P500  
966P800

874/2012

## Barcodes

Barcode	Catalogue number
3800131186263	966W250
3800131186270	966P300
3800131186287	966P500
3800131186294	966P800

## Standards

EN 60598-1

EN 60598-2-1

