

ELMARK

The Brand of Electricity

SMART DOOR LOCKS EL-T1 and EL-T2



Product Introduction

EL-T1 and EL-T2 is smart digital door lock with small size and 5 ways to unlock- fingerprint, password, card, key and APP via Bluetooth.


Cat. Numbers: 195011; 195007

Technical Specifications



- Material: Aluminum alloy
- Power supply: 4x1.5V AAA batteries- Not included
- Charging input: Micro USB
- Suitable mortise: ST-5050; ST-7255
- Alert voltage: 4.8V
- Static current: 65 uA
- Induction time: ≤ 0.5s
- False reject rate: ≤ 0.01%
- False acceptance rate: ≤0.0001%
- Fingerprint capacity: 100; 120
- Password capacity: 50; 150
- Card capacity: 100; 200
- Password length: 6-12 digits
- Door thickness: 30-120mm
- Dimensions (LxH): 65x190mm; 65x270mm

❖ Control: Local control via Bluetooth



Catalog number	Type	Fingerprint capacity	Password capacity	Card capacity	Door thickness	Suitable mortise	Packing/Box (pcs)
195011	EL-T1	100	50	100	30-120mm	5050	1
195007	EL-T2	120	150	200	30-120mm	7255	1

Features

- Small size for EL-T1
- Multiple ways to unlock: fingerprint, code, card, mechanical key, mobile APP
- Stylish and simple design
- Highly sensitive fingerprint
- Anti-pry alarm
- Light indicator: Indicate the smart lock status and help to find at night.
- Anti-copy encrypted card: Intelligent encryption IC card recognition, easy to manage, high security against copying.
- Powerful inner core: high- performance chip, more accurate running speed algorithm.



ANTI-COPY ENCRYPTED CARD

Intelligent encryption IC card recognition, easy to manage, high security against copying.



THE SET INCLUDES:

- Smart door lock: 1pc
- IC card: 3pcs
- Mechanical keys: 2pcs

