

EL[®]MARK

The Brand of Electricity

LED HIGH BAYS

VECA SMD



GENERAL INFORMATION »

- ∴ Rated voltage: 220-240V/ 50-60Hz
- ∴ Power: 120W; 150W; 200W; 250W
- ∴ LED driver: mounted in the gear box
- ∴ Colour temperature: 5500K
- ∴ LED type: SMD
- ∴ LED source: Philips
- ∴ Colour of housing: Grey; Black
- ∴ Gear box: Aluminium
- ∴ Beam angle: 120°
- ∴ Colour rendering index: Ra ≥ 80
- ∴ Average lifetime: 25 000h
- ∴ Ambient temperature: -25°C ÷ +55°C
- ∴ Protection against dust and moisture: IP65




FEATURES »

- ∴ Produced for Industrial usage - with replaced modules, easy and reliable service
- ∴ Wide distribution of homogenous, highly efficient light
- ∴ Economic- low power consumption
- ∴ Repeated switch on/off does not effect the fixture lifespan
- ∴ Instant light at maximum luminous flux
- ∴ Environmentally friendly - no mercury and lead
- ∴ No ultraviolet and infrared rays
- ∴ Resistant to shock and vibration stable body
- ∴ Voltage supply fluctuations do not affect the normal operation of the fixture
- ∴ Suitable for Sports halls, Commercial areas, Warehouses, Production facilities, Squares, Parking lot

PRODUCT DETAILS »


Catalogue number	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Beam angle	Colour body
98VECA120SMD	120	12000	5500	120°	grey
98VECA150SMD	150	15000	5500	120°	grey
98VECA200SMD	200	20000	5500	120°	grey
98VECA250SMD	250	25000	5500	120°	black

DIMENSIONS »




Catalogue number	Diameter (mm)	Height (mm)
98VECA120SMD	400	120.3
98VECA150SMD	382	60
98VECA200SMD	460	170.3
98VECA250SMD	500	180

ADDITIONAL INFORMATION »




ELMARK
lighting

98VECA120SMD




This luminaire contains built-in LED lamps.



The lamps cannot be changed in the luminaire.

874/2012



Catalogue number	Barcode	Packing/Box (pcs)
98VECA120SMD	3800131201669	1/1
98VECA150SMD	3800131215116	1/1
98VECA200SMD	3800131215017	1/1

