

EL[®]MARK

The Brand of Electricity

LED STRIP 300 STELLAR



TECHNICAL SPECIFICATION

LED STRIPS

ELMARK[®]

The Brand of Electricity

Technical data:

- Rated voltage: 12V DC
- Power consumption: 14.4W/m
- Luminous efficiency: 10-12 lm/LED
- Number of LEDs: 60pcs/m
- Colour temperature: 2700-3000K; 4000-4300K; 6000-6500K
- LED type: SMD5050
- Length: 5m/reel
- Beam angle: 120°
- Average lifetime: 15 000h
- Strip width: 10mm
- Flex white PCB, with 3M adhere attached
- Protection against dust and moisture: IP20/ IP65

Features:

- Flexible & easy installation
- Low energy consumption
- Mercury free
- Correct operation even at low temperature
- Instant-on light
- Long lifetime

Area of application:

TECHNICAL SPECIFICATION


LED STRIPS

ELMARK

The Brand of Electricity

- Domestic application
- Accent lighting
- Landscape lighting
- Shops
- Pathways

Variants and Dimensions:



Model	LEDs	Watts / meter	Colour temp. (K)	Colour of light	Protection rating	Catalogue number
LED-5050-60-WW	60pcs/m	14.4W/M	2700-3000	warm white	IP20	99XLED310
LED-5050-60-CW	60pcs/m	14.4W/M	6000-6500	cold white	IP20	99XLED309
LED-5050-60-W	60pcs/m	14.4W/M	4000-4300	white	IP20	99XLED322
LED-5050-60-WW	60pcs/m	14.4W/M	2700-3000	warm white	IP65	99XLED318
LED-5050-60-CW	60pcs/m	14.4W/M	6000-6500	cold white	IP65	99XLED317
LED-5050-60-W	60pcs/m	14.4W/M	4000-4300	white	IP65	99XLED319

TECHNICAL SPECIFICATION


LED STRIPS

ELMARK[®]

The Brand of Electricity

Barcodes:

99XLED310	3800131199218
99XLED309	3800131199201
99XLED322	3800131217530
99XLED318	3800131215741
99XLED317	3800131215734
99XLED319	3800131217561



• EN 55015 • EN 61000-3-2 • EN 61000-3-3 • EN 61547 • EN 13032-4 • EN 62031 •

CE RoHS COMPLIANT

www.elmarkholding.eu