

## TECHNICAL SPECIFICATION

### Plastic distribution boards - ABS IP65



#### Description:

Plastic distribution boards of various sizes. Intended for extension or distribution of cable lines. They can also be used as meter boxes. They are resistant to chemical agents, thermal and UV rays.


#### Technical data:

- Resistance: chemical agents, weak acids, alkali, oils, salts, etc.
- Rated Voltage: up to 690V
- Maximum Current: up to 800A
- Thermal Deformation: over 240°C
- Operating Temperature: -35°C + 65°C
- Material: ABS
- IP code: IP65
- Colour: RAL7035 grey
- Recyclable
- Adjustable mounting plate position

## Mounting

- Vertically on flat surface

## Variants and dimensions



- ABS halogen free distribution boards – gray door

Board type	Material type	L (mm)	W (mm)	H (mm)	Packing / Box	Catalogue number
PP 3001	ABS	200	300	130	1	5312030130
PP 3002	ABS	250	350	150	1	5312535150
PP 3004	ABS	300	400	170	1	5313040170
PP 3005	ABS	300	400	220	1	5313040220
PP 3006	ABS	350	500	190	1	5313550190
PP 3007	ABS	400	500	240	1	5314050240
PP 3008	ABS	400	600	200	1	5314060190

**Note:** Open door angle 180°

- ABS halogen free distribution boards - transparent door



Board type	Material type	L (mm)	W (mm)	H (mm)	Packing / Box	Catalogue number
PP 3011	ABS	200	300	130	1	5342030130
PP 3012	ABS	250	350	150	1	5342535150
PP 3014	ABS	300	400	170	1	5343040170
PP 3015	ABS	300	400	220	1	5343040220
PP 3016	ABS	350	500	190	1	5343550190
PP 3017	ABS	400	500	240	1	5344050240
PP 3018	ABS	400	600	200	1	5344060190
PP 3020	ABS	500	700	250	1	5345070250

- ABS halogen free distribution module boards – transparent door



Board type	Material type	L (mm)	W (mm)	H (mm)	Packing / Box	Catalogue number
PP 3112-18 modules	ABS	250	330	130	1	5322535150
PP 3114-24 modules	ABS	300	350	150	1	5323040170
PP 3116-45 modules	ABS	350	500	190	1	5323550190
PP 3118-60 modules	ABS	400	600	200	1	5324060190

## Standards:

EN 60439-1

EN 60439-5

