

## **TECHNICAL SPECIFICATION**

### **LED Track lights SKY TL502 COB**



#### **Technical data**

- Power: 20W
- Colour temperature: 4000-4300K
- Rated voltage: 230V / 50/60Hz
- Power Supply: control gear, DC device – driver, included in the set
- Type of LED: COB
- Light source: Epistar Taiwan
- Switch on/off > 20000
- Protection against dust and moisture: IP40
- Housing: aluminum
- Colour of the housing: white; black
- Long life: 30000 hours
- Beam angle: 36°
- Power factor  $\lambda > 0.9$
- Colour rendering index:  $R_a \geq 80$


#### **Areas of application**

- Commercial sites
- Administrative buildings
- Banks, Schools
- Hospitals
- Entertainment and leisure spots

## Product benefits


- Completely replace traditional lighting fixtures
- Pleasant and uniform light distribution
- Low power consumption
- Repeated switch on/off does not affect the lifespan
- Instant light with maximum luminous flux
- Environmentally friendly - no mercury and lead
- No ultraviolet and infrared rays
- Resistant to shock and vibration-free body
- Low heat emission

## Variants and dimensions



Watt	LED chip lumens (lm)	Whole fixture lumens	Colour temp.	Colour body	Size			Catalogue number	Packing (pcs)
					L	D	H		
20W	2400	1600	4000-4300K	white	230	80	135	93TL502/WH	6
20W	2400	1600	4000-4300K	black	230	80	135	93TL502/BL	6

## Energy efficiency



## Barcodes

Barcode	Catalogue number
3800131186805	93TL502/WH
3800131186812	93TL502/BL

## Standards

### Standards

EN 55015

EN 61000-3-2

EN 61000-3-3

EN 61547

EN 60598-1

EN 60598-2-2

