
ELMARK®

The Brand of Electricity





LIGHTING CATALOGUE | 2023

DECORATIVE LIGHTING

Modern LED Fixtures | page 11


Felix | page 15


Senso | page 21


Francis | page 25


Monaco | page 26


Colin | page 27


Hendrix | page 29


Crystal Lighting Fixtures | page 32



Daliss | page 33


William Lux | page 39


Mishelle | page 42


Karol | page 45


Windsor | page 54


Elder | page 60

Classic Lighting Fixtures | page 64


Alexander | page 65


Sophia | page 67



Lukas | page 78


Thera | page 83


Erin | page 91


Juliet | page 112

Vintage Lighting Fixtures | page 162


Luton | page 162


Damon | page 164


Victor | page 167


Silvia | page 169


Rope | page 176


Neptun | page 184

Spot Lighting Fixtures | page 187


Julie | page 191


Eddy | page 195


Delia | page 197


Riko | page 205


Addy | page 208


Sam | page 213

Table and Floor | page 214


Ryan | page 217


Clara | page 221


Elinor | page 222



Nicola | page 226


Siena | page 228


Berta | page 239

INDOOR LIGHTING

LED Panels | page 253


Tetragon LED Panel | page 254

High Efficiency LED Panels UGR<19 | page 257


Round LED Panels | page 267

Round LED Panels, IP65 | page 273


Surface LED Panels | page 283


Glass LED Panels | page 287

Wall and Ceiling Lamps | page 290


Smart Ceiling Lamp | page 294


Ceiling Lamp with Sensor | page 298

LED Wall Lamp | page 302


LED Picture Light | page 308


LED Profiles | page 315


LED Ceiling Fixtures | page 323

Bathroom Lighting| page 330


Bathroom Wall Lamp | page 332


LED Bathroom Light | page 332


Bathroom down lights | page 335


Waterproof Wall Lamps | page 338


Mirror Lights | page 339


Mirror Lights | page 340

Downlights | page 342


Crystal downlights | page 344


Recessed Spotlights | page 367


LED Down lights with Honey Comb | page 369


Movable LED Spotlights | page 373


Recessed Linear Lights | page 385


Surface Down lights | page 390

Track Lights | page 399


Magnet Track Lights | page 400


Magnet Track Lights | page 401


Rail for Magnetic Track Lights | page 407


Two & Four Lines Track Lights | page 418



Colour Adjustable Track Lights | page 421


Track Pendant Lights | page 424

Emergency Lights | page 447



Emergency Fixtures | page 449


Panels with Emergency Kit | page 455


Down lights with Emergency Kit | page 463


Flood lights with Emergency Kit | page 671


Street lights with Emergency Kit | page 675


High bays with Emergency Kit | page 677

OUTDOOR LIGHTING

Garden Lighting | page 472


Wall Garden Lantern | page 473


Standing Garden Lantern | page 484


Garden Floor Lamp| page 492


Park Light | page 494


LED Path Light | page 497


Belt Light | page 509

Ceiling and Wall Fixtures | page 510


Wall Lamp with Sensor | page 512


Recessed LED Light | page 514


LED Wall Lamp | page 537


Wall & Ceiling LED Lamp | page 543


Wall Lamps | page 550


LED Ceiling Fixtures | page 559

Facade, Ground and Pool Lighting | page 568


Facade Lighting | page 571


Facade Lighting | page 578


Facade and Ground Fixtures | page 580


Ground Recessed LED Fixtures | page 587


Ground Recessed LED Fixtures | page 595


Pool Lighting | page 607

Solar Lighting | page 612



Solar Wall Lamps | page 613


Solar Flood Lights | page 615


Solar Standing Lamps | page 618


Solar Pathway Lamps | page 622


Solar Driveway Lamps | page 625


Solar Street Lights|page 634

Flood lights | page 636


LED Floodlight | page 637


LED Floodlight | page 643


LED Floodlight with Sensor | page 644


LED RGB Flood Lights | page 649


High Power Flood-lights | page 651


Stadium Floodlights | page 653

Street Lights & High Bays | page 656


LED Street Lights Tivoli | page 658


LED Street Lights Prague | page 659


LED Street Lights Berlin | page 662


LED High Bays Dublin | page 666


LED High Bays London | page 667


EX proof Lighting | page 685

LED LAMPS AND COMPONENTS

LED Bulbs and LED Tubes | page 690


LED Filament Lamps | page 694


Milky White LED Lamps | page 695


LED Pear Bulbs A60 | page 708


Low Voltage LED Lamps | page 712


LED Globe | page 714


High Power LED Bulbs | page 718


Mould for Ceiling Lamps | page 719


LED Colour Lamps | page 721


High Efficiency LED Bulbs | page 727


LED Bulbs G9 | page 729


Fresh Light Tubes | page 733


LED Tubes | page 735

LED Strips 12V DC & 24V DC, IP20 & IP65 | page 739


LED Strips 150 | page 739


Double LED Strips 1200 | page 750


RGBW LED Strips | page 752


COB LED Strips | page 754


LED Neon Flex | page 765


Profile for LED Strips | page 769

LED Drivers | page 777


Controllers for LED Strips | page 778


RGB Amplifier | page 779


Constant Voltage LED Drivers 12 V DC | page 782


Constant Voltage LED Drivers 24 V DC | page 792


Constant Voltage LED Drivers 48 V DC | page 798


Drivers for LED Panels | page 804

Dimmable Drivers | page 790


0-10V & Thyristor Dimmable Driver 12V DC | page 790


0-10V & Thyristor Dimmable Driver 24V DC | page 797


0-10V Constant Current Dimmable Driver | page 799


DALI T6 Constant Voltage Dimmable Drivers | page 801


DALI Constant Current LED Driver | page 802


DALI Bus Power Supply | page 803

Sensors and Lamp Holders | page 807


Lamp Holders E27 | page 807


Lamp Base E27 | page 808


Infrared Motion Sensors | page 809


Moving Hand Sensors | page 811


Microwave Sensors | page 812


Light Control Sensors | page 816

ELMARK®

The Brand of Electricity

ELMARK ENSURES HIGH RELIABILITY AND COST-EFFECTIVE SOLUTIONS WORLDWIDE

ELMARK is a leading manufacturer and distributor in Europe and a reliable international partner.



„The business concept is always winning if you put the needs of your customers first.
We do constantly improve our business model in the direction to increase customer`s profit."

Jelez Georgiev
CEO of ELMARK Holding SE





20 000m²
FACTORY AREA

3 500m²
HEADQUARTERS PREMISES

11 000m²
WAREHOUSE SPACE

OUR MISSION

The company's long-term goals are aimed to implement the latest digital solutions for fast and easy management of the supply chain. We continue ensuring high-effective solutions for every household and business structure.

OUR VALUES

We believe that for running a successful business it is necessary to build a solid foundation which drives business growth. Our main core values are: Expert approach, High efficiency, Security, Trust, Striving for improvement.

OUR COMPANY PRODUCES UNDER BRAND **ELMARK**:

- **» Full range of professional electrical equipment**
- **» Products for automation and control**
- **» Components for electricals installation**
- **» Smart home solutions**
- **» Solar systems**
- **» LED decorative and indoor lighting**
- **» Outdoor and industrial lighting**





Scan & view company video presentation

PRODUCTION & LOGISTICS

PRODUCTIONS


ELMARK`s production is tailored to market's needs in terms of quality, functionality and safety requirements. Our product portfolio includes over 10,000+ solutions for every household and business, distributed in the main areas of electrical equipment and lighting, developed in response to customer`s demand and expectations.

WAREHOUSE & LOGISTICS

The strategically located factory and warehouse in Dobrich, covering an area of over 10,000 m2 , provide quick and easy access to major transport lines, as well as direct access to European and international markets. The production buildings of the company have modern equipment and the necessary infrastructure for the needs of production. The logistics structure is build of interconnected distribution and partner networks, which transport to over 60 countries around the world.

PRODUCT QUALITY & GUARANTEES

Manufactured in accordance with all European standards and requirements, the ELMARK product line follows the global trends for high efficiency and quality. Our production passes everyday tests and has proven parameters for safety and security, and proof are the international certificates obtained over the years, among which is the INTERTEK certificate which help to ensure quality and safety of our production.





The ELMARK provides up to 7 years warranty for products with the ELMARK brand.

ALLIANZ GERMANY recognize our brand for the lack of claims for more than 17 consecutive years in regard of insurance “Product liability”.

Product portfolio 10000+

Up to 7 years warranty

European manufacturer

Certified quality

QUALITY & INSURANCE CERTIFICATES

All available certificates can be found at

www.elmarkholding.eu



Bureau Veritas Certification

ELMARK INDUSTRIES AD

2, Dobrudzha Str., 9300, Dobrich, Bulgaria

Bureau Veritas Certification Holding SAS – UK Branch certifies that the Management System of the above organisation has been audited and found to be in accordance with the requirements of the management system standards detailed below

ISO 9001:2015

Scope of certification

Production and trade of Miniature Circuit Breakers (MCB), Molded Case Circuit Breakers (MCCB), Residual Current Devices (RCD) and Contactors and Devices for Control and Protection of Electrical Motors. Assembly and testing of Industrial and LED lighting. Assembly and testing of decorative lighting.

Original cycle start date:	07-04-2009
Expiry Date of Previous Cycle:	16-03-2021
Certification / Recertification Audit date:	02-03-2021
Certification/Recertification Cycle Start Date:	17-03-2021
Subject to the continued satisfactory operation of the organization's Management System, this certificate expires on:	16-03-2024

Certificate No.: BG001733 Version: 2 Issue Date: 26-03-2021

Signed on behalf of BVCH SAS UK Branch


UKAS MANAGEMENT SYSTEMS 0008

Certification Body Address: 5th Floor, 66 Prescot Street, London, E1 8HG, United Kingdom

Local Office: 81A, Bulgaria Blvd., 1404 Sofia, Bulgaria

Further clarifications regarding the scope and validity of this certificate, and the applicability of the management system requirements, please call: +359 (2) 960 60 00

1/1



ALLIANZ BULGARIA INSURANCE CO. LTD.

GENERAL INSURANCE

TO WHOM IT MAY CONCERN

CERTIFICATE OF COVER

This is to certify that we, "Allianz Bulgaria" Insurance Co., Ltd., Bulgaria, Sofia, IN 040638060, in our capacity as Insurers, have issued an insurance Policy No 13000220390000001 and effected Product Liability insurance as follows:

ASSURED:	ELMARK INDUSTRIES AD, BULSTAT No. 124634156, Dobrich, Dobrudzha 2 Boul.
Interest	Production of Miniature Circuit Breakers (MCB), Molded Case Circuit Breakers (MCCB), Residual Current Devices (RCD) and Contactors, Thermomagnetic automatic breakers, Thermal overload relays and Devices for Control and Protection of Electrical Motors. Assembly and testing of Decorative, Luminescent, Industrial and LED lighting.
Limits:	1 500 000 EUR any one occurrence 1 500 000 EUR in aggregate for the insurance period
PERIOD:	TWELVE MONTHS with effect from 01-01-2022
Territorial Scope:	Worldwide except USA and Canada and the territories under their jurisdiction

Warranties, if any:

In the event that the Assured or anyone acting on his behalf uses the above information as evidence for insurance or evidence of financial responsibility under any applicable law relating to financial responsibility, or otherwise shows or offers it to any other party as evidence of insurance, it must be clearly understood that this confirmation relates only to the dates set out above and that such insurance is subject to General Conditions of "Allianz Bulgaria", attached clauses and terms, conditions, limitations, exclusions and other provisions of the Insurance Policy issued.

Issued on December 29TH 2021

Place of issue: Varna, Bratya Miladinovi 68 Str., General representation 039, varna.centre@allianz.bg tel.: +35952668733

"ALLIANZ BULGARIA" INS Co., LTD.

Allianz Bulgaria Insurance Co. Ltd. 039 Allianz

Intertek

Certificate

for European Product Safety

Reference No. 1814486

Circuit-breakers with overcurrent protection

Type designation	C61N, C62N, C63N, C64N
Certificate holder	**Elmark Industries SC** **2 Dobrudzha blvd., Dobrich,** **BULGARIA**
The product complies with the standard(s)	EN 60898-1:2003+A1+A11+A12 +A13
Date of expiry	16 August 2023
EU Directive information	According to the principle of presumption of conformity, this certificate constitutes support for an EC Declaration of Conformity and CE marking according to the Low Voltage Directive 2014/35/EU.

Additional information in Appendix.

Certification Body Intertek Semko AB, Product Certification *Place* Kista - Stockholm

Signed Bo Berglöf *Date* 16 August 2018

This certificate is issued in accordance with the terms and conditions set out in the Appendix.

Intertek

Certificate

for European Product Safety

Reference No. 1815647

Moulded Case Circuit-Breakers

Type designation	DS 1
Certificate holder	**Elmark Industries SC** **2 Dobrudzha blvd., Dobrich,** **BULGARIA**
The product complies with the standard(s)	EN 60947-2:2017
Date of expiry	13 September 2023
EU Directive information	According to the principle of presumption of conformity, this certificate constitutes support for an EC Declaration of Conformity and CE marking according to the Low Voltage Directive 2014/35/EU.

Additional information in Appendix.

Certification Body Intertek Semko AB, Product Certification *Place* Kista - Stockholm

Signed Fredrik Wennersten *Date* 13 September 2018

This certificate is issued in accordance with the terms and conditions set out in the Appendix.

intertek
Total Quality. Assured.

Certificate

for European Product Safety

Reference No. 1817803

Residual current operated circuit-breakers without integral overcurrent protection for household and similar uses (RCCBs)

Type designation	JEL1
Certificate holder	**Elmark Industries SC** **2 Dobrudzha blvd., Dobrich,** **BULGARIA**
The product complies with the standard(s)	EN 61008-2-1:1994+A11 EN 61008-1:2012+A1+A2+A11+A12
Date of expiry	31 October 2023
EU Directive information	According to the principle of presumption of conformity, this certificate constitutes support for an EC Declaration of Conformity and CE marking according to the Low Voltage Directive 2014/35/EU.

Additional information in Appendix.

Certification Body Intertek Semko AB, Product Certification *Place* Kista - Stockholm

Signed Helen Gustafsson *Date* 31 October 2018

This certificate is issued in accordance with the terms and conditions set out in the Appendix.

intertek
Total Quality. Assured.

Certificate

for European Product Safety

Reference No. 1817119

AC Contactor

Type designation	LT1-D4011, LT1-D5011, LT1-D6511, LT1-D8011, LT1-D9511
Certificate holder	**Elmark Industries SC** **2 Dobrudzha blvd., Dobrich,** **BULGARIA**
The product complies with the standard(s)	EN 60947-4-1:2010+A1 EN 60947-5-1:2017
Date of expiry	15 October 2023
EU Directive information	According to the principle of presumption of conformity, this certificate constitutes support for an EC Declaration of Conformity and CE marking according to the Low Voltage Directive 2014/35/EU.

Additional information in Appendix.

Certification Body Intertek Semko AB, Product Certification *Place* Kista - Stockholm

Signed Bo Berglöf *Date* 15 October 2018

This certificate is issued in accordance with the terms and conditions set out in the Appendix.

DECORATIVE LIGHTING

- LED DECOR LIGHTING
- CRYSTAL LIGHTING
- DECOR CLASSIC LIGHTING
- SPOT LIGHTS
- TABLE & FLOOR LAMPS





955ELIN3075




955ELIN3043



955ELIN3065

LED | warm WHITE 3000K | A G


955ELIN3075



Type: Ceiling lamp
Power: 75W
Lumens: 4800lm
Body colour: Sand black + Gold
Material: Metal + Aluminum+ Silicone

LED | warm WHITE 3000K | A G

955ELIN3065



Type: Ceiling lamp
Power: 65W
Lumens: 4220lm
Body colour: Sand black + Gold
Material: Metal + Aluminum+ Silicone

LED | warm WHITE 3000K | A G

955ELIN3043



Type: Ceiling lamp
Power: 43W
Lumens: 2800lm
Body colour: Sand black + Gold
Material: Metal + Aluminum+ Silicone

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP40
~230V
SMD 2835
>15000
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



955AXEL30496




955AXEL30472

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
SMD 2835
>15000
Ra≥80
EMC


LED warm WHITE 3000K A G



955AXEL30496

Type: Pendant
Power: 96W
Lumens: 6200lm
Body colour: Black & Brushed light gold
Material: Metal + Aluminum+ Acrylic PC

LED warm WHITE 3000K A G



955AXEL30472

Type: Pendant
Power: 72W
Lumens: 4600lm
Body colour: Black & Brushed light gold
Material: Metal + Aluminum + Acrylic PC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



955AXEL3048




955AXEL3008W

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP40
~230V
SMD 2835
>15000
Ra≥80
EMC

LED warm WHITE 3000K A-G G


955AXEL3048



Type: Pendant
Power: 48W
Lumens: 3100lm
Body colour: Black & Brushed light gold
Material: Metal + Aluminum+ Acrylic PC

LED warm WHITE 3000K A-G G

955AXEL3008W



Type: Wall lamp
Power: 8W
Lumens: 520lm
Body colour: Black & Brushed light gold
Material: Metal + Aluminum+ Acrylic PC

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



955FELIX3058




955FELIX3035

5 YEAR TOTAL WARRANTY
3 standard+2 extended
+ 2 extended

IP40
~230V
SMD 2835
>15000
Ra≥80
EMC

LED | warm WHITE 3000K | A G | G



955FELIX3058

Type: Pendant
Power: 58W
Lumens: 3700lm
Body colour: Black & Gold
Material: Metal + Acrylic+ Silicone tube

LED | warm WHITE 3000K | A G | G



955FELIX3035

Type: Pendant
Power: 35W
Lumens: 2200lm
Body colour: Black & Gold
Material: Metal + Acrylic + Silicone tube

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



955FELIX30112




955FELIX3029



955FELIX3052

LED warm WHITE 3000K A G


955FELIX30112



Type: Ceiling lamp
Power: 112W
Lumens: 7200lm
Body colour: Black & Gold
Material: Metal + Acrylic + Silicone tube

LED warm WHITE 3000K A G


955FELIX3052



Type: Ceiling lamp
Power: 52W
Lumens: 3300lm
Body colour: Black & Gold
Material: Metal + Acrylic + Silicone tube

LED warm WHITE 3000K A G

955FELIX3029



Type: Ceiling lamp
Power: 29W
Lumens: 1800lm
Body colour: Black & Gold
Material: Metal + Acrylic + Silicone tube

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP40
~230V
SMD 2835
>15000
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



955LINUS1P



955OWEN1P



955LINUS1W

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP40
~230V
SMD 2835
>15000
Ra≥80
EMC

LED | warm WHITE 2800-3200K | A G | G


955LINUS1P



Type: Pendant
Power: 23W
Lumens: 1610lm
Body colour: Silver
Material: Aluminum + Iron + PC

LED | warm WHITE 2800-3200K | A G | G

955LINUS1W



Type: Wall lamp
Power: 8.5W
Lumens: 595lm
Body colour: Silver
Material: Aluminum + Iron + PC

LED | warm WHITE 2800-3200K | A G | F

955OWEN1P



Type: Pendant
Power: 19W
Lumens: 1330lm
Body colour: Chrome
Material: Aluminium + Iron + Acrylic

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



955AILIS18




955AILIS15

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP40
~230V
SMD 2835
>15000
Ra≥80
EMC

LED warm WHITE 2700K A F

955AILIS18



Type: Pendant
Power: 18W
Lumens: 1980lm
Body colour: White
Material: Metal + Acrylic

LED warm WHITE 2700K A F

955AILIS15



Type: Pendant
Power: 15W
Lumens: 1650lm
Body colour: White
Material: Metal + Acrylic

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



955MARCELLA1T




955MARCELLA1W

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
SMD 2835
>15000
Ra≥80
EMC


LED warm WHITE 2800-3200K A-G F



955MARCELLA1W

Type: Wall lamp
Power: 11W
Lumens: 756lm
Body colour: Silver
Material: Aluminum + Iron + PC

LED warm WHITE 2800-3200K A-G F



955MARCELLA1T

Type: Table lamp
Power: 11W
Lumens: 770lm
Body colour: Silver
Material: Aluminum + Iron + PC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



955MARCELLA4A




955MARCELLA3R

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP40
~230V
SMD 2835
>15000
Ra≥80
EMC

LED warm WHITE 2800-3200K A to G


955MARCELLA4A



Type: Chandelier
Power: 42W
Lumens: 2940lm
Body colour: Silver
Material: Aluminum + Iron + PC

LED warm WHITE 2800-3200K A to F

955MARCELLA3R



Type: Chandelier
Power: 33W
Lumens: 2310lm
Body colour: Silver
Material: Aluminum + Iron + PC

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



955SENSO3F




955SENSO6

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP40
~230V
SMD 2835
>15000
Ra≥80
EMC

LED warm WHITE 2800-3200K A T G


955SENSO6



Type: Pendant
Power: 50W
Lumens: 3528lm
Body colour: Matte black
Material: Aluminum + Iron + Acrylic

LED warm WHITE 2800-3200K A T G

955SENSO3F



Type: Floor lamp
Power: 25W
Lumens: 1764lm
Body colour: Matte black
Material: Aluminum + Iron + Acrylic

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



955SENSO1W



955SENSO2W



955SENSO1T

LED warm WHITE 2800-3200K A G


955SENSO1W



Type: Wall lamp
Power: 8.5W
Lumens: 588lm
Body colour: Matte black
Material: Aluminum + Iron + Acrylic

LED warm WHITE 2800-3200K A G

955SENSO2W



Type: Wall lamp
Power: 17W
Lumens: 1176lm
Body colour: Matte black
Material: Aluminum + Iron + Acrylic

LED warm WHITE 2800-3200K A G

955SENSO1T




Type: Table lamp
Power: 8.5W
Lumens: 588lm
Body colour: Matte black
Material: Aluminum + Iron + Acrylic

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP40
~230V
SMD 2835
>15000
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



955DUNCAN3F




955DUNCAN9

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
SMD 2835
>15000
Ra≥80
EMC


LED | warm WHITE 2800-3200K | A↑G G



955DUNCAN3F

Type: Floor lamp
Power: 15W
Lumens: 1050lm
Body colour: Matte black & Wood
Material: Aluminum + Iron + PC

LED | warm WHITE 2800-3200K | A↑G G



955DUNCAN9

Type: Chandelier
Power: 45W
Lumens: 3150lm
Body colour: Matte black & Wood
Material: Aluminum + Iron + PC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



955DUNCAN6



955DUNCAN1W




955DUNCAN1T

LED | warm WHITE 2800-3200K | A G | G

955DUNCAN6

Type: Chandelier
Power: 30W
Lumens: 2100lm
Body colour: Matte black & Wood
Material: Aluminum + Iron + PC



LED | warm WHITE 2800-3200K | A G | G

955DUNCAN1W

Type: Wall lamp
Power: 5W
Lumens: 350lm
Body colour: Matte black & Wood
Material: Aluminum + Iron + PC



LED | warm WHITE 2800-3200K | A G | G

955DUNCAN1T

Type: Table lamp
Power: 5W
Lumens: 350lm
Body colour: Matte black & Wood
Material: Aluminum + Iron + PC



5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
SMD 2835
>15000
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



955FRANCIS120/30




955FRANCIS42/14

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
SMD 2835
>15000
Ra≥80
EMC


LED | neutral WHITE 4000K | D



955FRANCIS120/30

Type: Chandelier
Power: 120W
Lumens: 16200lm
Body colour: Matt Black
Material: Metal + Acrylic
Pine QTY: 30

LED | neutral WHITE 4000K | F



955FRANCIS42/14

Type: Chandelier
Power: 42W
Lumens: 4600lm
Body colour: Matt Black
Material: Metal + Acrylic
Pine QTY: 14

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



955MARLON36/12



955MONACO12W

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
SMD 2835
>15000
Ra≥80
EMC

LED | neutral WHITE 4000K | A↑G F


955MARLON36/12



Type: Chandelier
Power: 36W
Lumens: 4000lm
Body colour: Copper
Material: Metal + Acrylic
Pine QTY: 12

LED | warm WHITE 2700K | neutral WHITE 4000K | cold WHITE 6400K | SETTABLE | A↑G F

955MONACO12W



Type: Wall lamp
Power: 12W
Lumens: 1320lm
Body colour: Gold
Material: Metal + Glass

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



955COLIN108/18



955COLIN72/12

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
SMD 2835
>15000
Ra≥80
EMC

LED | warm WHITE 2700K | A F G


955COLIN108/18



Type: Chandelier
Power: 108W
Lumens: 11900lm
Body colour: Gold
Material: Metal + Glass

LED | warm WHITE 2700K | A F G

955COLIN72/12



Type: Chandelier
Power: 72W
Lumens: 8000lm
Body colour: Gold
Material: Metal + Glass

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



955COLIN16




955COLIN12

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP40
~230V
SMD 2835
>15000
Ra≥80
EMC

LED warm WHITE 2700K A F


955COLIN16



Type: Ceiling Lamp
Power: 144W
Lumens: 15840lm
Body colour: Gold
Material: Metal + Glass

LED warm WHITE 2700K A F

955COLIN12



Type: Ceiling Lamp
Power: 108W
Lumens: 11880lm
Body colour: Gold
Material: Metal + Glass

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



955HENDRIX1P



955HENDRIX1T

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP40
~230V
SMD 2835
>15000
Ra≥80
EMC

LED warm WHITE 2800-3200K A G



955HENDRIX1P

Type: Pendant
Power: 21W
Lumens: 1470lm
Body colour: White & Black
Material: Aluminum + Iron + PC

LED warm WHITE 2800-3200K A G



955HENDRIX1T

Type: Table lamp
Power: 11W
Lumens: 770lm
Body colour: White & Black
Material: Aluminum + Iron + PC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store




93TL291L10WW/WH
93TL291L10W/WH



93TL291L10WW/BL
93TL291L10W/BL

LED | warm WHITE 2700K | 24° | A↑G F


93TL291L10WW/WH



Type: Pendant
Power: 10W
Lumens: 800lm
Body colour: White
Material: Aluminum

LED | warm WHITE 2700K | 24° | A↑G F


93TL291L10WW/BL



Type: Pendant
Power: 10W
Lumens: 800lm
Body colour: Black
Material: Aluminum

LED | neutral WHITE 4000K | 24° | A↑G F


93TL291L10W/WH



Type: Pendant
Power: 10W
Lumens: 800lm
Body colour: White
Material: Aluminum

LED | neutral WHITE 4000K | 24° | A↑G F

93TL291L10W/BL



Type: Pendant
Power: 10W
Lumens: 800lm
Body colour: Black
Material: Aluminum

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP40
~230V
SMD 2835
>15000
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



93TL291L15WW/WH
93TL291L15W/WH




93TL291L15WW/BL
93TL291L15W/BL

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP40
~230V
SMD 2835
>15000
Ra≥80
EMC

LED | warm WHITE 2700K | 24° | F


93TL291L15WW/WH



Type: Pendant
Power: 15W
Lumens: 1500lm
Body colour: White
Material: Aluminum

LED | warm WHITE 2700K | 24° | F


93TL291L15WW/BL



Type: Pendant
Power: 15W
Lumens: 1500lm
Body colour: Black
Material: Aluminum

LED | neutral WHITE 4000K | 24° | F


93TL291L15W/WH



Type: Pendant
Power: 15W
Lumens: 1500lm
Body colour: White
Material: Aluminum

LED | neutral WHITE 4000K | 24° | F

93TL291L15W/BL



Type: Pendant
Power: 15W
Lumens: 1500lm
Body colour: Black
Material: Aluminum

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

CRYSTAL LIGHTING



Recommended bulb



E14

page 694

ELMARK
The Brand of Electricity



955DALISS13



955DALISS5

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20

~230V

RoHS

CE

Lamps Not Included | 13xE14



955DALISS13

Type: Chandelier
Body colour: Gold
Crystal index: K9
Material: Metal + Crystal
Max.: 13x40W

Lamps Not Included | 5xE14



955DALISS5

Type: Chandelier
Body colour: Gold
Crystal index: K9
Material: Metal + Crystal
Max.: 5x40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E14

page 694

ELMARK
The Brand of Electricity



955BLESSY18



955BLESSY10

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 18xE14



955BLESSY18

Type: Chandelier
Body colour: Chrome
Crystal index: K9
Material: Metal + Crystal
Max.: 18x40W

Lamps Not Included 10xE14



955BLESSY10

Type: Chandelier
Body colour: Chrome
Crystal index: K9
Material: Metal + Crystal
Max.: 10x40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E14

page 694

ELMARK
The Brand of Electricity



955BLESSY44



955BLESSY77



955BLESSY19

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20


~230V

RoHS

CE

Lamps Not Included | 77xE14


955BLESSY77



Type: Chandelier 14 sections
Body colour: Chrome
Crystal index: K9
Material: Metal + Crystal
Max.: 77x40W

Lamps Not Included | 44xE14


955BLESSY44



Type: Chandelier 8 sections
Body colour: Chrome
Crystal index: K9
Material: Metal + Crystal
Max.: 44x40W

Lamps Not Included | 19xE14

955BLESSY19



Type: Chandelier 5 sections
Body colour: Chrome
Crystal index: K9
Material: Metal + Crystal
Max.: 19x40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E14

page 694

ELMARK
The Brand of Electricity



955VICTORIA22



955VICTORIA14



955VICTORIA6

Lamps Not Included 22xE14


955VICTORIA22



Type: Ceiling lamp
Body colour: Gold & Black
Crystal index: K9
Material: Metal + Crystal
Max.: 22x40W

Lamps Not Included 13xE14

955VICTORIA14



Type: Ceiling lamp
Body colour: Gold &
Black Crystal index: K9
Material: Metal + Crystal
Max.: 13x40W

Lamps Not Included 6xE14

955VICTORIA6



Type: Ceiling lamp
Body colour: Gold &
Black Crystal index: K9
Material: Metal + Crystal
Max.: 6x40W

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E14

page 694

ELMARK
The Brand of Electricity



955CATHERINE17/S



955CATHERINE17/R

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20

~230V

RoHS

CE

Lamps Not Included 17xE14

955CATHERINE17/R



Type: Chandelier
Body colour: Gold & Black
Crystal index: K9
Material: Metal + Crystal
Max.: 17x40W

Lamps Not Included 19xE14

955CATHERINE17/S



Type: Chandelier
Body colour: Gold & Black
Crystal index: K9
Material: Metal + Crystal
Max.: 19x40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E14

page 694

ELMARK
The Brand of Electricity

DECOR | INNA



955INNA2W/CH




955INNA2W/GD

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
2xE14


955INNA2W/CH



Type: Wall lamp
Body colour: Chrome
Material: Metal + Crystal
Max.: 2x40W

Lamps Not Included
2xE14

955INNA2W/GD



Type: Wall lamp
Body colour: Gold
Material: Metal + Crystal
Max.: 2x40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E14

page 694


ELMARK
The Brand of Electricity



955WILLIAMLUX8



955WILLIAMLUX12



955WILLIAMLUX2

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included | 8xE14

955WILLIAMLUX8



Type: Chandelier
Body colour: Antique brass
Material: Metal + Crystal
Max.: 8x40W

Lamps Not Included | 12xE14


955WILLIAMLUX12



Type: Chandelier
Body colour: Antique brass
Material: Metal + Crystal
Max.: 12x40W

Lamps Not Included | 2xE14

955WILLIAMLUX2



Type: Wall lamp
Body colour: Antique brass
Material: Metal + Crystal
Max.: 2x40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E14

page 694

ELMARK
The Brand of Electricity



955WILLIAM8



955WILLIAM12



955WILLIAM2

Lamps Not Included | 8xE14

955WILLIAM8



Type: Chandelier
Body colour: Gold
Material: Metal + Crystal
Max.: 8x40W

Lamps Not Included | 12xE14


955WILLIAM12



Type: Chandelier
Body colour: Gold
Material: Metal + Crystal
Max.: 12x40W

Lamps Not Included | 2xE14

955WILLIAM2



Type: Wall lamp
Body colour: Gold
Material: Metal + Crystal
Max.: 2xE14

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E14

page 694

ELMARK
The Brand of Electricity



955ALBERT13




955ALBERT6

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 13xE14


955ALBERT13



Type: Chandelier
Body colour: Chrome
Crystal index: K9
Material: Metal + Crystal
Max.: 13x40W

Lamps Not Included 6xE14

955ALBERT6



Type: Chandelier
Body colour: Chrome
Crystal index: K9
Material: Metal + Crystal
Max.: 6x40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E14

page 694

ELMARK
The Brand of Electricity



955MISHELLE8



955VERA9

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included | 9xE14


955VERA9



Type: Chandelier
Body colour: Gold
Crystal index: K9
Material: Metal + Crystal
Max.: 9x40W

Lamps Not Included | 8xE14

955MISHELLE8



Type: Ceiling lamp
Body colour: Chrome
Material: Metal + Crystal
Max.: 8x40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



G9

page 729

ELMARK
The Brand of Electricity



955ANTONIO8



955ANTONIO12

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 12xG9


955ANTONIO12



Type: Chandelier
Body colour: Gold
Material: Aluminum
+Crystals
Max.: 12x11W

Lamps Not Included 10xG9

955ANTONIO8



Type: Chandelier
Body colour: Gold
Material: Aluminum
+Crystals
Max.: 10x11W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



G9

page 729

ELMARK
The Brand of Electricity



955KAROL10



955KAROL12

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 12xG9

955KAROL12



Type: Chandelier
Body colour: Gold
Material: Aluminum + Crystals
Max.: 12x11W

Lamps Not Included 10xG9

955KAROL10



Type: Chandelier
Body colour: Gold
Material: Aluminum + Crystals
Max.: 10x11W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



G9

page 729

ELMARK
The Brand of Electricity



955KAROL8MC



955JOSEPH6

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20

~230V

RoHS

CE

Lamps Not Included





955KAROL8MC

Type: Chandelier
Body colour: Gold & Multi Colored Crystals
Material: Aluminum + Crystals
Max.: 8x11W

Lamps Not Included





955JOSEPH6

Type: Chandelier
Body colour: Gold
Material: Aluminum + Crystals
Max.: 6x11W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



G9

page 729

ELMARK
The Brand of Electricity



955ANDREW13



955CARLOS10

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included | 10xG9

955CARLOS10



Type: Chandelier
Body colour: Gold
Material: Aluminum + Crystals
Max.: 10x11W

Lamps Not Included | 13xG9

955ANDREW13



Type: Chandelier
Body colour: Gold
Material: Aluminum + Crystals
Max.: 13x11W

Scan QR code for 3D models, IES files & price.

Recommended bulb



G9

page 729

ELMARK
The Brand of Electricity



955JOAN22




955LOUIS13

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included





955JOAN22

Type: Chandelier
Body colour: Gold
Material: Aluminum + Crystals
Max.: 22x11W

Lamps Not Included





955LOUIS13

Type: Chandelier
Body colour: Gold
Material: Aluminum + Crystals
Max.:13x11W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



G9

page 729

ELMARK
The Brand of Electricity



955ROMAN10




955EDUARD7

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 7xG9


955EDUARD7



Type: Ceiling lamp
Body colour: Gold
Material: Aluminum + Crystals
Max.: 7x11W

Lamps Not Included 11xG9

955ROMAN10



Type: Ceiling lamp
Body colour: Gold
Material: Aluminum + Crystals
Max.: 11x11W

Scan QR code for 3D models, IES files & price.

Recommended bulb



G9

page 729

ELMARK
The Brand of Electricity



955SMITH6



955HUGO13

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 13xG9

955HUGO13



Type: Chandelier
Body colour: Gold
Material: Aluminum + Crystals
Max.: 13x11W

Lamps Not Included 6xG9

955SMITH6



Type: Chandelier
Body colour: Gold
Material: Aluminum + Crystals
Max.: 6x11W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



955AUSTIN3W




955AUSTIN10

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 10xG9


955AUSTIN10



Type: Ceiling lamp
Body colour: Gold
Material: Aluminum + Crystals
Max.: 10x11W

Lamps Not Included 3xG9

955AUSTIN3W



Type: Wall lamp
Body colour: Gold
Material: Aluminum + Crystals
Max.: 3x11W

Scan QR code for 3D models, IES files & price.

Recommended bulb



E14

page 697

ELMARK
The Brand of Electricity



955RALPH15

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20

~230V

RoHS

CE

Lamps Not Included

15xE14



955RALPH15

Type: Chandelier
Body colour: Brass & White
Material: Full brass + Crystals + Fabric
Max.: 15x40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E14

page 691

ELMARK
The Brand of Electricity



955FREDERICK3



955DARIAN6

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included | 3xE14



955FREDERICK3

Type: Chandelier
Body colour: Brass
Material: Full brass + Crystals
Max.: 3x40W

Lamps Not Included | 6xE14



955DARIAN6

Type: Chandelier
Body colour: Brass
Material: Full brass + Crystals
Max.: 6x40W

Scan QR code for 3D models, IES files & price.

Recommended bulb



E14

page 691



G9

page 729

ELMARK
The Brand of Electricity



955CHARLES19



955GEORGE9

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20

~230V

RoHS


CE

Lamps Not Included

16xE14

3xG9

955CHARLES19



Type: Chandelier
Body colour: Brass
Material: Full Brass & Jade
Max.: 16x40W+3x11W

Lamps Not Included

9xE14

955GEORGE9



Type: Chandelier
Body colour: Brass
Material: Full brass + Crystals
Max.: 9x40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E14

page 691

ELMARK
The Brand of Electricity



955HERALD15



955WINDSOR9

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included | 15xE14



955HERALD15

Type: Chandelier
Body colour: Brass
Material: Full brass + Crystals
Max.: 15x40W

Lamps Not Included | 9xE14



955WINDSOR9

Type: Chandelier
Body colour: Brass
Material: Full brass + Crystals
Max.: 9x40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E14

page 691

ELMARK
The Brand of Electricity



955RICHARD8



955EDWARD8

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20

~230V

RoHS

CE

Lamps Not Included

8xE14



955RICHARD8

Type: Chandelier
Body colour: Brass
Material: Full Brass & Crystals
Max.: 8x40W

Lamps Not Included

8xE14



955EDWARD8

Type: Chandelier
Body colour: Brass
Material: Full Brass & Jade
Max.: 8x40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E14

page 691

ELMARK
The Brand of Electricity



955MADLEN5



955MADLEN1W



955MADLEN3

Lamps Not Included | 5xE14



955MADLEN5

Type: Chandelier
Body colour: Transparent
Material: Metal + Crystal
Max.: 5x40W

Lamps Not Included | 3xE14



955MADLEN3

Type: Chandelier
Body colour: Transparent
Material: Metal + Crystal
Max.: 3x40W

Lamps Not Included | 1xE14



955MADLEN1W

Type: Wall lamp
Body colour: Transparent
Material: Metal + Crystal
Max.: 40W

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E14

page 694

ELMARK
The Brand of Electricity



955LIZA5/AB



955LIZA1W/AB



955LIZA3/AB



955LIZA1T/AB

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Lamps Not Included | 5xE14

955LIZA5/AB



Type: Chandelier
Body colour: Antique brass
Material: Metal + Crystal
Max.: 5x40W

Lamps Not Included | 3xE14

955LIZA3/AB



Type: Chandelier
Body colour: Antique brass
Material: Metal + Crystal
Max.: 3x40W

Lamps Not Included | 1xE14

955LIZA1W/AB



Type: Wall lamp
Body colour: Antique brass
Material: Metal + Crystal
Max.: 40W

Lamps Not Included | 1xE14

955LIZA1T/AB



Type: Table lamp
Body colour: Antique brass
Material: Metal + Crystal
Max.: 40W

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E14

page 694

ELMARK
The Brand of Electricity



955LIZA5/CH



955LIZA1W/CH




955LIZA3/CH



955LIZA1T/CH

Lamps Not Included | 5xE14

955LIZA5/CH



Type: Chandelier
Body colour: Chrome
Material: Metal + Crystal
Max.: 5x40W

Lamps Not Included | 3xE14

955LIZA3/CH



Type: Chandelier
Body colour: Chrome
Material: Metal + Crystal
Max.: 3x40W

Lamps Not Included | 1xE14

955LIZA1W/CH



Type: Wall lamp
Body colour: Chrome
Material: Metal + Crystal
Max.: 40W

Lamps Not Included | 1xE14

955LIZA1T/CH



Type: Table lamp
Body colour: Chrome
Material: Metal + Crystal
Max.: 40W

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E14

page 694

ELMARK
The Brand of Electricity



955PERCY3W/GD



955PERCY2W/GD



955PERCY2W/BL

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP20


~230V

RoHS

CE

Lamps Not Included | 3xE14

955PERCY3W/GD



Type: Wall lamp
Body colour: Gold
Material: Stainless Steel
+ Crystals
Max.: 3x40W

Lamps Not Included | 3xE14


955PERCY3W/BL



Type: Wall lamp
Body colour: Black
Material: Stainless Steel
+ Crystals
Max.: 3x40W

Lamps Not Included | 2xE14


955PERCY2W/GD



Type: Wall lamp
Body colour: Gold
Material: Stainless Steel
+ Crystals
Max.: 2x40W

Lamps Not Included | 2xE14

955PERCY2W/BL



Type: Wall lamp
Body colour: Black
Material: Stainless Steel
+ Crystals
Max.: 2x40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E14

page 694

ELMARK
The Brand of Electricity



955GILLIS2W/GD




955GILLIS2W/BL



955ELDER2W/GD


Lamps Not Included | 2xE14



955GILLIS2W/GD

Type: Wall lamp
Body colour: Titanium gold
Material: Stainless Steel + Crystals
Max.: 2x40W


Lamps Not Included | 2xE14



955GILLIS2W/BL

Type: Wall lamp
Body colour: Titanium black
Material: Stainless Steel + Crystals
Max.: 2x40W

Lamps Not Included | 2xE14



955ELDER2W/GD

Type: Wall lamp
Body colour: Gold
Material: Metal + Crystals
Max.: 2x40W

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E14

page 694

for BRETON



G4

page 730

for BRIX

ELMARK
The Brand of Electricity



955BRETON2W/BL



955BRETON2W/WH




955BRIX7W/GD

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP20
~230V
RoHS
CE


Lamps Not Included | 2xE14



955BRETON2W/BL

Type: Wall lamp
Body colour: Gold & Black
Material: Stainless Steel + PC Fabric
Max.: 2x40W


Lamps Not Included | 2xE14



955BRETON2W/WH

Type: Wall lamp
Body colour: Gold & White
Material: Stainless Steel + PC Fabric
Max.: 2x40W

Lamps Not Included | 7xG4



955BRIX7W/GD

Type: Wall lamp
Body colour: Titanium Gold
Material: Stainless Steel & Crystals
Max.: 7x11W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E14

page 694

for HARIS



G9

page 729

for MARGARET

ELMARK
The Brand of Electricity



955HARRIS2W/CU




955HARRIS2W/BL



955MARGARET2/GD

Lamps Not Included | 2xE14

955HARRIS2W/CU



Type: Wall lamp
Body colour: Copper
Material: Stainless Steel
+ Crystals
Max.: 2x40W

Lamps Not Included | 2xE14

955HARRIS2W/BL



Type: Wall lamp
Body colour: Matt black
Material: Stainless Steel
+ Crystals
Max.: 2x40W

Lamps Not Included | 2xG9

955MARGARET2/GD



Type: Wall lamp
Body colour: Gold
Material: Stainless Steel & Crystals
Max.: 2x11W

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



G9

page 729

ELMARK
The Brand of Electricity



955FRANZ2W/GD



955GUSTAV2W/GD




955THEODORE3/GD

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE


Lamps Not Included | 2xG9



955FRANZ2W/GD

Type: Wall lamp
Body colour: Gold
Material: Stainless Steel + Crystals
Max.: 2x11W


Lamps Not Included | 2xG9



955GUSTAV2W/GD

Type: Wall lamp
Body colour: Gold
Material: Stainless Steel + Crystals
Max.: 2x11W

Lamps Not Included | 3xG9



955THEODORE3/GD

Type: Wall lamp
Body colour: Gold
Material: Metal + Crystals
Max.: 3x11W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

DECOR CLASSIC LIGHTING



Recommended bulb



E14

page 691

ELMARK
The Brand of Electricity



955ALEXANDER12

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20

~230V

RoHS

CE

Lamps Not Included

12xE14



955ALEXANDER12

Type: Chandelier
Body colour: Brass
Material: Full Brass + Glass
Max.: 12x40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E14

page 691

ELMARK
The Brand of Electricity



955PHILIP8



955JULIAN8

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included | 10xE14



955JULIAN8

Type: Chandelier
Body colour: Brass
Material: Full Brass + Ceramic
Max.: 10x40W

Lamps Not Included | 8xE14



955PHILIP8

Type: Chandelier
Body colour: Brass
Material: Full brass
Max.: 8x40W

Scan QR code for 3D models, IES files & price.

Recommended bulb



E14

page 698

ELMARK
The Brand of Electricity



955ANGELA8



955ANGELA5

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20

~230V

RoHS

CE

Lamps Not Included 8xE14



955ANGELA8

Type: Chandelier
Body colour: Black
Material: Metal
Max.: 8x40W

Lamps Not Included 5xE14



955ANGELA5

Type: Chandelier
Body colour: Black
Material: Metal
Max.: 5x40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



955ANGELA3



955ANGELA1W

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
3xE14



955ANGELA3

Type: Chandelier
Body colour: Black
Material: Metal
Max.: 3x40W

Lamps Not Included
1xE14



955ANGELA1W

Type: Wall lamp
Body colour: Black
Material: Metal
Max.: 40W

Scan QR code for 3D models, IES files & price.

Recommended bulb



E14

page 698

ELMARK
The Brand of Electricity



955ANGELA8/WH




955ANGELA5/WH

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE


Lamps Not Included | 8xE14



955ANGELA8/WH

Type: Chandelier
Body colour: White
Material: Metal
Max.: 8x40W

Lamps Not Included | 5xE14



955ANGELA5/WH

Type: Chandelier
Body colour: White
Material: Metal
Max.: 5x40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



955ANGELA3/WH




955ANGELA1W/WH

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE


Lamps Not Included
3xE14



955ANGELA3/WH

Type: Chandelier
Body colour: White
Material: Metal
Max.: 3x40W

Lamps Not Included
1xE14



955ANGELA1W/WH

Type: Wall lamp
Body colour: White
Material: Metal
Max.: 40W

Scan QR code for 3D models, IES files & price.

Recommended bulb



E27

page 707

ELMARK
The Brand of Electricity



955ELIZABETH1/NI



955ELIZABETH1WL/NI



955ELIZABETH1/G



955ELIZABETH1WL/G

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included | 1xE27

955ELIZABETH1/G



Type: Chandelier
Body colour: Gold
Material: Metal + fabric
Max.: 40W

Lamps Not Included | 1xE27


955ELIZABETH1/NI



Type: Chandelier
Body colour: Nickel
Material: Metal + fabric
Max.: 40W

Lamps Not Included | 1xE27

955ELIZABETH1WL/G



Type: Wall lamp
Body colour: Gold
Material: Metal + fabric
Max.: 40W

Lamps Not Included | 1xE27

955ELIZABETH1WL/NI



Type: Wall lamp
Body colour: Nickel
Material: Metal + fabric
Max.: 40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



955SOPHIA5




955SOPHIA1W

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 5xE14

955SOPHIA5



Type: Ceiling lamp
Body colour: Chrome & Cream white
Material: Metal + fabric
Max.: 5x40W

Lamps Not Included 1xE14

955SOPHIA1W



Type: Wall lamp
Body colour: Chrome & Cream white
Material: Metal + fabric
Max.: 1x40W

Scan QR code for 3D models, IES files & price.

Recommended bulb



E27

page 707

ELMARK
The Brand of Electricity



955CARMEN6



955CARMEN1T



955CARMEN1F

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Lamps Not Included | 6xE27

955CARMEN6



Type: Chandelier
Body colour: White & Chrome
Material: Metal
Max.: 6x40W

Lamps Not Included | 1xE27

955CARMEN1T



Type: Table lamp
Body colour: White & Chrome
Material: Metal
Max.: 40W

Lamps Not Included | 1xE27

955CARMEN1F



Type: Floor lamp
Body colour: White & Chrome
Material: Metal
Max.: 40W

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb

E27

page 707

ELMARK
The Brand of Electricity



955MELODY5



955MELODY3



955MELODY1

Lamps Not Included 5xE27

955MELODY5



Type: Chandelier
Body colour: Chrome & White
Material: Metal
Max.: 5x40W

Lamps Not Included 3xE27

955MELODY3



Type: Chandelier
Body colour: Chrome & White
Material: Metal
Max.: 3x40W

Lamps Not Included 1xE27

955MELODY1



Type: Wall lamp
Body colour: Chrome & White
Material: Metal
Max.: 40W

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E14

page 697

ELMARK
The Brand of Electricity



955BARBARA1W



955BARBARA1T

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included | 1xE14

955BARBARA1W



Type: Wall lamp
Body colour: Chrome & White
Material: Iron + Fabric + Crystal
Max.: 40W

Lamps Not Included | 1xE14

955BARBARA1T



Type: Table lamp
Body colour: Chrome & White
Material: Iron + Fabric + Crystal
Max.: 40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E14

page 697

ELMARK
The Brand of Electricity



955BARBARA6



955BARBARA3

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included | 6xE14



955BARBARA6

Type: Pendant lamp
Body colour: Chrome & White
Material: Iron + Fabric + Crystal
Max.: 6x40W

Lamps Not Included | 3xE14



955BARBARA3

Type: Pendant lamp
Body colour: Chrome & White
Material: Iron + Fabric + Crystal
Max.: 3x40W

Scan QR code for 3D models, IES files & price.

Recommended bulb



E14

page 697

ELMARK
The Brand of Electricity



955JASMINE6



955JASMINE3




955JASMINE1W

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included | 6xE14

955JASMINE6



Type: Ceiling lamp
Body colour: Black & Grey
Material: Iron + Fabric
Max.: 6x40W

Lamps Not Included | 3xE14

955JASMINE3



Type: Ceiling lamp
Body colour: Black & Grey
Material: Iron + Fabric
Max.: 3x40W

Lamps Not Included | 1xE14

955JASMINE1W



Type: Wall lamp
Body colour: Black & Grey
Material: Iron + Fabric
Max.: 40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E14

page 697

ELMARK
The Brand of Electricity



955LUKAS6



955LUKAS4



955LUKAS1W

Lamps Not Included | 6xE14


955LUKAS6



Type: Ceiling lamp
Body colour: Chrome & White
Material: Iron + Fabric
Max.: 6x40W

Lamps Not Included | 4xE14

955LUKAS4



Type: Ceiling lamp
Body colour: Chrome & White
Material: Iron + Fabric
Max.: 4x40W

Lamps Not Included | 1xE14

955LUKAS1W



Type: Wall lamp
Body colour: Chrome & White
Material: Iron + Fabric
Max.: 40W

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E14

page 694

ELMARK
The Brand of Electricity



955PARIS1F/BL



955PARIS1T/BL

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Lamps Not Included 1xE14



955PARIS1F/BL

Type: Floor lamp
Body colour: Black
Material: Metal + PVC
Max.: 40W

Lamps Not Included 1xE14



955PARIS1T/BL

Type: Table lamp
Body colour: Black
Material: Metal + PVC
Max.: 40W

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E14

page 694

ELMARK
The Brand of Electricity



955PARIS3P/BL



955PARIS31P/BL



955PARIS1P/BL

Lamps Not Included | 3xE14



955PARIS3P/BL

Type: Pendant
Body colour: Black
Material: Metal + PVC
Max.: 3x40W

Lamps Not Included | 3xE14



955PARIS31P/BL

Type: Pendant
Body colour: Black
Material: Metal + PVC
Max.: 3x40W

Lamps Not Included | 1xE14



955PARIS1P/BL

Type: Pendant
Body colour: Black
Material: Metal + PVC
Max.: 40W

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E14

page 697

ELMARK
The Brand of Electricity



955INES5



955INES3

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20

~230V

RoHS

CE

Lamps Not Included

5xE14




955INES5

Type: Pendant lamp
Body colour: White & Chrome
Material: Iron + Fabric + Acrylic
Max.: 5x40W

Lamps Not Included

3xE14



955INES3

Type: Pendant lamp
Body colour: White & Chrome
Material: Iron + Fabric + Acrylic
Max.: 3x40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E14

page 697

ELMARK
The Brand of Electricity



955INES1F




955INES1W



955INES1T

Lamps Not Included | 1xE14

955INES1F



Type: Floor lamp
Body colour: White & Chrome
Material: Iron + Fabric + Acrylic
Max.: 40W

Lamps Not Included | 1xE14


955INES1T



Type: Table lamp
Body colour: White & Chrome
Material: Iron + Fabric + Acrylic
Max.: 40W

Lamps Not Included | 1xE14

955INES1W



Type: Wall lamp
Body colour: White & Chrome
Material: Iron + Fabric + Acrylic
Max.: 40W

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E14

page 697

ELMARK
The Brand of Electricity



955THERA6/BL



955THERA3/BL

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20


~230V

RoHS

CE

Lamps Not Included 6xE14


955THERA6/BL



Type: Ceiling lamp
Body colour: Black
Material: Iron + Fabric
Max.: 6x40W

Lamps Not Included 3xE14

955THERA3/BL



Type: Ceiling lamp
Body colour: Black
Material: Iron + Fabric
Max.: 3x40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



955THERA1W/BL



955THERA1T/BL

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE14

955THERA1W/BL



Type: Wall lamp
Body colour: Black
Material: Iron + Fabric
Max.: 40W

Lamps Not Included
1xE14

955THERA1T/BL



Type: Table lamp
Body colour: Black
Material: Iron + Fabric
Max.: 40W

Scan QR code for 3D models, IES files & price.

Recommended bulb



E14

page 697

ELMARK
The Brand of Electricity



955THERA6/WH



955THERA3/WH

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20


~230V

RoHS

CE

Lamps Not Included 6xE14


955THERA6/WH



Type: Ceiling lamp
Body colour: White
Material: Iron + Fabric
Max.: 6x40W

Lamps Not Included 3xE14

955THERA3/WH



Type: Ceiling lamp
Body colour: White
Material: Iron + Fabric
Max.: 3x40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



955THERA1W/WH




955THERA1T/WH

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 1xE14

955THERA1T/WH



Type: Wall lamp
Body colour: White
Material: Iron + Fabric
Max.: 40W

Lamps Not Included 1xE14

955THERA1W/WH



Type: Table lamp
Body colour: White
Material: Iron + Fabric
Max.: 40W

Scan QR code for 3D models, IES files & price.

Recommended bulb



E14

page 697

ELMARK
The Brand of Electricity



955REBECCA3



955REBECCA1W



955REBECCA5

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included | 5xE14

955REBECCA5



Type: Pendant lamp
Body colour: Gold
Material: Iron + Fabric
Max.: 5x40W

Lamps Not Included | 3xE14


955REBECCA3



Type: Pendant lamp
Body colour: Gold
Material: Iron + Fabric
Max.: 3x40W

Lamps Not Included | 1xE14

955REBECCA1W



Type: Wall lamp
Body colour: Gold
Material: Iron + Fabric
Max.: 3x40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E14

page 697

ELMARK
The Brand of Electricity



955JONAS5



955JONAS3




955JONAS1W

Lamps Not Included | 5xE14

955JONAS5


Type: Ceiling lamp
Body colour: Gold & Beige
Material: Iron + Fabric + Wood
Max.: 5x40W



Lamps Not Included | 3xE14

955JONAS3


Type: Ceiling lamp
Body colour: Gold & Beige
Material: Iron + Fabric + Wood
Max.: 3x40W



Lamps Not Included | 1xE14

955JONAS1W

Type: Wall lamp
Body colour: Gold & Beige
Material: Iron + Fabric + Wood
Max.: 40W



5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Recommended bulb



E27

page 707

ELMARK
The Brand of Electricity



955MAYA1F



955MAYA1WLED

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended


IP20

~230V

RoHS

CE

Lamps Not Included | 1xE27



955MAYA1F

Type: Floor lamp
Body colour: Chrome
Material: Metal + Fabric shade
Max.: 40W

Lamps Not Included | 1xE27 + 1W LED
Included



955MAYA1WLED

Type: Wall lamp
Body colour: Chrome
Material: Metal + Fabric shade
Max.: 40W

LED lamp colour temp.: 4000K
LED lamp power: 1W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



955MERY1F/CH




955MERY1WLED/CH

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE27



955MERY1F/CH

Type: Floor lamp
Body colour: Chrome
Material: Metal + Crystal + Fabric shade
Max.: 40W

Lamps Not Included
1xE27
Included
+ 1W LED



955MERY1WLED/CH

Type: Wall lamp
Body colour: Chrome
Material: Metal + Crystal + Fabric shade
Max.: 40W
LED lamp colour temp.: 4000K
LED lamp power: 1W

Scan QR code for 3D models, IES files & price.

Recommended bulb



E27

page 707

ELMARK
The Brand of Electricity



955ERIN9



955ERIN3

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended


IP20

~230V

RoHS

CE

Lamps Not Included 9xE27



955ERIN9

Type: Chandelier
Body colour: Sand nickel
Material: Metal and glass shade
Max.: 9x40W

Lamps Not Included 3xE27



955ERIN3

Type: Chandelier
Body colour: Sand nickel
Material: Metal and glass shade
Max.: 3x40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 707

ELMARK
The Brand of Electricity



955ERIN5




955ERIN1W

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE


Lamps Not Included 5xE27



955ERIN5

Type: Chandelier
Body colour: Sand nickel
Material: Metal and glass shade
Max.: 5x40W

Lamps Not Included 1xE27



955ERIN1W

Type: Wall lamp
Body colour: Sand nickel
Material: Metal and glass shade
Max.: 40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 707

ELMARK
The Brand of Electricity



955KRISTA5



955KRISTA3

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20


~230V

RoHS

CE

Lamps Not Included 5xE27

955KRISTA5



Type: Chandelier
Body colour: Golden copper brass & Beige
Material: Metal + Glass
Max.: 5x40W

Lamps Not Included 3xE27

955KRISTA3



Type: Chandelier
Body colour: Golden copper brass & Beige
Material: Metal + Glass
Max.: 3x40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



955KRISTA1W



955KRISTA1T

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 1xE27

955KRISTA1W



Type: Wall lamp
Body colour: Golden copper brass & Beige
Material: Metal + Glass
Max.: 40W

Lamps Not Included 1xE27

955KRISTA1T



Type: Table lamp
Body colour: Golden copper brass & Beige
Material: Metal + Glass
Max.: 40W

Scan QR code for 3D models, IES files & price.

Recommended bulb



E27

page 701

ELMARK
The Brand of Electricity



955TOMY1F



955TOMY1WLED



955TOMY1T

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20

~230V

RoHS

CE

Lamps Not Included | 1xE27

955TOMY1F



Type: Floor lamp
Body colour: Dark Grey
Material: Metal+ Fabric
Max.: 40W

Lamps Not Included | 1xE27 Included + LED

955TOMY1WLED



Type: Wall lamp
Body colour: Dark Grey
Material: Metal+ Fabric
Max.: 40W

LED lamp colour temp.: 4000K
Two keys on the base

Lamps Not Included | 1xE27

955TOMY1T



Type: Table lamp
Body colour: Dark Grey
Material: Metal + Fabric
Max.: 40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



955RITA1W/WHBL



955LINA1W/WHBL

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE27

955LINA1W/WHBL



Type: Wall lamp
Body colour: Black & White glass
Material: Metal + Glass
Max.: 40W

Lamps Not Included
1xE27

955RITA1W/WHBL



Type: Wall lamp
Body colour: Black & White glass
Material: Metal + Glass
Max.: 40W

Scan QR code for 3D models, IES files & price.

Recommended bulb



E27

page 702

ELMARK
The Brand of Electricity



955MICKEY1W/WH



955MICKEY3/WH




955MICKEY1T/WH

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE


Lamps Not Included | 3xE27



955MICKEY3/WH

Type: Chandelier
Body colour: White
Material: Metal
Max.: 3x40W

Lamps Not Included | 1xE27



955MICKEY1W/WH

Type: Wall lamp
Body colour: White
Material: Metal
Max.: 40W

Lamps Not Included | 1xE27



955MICKEY1T/WH

Type: Table lamp
Body colour: White
Material: Metal
Max.: 40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 702

ELMARK
The Brand of Electricity



955MICKEY1W/P




955MICKEY3/P



955MICKEY1T/P

Lamps Not Included | 3xE27


955MICKEY3/P



Type: Chandelier
Body colour: Pink
Material: Metal
Max.: 3x40W

Lamps Not Included | 1xE27


955MICKEY1W/P



Type: Wall lamp
Body colour: Pink
Material: Metal
Max.: 40W

Lamps Not Included | 1xE27

955MICKEY1T/P



Type: Table lamp
Body colour: Pink
Material: Metal
Max.: 40W

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 702

ELMARK
The Brand of Electricity



955MICKEY1W/B



955MICKEY3/B



955MICKEY1T/B


5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Lamps Not Included | 3xE27


955MICKEY3/B



Type: Chandelier
Body colour: Blue
Material: Metal
Max.: 3x40W

Lamps Not Included | 1xE27


955MICKEY1W/B



Type: Wall lamp
Body colour: Blue
Material: Metal
Max.: 40W

Lamps Not Included | 1xE27

955MICKEY1T/B



Type: Table lamp
Body colour: Blue
Material: Metal
Max.: 40W

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



G9

page 729

ELMARK
The Brand of Electricity



955BETTY1W/BL



955BETTY1W/WH




955BRENDA1/WH



955BRENDA1T/BL

Lamps Not Included
Included
1xG9 +USB port


955BETTY1W/BL



Type: Wall lamp
Body colour: Black
Material: Metal + Glass
Max.: 11W

Lamps Not Included
Included
1xG9 +USB port


955BETTY1W/WH



Type: Wall lamp
Body colour: White
Material: Metal + Glass
Max.: 11W

Lamps Not Included
1xG9


955BRENDA1T/BL



Type: Table lamp
Body colour: Black
Material: Metal + Glass
Max.: 11W

Lamps Not Included
1xG9

955BRENDA1/WH



Type: Wall lamp
Body colour: White & Grey
Lampshade Colour: Outside Grey, Inside White
Material: Metal + Glass
Max.: 11W

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



G9

page 729

ELMARK
The Brand of Electricity



955ALBERTO1T



955ALBERTO6




955ALBERTO3F

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 6xG9

955ALBERTO6



Type: Chandelier
Body colour: Black & Smoky
Material: Metal + Glass
Max.: 6x7W

Lamps Not Included 1xG9


955ALBERTO1T



Type: Table lamp
Body colour: Black & Smoky
Material: Metal + Glass
Max.: 7W

Lamps Not Included 3xG9

955ALBERTO3F



Type: Floor lamp
Body colour: Black & Smoky
Material: Metal + Glass
Max.: 3x7W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 702

ELMARK
The Brand of Electricity



955ADONIS1



955ADONIS1T

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20

~230V

RoHS

CE

Lamps Not Included

1xE27



955ADONIS1

Type: Pendant
Body colour: Black & Smoky
Material: Metal + Glass
Max.: 40W

Lamps Not Included

1xE27



955ADONIS1T

Type: Table lamp
Body colour: Black & Smoky
Material: Metal + Glass
Max.: 40W

Scan QR code for 3D models, IES files & price.

Recommended bulb



E27

page 694

ELMARK
The Brand of Electricity



955ELLARIA5



955ELLARIA3

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Lamps Not Included | 5xE27

955ELLARIA5



Type: Chandelier
Body colour: Wood & Grey
Material: Iron + Glass
Max.: 5x40W

Lamps Not Included | 3xE27

955ELLARIA3



Type: Chandelier
Body colour: Wood & Grey
Material: Iron + Glass
Max.: 3x40W

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



955BILL4



955BILL1W

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 4xE14


955BILL4



Type: Ceiling lamp
Body colour: Matt black & Bronze
Glass colour: Smoky Grey
Material: Metal + Glass
Max.: 4X40W

Lamps Not Included 1xE14

955BILL1W



Type: Wall lamp
Body colour: Matt black & Bronze
Glass colour: Smoky Grey
Material: Metal + Glass
Max.: 40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



G9

page 729

ELMARK
The Brand of Electricity



955OLENA5V/BL



955OLENA5H/BL



955OLENA1W/BL

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Lamps Not Included 5xG9



955OLENA5V/BL

Type: Chandelier
Body colour: Black
Glass colour: Smoke Gray
Material: Iron + Glass
Max.: 5x11W

Lamps Not Included 5xG9



955OLENA5H/BL

Type: Chandelier
Body colour: Black
Glass colour: Smoke Gray
Material: Iron + Glass
Max.: 5x11W

Lamps Not Included 1xG9



955OLENA1W/BL

Type: Wall lamp
Body colour: Black
Glass colour: Smoke Gray
Material: Iron + Glass
Max.: 11W

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



G9

page 729

ELMARK
The Brand of Electricity



955OLENA5V/GD




955OLENA5H/GD



955OLENA1W/GD


Lamps Not Included 5xG9



955OLENA5V/GD

Type: Chandelier
Body colour: Gold
Glass colour: Amber
Material: Iron + Glass
Max.: 5x11W

Lamps Not Included 5xG9



955OLENA5H/GD

Type: Chandelier
Body colour: Gold
Glass colour: Amber
Material: Iron + Glass
Max.: 5x11W

Lamps Not Included 1xG9



955OLENA1W/GD

Type: Wall lamp
Body colour: Gold
Glass colour: Amber
Material: Iron + Glass
Max.: 11W

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E14

page 694

ELMARK
The Brand of Electricity



955BUBBLES16



955BUBBLES8

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Lamps Not Included 16xE14


955BUBBLES16



Type: Chandelier
Body colour: Black & Bronze
Glass colour: Amber
Material: Metal + Glass
Max.: 16x40W

Lamps Not Included 8xE14

955BUBBLES8



Type: Chandelier
Body colour: Black & Bronze
Glass colour: Amber
Material: Metal + Glass
Max.: 8x40W

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E14

page 694



E27

page 694

for wall lamp

ELMARK
The Brand of Electricity



955ERMINA8




955ERMINA6



955ERMINA1W

Lamps Not Included | 8xE14

955ERMINA8



Type: Ceiling lamp
Body colour: Chrome & Smoked glass
Material: Metal + Glass
Max.: 8x40W

Lamps Not Included | 6xE14

955ERMINA6



Type: Ceiling lamp
Body colour: Chrome & Smoked glass
Material: Metal + Glass
Max.: 6x40W

Lamps Not Included | 1xE27

955ERMINA1W



Type: Wall lamp
Body colour: Chrome & Smoked glass
Material: Metal + Glass
Max.: 40W

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 694

ELMARK
The Brand of Electricity



955JAY8



955JAY6

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 8xE27

955JAY8



Type: Ceiling lamp
Body colour: Sand black & Bronze
Glass colour: Cognac
Material: Metal + Glass
Max.: 8x60W

Lamps Not Included 6xE27

955JAY6



Type: Ceiling lamp
Body colour: Sand black & Bronze
Glass colour: Cognac
Material: Metal + Glass
Max.: 6x60W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



955JAY4



955JAY1W

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 4xE27

955JAY4



Type: Ceiling lamp
Body colour: Sand black & Bronze
Glass colour: Cognac
Material: Metal + Glass
Max.: 4x60W

Lamps Not Included 1xE27

955JAY1W



Type: Wall lamp
Body colour: Sand black & Bronze
Glass colour: Cognac
Material: Metal + Glass
Max.: 60W

Scan QR code for 3D models, IES files & price.

Recommended bulb



E27

page 694

ELMARK
The Brand of Electricity



955RICK3



955RICK6



955RICK1W

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included | 6xE27

955RICK6



Type: Ceiling lamp
Body colour: Matt black & Bronze
Glass colour: Cognac
Material: Metal + Glass
Max.: 6x60W

Lamps Not Included | 3xE27


955RICK3



Type: Ceiling lamp
Body colour: Matt black & Bronze
Glass colour: Cognac
Material: Metal + Glass
Max.: 3x60W

Lamps Not Included | 1xE27

955RICK1W



Type: Wall lamp
Body colour: Matt black & Bronze
Glass colour: Cognac
Material: Metal + Glass
Max.: 60W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



955JULIET8

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
8xE27

955JULIET8



Type: Chandelier
Body colour: Gold & Black & White
Material: Metal + Glass
Max.: 8x40W

Scan QR code for 3D models, IES files & price.

Recommended bulb



E27

page 702

ELMARK
The Brand of Electricity



955JANE9



955JANE6




955JANE3

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included | 9xE27


955JANE9



Type: Ceiling Lamp
Body colour: Gold & White
Material: metal + Glass
Max.: 9x40W

Lamps Not Included | 6xE27


955JANE6



Type: Ceiling Lamp
Body colour: Gold & White
Material: metal + Glass
Max.: 6x40W

Lamps Not Included | 3xE27

955JANE3



Type: Ceiling Lamp
Body colour: Gold & White
Material: metal + Glass
Max.: 3x40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



955MYA8



955MYA5



955MYA3

Lamps Not Included | 8xE27


955MYA8



Type: Ceiling lamp
Body colour: Gold
Material: Metal
Max.: 8x40W

Lamps Not Included | 5xE27


955MYA5



Type: Ceiling lamp
Body colour: Gold
Material: Metal
Max.: 5x40W

Lamps Not Included | 3xE27

955MYA3



Type: Ceiling lamp
Body colour: Gold
Material: Metal
Max.: 3x40W

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Recommended bulb



E27

page 702

ELMARK
The Brand of Electricity



955ISABEL16




955ISABEL9

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 16xE27

955ISABEL16



Type: Chandelier
Body colour: White & Tea
Material: Metal + Glass + PVC
Max.: 16x40W

Lamps Not Included 9xE27

955ISABEL9



Type: Chandelier
Body colour: White & Tea
Material: Metal + Glass + PVC
Max.: 9x40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity




955ISABEL6

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
6xE27

955ISABEL6



Type: Chandelier
Body colour: White & Tea
Material: Metal + Glass + PVC
Max.: 6x40W

Scan QR code for 3D models, IES files & price.

Recommended bulb



E27

page 692

ELMARK
The Brand of Electricity



955JADE3

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

Lamps Not Included



955JADE3



Type: Pendant
Body colour: Black & Gold
Material: Metal + Glass
Max.: 3x40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store


ELMARK
The Brand of Electricity



955ALTHEA6

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

Lamps Not Included
6xE27



955ALTHEA6

Type: Chandelier
Body colour: Black
Material: Metal + Glass
Max.: 6x40W

Scan QR code for 3D models, IES files & price.

Recommended bulb



G9

page 729

ELMARK
The Brand of Electricity



955ROCK6

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20

~230V

RoHS


CE

Lamps Not Included

Included

6xG9
4x5W LED

955ROCK6



Type: Chandelier
Body colour: Black & Amber
Material: Metal + Glass
Max.: 6x11W

LED lamps power: 4x5W
LED lamps lumens: 2200lm
LED lamps colour temp.: 2700K/400K/6400K - settable

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 694 for HELEN

ELMARK
The Brand of Electricity



955HELEN1/BL



955HELEN1/SM




955HELEN1/AM



955BRILLIANCE1

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended


Lamps Not Included | 1xE27



955HELEN1/BL

Type: Pendant
Body colour: Blue
Material: Iron + Glass
Max.: 1x40W


Lamps Not Included | 1xE27



955HELEN1/SM

Type: Pendant
Body colour: Smoky
Material: Iron + Glass
Max.: 1x40W

Lamps Not Included | 1xE27



955HELEN1/AM

Type: Pendant
Body colour: Amber
Material: Iron + Glass
Max.: 1x50W

LED Lamp Included | 1xGU10



955BRILLIANCE1

Type: Pendant
Power: 3W
Lumens: 330lm
Colour temp.: 2700K
Body colour: Cooper
Material: Iron + Glass

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 707

ELMARK
The Brand of Electricity



955ERBA3/AN



955ERBA1/AN

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended


IP20

~230V

RoHS

CE

Lamps Not Included | 3 xE27



955ERBA3/AN

Type: Chandelier
Body colour: Antique brass
Material: Metal + Fabric
Max.: 3x40W

Lamps Not Included | 1xE27



955ERBA1/AN

Type: Chandelier
Body colour: Antique brass
Material: Metal + Fabric
Max.: 40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 707

ELMARK
The Brand of Electricity



955ANGELO5



955ANGELO3

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included | 5xE27



955ANGELO5

Type: Pendant
Body colour: Black & Gold
Material: Metal
Max.: 5x40W

Lamps Not Included | 3xE27



955ANGELO3

Type: Pendant
Body colour: Black & Gold
Material: Metal
Max.: 3x40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 694

ELMARK
The Brand of Electricity



955MARSEL1/GD



955MARSEL1/BL

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE27



955MARSEL1/GD

Type: Pendant
Body colour: Gold
Material: Metal
Max.: 40W

Lamps Not Included
1xE27



955MARSEL1/BL

Type: Pendant
Body colour: Black & Gold
Material: Metal
Max.: 40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 694

ELMARK
The Brand of Electricity



955MARSEL1F/BL




955MARSEL1F2/BL

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE


Lamps Not Included
1xE27



955MARSEL1F/BL

Type: Floor lamp
Body colour: Black & Gold
Material: Metal + Fabric
Max.: 40W

Lamps Not Included
1xE27



955MARSEL1F2/BL

Type: Floor lamp
Body colour: Black
Material: Metal + Fabric
Max.: 40W

Scan QR code for 3D models, IES files & price.

Recommended bulb



E27

page 707

ELMARK
The Brand of Electricity



955CRISTINA1/GD



955CRISTINA1/BL

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20


~230V

RoHS

CE

Lamps Not Included






955CRISTINA1/GD

Type: Pendant
Body colour: Gold
Material: Metal
Max.: 40W

Lamps Not Included





955CRISTINA1/BL

Type: Pendant
Body colour: Black & Gold
Material: Metal
Max.: 40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 694

for UNION



E27

page 707

for GALAXY

ELMARK
The Brand of Electricity



955UNION1



955GALAXY1/BL

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP20

~230V

RoHS

CE


Lamps Not Included 1xE27



955UNION1

Type: Pendant
Body colour: Matt black
Material: Metal
Max.: 40W

Lamps Not Included 1xE27



955GALAXY1/BL

Type: Pendant
Body colour: Black & Gold
Material: Iron
Max.: 40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 692

ELMARK
The Brand of Electricity



955EBRULI1/BL



955EBRULI1/WH




955EBRULI1/AN

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE


Lamps Not Included
1xE27



955EBRULI1/BL

Type: Pendant
Body colour: Black
Material: Iron + Plastic
Max.: 40W


Lamps Not Included
1xE27



955EBRULI1/WH

Type: Pendant
Body colour: White
Material: Iron + Plastic
Max.: 40W

Lamps Not Included
1xE27



955EBRULI1/AN

Type: Pendant
Body colour: Antique brass
Material: Iron + Plastic
Max.: 40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 692

ELMARK
The Brand of Electricity



955RUGER1/AN



955RUGER1/CR



955RUGER1/CO

Lamps Not Included 1xE27

955RUGER1/AN



Type: Pendant
Body colour: Antique brass
Material: Iron
Max.: 40W

Lamps Not Included 1xE27

955RUGER1/CR



Type: Pendant
Body colour: Cream
Material: Iron
Max.: 40W

Lamps Not Included 1xE27

955RUGER1/CO



Type: Pendant
Body colour: Copper
Material: Iron
Max.: 40W

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Recommended bulb



E27

page 715

ELMARK
The Brand of Electricity



955CINEMA1



955CINEMA6

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20


~230V

RoHS

CE

Lamps Not Included 6xE27

955CINEMA6



Type: Chandelier
Body colour: Black
Material: Metal
Max.: 6x40W

Lamps Not Included 1xE27

955CINEMA1



Type: Ceiling lamp
Body colour: Black
Material: Metal
Max.: 40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 692

for BLOOM



E27

page 693

for ARTE

ELMARK
The Brand of Electricity



955BLOOM8



955ARTE4/BL

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP20

~230V

RoHS

CE

Lamps Not Included






955BLOOM8

Type: Chandelier
Body colour: Black
Material: Metal
Max.: 8x40W

Lamps Not Included





955ARTE4/BL

Type: Ceiling lamp
Body colour: Black
Material: Metal
Max.: 4x40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 692



E27

page 695

ELMARK
The Brand of Electricity



955ROXIE12/GD



955ROXIE6/GD




955ROXIE3/GD

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included | 12xE27


955ROXIE12/GD



Type: Ceiling lamp
Body colour: Gold
Material: Metal
Max.: 12x40W

Lamps Not Included | 6xE27


955ROXIE6/GD



Type: Ceiling lamp
Body colour: Gold
Material: Metal
Max.: 6x40W

Lamps Not Included | 3xE27

955ROXIE3/GD



Type: Ceiling lamp
Body colour: Gold
Material: Metal
Max.: 3x40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 692

ELMARK
The Brand of Electricity



955JACKSON18



955SALLY6/BL

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included | 18xE27


955JACKSON18



Type: Chandelier
Body colour: Black
Material: Metal
Max.: 18x40W

Lamps Not Included | 6xE27

955SALLY6/BL



Type: Ceiling lamp
Body colour: Black
Material: Metal
Max.: 6x25W

Scan QR code for 3D models, IES files & price.

Recommended bulb




E27

page 695


ELMARK
The Brand of Electricity



955ROBBY1/BL



955ROCCO1/BL




955ROCCO1/WH

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE


Lamps Not Included | 1xE27



955ROBBY1/BL

Type: Pendant
Body colour: Black & White
Material: Metal + PP
Max.: 25W

Lamps Not Included | 1xE27



955ROCCO1/BL

Type: Pendant
Body colour: Black
Material: Metal + PP
Max.: 25W

Lamps Not Included | 1xE27



955ROCCO1/WH

Type: Pendant
Body colour: White
Material: Metal + PP
Max.: 25W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



955SHUTTLE1/WH



955SHUTTLE3

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE27



955SHUTTLE1/WH

Type: Pendant
Body colour: White
Material: Metal
Max.: 40W

Lamps Not Included
3xE27



955SHUTTLE3

Type: Chandelier
Body colour: White & Grey & Green
Material: Metal
Max.: 3x40W

Scan QR code for 3D models, IES files & price.

Recommended bulb



E27

page 694

ELMARK
The Brand of Electricity



955KEN1




955KEN3

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
3xE27



955KEN3

Type: Chandelier
Body colour: Matt black
Material: Metal
Max.: 3x40W

Lamps Not Included
1xE27



955KEN1

Type: Pendant
Body colour: Matt black
Material: Metal
Max.: 40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb




E27

page 692

ELMARK
The Brand of Electricity



955SALVA1/BL



955IDA1/BL

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE


Lamps Not Included | 1xE27



955SALVA1/BL

Type: Pendant
Body colour: Black
Material: Metal
Max.: 40W

Lamps Not Included | 1xE27



955IDA1/BL

Type: Pendant
Body colour: Black
Material: Metal
Max.: 40W

Scan QR code for 3D models, IES files & price.

Recommended bulb



E27

page 694

ELMARK
The Brand of Electricity



955ADRIA3/BL



955ADRIA1/BL

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
3xE27



955ADRIA3/BL

Type: Chandelier
Body colour: Black
Material: Metal
Max.: 3x40W

Lamps Not Included
1xE27



955ADRIA1/BL

Type: Pendant
Body colour: Black
Material: Metal
Max.: 40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



955HEIDI3/BL



955HEIDI1/BL

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
3xE27



955HEIDI3/BL

Type: Chandelier
Body colour: Black
Material: Metal+Plastic
Max.: 3x40W

Lamps Not Included
1xE27



955HEIDI1/BL

Type: Pendant
Body colour: Black
Material: Metal+Plastic
Max.: 40W

Scan QR code for 3D models, IES files & price.

Recommended bulb



E27

page 692


ELMARK
The Brand of Electricity




955POLLY4/BL



955HOLLYWL/BL



955TARA1/BL




955JILL1/BL

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included | 1xE27


955TARA1/BL



Type: Pendant
Body colour: Black
Material: Metal
Max.: 40W

Lamps Not Included | 1xE27

955JILL1/BL



Type: Pendant
Body colour: Black
Material: Metal
Max.: 40W

Lamps Not Included | 4xE27

955POLLY4/BL



Type: Ceiling lamp
Body colour: Black
Material: Metal
Max.: 4x40W

Lamps Not Included | 1xE27

955HOLLYWL/BL



Type: Wall lamp
Body colour: Black
Material: Metal
Max.: 40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 695

for QUINN & TERI



E27

page 692

for CAGE & IZABEL

ELMARK
The Brand of Electricity



955QUINN5/BL



955TERI1/BL



955CAGE1/BL



955IZABEL3/BL

Lamps Not Included | 5xE27

955QUINN5/BL



Type: Chandelier
Body colour: Black
Material: Metal
Max.: 5x40W

Lamps Not Included | 1xE27


955TERI1/BL



Type: Pendant
Body colour: Black
Material: Metal
Max.: 40W

Lamps Not Included | 1xE27

955CAGE1/BL



Type: Pendant
Body colour: Black
Material: Metal
Max.: 40W

Lamps Not Included | 3xE27

955IZABEL3/BL



Type: Pendant
Body colour: Matt black & Gold
Material: Metal
Max.: 3x40W

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 694

ELMARK
The Brand of Electricity



955WOODY/D



955WOODY/R



955WOODY/3



955WOODY/4

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Lamps Not Included | 1xE27



955WOODY/D

Type: Pendant
Body colour: Black & Rattan
Material: Metal + Rattan
Max.: 40W


Lamps Not Included | 1xE27



955WOODY/R

Type: Pendant
Body colour: Black & Wood
Material: Metal + Wood rings
Max.: 40W


Lamps Not Included | 1xE27



955WOODY/3

Type: Pendant
Body colour: Chrome & Wood
Material: Metal + Wood
Max.: 40W

Lamps Not Included | 1xE27



955WOODY/4

Type: Ceiling lamp
Body colour: Black & Wood
Material: Metal + Wood
Max.: 40W

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 694

ELMARK
The Brand of Electricity



955WOODY/1



955WOODY/2



955WOODY/H



955BAMBOO1

Lamps Not Included | 1xE27

955WOODY/1



Type: Pendant
Body colour: Wood & Rattan
Material: Metal + Rattan
Max.: 40W

Lamps Not Included | 1xE27

955WOODY/2



Type: Pendant
Body colour: Wood & Rattan
Material: Metal + Rattan
Max.: 40W

Lamps Not Included | 1xE27

955WOODY/H



Type: Pendant
Body colour: Black & Rattan
Material: Metal + Rattan
Max.: 40W

Lamps Not Included | 1xE27

955BAMBOO1



Type: Pendant
Body colour: Wood
Material: Metal + Wood
Max.: 25W

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 694

ELMARK
The Brand of Electricity



955ALMA3/MC



955ALMA1/G

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20

~230V

RoHS

CE

Lamps Not Included

3xE27



955ALMA3/MC

Type: Pendant
Body colour: Multicolor
Material: Metal + Glass
Max.: 3x40W

Lamps Not Included

1xE27



955ALMA1/G

Type: Pendant
Body colour: Gold & Green
Material: Metal + Glass
Max.: 40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb

E27
page 694

ELMARK
The Brand of Electricity



955ALMA1/BL



955ALMA1/GR

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE27



955ALMA1/BL

Type: Pendant
Body colour: Wood & Blue
Material: Metal + Glass
Max.: 40W

Lamps Not Included
1xE27



955ALMA1/GR

Type: Pendant
Body colour: Gold & Grey
Material: Metal + Glass
Max.: 40W

Scan QR code for 3D models, IES files & price.

Recommended bulb



E27

page 694

ELMARK
The Brand of Electricity



955BRADLEY1



955BRADLEY3

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20

~230V

RoHS

CE

Lamps Not Included

1xE27



955BRADLEY1

Type: Pendant
Body colour: Wood & Grey
Material: Iron + Glass
Max.: 40W

Lamps Not Included

3xE27



955BRADLEY3

Type: Pendant
Body colour: Wood & Grey
Material: Iron + Glass
Max.: 3x40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



GU10

page 726

for DUKE



E27

page 692

for FIONA

ELMARK
The Brand of Electricity



955DUKE1/BK



955FIONA3

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20


~230V

RoHS

CE

Lamps Not Included

1xGU10




955DUKE1/BK

Type: Pendant
Body colour: Black
Material: Metal
Max.: 35W

Lamps Not Included

3xE27



955FIONA3

Type: Pendant
Body colour: Wood
Material: Metal + Wood
Max.: 3x25W

Scan QR code for 3D models, IES files & price.

Recommended bulb



E27

page 692

ELMARK
The Brand of Electricity



955PHIL5/BL



955PHIL3/BL



955PHIL1WL/BL

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Lamps Not Included | 5xE27

955PHIL5/BL



Type: Ceiling lamp
Body colour: Black & Wood
Material: Metal + Wood
Max.: 5x25W

Lamps Not Included | 3xE27


955PHIL3/BL



Type: Ceiling lamp
Body colour: Black & Wood
Material: Metal + Wood
Max.: 3x25W

Lamps Not Included | 1xE27

955PHIL1WL/BL



Type: Wall lamp
Body colour: Black & Wood
Material: Metal + Wood
Max.: 1x25W

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 694

ELMARK
The Brand of Electricity



955RONNY3




955RONNY1

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included | 3xE27


955RONNY3



Type: Pendant
Body colour: Black & Wood
Material: Metal + Wood
Max.: 3x25W

Lamps Not Included | 1xE27

955RONNY1



Type: Pendant
Body colour: Black & Wood
Material: Metal + Wood
Max.: 25W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E14

page 696

ELMARK
The Brand of Electricity



955MORGAN6/BL



955MORGAN3/BL

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20

~230V

RoHS

CE

Lamps Not Included | 6xE14

955MORGAN6/BL



Type: Chandelier
Body colour: Black
Material: Metal
Max.: 6x40W

Lamps Not Included | 3xE14

955MORGAN3/BL



Type: Chandelier
Body colour: Black
Material: Metal
Max.: 3x40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



955MORGAN2/BL



955MORGAN1W/BL

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 2xE14

955MORGAN2/BL



Type: Chandelier
Body colour: Black
Material: Metal
Max.: 2x40W

Lamps Not Included 1xE14

955MORGAN1W/BL



Type: Wall lamp
Body colour: Black
Material: Metal
Max.: 40W

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity

Recommended bulb



E27

page 692

for TIM1A & TIM1C



E27

page 695

for TIM1B



955TIM1A



955TIM1B



955TIM1C

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE27



955TIM1A

Type: Pendant
Body colour: Black & Gold
Material: Aluminum
Max.: 40W

Lamps Not Included
1xE27



955TIM1B

Type: Pendant
Body colour: Black & Gold
Material: Aluminum
Max.: 40W

Lamps Not Included
1xE27



955TIM1C

Type: Pendant
Body colour: Black & Gold
Material: Aluminum
Max.: 40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



93TL2921GU10/WH




93TL291LGU10/BL

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE


Lamps Not Included
1xGU10



93TL2921GU10/WH

Type: Pendant
Body colour: White
Material: Aluminum
Max.: 35W

Lamps Not Included
1xGU10



93TL291LGU10/BL

Type: Pendant
Body colour: Black
Material: Aluminum
Max.: 35W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 695

ELMARK
The Brand of Electricity



955JEMMA3



955MATT1/BK




955MATT1/WH

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included | 3xE27

955JEMMA3



Type: Chandelier
Body colour: Black & Gold
Material: Iron
Max.: 3x40W

Lamps Not Included | 1xE27


955MATT1/BK



Type: Pendant
Body colour: Matt black & Gold
Material: Metal
Max.: 40W

Lamps Not Included | 1xE27

955MATT1/WH



Type: Pendant
Body colour: Matt white & Gold
Material: Metal
Max.: 40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 707

ELMARK
The Brand of Electricity



955JASON1/BK



955JASON1/GR



955JASON1/WH

Lamps Not Included | 1xE27



955JASON1/BK

Type: Pendant
Body colour: Sand black & Copper
Material: Metal
Max.: 40W

Lamps Not Included | 1xE27



955JASON1/GR

Type: Pendant
Body colour: Sand grey & Copper
Material: Metal
Max.: 40W

Lamps Not Included | 1xE27



955JASON1/WH

Type: Pendant
Body colour: Sand white & Satin nickel
Material: Metal
Max.: 40W

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Recommended bulb



E27

page 694

ELMARK
The Brand of Electricity



955KERRY3WL/AL




955KERRY3P/AL

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included | 3xE27


955KERRY3WL/AL



Type: Ceiling lamp
Body colour: Aluminum
Material: Aluminum
Max.: 3x40W

Lamps Not Included | 3xE27

955KERRY3P/AL



Type: Pendant
Body colour: Aluminum
Material: Aluminum
Max.: 3x40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 695

ELMARK
The Brand of Electricity



955LIV1/BL




955LIV1/AL



955LIV1/C

Lamps Not Included 1xE27



955LIV1/BL

Type: Pendant
Body colour: Chrome & Black
Material: Aluminum
Max.: 40W

Lamps Not Included 1xE27



955LIV1/AL

Type: Pendant
Body colour: Chrome & Aluminum
Material: Aluminum
Max.: 40W

Lamps Not Included 1xE27



955LIV1/C

Type: Pendant
Body colour: Chrome & Coffee
Material: Aluminum
Max.: 40W

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 714

ELMARK
The Brand of Electricity



955HELIX3/BK



955HELIX3/WH

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20


~230V

RoHS

CE

Lamps Not Included

3xE27




955HELIX3/BK

Type: Pendant
Body colour: Matt black
Material: Metal
Max.: 3x40W

Lamps Not Included

3xE27



955HELIX3/WH

Type: Pendant
Body colour: White
Material: Metal
Max.: 3x40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



955CHESTER1/BL



955CHESTER1/WH

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE27



955CHESTER1/BL

Type: Pendant
Body colour: Black
Material: Iron
Max.: 40W

Lamps Not Included
1xE27



955CHESTER1/WH

Type: Pendant
Body colour: White
Material: Iron
Max.: 40W

Scan QR code for 3D models, IES files & price.

Recommended bulb



E27

page 707

ELMARK
The Brand of Electricity



955JANIS1A



955JANIS1B



955JANIS1C

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE27



955JANIS1A

Type: Pendant
Body colour: Black
Material: Metal
Max.: 40W


Lamps Not Included
1xE27



955JANIS1B

Type: Pendant
Body colour: White
Material: Metal
Max.: 40W

Lamps Not Included
1xE27



955JANIS1C

Type: Pendant
Body colour: Black
Material: Metal
Max.: 40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 707

ELMARK
The Brand of Electricity



955TWEED1



955LUNA1

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20

~230V

RoHS

CE

Lamps Not Included 1xE27


955TWEED1



Type: Pendant
Body colour: White
Material: Plastic
Max.: 40W

Lamps Not Included 1xE27

955LUNA1



Type: Pendant
Body colour: White
Material: Plastic
Max.: 40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 707

ELMARK
The Brand of Electricity



955DONNA3



955FRANK3/GR

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 3xE27

955FRANK3/GR



Type: Chandelier
Body colour: Grey
Material: Metal
Max.: 3x40W

Lamps Not Included 3xE27

955DONNA3



Type: Ceiling lamp
Body colour: Black
Material: Metal + Wood + Glass
Max.: 3x40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E14

page 694

ELMARK
The Brand of Electricity



955LUTON6




955LUTON1

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included | 6xE14


955LUTON6



Type: Pendant
Body colour: Black
Material: Metal
Max.: 6x40W

Lamps Not Included | 1xE14

955LUTON1



Type: Pendant
Body colour: Black
Material: Metal
Max.: 40W

Scan QR code for 3D models, IES files & price.

Recommended bulb



E27

page 692

ELMARK
The Brand of Electricity



955DAMON3P



955DAMON1P/BL

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20

~230V

RoHS

CE

Lamps Not Included





955DAMON3P

Type: Pendant
Body colour: Black
Material: Metal
Max.: 3x40W

Lamps Not Included





955DAMON1P/BL

Type: Pendant
Body colour: Black
Material: Metal
Max.: 40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



955DAMON1P/AB



955DAMON1W

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE27

955DAMON1P/AB



Type: Pendant
Body colour: Antique brass
Material: Metal
Max.: 40W

Lamps Not Included
1xE27

955DAMON1W



Type: Wall lamp
Body colour: Black
Material: Metal
Max.: 40W

Scan QR code for 3D models, IES files & price.

Recommended bulb



E27

page 692

ELMARK
The Brand of Electricity



955EMMA5P/BL



955EMMA3P/BL

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20


~230V

RoHS

CE

Lamps Not Included






955EMMA5P/BL

Type: Pendant
Body colour: Matt black & White
Material: Metal
Max.: 5x40W

Lamps Not Included





955EMMA3P/BL

Type: Pendant
Body colour: Matt black & White
Material: Metal
Max.: 3x40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 692

ELMARK
The Brand of Electricity



955SANTA3/NI




955EMMA3C/BL

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 3xE27


955EMMA3C/BL



Type: Ceiling lamp
Body colour: Matt black & White
Material: Metal
Max.: 3x40W

Lamps Not Included 3xE27

955SANTA3/NI



Type: Ceiling lamp
Body colour: Satin nickel
Material: Metal + Glass
Max.: 3x40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity

Recommended bulb



E27

page 692

for ELIA & VICTOR



E14

page 694

for TINO



955ELIA1



955TINO4



955VICTOR1W

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20


~230V

RoHS

CE

Lamps Not Included







955ELIA1

Type: Pendant
Body colour: Matt black
Material: Metal + Wood + Glass
Max.: 40W

Lamps Not Included






955TINO4

Type: Pendant
Body colour: Matt black
Material: Metal + Wood
Max.: 4x40W

Lamps Not Included





955VICTOR1W

Type: Wall lamp
Body colour: Matt black & Black mahogany
Material: Metal + Wood
Max.: 40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 692

ELMARK
The Brand of Electricity



955PAOLA3W/BL



955PAOLA2W/BL



955PAOLA1W/BL

Lamps Not Included | 3xE27

955PAOLA3W/BL



Type: Wall lamp
Body colour: Matt black & Wood
Material: Metal + Wood + Glass
Max.: 3x40W

Lamps Not Included | 2xE27


955PAOLA2W/BL



Type: Wall lamp
Body colour: Matt black & Wood
Material: Metal + Wood + Glass
Max.: 2x40W

Lamps Not Included | 1xE27

955PAOLA1W/BL



Type: Wall lamp
Body colour: Matt black & Wood
Material: Metal + Wood + Glass
Max.: 40W

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Recommended bulb



E27

page 692

ELMARK
The Brand of Electricity



955SILVIA4W/BL



955SILVIA3W/BL

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20

~230V

RoHS

CE

Lamps Not Included 4xE27


955SILVIA4W/BL



Type: Wall lamp
Body colour: Matt black & Wood
Material: Metal + Wood
Max.: 4x40W

Lamps Not Included 3xE27

955SILVIA3W/BL



Type: Wall lamp
Body colour: Matt black & Wood
Material: Metal + Wood
Max.: 3x40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



955SILVIA2W/BL




955SILVIA1W/BL

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 2xE27


955SILVIA2W/BL



Type: Wall lamp
Body colour: Matt black & Wood
Material: Metal + Wood
Max.: 2x40W

Lamps Not Included 1xE27

955SILVIA1W/BL



Type: Wall lamp
Body colour: Matt black & Wood
Material: Metal + Wood
Max.: 40W

Scan QR code for 3D models, IES files & price.

Recommended bulb



E27

page 692

ELMARK
The Brand of Electricity



955BIANCA3/BL



955BIANCA2W/BL

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 3xE27


955BIANCA3/BL



Type: Ceiling lamp
Body colour: Matt black & Wood
Material: Metal + Wood
Max.: 3x40W

Lamps Not Included 2xE27

955BIANCA2W/BL



Type: Wall lamp
Body colour: Matt black & Wood
Material: Metal + Wood
Max.: 2x40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 692

ELMARK
The Brand of Electricity



955PIERA3/BL



955BIANCA1W/BL

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included | 3xE27

955PIERA3/BL



Type: Pendant
Body colour: Matt black & Wood
Material: Metal + Wood
Max.: 3x40W

Lamps Not Included | 1xE27

955BIANCA1W/BL



Type: Wall lamp
Body colour: Matt black & Wood
Material: Metal + Wood
Max.: 40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 692

ELMARK
The Brand of Electricity



955PAIL1



955APIS1



955BRYAN1W

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE


Lamps Not Included | 1xE27



955PAIL1

Type: Pendant
Body colour: Black & Wood
Material: Metal + Wood
Max.: 40W

Lamps Not Included | 1xE27



955APIS1

Type: Pendant
Body colour: Black & Silver
Material: Metal
Max.: 40W

Lamps Not Included | 1xE27



955BRYAN1W

Type: Wall lamp
Body colour: Antique brass
Material: Metal + Glass
Max.: 40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



955ALEGRA1W



955ALEGRA1T

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 1xE14

955ALEGRA1W



Type: Wall lamp
Body colour: Black & Wood
Material: Metal + Wood
Max.: 40W

Lamps Not Included 1xE14

955ALEGRA1T



Type: Table lamp
Body colour: Black & Wood
Material: Metal + Wood
Max.: 40W

Scan QR code for 3D models, IES files & price.

Recommended bulb



E27

page 692

ELMARK
The Brand of Electricity



955ROPE1P



955GRID1P

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20

~230V

RoHS

CE

Lamps Not Included





955ROPE1P

Type: Pendant
Body colour: Black
Material: Metal + Rust
Max.: 40W

Lamps Not Included





955GRID1P

Type: Pendant
Body colour: Black
Material: Metal + Rust
Max.: 40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



955ROPE2W



955ROPE1W

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
2xE27


955ROPE2W



Type: Wall lamp
Body colour: Black
Material: Metal + Rust
Max.: 2x40W

Lamps Not Included
1xE27

955ROPE1W



Type: Wall lamp
Body colour: Black
Material: Metal + Rust
Max.: 40W

Scan QR code for 3D models, IES files & price.

Recommended bulb



E27

page 692

ELMARK
The Brand of Electricity



955SAILOR17



955SAILOR1AB



955SAILOR11/G




955SAILOR12/G

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 1xE27


955SAILOR17



Type: Pendant
Body colour: Black
Material: Metal + Rust
Max.: 40W

Lamps Not Included 1xE27


955SAILOR1AB



Type: Pendant
Body colour: Antique brass & Black
Material: Metal
Max.: 40W

Lamps Not Included 1xE27


955SAILOR11/G



Type: Pendant
Body colour: Gold
Material: Metal
Max.: 40W

Lamps Not Included 1xE27

955SAILOR12/G



Type: Pendant
Body colour: Gold
Material: Metal
Max.: 40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 692

ELMARK
The Brand of Electricity



955SAILOR13/S



955SAILOR14/AB




955SAILOR15/RAB



9527100


Lamps Not Included | 1xE27



955SAILOR13/S

Type: Pendant
Body colour: Silver
Material: Metal
Max.: 40W


Lamps Not Included | 1xE27



955SAILOR14/AB

Type: Pendant
Body colour: Antique brass
Material: Metal
Max.: 40W


Lamps Not Included | 1xE27



955SAILOR15/RAB

Type: Pendant with switch
Body colour: Red antique brass
Material: Metal
Max.: 40W

Lamps Not Included | 1xE27



9527100

Type: Pendant
Body colour: Chrome
Material: Metal
Max.: 40W

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Recommended bulb



E27

page 692

ELMARK
The Brand of Electricity



955SAILOR16/BL



955SAILOR16/WH



955SAILOR16/R

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE


Lamps Not Included
1xE27



955SAILOR16/BL

Type: Pendant
Body colour: Black
Material: Silicon
Max.: 40W


Lamps Not Included
1xE27



955SAILOR16/WH

Type: Pendant
Body colour: White
Material: Silicon
Max.: 40W

Lamps Not Included
1xE27



955SAILOR16/R

Type: Pendant
Body colour: Red
Material: Silicon
Max.: 40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 692

ELMARK
The Brand of Electricity




955SAILOR16/BR



955SAILOR16/Y


Lamps Not Included | 1xE27



955SAILOR16/BR

Type: Pendant
Body colour: Brown
Material: Silicon
Max.: 40W

Lamps Not Included | 1xE27



955SAILOR16/Y

Type: Pendant
Body colour: Yellow
Material: Silicon
Max.: 40W

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 707

ELMARK
The Brand of Electricity



951940



951930



951951

3 YEARS TOTAL WARRANTY
2 standard + 1 extended

IP20
~230V
RoHS
CE

Lamps Not Included | 2xE27

951940



Type: Ceiling lamp
Body colour: White
Material: Metal + Glass
Max.: 2x60W

Lamps Not Included | 1xE27


951930



Type: Ceiling lamp
Body colour: White
Material: Metal + Glass
Max.: 60W

Lamps Not Included | 1xE27

951951



Type: Wall lamp
Body colour: White
Material: Metal + Glass
Max.: 60W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



952940



952930



952951

Lamps Not Included | 2xE27

952940



Type: Ceiling lamp
Body colour: White
Material: Metal + Glass
Max.: 2x60W

Lamps Not Included | 1xE27


952930



Type: Ceiling lamp
Body colour: White
Material: Metal + Glass
Max.: 60W

Lamps Not Included | 1xE27

952951



Type: Wall lamp
Body colour: White
Material: Metal + Glass
Max.: 60W

3 YEARS TOTAL WARRANTY
2 standard + 1 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 707

ELMARK
The Brand of Electricity



951740



951730



951751

3 YEARS TOTAL WARRANTY
+ 2 standard 1 extended

IP20
~230V
RoHS
CE

Lamps Not Included | 2xE27

951740



Type: Ceiling lamp
Body colour: White
Material: Metal + Glass
Max.: 2x60W

Lamps Not Included | 1xE27


951730



Type: Ceiling lamp
Body colour: White
Material: Metal + Glass
Max.: 60W

Lamps Not Included | 1xE27

951751



Type: Wall lamp
Body colour: White
Material: Metal + Glass
Max.: 60W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



951330



951351

3 YEARS TOTAL WARRANTY
+ 2 standard 1 extended

IP20
~230V
RoHS
CE

Lamps Not Included 1xE27


951330



Type: Ceiling lamp
Body colour: White
Material: Metal + Glass
Max.: 60W

Lamps Not Included 1xE27

951351



Type: Wall lamp
Body colour: White
Material: Metal + Glass
Max.: 60W

Scan QR code for 3D models, IES files & price.

Recommended bulb



E27

page 707

ELMARK
The Brand of Electricity



955PETRA4L/BR



955PETRA3M/BR



955PETRA3S/BR

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included | 3xE27

955PETRA4L/BR



Type: Ceiling lamp
Body colour: Bronze
Material: Metal + Glass
Max.: 3x40W

Lamps Not Included | 2xE27

955PETRA3M/BR



Type: Ceiling lamp
Body colour: Bronze
Material: Metal + Glass
Max.: 2x40W

Lamps Not Included | 2xE27

955PETRA3S/BR



Type: Ceiling lamp
Body colour: Bronze
Material: Metal + Glass
Max.: 2x40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



955PETRA4L/BL



955PETRA3M/BL



955PETRA3S/BL

Lamps Not Included | 3xE27

955PETRA4L/BL



Type: Ceiling lamp
Body colour: Black
Material: Metal + Glass
Max.: 3x40W

Lamps Not Included | 2xE27

955PETRA3M/BL



Type: Ceiling lamp
Body colour: Black
Material: Metal + Glass
Max.: 2x40W

Lamps Not Included | 2xE27

955PETRA3S/BL



Type: Ceiling lamp
Body colour: Black
Material: Metal + Glass
Max.: 2x40W

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

SPOT LIGHTING



ELMARK
The Brand of Electricity



955AMBIX6




955AMBIX4



955AMBIX2

Lamps Not Included | 6xE14


955AMBIX6



Type: Ceiling spot lamp
Body colour: Black & Copper
Material: Metal
Max.: 6x40W

Lamps Not Included | 4xE14


955AMBIX4



Type: Ceiling spot lamp
Body colour: Black & Copper
Material: Metal
Max.: 4x40W

Lamps Not Included | 2xE14

955AMBIX2



Type: Ceiling spot lamp
Body colour: Black & Copper
Material: Metal
Max.: 2x40W

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Recommended bulb



E14

page 694

ELMARK
The Brand of Electricity



955AMBIX5



955AMBIX3R

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20


~230V

RoHS

CE

Lamps Not Included | 5xE14


955AMBIX5



Type: Ceiling lamp
Body colour: Black & Copper
Material: Metal
Max.: 5x40W

Lamps Not Included | 3xE14

955AMBIX3R



Type: Ceiling lamp
Body colour: Black & Copper
Material: Metal
Max.: 3x40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



955AMBIX3




955AMBIX1W

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included | 3xE14


955AMBIX3



Type: Ceiling spot lamp
Body colour: Black & Copper
Material: Metal
Max.: 3x40W

Lamps Not Included | 1xE14

955AMBIX1W



Type: Wall spot lamp
Body colour: Black & Copper
Material: Metal
Max.: 40W

Scan QR code for 3D models, IES files & price.

Recommended bulb



E14

page 694

ELMARK
The Brand of Electricity



955JULIE6



955JULIE4




955JULIE3

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included | 6xE14

955JULIE6



Type: Ceiling spot lamp
Body colour: Satin nickel & Aluminum
Material: Metal
Max.: 6x40W

Lamps Not Included | 4xE14

955JULIE4



Type: Ceiling spot lamp
Body colour: Satin nickel & Aluminum
Material: Metal
Max.: 4x40W

Lamps Not Included | 3xE14

955JULIE3



Type: Ceiling spot lamp
Body colour: Satin nickel & Aluminum
Material: Metal
Max.: 3x40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



955JULIE5



955JULIE3R




955JULIE2



955JULIE1W

Lamps Not Included | 5xE14


955JULIE5



Type: Ceiling lamp
Body colour: Satin nickel & Aluminum
Material: Metal
Max.: 5x40W

Lamps Not Included | 3xE14

955JULIE3R



Type: Ceiling lamp
Body colour: Satin nickel & Aluminum
Material: Metal
Max.: 3x40W

Lamps Not Included | 2xE14


955JULIE2



Type: Ceiling spot lamp
Body colour: Satin nickel & Aluminum
Material: Metal
Max.: 2x40W

Lamps Not Included | 1xE14

955JULIE1W



Type: Wall spot lamp
Body colour: Satin nickel & Aluminum
Material: Metal
Max.: 40W

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Recommended bulb



E14

page 694

ELMARK
The Brand of Electricity



955SHEEN4/SN



955SHEEN3/SN



955SHEEN2/SN

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included | 4xE14

955SHEEN4/SN



Type: Ceiling spot lamp
Body colour: Satin nickel & Chrome & frame with clear glass
Material: Metal + Glass
Max.: 4x40W

Lamps Not Included | 3xE14

955SHEEN3/SN



Type: Ceiling spot lamp
Body colour: Satin nickel & Chrome & frame with clear glass
Material: Metal + Glass
Max.: 3x40W

Lamps Not Included | 2xE14

955SHEEN2/SN



Type: Ceiling spot lamp
Body colour: Satin nickel & Chrome & frame with clear glass
Material: Metal + Glass
Max.: 2x40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



955SHEEN5/SN




955SHEEN1W/SN



955SHEEN31/SN

Lamps Not Included | 5xE14


955SHEEN5/SN



Type: Ceiling lamp
Body colour: Satin nickel & Chrome & frame with clear glass
Material: Metal + Glass
Max.: 5x40W

Lamps Not Included | 3xE14

955SHEEN31/SN



Type: Ceiling lamp
Body colour: Satin nickel & Chrome & frame with clear glass
Material: Metal + Glass
Max.: 3x40W

Lamps Not Included | 1xE14

955SHEEN1W/SN



Type: Wall spot lamp
Body colour: Satin nickel & Chrome & frame with clear glass
Material: Metal + Glass
Max.: 40W

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Recommended bulb



E14

page 694

ELMARK
The Brand of Electricity



955EDDY4/BL



955EDDY3/BL



955EDDY2/BL



955EDDY1W/BL

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Lamps Not Included | 4xE14

955EDDY4/BL



Type: Ceiling spot lamp
Body colour: Black & White
Material: Metal + Glass
Max.: 4x40W

Lamps Not Included | 3xE14

955EDDY3/BL



Type: Ceiling spot lamp
Body colour: Black & White
Material: Metal + Glass
Max.: 3x40W

Lamps Not Included | 2xE14

955EDDY2/BL



Type: Ceiling spot lamp
Body colour: Black & White
Material: Metal + Glass
Max.: 2x40W

Lamps Not Included | 1xE14

955EDDY1W/BL



Type: Wall spot lamp
Body colour: Black & White
Material: Metal + Glass
Max.: 40W

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



955TWIST5/BL



955TWIST3/BL

Lamps Not Included | 5xE27

955TWIST5/BL



Type: Ceiling lamp
Body colour: Black
Material: Metal
Max.: 5x40W

Lamps Not Included | 3xE27

955TWIST3/BL



Type: Ceiling lamp
Body colour: Black
Material: Metal
Max.: 3x40W

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Recommended bulb



E27

page 693

ELMARK
The Brand of Electricity



955DELIA3/BL



955DELIA2/BL




955DELIA1W/BL

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included | 3xE27


955DELIA3/BL



Type: Ceiling spot lamp
Body colour: Black & Red amber
Material: Iron + PVC + cotton cloth
Max.: 3x40W

Lamps Not Included | 2xE27


955DELIA2/BL



Type: Ceiling spot lamp
Body colour: Black & Red amber
Material: Iron + PVC + cotton cloth
Max.: 2x40W

Lamps Not Included | 1xE27

955DELIA1W/BL



Type: Wall spot lamp
Body colour: Black & Red amber
Material: Iron + PVC + cotton cloth
Max.: 40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



955DELIA6/BL




955DELIA4/BL

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included | 6xE27


955DELIA6/BL



Type: Ceiling lamp
Body colour: Black & Red amber
Material: Iron + PVC + cotton cloth
Max.: 6x40W

Lamps Not Included | 4xE27

955DELIA4/BL



Type: Ceiling lamp
Body colour: Black & Red amber
Material: Iron + PVC + cotton cloth
Max.: 4x40W

Scan QR code for 3D models, IES files & price.

Recommended bulb



E27

page 693

ELMARK
The Brand of Electricity



955YOLI4/SN



955YOLI2/SN



955YOLI1W/SN


5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Lamps Not Included | 4xE27


955YOLI4/SN



Type: Ceiling spot lamp
Body colour: Satin nickel & White
Material: Iron
Max.: 4x40W

Lamps Not Included | 2xE27

955YOLI2/SN



Type: Ceiling spot lamp
Body colour: Satin nickel & White
Material: Iron
Max.: 2x40W

Lamps Not Included | 1xE27

955YOLI1W/SN



Type: Wall spot lamp
Body colour: Satin nickel & White
Material: Iron
Max.: 40W

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



955YOLI6/SN




955YOLI3/SN

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included | 6xE27


955YOLI6/SN



Type: Ceiling lamp
Body colour: Satin nickel & White
Material: Iron
Max.: 6x40W

Lamps Not Included | 3xE27

955YOLI3/SN



Type: Ceiling spot lamp
Body colour: Satin nickel & White
Material: Iron
Max.: 3x40W

Scan QR code for 3D models, IES files & price.

Recommended bulb



GU10

page 726

ELMARK
The Brand of Electricity



955IZZY4/BL



955IZZY2/BL




955IZZY1/BL

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 4xGU10

955IZZY4/BL



Type: Ceiling spot lamp
Body colour: Black
Material: Metal
Max.: 4x50W

Lamps Not Included 2xGU10

955IZZY2/BL



Type: Ceiling spot lamp
Body colour: Black
Material: Metal
Max.: 2x50W

Lamps Not Included 1xGU10

955IZZY1/BL



Type: Wall spot lamp
Body colour: Black
Material: Metal
Max.: 50W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



955IZZY3/BL



955IZZY1W/BL

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 3xGU10

955IZZY3/BL



Type: Ceiling spot lamp
Body colour: Black
Material: Metal
Max.: 3x50W

Lamps Not Included 1xGU10

955IZZY1W/BL



Type: Wall spot lamp with metal switch
Body colour: Black
Material: Metal
Max.: 50W

Scan QR code for 3D models, IES files & price.

Recommended bulb



GU10

page 726

ELMARK
The Brand of Electricity



955IZZY4/WH



955IZZY2/WH




955IZZY1/WH

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 4xGU10


955IZZY4/WH



Type: Ceiling spot lamp
Body colour: White
Material: Metal
Max.: 4x50W

Lamps Not Included 2xGU10

955IZZY2/WH



Type: Ceiling spot lamp
Body colour: White
Material: Metal
Max.: 2x50W

Lamps Not Included 1xGU10

955IZZY1/WH



Type: Wall spot lamp
Body colour: White
Material: Metal
Max.: 50W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



955IZZY3/WH




955IZZY1W/WH

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 3xGU10


955IZZY3/WH



Type: Ceiling spot lamp
Body colour: White
Material: Metal
Max.: 3x50W

Lamps Not Included 1xGU10

955IZZY1W/WH



Type: Wall spot lamp with metal switch
Body colour: Black
Material: Metal
Max.: 50W

Scan QR code for 3D models, IES files & price.

Recommended bulb



GU10

page 726

ELMARK
The Brand of Electricity



955RIKO4



955RIKO1W

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20


~230V

RoHS

CE

Lamps Not Included 4xGU10


955RIKO4



Type: Ceiling spot lamp
Body colour: Wood & Black
Material: Metal + Wood
Max.: 4x35W

Lamps Not Included 1xGU10

955RIKO1W



Type: Wall spot lamp
Body colour: Wood & Black
Material: Metal + Wood
Max.: 35W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



955RIKO3




955RIKO2

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 3xGU10

955RIKO3



Type: Ceiling spot lamp
Body colour: Wood & Black
Material: Metal + Wood
Max.: 3x35W

Lamps Not Included 2xGU10

955RIKO2



Type: Ceiling spot lamp
Body colour: Wood & Black
Material: Metal + Wood
Max.: 2x35W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E14

page 701

ELMARK
The Brand of Electricity



955ADDY4/BL



955ADDY3/BL




955ADDY1W/BL

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included | 4xE14


955ADDY4/BL



Type: Ceiling spot lamp
Body colour: Black & Wood painting
Material: Metal
Max.: 4x40W

Lamps Not Included | 3xE14

955ADDY3/BL



Type: Ceiling spot lamp
Body colour: Black & Wood painting
Material: Metal
Max.: 3x40W

Lamps Not Included | 1xE14

955ADDY1W/BL



Type: Wall spot lamp
Body colour: Black & Wood painting
Material: Metal
Max.: 40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



955ADDY4/WH




955ADDY3/WH



955ADDY1W/WH

Lamps Not Included | 4xE14


955ADDY4/WH



Type: Ceiling spot lamp
Body colour: White & Wood painting
Material: Metal
Max.: 4x40W

Lamps Not Included | 3xE14


955ADDY3/WH



Type: Ceiling spot lamp
Body colour: White & Wood painting
Material: Metal
Max.: 3x40W

Lamps Not Included | 1xE14

955ADDY1W/WH



Type: Wall spot lamp
Body colour: White & Wood painting
Material: Metal
Max.: 40W

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Recommended bulb



E14

page 701

ELMARK
The Brand of Electricity



955ADDY4/CH



955ADDY2/CH



955ADDY1W/CH


5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Lamps Not Included | 4xE14

955ADDY4/CH



Type: Ceiling spot lamp
Body colour: Chrome & smoked glass
Material: Metal + Glass
Max.: 4x40W

Lamps Not Included | 2xE14


955ADDY2/CH



Type: Ceiling spot lamp
Body colour: Chrome & smoked glass
Material: Metal + Glass
Max.: 2x40W

Lamps Not Included | 1xE14

955ADDY1W/CH



Type: Wall spot lamp
Body colour: Chrome & smoked glass
Material: Metal + Glass
Max.: 40W

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



955ADDY5/CH




955ADDY31/CH

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
5xE14


955ADDY5/CH



Type: Ceiling lamp
Body colour: Chrome & smoked glass
Material: Metal + Glass
Max.: 5x40W

Lamps Not Included
3xE14

955ADDY31/CH



Type: Ceiling lamp
Body colour: Chrome & smoked glass
Material: Metal + Glass
Max.: 3x40W

Scan QR code for 3D models, IES files & price.

Recommended bulb



E14

page 701

ELMARK
The Brand of Electricity



955ADDY4/WD



955ADDY2/WD


5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Lamps Not Included 4xE14

955ADDY4/WD



Type: Ceiling spot lamp
Body colour: Satin nickel & Wood painting & Amber glass
Material: Metal + Glass
Max.: 4x40W

Lamps Not Included 2xE14

955ADDY2/WD



Type: Ceiling spot lamp
Body colour: Satin nickel & Wood painting & Amber glass
Material: Metal + Glass
Max.: 2x40W

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



955ADDY3/WD



955ADDY1W/WD

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
3xE14

955ADDY3/WD



Type: Ceiling spot lamp
Body colour: Satin nickel & Wood painting & Amber glass
Material: Metal + Glass
Max.: 3x40W

Lamps Not Included
1xE14

955ADDY1W/WD



Type: Wall spot lamp
Body colour: Satin nickel & Wood painting & Amber glass
Material: Metal + Glass
Max.: 40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 701

ELMARK
The Brand of Electricity



955SAM1W/SN



955SAM1W/WH

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 1xE27

955SAM1W/WH



Type: Wall spot lamp with key
Body colour: White
Material: Metal + Satin nickel
Max.: 40W

Lamps Not Included 1xE27

955SAM1W/SN



Type: Wall spot lamp with key
Body colour: Satin nickel
Material: Metal + Satin nickel
Max.: 40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

TABLE &
FLOOR LAMPS



ELMARK
The Brand of Electricity



955HENDRIX1T

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP40
~230V
SMD 2835
>15000
Ra≥80
EMC

LED | warm WHITE 2800-3200K | A to G: G



955HENDRIX1T

Type: Table lamp
Power: 11W
Lumens: 770lm
Body colour: White & Black
Material: Aluminum + Iron + PC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



955LED101T/WH



955LED101T/BL

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP40

Battery

SMD 2835

>15000

Ra≥80

EMC

LED | neutral WHITE 4000K | DIMMABLE | A G | G

955LED101T/WH



Type: Table lamp
Power: 9W
Lumens: 500lm
Body colour: White
Material: ABS+PP
Adapter: 4.6V/1.5A
Third gear dimmable

LED | neutral WHITE 4000K | DIMMABLE | A G | G

955LED101T/BL



Type: Table lamp
Power: 9W
Lumens: 500lm
Body colour: Black
Material: ABS+PP
Adapter: 4.6V/1.5A
Third gear dimmable

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



955RYAN1T



955PARKER1T



955ADAM1TL/GD



955ADAM1TL/BL

5 YEAR TOTAL WARRANTY
3 standard+2 extended
+
2 extended

IP40
Battery
SMD 2835
>15000
Ra≥80
EMC

LED | warm WHITE 3000K | G

955RYAN1T



Type: Table lamp
Power: 2W
Lumens: 100
Body colour: Wooden & White
Material: Plastic +Acrylic
Working hours: 6-8h

** Type "C" USB cable 1m, without Adapter | 2000mAh rechargeable lithium polymer battery*

LED | warm WHITE 3000K | G

955PARKER1T



Type: Table lamp
Power: 3W
Lumens: 150lm
Body colour: Brown bronze
Material: Metal
Working hours: 10-15h

** Type "C" USB cable 1m, without Adapter | 1800mAh rechargeable lithium battery 18650*

LED | warm WHITE 3000K | G | DIMMABLE

955ADAM1TL/BL




Type: Table lamp
Power: 3W
Lumens: 110lm
Body colour: Black
Material: Iron & Glass
Working hours: 10-15h

** Type "C" USB cable 1m, without adapter | 4000mAh rechargeable lithium battery*

LED | warm WHITE 3000K | G | DIMMABLE

955ADAM1TL/GD



Type: Table lamp
Power: 3W
Lumens: 110lm
Body colour: Gold
Material: Iron & Glass
Working hours: 10-15h

** Type "C" USB cable 1m, without adapter | 4000mAh rechargeable lithium battery*

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



955SONIA1TL/BL



955SONIA1TL/WH

5 YEAR TOTAL WARRANTY
3 standard+2 extended
+ 2 extended

IP40
Battery
SMD 2835
>15000
Ra≥80
EMC

LED | warm WHITE 3000K | A to G: G | DIMMABLE

955SONIA1TL/BL



Type: Table Lamp
Power: 3W
Lumens: 110lm
Body colour: Black
Material: Iron + Glass

** Touch Dimmer button | Type "C" USB cable 1m, without Adapter | 4000mah rechargeable lithium battery*

LED | warm WHITE 3000K | A to G: G | DIMMABLE

955SONIA1TL/WH



Type: Table Lamp
Power: 3W
Lumens: 110lm
Body colour: White
Material: Iron + Glass

** Touch Dimmer button | Type "C" USB cable 1m, without Adapter | 4000mah rechargeable lithium battery*

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



G9

page 729

ELMARK
The Brand of Electricity



955NOLA1T/WH



955NOLA1T/WHBL

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included | 1xG9 | DIMMABLE

955NOLA1T/WH



Type: Table lamp
Body colour: White
Material: Iron + Glass
Max.: 4W

Lamps Not Included | 1xG9 | DIMMABLE

955NOLA1T/WHBL



Type: Table lamp
Body colour: White & Black
Material: Iron + Glass
Max.: 4W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



G9

page 729

ELMARK
The Brand of Electricity



955NOLA1T/WHGD



955CORY1T/BL

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included | 1xG9 | DIMMABLE

955NOLA1T/WHGD



Type: Table lamp
Body colour: White & Black
Material: Iron + Glass
Max.: 4W

Lamps Not Included | 1xG9 | DIMMABLE

955CORY1T/BL



Type: Table lamp
Body colour: White & Black
Material: Iron + Glass
Max.: 4W

Scan QR code for 3D models, IES files & price.

Recommended bulb



E27

page 708

for CLARA



E27

page 702

for ADONIS

ELMARK
The Brand of Electricity



955CLARA1T/NI



955ADONIS1T

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20

~230V

RoHS

CE

Lamps Not Included





955CLARA1T/NI

Type: Table lamp
Body colour: White & Nickel
Material: Metal + Fabric
Max.: 40W

Lamps Not Included





955ADONIS1T

Type: Table lamp
Body colour: Black & Smoky
Material: Metal + Glass
Max.: 40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 694

ELMARK
The Brand of Electricity



955ELINOR1T/DGR




955ELINOR1T/TR

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE


Lamps Not Included | 1xE27



955ELINOR1T/DGR

Type: Table lamp
Body colour: Dark grey
Material: Acrylic
Max.: 40W

Lamps Not Included | 1xE27



955ELINOR1T/TR

Type: Table lamp
Body colour: Transparent
Material: Acrylic
Max.: 40W

Scan QR code for 3D models, IES files & price.

Recommended bulb



E27

page 708

ELMARK
The Brand of Electricity



955DEREK1T/BL



955NADINE1T/BL

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 1xE27



955DEREK1T/BL

Type: Table lamp
Body colour: Black
Material: Metal
Max.: 40W

Lamps Not Included 1xE27



955NADINE1T/BL

Type: Table lamp
Body colour: Black & White
Material: Metal + Fabric
Max.: 40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 708

for LUKE



E14

page 701

for ALEGRA

ELMARK
The Brand of Electricity



955LUKE1T/BK



955LUKE1T/WH



955ALEGRA1T

Lamps Not Included | 1xE27



955LUKE1T/BK

Type: Table lamp
Body colour: Sand black & Copper
Material: Metal
Max.: 40W

Lamps Not Included | 1xE27



955LUKE1T/WH

Type: Table lamp
Body colour: Sand white & Copper
Material: Metal
Max.: 40W

Lamps Not Included | 1xE14



955ALEGRA1T

Type: Table lamp
Body colour: Black & Wood
Material: Metal + Wood
Max.: 40W

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Recommended bulb



E27

page 702

ELMARK
The Brand of Electricity



955CAPRI1T



955SALINA1T



955PONZA1T



955ISCA1T

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20

~230V

RoHS

CE

Scan QR code for 3D models, IES files & price.

955CAPRI1T

Lamps Not Included | 1xE27



Type: Table lamp
Body colour: Gold & Flax
Material: Metal + Fabric
Max.: 40W

955SALINA1T

Lamps Not Included | 1xE27



Type: Table lamp
Body colour: Black & Gold & Flax
Material: Metal + Fabric
Max.: 40W

955PONZA1T

Lamps Not Included | 1xE27



Type: Table lamp
Body colour: Gold & Flax
Material: Metal + Fabric
Max.: 40W

955ISCA1T

Lamps Not Included | 1xE27



Type: Table Lamp
Body Colour: Black & White
Material: Metal & Fabric
Max.: 1x40W

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 702

ELMARK
The Brand of Electricity



955LORETO1T



955NICOLA1T



955MAURO1T

Lamps Not Included | 1xE27

955LORETO1T



Type: Table Lamp
Body colour: Black & Flax
Material: Metal + Fabric
Max.: 40W

Lamps Not Included | 1xE27

955NICOLA1T



Type: Table Lamp
Body colour: Black & Flax
Material: Metal + Fabric
Max.: 40W

Lamps Not Included | 1xE27

955MAURO1T



Type: Table lamp
Body colour: Gold & Flax
Material: Metal + Fabric
Max.: 40W

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Recommended bulb



E27

page 702

ELMARK
The Brand of Electricity



955ZAHRA1T



955ELBA1T



955PIETRO1T

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20

~230V

RoHS

CE

Lamps Not Included

1xE27



955ZAHRA1T

Type: Table Lamp
Body colour: Gold & Flax
Material: Metal + Fabric
Max.: 40W

Lamps Not Included

1xE27



955ELBA1T

Type: Table Lamp
Body colour: Gold & Flax
Material: Metal + Fabric
Max.: 40W

Lamps Not Included

1xE27



955PIETRO1T

Type: Table Lamp
Body colour: Gold & Flax
Material: Metal + Fabric
Max.: 40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 702

ELMARK
The Brand of Electricity



955MONTE1T



955SIENA1T/BR

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE27



955MONTE1T

Type: Table Lamp
Body colour: Gold & Blue
Material: Metal + Fabric
Max.: 40W

Lamps Not Included
1xE27



955SIENA1T/BR

Type: Table Lamp
Body colour: Bronze & Blue
Material: Metal + Fabric
Max.: 40W

Scan QR code for 3D models, IES files & price.

Recommended bulb



E14

page 701

for BARBARA



E27

page 702

for HELENA

ELMARK
The Brand of Electricity



955BARBARA1T



955HELENA1T

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20

~230V

RoHS

CE

Lamps Not Included 1xE14



955BARBARA1T

Type: Table lamp
Body colour: Chrome & White
Material: Iron + Fabric + Crystal
Max.: 40W

Lamps Not Included 1xE27



955HELENA1T

Type: Table lamp
Body colour: Black & White
Material: Metal + Fabric
Max.: 40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 708

ELMARK
The Brand of Electricity



955ANITA1T



955CAREN1T

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included | 1xE27



955ANITA1T

Type: Table lamp
Body colour: White
Material: Metal + Fabric
Max.: 40W

Lamps Not Included | 1xE27



955CAREN1T

Type: Table lamp
Body colour: Black
Material: Metal + Fabric
Max.: 40W

Scan QR code for 3D models, IES files & price.

Recommended bulb



E27

page 694

ELMARK
The Brand of Electricity



955NORTH1T/CH



955NORTH1T/GD

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE27



955NORTH1T/CH

Type: Table lamp
Body colour: Chrome
Material: Metal + Crystal
Max.: 40W

Lamps Not Included
1xE27



955NORTH1T/GD

Type: Table lamp
Body colour: Gold
Material: Metal + Crystal
Max.: 40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E14

page 694

ELMARK
The Brand of Electricity



955LIZA1T/CH



955LIZA1T/AB

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included | 1xE14



955LIZA1T/CH

Type: Table lamp
Body colour: Chrome
Material: Metal + Crystal
Max.: 40W

Lamps Not Included | 1xE14



955LIZA1T/AB

Type: Table lamp
Body colour: Antique brass
Material: Metal + Crystal
Max.: 40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 694

ELMARK
The Brand of Electricity



955THERA1T/WH



955THERA1T/BL



955KRISTA1T

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included | 1xE14

955THERA1W/WH



Type: Table lamp
Body colour: White
Material: Iron + Fabric
Max.: 40W

Lamps Not Included | 1xE14

955THERA1T/BL



Type: Table lamp
Body colour: Black
Material: Iron + Fabric
Max.: 40W

Lamps Not Included | 1xE27

955KRISTA1T



Type: Table lamp
Body colour: Golden copper brass & Beige
Material: Metal + Glass
Max.: 40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 702

ELMARK
The Brand of Electricity



955MICKEY1T/P



955MICKEY1T/WH



955MICKEY1T/B

Lamps Not Included | 1xE27


955MICKEY1T/WH



Type: Table lamp
Body colour: White
Material: Metal
Max.: 40W

Lamps Not Included | 1xE27

955MICKEY1T/P



Type: Table lamp
Body colour: Pink
Material: Metal
Max.: 40W

Lamps Not Included | 1xE27

955MICKEY1T/B



Type: Table lamp
Body colour: Blue
Material: Metal
Max.: 40W

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



955SENSO3F



955SENSO1T


5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
SMD 2835
>15000
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

LED | warm WHITE 2800-3200K | A-G | G

955SENSO3F



Type: Floor lamp
Power: 25W
Lumens: 1764lm
Body colour: Matte black
Material: Aluminum + Iron + Acrylic

LED | warm WHITE 2800-3200K | A-G | G


955SENSO1T



Type: Table lamp
Power: 8.5W
Lumens: 588lm
Body colour: Matte black
Material: Aluminum + Iron + Acrylic

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



955DUNCAN3F




955DUNCAN1T

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
SMD 2835
>15000
Ra≥80
EMC

LED warm WHITE 2800-3200K A to G G



955DUNCAN3F

Type: Floor lamp
Power: 15W
Lumens: 1050lm
Body colour: Matte black & Wood
Material: Aluminum+ Iron+ PC

LED warm WHITE 2800-3200K A to G G



955DUNCAN1T

Type: Table lamp
Power: 5W
Lumens: 350lm
Body colour: Matte black & Wood
Material: Aluminum+ Iron+ PC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 708

ELMARK
The Brand of Electricity



955MAX1F



955MAX1T

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20


~230V

RoHS

CE

Lamps Not Included






955MAX1F

Type: Floor lamp
Body colour: Sand black
Material: Metal
Max.: 40W

Lamps Not Included





955MAX1T

Type: Table lamp
Body colour: Sand black
Material: Metal
Max.: 40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



G9

page 729

ELMARK
The Brand of Electricity



955ALBERTO3F




955ALBERTO1T

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included | 3xG9

955ALBERTO3F



Type: Floor lamp
Body colour: Black & Smoky
Material: Metal + Glass
Max.: 3x7W

Lamps Not Included | 1xG9

955ALBERTO1T



Type: Table lamp
Body colour: Black & Smoky
Material: Metal + Glass
Max.: 7W

Scan QR code for 3D models, IES files & price.

Recommended bulb



E27

page 708

ELMARK
The Brand of Electricity



955BERTA1F



955BERTA1T

5 YEARS TOTAL WARRANTY
3 standard
+ 2 extended

IP20

~230V

RoHS

CE

Lamps Not Included

1xE27



955BERTA1F

Type: Floor lamp
Body colour: Black
Material: Metal+ Fabric
Max.: 40W

Lamps Not Included

1xE27



955BERTA1T

Type: Table lamp
Body colour: Black
Material: Metal+ Fabric
Max.: 40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 708

ELMARK
The Brand of Electricity



955TOMY1F



955TOMY1T

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 1xE27



955TOMY1F

Type: Floor lamp
Body colour: Dark Grey
Material: Metal+ Fabric
Max.: 40W

Lamps Not Included 1xE27



955TOMY1T

Type: Table lamp
Body colour: Dark Grey
Material: Metal + Fabric
Max.: 40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 708

ELMARK
The Brand of Electricity



955CARMEN1F



955CARMEN1T

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20

~230V

RoHS

CE

Lamps Not Included

1xE27



955CARMEN1F

Type: Floor lamp
Body colour: White & Chrome
Material: Metal
Max.: 40W

Lamps Not Included

1xE27



955CARMEN1T

Type: Table lamp
Body colour: White & Chrome
Material: Metal
Max.: 40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store


Recommended bulb



E14

page 697

ELMARK
The Brand of Electricity



955INES1F




955INES1T

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included | 1xE14



955INES1F

Type: Floor lamp
Body colour: White & Chrome
Material: Iron + Fabric + Acrylic
Max.: 40W

Lamps Not Included | 1xE14



955INES1T

Type: Table lamp
Body colour: White & Chrome
Material: Iron + Fabric + Acrylic
Max.: 40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E14

page 694

ELMARK
The Brand of Electricity



955PARIS1F/BL



955PARIS1T/BL

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20

~230V

RoHS

CE

Lamps Not Included 1xE14



955PARIS1F/BL

Type: Floor lamp
Body colour: Black
Material: Metal + PVC
Max.: 40W

Lamps Not Included 1xE14



955PARIS1T/BL

Type: Table lamp
Body colour: Black
Material: Metal + PVC
Max.: 40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 692

ELMARK
The Brand of Electricity



955NICOL3/BL




955DARIA3/BL

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE


Lamps Not Included
3xE27



955NICOL3/BL

Type: Floor lamp
Body colour: Matt black
Material: Metal
Max.: 3x40W

Lamps Not Included
3xE27



955DARIA3/BL

Type: Floor lamp
Body colour: Matt black
Material: Metal
Max.: 3x40W

Scan QR code for 3D models, IES files & price.

Recommended bulb



E27

page 708

ELMARK
The Brand of Electricity



955ROY1F



955KILIE1

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20

~230V

RoHS

CE

Lamps Not Included 1xE27



955ROY1F

Type: Floor lamp
Body colour: Satin nickel
Material: Metal
Max.: 40W

Lamps Not Included 1xE27



955KILIE1

Type: Floor lamp
Body colour: White
Material: Marble + Fabric
Max.: 40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store


Recommended bulb




E27

page 708

ELMARK
The Brand of Electricity



955PAOLO1F/C




955PAOLO1F/WH

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE


Lamps Not Included 1xE27



955PAOLO1F/C

Type: Floor lamp
Body colour: Black & Coffee
Material: Metal + Fabric
Max.: 40W

Lamps Not Included 1xE27



955PAOLO1F/WH

Type: Floor lamp
Body colour: Black & White
Material: Metal + Fabric
Max.: 40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 708

ELMARK
The Brand of Electricity



955MAYA1F



955MERY1F/CH

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20


~230V

RoHS

CE

Lamps Not Included

1xE27




955MAYA1F

Type: Floor lamp
Body colour: Chrome
Material: Metal + Glass + Fabric shade
Max.: 40W

Lamps Not Included

1xE27



955MERY1F/CH

Type: Floor lamp
Body colour: Chrome
Material: Metal + Crystal + Fabric shade
Max.: 40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 708

ELMARK
The Brand of Electricity



955FRANCO1F1/BL



955FRANCO1F2/BL



955FRANCO1F3/BR

Lamps Not Included | 1xE27

955FRANCO1F1/BL



Type: Floor lamp
Body colour: Black
Material: Metal + Fabric
Max.: 40W

Lamps Not Included | 1xE27


955FRANCO1F2/BL



Type: Floor lamp
Body colour: Black & Blue
Material: Metal + Fabric
Max.: 40W

Lamps Not Included | 1xE27

955FRANCO1F3/BR



Type: Floor lamp
Body colour: Brass & Blue
Material: Metal + Fabric
Max.: 40W

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 708

ELMARK
The Brand of Electricity



955MURANO1F/BL



955MURANO1F/FL

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20

~230V

RoHS

CE

Lamps Not Included

1xE27




955MURANO1F/BL

Type: Floor lamp
Body colour: Black
Material: Metal + Fabric
Max.: 40W

Lamps Not Included

1xE27



955MURANO1F/FL

Type: Floor lamp
Body colour: Black & Flax
Material: Metal + Fabric
Max.: 40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 694

ELMARK
The Brand of Electricity



955MARSEL1F/BL




955MARSEL1F2/BL

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP20
~230V
RoHS
CE


Lamps Not Included | 1xE27



955MARSEL1F/BL

Type: Floor lamp
Body colour: Black & Gold
Material: Metal + Fabric
Max.: 40W

Lamps Not Included | 1xE27



955MARSEL1F2/BL

Type: Floor lamp
Body colour: Black
Material: Metal + Fabric
Max.: 40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 695

ELMARK
The Brand of Electricity



955CAROL1F/BL



955ETHEL1F

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20

~230V

RoHS

CE

Lamps Not Included

1xE27




955CAROL1F/BL

Type: Floor lamp
Body colour: Black & brass
Material: Wood+ Fabric
Max.: 40W

Lamps Not Included

1xE27



955ETHEL1F


Type: Floor lamp
Body colour: Wood & Black
Material: Metal + Wood
Max.: 40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

INDOOR LIGHTING

- LED panels
- Wall and ceiling lights
- LED profiles
- Down lights
- Bathroom lights
- Track lights
- Emergency lights



*Options with emergency kit



page 454

stellar

99XPANEL020W
99XPANEL020CW



99XPANEL021W


LED PANELS STELLAR

2 YEARS TOTAL WARRANTY + 2 standard 0 extended

IP40
~230V
LED SMD
>15000
15000h
Ra≥80
EMC

LED | neutral WHITE 4000K | 120° | A↑G F

99XPANEL020W



Type: LED panel*
Power: 48W
Lumens: 4320lm
Efficiency: 90lm/W
Body colour: White
Material: Aluminum
Height: 30 mm

LED | cold WHITE 6400K | 120° | A↑G F


99XPANEL020CW



Type: LED panel*
Power: 48W
Lumens: 4320lm
Efficiency: 90lm/W
Body colour: White
Material: Aluminum
Height: 30 mm

LED | neutral WHITE 4000K | 120° | A↑G F

99XPANEL021W



Type: LED panel*
Power: 48W
Lumens: 4320lm
Efficiency: 90lm/W
Body colour: White
Material: Aluminum
Height: 30 mm

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Options with emergency kit page 454

*Compatible with DALI page 802

ELMARK
The Brand of Electricity



HIGH EFFICIENCY

92PANEL032W
92PANEL032CW



92PANEL013W

LED PANELS ELMARK

LED | neutral WHITE 4000K | 120° | G

92PANEL013W




Type: LED panel*
Power: 36W
Lumens: 3600lm
Efficiency: 100lm/W
Body colour: White
Material: Aluminum
Height: 11 mm

** Dimmable with DALI driver: 99DALI40105042*

LED | neutral WHITE 4000K | 120° | E

92PANEL032W




Type: LED panel*
Power: 40W
Lumens: 4800lm
Efficiency: 120lm/W
Body colour: White
Material: Aluminum
Height: 30 mm

** Dimmable with DALI driver: 99DALI60150042*

LED | cold WHITE 6400K | 120° | E

92PANEL032CW



Type: LED panel*
Power: 40W
Lumens: 4800lm
Efficiency: 120lm/W
Body colour: White
Material: Aluminum
Height: 30 mm

** Dimmable with DALI driver: 99DALI60150042*

5 YEARS TOTAL WARRANTY
+ 4 standard 1 extended

IP40
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Options with emergency kit



page 454

ELMARK
The Brand of Electricity




92PANEL021W

LED PANELS ELMARK

LED | neutral WHITE 4000K | 120° | A F G

92PANEL021W



Type: LED panel*
Power: 48W
Lumens: 4800lm
Efficiency: 100lm/W
Body colour: White
Material: Aluminum
Height: 30 mm

5 YEARS TOTAL WARRANTY
+ 4 standard 1 extended

IP40
~230V
SMD 4014
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Options with emergency kit



page 455

*Compatible with DALI

page 802

ELMARK
The Brand of Electricity



KNAUF

92PANEL030W
92PANEL030CW




HIGH POWER

92PANEL031W
92PANEL031CW

HIGH POWER AND LED PANELS WITH CLIPS FOR DRYWALL

LED | neutral WHITE 4000K | 120° | A↑G F | WITH CLIPS

92PANEL030W




Type: LED panel for drywall*
Power: 48W
Lumens: 4800lm
Efficiency: 100lm/W
Body colour: White
Material: Aluminum
Height: 9 mm

** Dimmable with DALI driver: 99DALI60150042*

LED | cold WHITE 6400K | 120° | A↑G F | WITH CLIPS

92PANEL030CW




Type: LED panel for drywall*
Power: 48W
Lumens: 4800lm
Efficiency: 100lm/W
Body colour: White
Material: Aluminum
Height: 9 mm

** Dimmable with DALI driver: 99DALI60150042*

LED | neutral WHITE 4000K | 120° | A↑G F

92PANEL031W




Type: LED panel*
Power: 60W
Lumens: 6000lm
Efficiency: 100lm/W
Body colour: White
Material: Aluminum
Height: 30 mm

** Dimmable with DALI driver: 99DALI60150042*

LED | cold WHITE 6400K | 120° | A↑G F

92PANEL031CW



Type: LED panel*
Power: 60W
Lumens: 6000lm
Efficiency: 100lm/W
Body colour: White
Material: Aluminum
Height: 30 mm

** Dimmable with DALI driver: 99DALI60150042*

5 YEARS TOTAL WARRANTY
+ 4 standard 1 extended

IP40
~230V
SMD 4014
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

*Options with emergency kit



page 455

*Compatible with DALI

page 802

ELMARK
The Brand of Electricity



SAVE ENERGY | HIGH EFFICIENCY | UGR <19

92PANEL028W
92PANEL028CW



SAVE ENERGY | HIGH EFFICIENCY | UGR <19

92PANEL029W
92PANEL029CW

HIGH EFFICIENCY LED PANELS ELMARK WITH UGR<19

5 YEARS TOTAL WARRANTY + 4 standard 1 extended


IP40
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

LED | neutral WHITE 4000K | 120° | A↑G F

92PANEL028W

Type: LED panel*
Power: 48W
Lumens: 5280lm
Efficiency: 110lm/W
Body colour: White
Material: Iron + PS
Height: 30 mm

** Dimmable with DALI driver: 99DALI60150042*




LED | cold WHITE 6400K | 120° | A↑G F

92PANEL028CW

Type: LED panel*
Power: 48W
Lumens: 5280lm
Efficiency: 110lm/W
Body colour: White
Material: Iron + PS
Height: 30 mm

** Dimmable with DALI driver: 99DALI60150042*




LED | neutral WHITE 4000K | 120° | A↑G F

92PANEL029W

Type: LED panel*
Power: 48W
Lumens: 5280lm
Efficiency: 110lm/W
Body colour: White
Material: Iron + PS
Height: 30 mm

** Dimmable with DALI driver: 99DALI60150042*




LED | cold WHITE 6400K | 120° | A↑G F

92PANEL029CW

Type: LED panel*
Power: 48W
Lumens: 5280lm
Efficiency: 110lm/W
Body colour: White
Material: Iron + PS
Height: 30 mm

** Dimmable with DALI driver: 99DALI60150042*



Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Options with emergency kit
page 455

ELMARK
The Brand of Electricity




HIGH EFFICIENCY
SAVE ENERGY

92PANEL023W
92PANEL023CW

HIGH EFFICIENCY LED PANELS

LED | neutral WHITE 4000K | 120° | A↑G | D


92PANEL023W



Type: Square LED panel*
Power: 30W
Lumens: 4200lm
Efficiency: 140lm/W
Body colour: White
Material: Iron + PS
Mounting: Recessed
Height: 35 mm

LED | cold WHITE 6500K | 120° | A↑G | D

92PANEL023CW



Type: Square LED panel*
Power: 30W
Lumens: 4200lm
Efficiency: 140lm/W
Body colour: White
Material: Iron + PS
Mounting: Recessed
Height: 35 mm

5 YEARS TOTAL WARRANTY
+ 4 standard 1 extended

IP40
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity

92PANEL022W/WH



92PANEL022W/BL

LED PANELS FOR SURFACE MOUNTING

5 YEARS TOTAL WARRANTY
+ 4 standard 1 extended

IP40
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

LED | neutral WHITE 4000K | 120° | G

92PANEL022W/WH



Type: Square LED panel
Power: 48W
Lumens: 3840lm
Efficiency: 80lm/W
Body colour: White
Material: Iron + PS
Mounting: In Armstrong ceiling & Surface
Height: 40 mm

LED | neutral WHITE 4000K | 120° | G

92PANEL022W/BL



Type: Square LED panel
Power: 48W
Lumens: 3840lm
Efficiency: 80lm/W
Body colour: Black
Material: Iron + PS
Mounting: In Armstrong ceiling & Surface
Height: 40 mm

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Options with emergency kit page 456

*Compatible with DALI page 802

ELMARK
The Brand of Electricity



92PANEL013WIP54



HIGH EFFICIENCY
SAVE ENERGY

92PANEL032WIP54
92PANEL032CWIP54



92PANEL021WIP54

LED PANELS ELMARK

IP54

LED | neutral WHITE 4000K | 120° | A↑G G

92PANEL013WIP54




Type: LED panel*
Power: 36W
Lumens: 3600lm
Efficiency: 100lm/W
Body colour: White
Material: Aluminum
Height: 11 mm

** Dimmable with DALI driver: 99DALI40105042*

LED | neutral WHITE 4000K | 120° | A↑G F


92PANEL021WIP54



Type: LED panel*
Power: 48W
Lumens: 4800lm
Efficiency: 100lm/W
Body colour: White
Material: Aluminum
Height: 30 mm

LED | neutral WHITE 4000K | 120° | A↑G E

92PANEL032WIP54




Type: LED panel*
Power: 40W
Lumens: 4800lm
Efficiency: 120lm/W
Body colour: White
Material: Aluminum
Height: 30 mm

** Dimmable with DALI driver: 99DALI60150042*

LED | cold WHITE 6400K | 120° | A↑G E

92PANEL032CWIP54



Type: LED panel*
Power: 40W
Lumens: 4800lm
Efficiency: 120lm/W
Body colour: White
Material: Aluminum
Height: 30 mm

** Dimmable with DALI driver: 99DALI60150042*

5 YEARS TOTAL WARRANTY
+ 4 standard 1 extended

IP54
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

*Options with emergency kit



page 456

*Compatible with DALI


page 802

ELMARK
The Brand of Electricity



SAVE ENERGY | HIGH EFFICIENCY | UGR <19

92PANEL028W54
92PANEL028CW54



SAVE ENERGY | HIGH EFFICIENCY | UGR <19

92PANEL029W54
92PANEL029CW54

HIGH EFFICIENCY LED PANELS ELMARK WITH UGR<19


IP54

5 YEARS TOTAL WARRANTY + 4 standard 1 extended

IP54
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

92PANEL028W54

LED | neutral WHITE 4000K | 120° | A F G



Type: LED panel*
Power: 48W
Lumens: 5280lm
Efficiency: 110lm/W
Body colour: White
Material: Iron + PS
Height: 30 mm

** Dimmable with DALI driver: 99DALI60150042*

92PANEL028CW54

LED | cold WHITE 6400K | 120° | A F G




Type: LED panel*
Power: 48W
Lumens: 5280lm
Efficiency: 110lm/W
Body colour: White
Material: Iron + PS
Height: 30 mm

** Dimmable with DALI driver: 99DALI60150042*

92PANEL029W54

LED | neutral WHITE 4000K | 120° | A F G




Type: LED panel*
Power: 48W
Lumens: 5280lm
Efficiency: 110lm/W
Body colour: White
Material: Iron + PS
Height: 30 mm

** Dimmable with DALI driver: 99DALI60150042*

92PANEL029CW54

LED | cold WHITE 6400K | 120° | A F G



Type: LED panel*
Power: 48W
Lumens: 5280lm
Efficiency: 110lm/W
Body colour: White
Material: Iron + PS
Height: 30 mm

** Dimmable with DALI driver: 99DALI60150042*

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Options with emergency kit



page 457

*Compatible with DALI

page 802

ELMARK
The Brand of Electricity




KNAUF

92PANEL030WIP54
92PANEL030CWIP54

HIGH POWER AND LED PANELS WITH CLIPS FOR DRYWALL IP54

LED | neutral WHITE 4000K | 120° | F | WITH CLIPS

92PANEL030WIP54




Type: LED panel*
Power: 48W
Lumens: 4800lm
Efficiency: 100lm/W
Body colour: White
Material: Aluminum
Height: 9 mm

** Dimmable with DALI driver: 99DALI60150042*

LED | cold WHITE 6400K | 120° | F | WITH CLIPS

92PANEL030CWIP54



Type: LED panel*
Power: 48W
Lumens: 4800lm
Efficiency: 100lm/W
Body colour: White
Material: Aluminum
Height: 9 mm

** Dimmable with DALI driver: 99DALI60150042*

5 YEARS TOTAL WARRANTY
+ 4 standard 1 extended

IP54
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

*Options with emergency kit page 457

*Compatible with DALI page 802

ELMARK
The Brand of Electricity



HIGH POWER

92PANEL031WIP54
92PANEL031CWIP54


HIGH POWER LED PANELS ELMARK IP54

5 YEARS TOTAL WARRANTY + 4 standard 1 extended

IP54
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

LED | neutral WHITE 4000K | 120° | F

92PANEL031WIP54




Type: LED panel*
Power: 60W
Lumens: 6000lm
Efficiency: 100lm/W
Body colour: White
Material: Aluminum
Height: 30 mm

** Dimmable with DALI driver: 99DALI60150042*

LED | cold WHITE 6400K | 120° | F

92PANEL031CWIP54



Type: LED panel*
Power: 60W
Lumens: 6000lm
Efficiency: 100lm/W
Body colour: White
Material: Aluminum
Height: 30 mm

** Dimmable with DALI driver: 99DALI60150042*

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Options with emergency kit
page 457

ELMARK
The Brand of Electricity



HIGH EFFICIENCY
SAVE ENERGY


92PANEL023WIP54
92PANEL023CWIP54

HIGH EFFICIENCY LED PANELS

IP54

LED | neutral WHITE 4000K | 120° | A↑G D


92PANEL023WIP54



Type: Square LED panel*
Power: 30W
Lumens: 4200lm
Efficiency: 140lm/W
Body colour: White
Material: Iron + PS
Mounting: Recessed
Height: 35 mm

LED | cold WHITE 6500K | 120° | A↑G D

92PANEL023CWIP54



Type: Square LED panel*
Power: 30W
Lumens: 4200lm
Efficiency: 140lm/W
Body colour: White
Material: Iron + PS
Mounting: Recessed
Height: 35 mm

5 YEARS TOTAL WARRANTY
+ 4 standard 1 extended

IP54
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store


ELMARK
The Brand of Electricity



92FRAME020W
92FRAME014W

INSTALLATION ACCESSORIES FOR LED PANELS

92FRAME020W




Type: Frame for LED panel with dimensions 595/595/30mm for surface mounting
Body colour: White
Material: Aluminum
**LED panel not included*

92FRAME021W



Type: Frame for LED panel with dimensions 295/1195/30mm for surface mounting.
Body colour: White
Material: Aluminum
**LED panel not included*

92FRAME014W




Type: Frame for LED panel with dimensions 595/595/9mm and 595/595/11mm for surface mounting.
Body colour: White
Material: Aluminum
**LED panel not included*

RoHs COMPLAINT CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



99ACC18



99ACC21



99ACC22

INSTALLATION ACCESSORIES FOR LED PANELS

99ACC18



Type: Suspension wire
for suspended mounting
Material: Metal
Set of 4 pieces

99ACC21



Type: Clips for mounting on plasterboard
Material: Metal
Set of 4 pieces
** Suitable only for LED panels with height 9-11mm*

99ACC22



Type: Fasteners for surface mounting
Material: Metal
Set of 4 pieces
** Suitable only for LED panels with height 9-11mm*

RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

*Options with emergency kit

page 458

stellar



99XLED610
99XLED609
99XLED609CW




99XLED612
99XLED611
99XLED611CW

ROUND LED PANELS STELLAR

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP40
~230V
SMD 2835
>15000
15000h
Ra≥80
EMC



LED warm WHITE 2700K 120° A↑G G

99XLED610

Type: Round LED panel*
Power: 6W
Lumens: 330lm
Efficiency: 55lm/W
Body colour: White
Cut size: 100 mm
Material: Aluminum

LED neutral WHITE 4000K 120° A↑G G

99XLED609

Type: Round LED panel*
Power: 6W
Lumens: 330lm
Efficiency: 55lm/W
Body colour: White
Cut size: 100 mm
Material: Aluminum

LED cold WHITE 6500K 120° A↑G G

99XLED609CW

Type: Round LED panel*
Power: 6W
Lumens: 330lm
Efficiency: 55lm/W
Body colour: White
Cut size: 100 mm
Material: Aluminum



LED warm WHITE 2700K 120° A↑G F

99XLED612

Type: Round LED panel*
Power: 12W
Lumens: 840lm
Efficiency: 70lm/W
Body colour: White
Cut size: 150 mm
Material: Aluminum

LED neutral WHITE 4000K 120° A↑G F

99XLED611

Type: Round LED panel*
Power: 12W
Lumens: 840lm
Efficiency: 70lm/W
Body colour: White
Cut size: 150 mm
Material: Aluminum

LED cold WHITE 6500K 120° A↑G F

99XLED611CW

Type: Round LED panel*
Power: 12W
Lumens: 840lm
Efficiency: 70lm/W
Body colour: White
Cut size: 150 mm
Material: Aluminum

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Options with emergency kit



page 458



99XLED615
99XLED614
99XLED614CW





99XLED621
99XLED620
99XLED620CW

ROUND LED PANELS STELLAR









99XLED615

Type: Round LED panel*
Power: 18W
Lumens: 1350lm
Efficiency: 75lm/W
Body colour: White
Cut size: 205 mm
Material: Aluminum

99XLED614


Type: Round LED panel*
Power: 18W
Lumens: 1350lm
Efficiency: 75lm/W
Body colour: White
Cut size: 205 mm
Material: Aluminum


99XLED614CW


Type: Round LED panel*
Power: 18W
Lumens: 1350lm
Efficiency: 75lm/W
Body colour: White
Cut size: 205 mm
Material: Aluminum











99XLED621

Type: Round LED panel*
Power: 24W
Lumens: 1800lm
Efficiency: 75lm/W
Body colour: White
Cut size: 268 mm
Material: Aluminum

99XLED620

Type: Round LED panel*
Power: 24W
Lumens: 1800lm
Efficiency: 75lm/W
Body colour: White
Cut size: 268 mm
Material: Aluminum

99XLED620CW

Type: Round LED panel*
Power: 24W
Lumens: 1800lm
Efficiency: 75lm/W
Body colour: White
Cut size: 268 mm
Material: Aluminum



2 YEARS TOTAL WARRANTY
+ 2 standard 0 extended

IP40
~230V
SMD 2835
>15000
15000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



99LED960WW
99LED960
99LED960CW



99LED961WW
99LED961
99LED961CW

ROUND LED PANELS ELMARK

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP40
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC



LED warm WHITE 2700-3000K 160° A↑G F

99LED960WW

Type: Round LED panel
Power: 6W
Lumens: 510lm
Efficiency: 85lm/W
Body colour: White
Cut size: 77 mm
Material: Polycarbonate

LED neutral WHITE 4000-4300K 160° A↑G F

99LED960

Type: Round LED panel
Power: 6W
Lumens: 510lm
Efficiency: 85lm/W
Body colour: White
Cut size: 77 mm
Material: Polycarbonate

LED cold WHITE 6000-6400K 160° A↑G F

99LED960CW

Type: Round LED panel
Power: 6W
Lumens: 510lm
Efficiency: 85lm/W
Body colour: White
Cut size: 77 mm
Material: Polycarbonate



LED warm WHITE 2700-3000K 160° A↑G F

99LED961WW

Type: Round LED panel
Power: 12W
Lumens: 1020lm
Body colour: White
Efficiency: 85lm/W
Cut size: 117 mm
Material: Polycarbonate

LED neutral WHITE 4000-4300K 160° A↑G F

99LED961

Type: Round LED panel
Power: 12W
Lumens: 1020lm
Body colour: White
Efficiency: 85lm/W
Cut size: 117 mm
Material: Polycarbonate

LED cold WHITE 6000-6400K 160° A↑G F

99LED961CW

Type: Round LED panel
Power: 12W
Lumens: 1020lm
Body colour: White
Efficiency: 85lm/W
Cut size: 117 mm
Material: Polycarbonate

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store




99LED962WW
99LED962
99LED962CW



99LED963WW
99LED963
99LED963CW

ROUND LED PANELS ELMARK





99LED962WW


Type: Round LED panel
Power: 18W
Lumens: 1530lm
Efficiency: 85lm/W
Body colour: White
Cut size: 143 mm
Material: Polycarbonate


99LED962

Type: Round LED panel
Power: 18W
Lumens: 1530lm
Efficiency: 85lm/W
Body colour: White
Cut size: 143 mm
Material: Polycarbonate

99LED962CW

Type: Round LED panel
Power: 18W
Lumens: 1530lm
Efficiency: 85lm/W
Body colour: White
Cut size: 143 mm
Material: Polycarbonate





99LED963WW

Type: Round LED panel
Power: 24W
Lumens: 2040lm
Efficiency: 85lm/W
Body colour: White
Cut size: 168 mm
Material: Polycarbonate

99LED963

Type: Round LED panel
Power: 24W
Lumens: 2040lm
Efficiency: 85lm/W
Body colour: White
Cut size: 168 mm
Material: Polycarbonate

99LED963CW

Type: Round LED panel
Power: 24W
Lumens: 2040lm
Efficiency: 85lm/W
Body colour: White
Cut size: 168 mm
Material: Polycarbonate

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

*Options with emergency kit



page 459

ELMARK
The Brand of Electricity



99LED609IP44
99LED609IP44CW



99LED611IP44
99LED611IP44CW


ROUND LED PANELS ELMARK, IP44

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP44
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

LED | neutral WHITE 4000K | 120° | A G | G

99LED609IP44



Type: LED panel*
Power: 5W
Lumens: 400lm
Efficiency: 80lm/W
Body colour: White
Material: Aluminum

LED | cold WHITE 6500K | 120° | A G | G

99LED609IP44CW



Type: LED panel*
Power: 5W
Lumens: 400lm
Efficiency: 80lm/W
Body colour: White
Material: Aluminum

LED | neutral WHITE 4000K | 120° | A G | G

99LED611IP44



Type: LED panel*
Power: 12W
Lumens: 960lm
Efficiency: 80lm/W
Body colour: White
Material: Aluminum

LED | cold WHITE 6500K | 120° | A G | G

99LED611IP44CW



Type: LED panel*
Power: 12W
Lumens: 960lm
Efficiency: 80lm/W
Body colour: White
Material: Aluminum

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Options with emergency kit
page 459

ELMARK
The Brand of Electricity



99LED617IP44
99LED617IP44CW

ROUND LED PANELS ELMARK, IP44

LED | neutral WHITE 4000K | 120° | G

99LED617IP44



Type: LED panel*
Power: 18W
Lumens: 1440lm
Efficiency: 80lm/W
Body colour: White
Material: Aluminum

LED | cold WHITE 6500K | 120° | G

99LED617IP44CW



Type: LED panel
Power: 18W
Lumens: 1440lm
Efficiency: 80lm/W
Body colour: White
Material: Aluminum

5 YEARS TOTAL WARRANTY
+ 4 standard 1 extended

IP44
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Options with emergency kit



page 460

*Compatible with DALI

page 802

ELMARK
The Brand of Electricity



99LED607IP65
99LED607IP65CW





99LED610IP65
99LED610IP65CW


WATERPROOF LED PANELS ELMARK, IP65

5 YEARS TOTAL WARRANTY
+ 4 standard 1 extended

IP65
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

99LED607IP65


LED | neutral WHITE 4000K | 120° | A↑G F



Type: LED panel*
Power: 7W
Lumens: 660lm
Efficiency: 94lm/W
Body colour: White
Cut size: 100-110 mm
Material: Polycarbonate

99LED607IP65CW


LED | cold WHITE 6500K | 120° | A↑G F



Type: LED panel*
Power: 7W
Lumens: 660lm
Efficiency: 94lm/W
Body colour: White
Cut size: 100-110 mm
Material: Polycarbonate

99LED610IP65


LED | neutral WHITE 4000K | 120° | A↑G F



Type: LED panel*
Power: 10W
Lumens: 770lm
Efficiency: 77lm/W
Body colour: White
Cut size: 150-160 mm
Material: Polycarbonate
** Dimmable with DALI driver: 99DALI1240042*

99LED610IP65CW

LED | cold WHITE 6500K | 120° | A↑G F



Type: LED panel*
Power: 10W
Lumens: 770lm
Efficiency: 77lm/W
Body colour: White
Cut size: 150-160 mm
Material: Polycarbonate
** Dimmable with DALI driver: 99DALI1240042*

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Options with emergency kit



page 460

ELMARK
The Brand of Electricity



99LED616IP65
99LED616IP65CW






99LED623IP65
99LED623IP65CW

WATERPROOF LED PANELS ELMARK, IP65

LED | neutral WHITE 4000K | 120° | A↑G F


99LED616IP65



Type: LED panel*
Power: 16W
Lumens: 1300lm
Efficiency: 81lm/W
Body colour: White
Cut size: 200-210 mm
Material: Polycarbonate

LED | cold WHITE 6500K | 120° | A↑G F


99LED616IP65CW



Type: LED panel*
Power: 16W
Lumens: 1300lm
Efficiency: 81lm/W
Body colour: White
Cut size: 200-210 mm
Material: Polycarbonate

LED | neutral WHITE 4000K | 120° | A↑G F


99LED623IP65



Type: LED panel*
Power: 23W
Lumens: 1750lm
Efficiency: 76lm/W
Body colour: White
Cut size: 220-230 mm
Material: Polycarbonate

LED | cold WHITE 6500K | 120° | A↑G F

99LED623IP65CW



Type: LED panel*
Power: 23W
Lumens: 1750lm
Efficiency: 76lm/W
Body colour: White
Cut size: 220-230 mm
Material: Polycarbonate

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP65
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.



95ELLISLEDR9/W
95ELLISLEDR18/W
95ELLISLEDR24/W


RECESSED LED FIXTURE ELLIS, IP44

2 YEARS TOTAL WARRANTY
+ 2 standard 0 extended

IP44
~230V
SMD 2835
>10000
15000h
Ra≥80
EMC

95ELLISLEDR9/W


LED | neutral WHITE 4000K | 120° | A G F



Type: LED ceiling lamp
Power: 9W
Lumens: 760lm
Body colour: White
Cut size: 55-70mm
Mounting: Recessed
Material: Aluminum + PP

95ELLISLEDR18/W


LED | neutral WHITE 4000K | 120° | A G F



Type: LED ceiling lamp
Power: 18W
Lumens: 1520lm
Body colour: White
Cut size: 55-90mm
Mounting: Recessed
Material: Aluminum + PP

95ELLISLEDR24/W

LED | neutral WHITE 4000K | 120° | A G F



Type: LED ceiling lamp
Power: 24W
Lumens: 2280lm
Body colour: White
Cut size: 55-135mm
Mounting: Recessed
Material: Aluminum + PP

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store




95ELLISLEDS9/W
95ELLISLEDS18/W

RECESSED LED FIXTURE ELLIS, IP44

LED | neutral WHITE 4000K | 120° | F


95ELLISLEDS9/W



Type: LED ceiling lamp
Power: 9W
Lumens: 760lm
Body colour: White
Cut size: 55-70mm
Mounting: Recessed
Material: Aluminum + PP

LED | neutral WHITE 4000K | 120° | F

95ELLISLEDS18/W



Type: LED ceiling lamp
Power: 18W
Lumens: 1520lm
Body colour: White
Cut size: 55-90mm
Mounting: Recessed
Material: Aluminum + PP

2 YEARS TOTAL WARRANTY
+ 2 standard 0 extended

IP44
~230V
SMD 2835
>10000
15000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



99LED934/W



99LED935/W


SUPER SLIM LED PANELS WITH SLIDING FIXING CLIPS, ELMARK

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

99LED934/W


LED | neutral WHITE 4000K | G



Type: Round LED panel
Power: 15W
Lumens: 1000lm
Efficiency: 67lm/W
Body colour: White
Cut size: 50-160 mm
Material: Aluminum

99LED935/W

LED | neutral WHITE 4000K | G



Type: Square LED panel
Power: 15W
Lumens: 1000lm
Efficiency: 67lm/W
Body colour: White
Cut size: 50-160 mm
Material: Aluminum

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



99XLED637WW
99XLED637W
99XLED637CW



99XLED638WW
99XLED638W
99XLED638CW

LED PANELS FOR SURFACE MOUNTING, STELLAR



LED | warm WHITE 2700K | 120° | G

99XLED637WW

Type: LED panel
Power: 12W
Lumens: 960lm
Efficiency: 80lm/W
Body colour: White
Mounting: Surface
Material: Steel base + PP ring + PS cover

LED | neutral WHITE 4000K | 120° | G

99XLED637W

Type: LED panel
Power: 12W
Lumens: 960lm
Efficiency: 80lm/W
Body colour: White
Mounting: Surface
Material: Steel base + PP ring + PS cover

LED | cold WHITE 6500K | 120° | G

99XLED637CW

Type: LED panel
Power: 12W
Lumens: 960lm
Efficiency: 80lm/W
Body colour: White
Mounting: Surface
Material: Steel base + PP ring + PS cover



LED | warm WHITE 2700 K | 120° | G

99XLED638WW

Type: LED panel
Power: 18W
Lumens: 1440lm
Efficiency: 80lm/W
Body colour: White
Mounting: Surface
Material: Steel base + PP ring + PS cover

LED | neutral WHITE 4000K | 120° | G

99XLED638W

Type: LED panel
Power: 18W
Lumens: 1440lm
Efficiency: 80lm/W
Body colour: White
Mounting: Surface
Material: Steel base + PP ring + PS cover

LED | cold WHITE 6500K | 120° | G

99XLED638CW

Type: LED panel
Power: 18W
Lumens: 1440lm
Efficiency: 80lm/W
Body colour: White
Mounting: Surface
Material: Steel base + PP ring + PS cover

2 YEARS TOTAL WARRANTY
2 standard + 0 extended

IP40
~230V
SMD 2835
>15000
15000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



99XLED639WW
99XLED639W
99XLED639CW

LED PANELS FOR SURFACE MOUNTING, STELLAR

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP40
~230V
SMD 2835
>15000
15000h
Ra≥80
EMC



LED warm WHITE 2700K 120° A G

99XLED639WW

Type: LED panel
Power: 24W
Lumens: 1920lm
Efficiency: 80lm/W
Body colour: White
Mounting: Surface
Material: Steel base + PP ring + PS cover

LED neutral WHITE 4000K 120° A G

99XLED639W

Type: LED panel
Power: 24W
Lumens: 1920lm
Efficiency: 80lm/W
Body colour: White
Mounting: Surface
Material: Steel base + PP ring + PS cover

LED cold WHITE 6500K 120° A G

99XLED639CW

Type: LED panel
Power: 24W
Lumens: 1920lm
Efficiency: 80lm/W
Body colour: White
Mounting: Surface
Material: Steel base + PP ring + PS cover


Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

99LED965WW
99LED965
99LED965CW

99LED966WW
99LED966
99LED966CW

LED PANELS FOR SURFACE MOUNTING, ELMARK



LED | warm WHITE 2700-3000K | 120° | A↑G G

99LED965WW

Type: LED panel
Power: 18W
Lumens: 1530lm
Efficiency: 85lm/W
Body colour: White
Mounting: Surface
Material: Polycarbonate

LED | neutral WHITE 4000-4300K | 120° | A↑G G

99LED965W

Type: LED panel
Power: 18W
Lumens: 1530lm
Efficiency: 85lm/W
Body colour: White
Mounting: Surface
Material: Polycarbonate

LED | cold WHITE 6300-6500K | 120° | A↑G G

99LED965CW

Type: LED panel
Power: 18W
Lumens: 1530lm
Efficiency: 85lm/W
Body colour: White
Mounting: Surface
Material: Polycarbonate



LED | warm WHITE 2700-3000K | 120° | A↑G F

99LED966WW

Type: LED panel
Power: 28W
Lumens: 2500lm
Efficiency: 89lm/W
Body colour: White
Mounting: Surface
Material: Polycarbonate

LED | neutral WHITE 4000-4300K | 120° | A↑G F

99LED966

Type: LED panel
Power: 28W
Lumens: 2500lm
Efficiency: 89lm/W
Body colour: White
Mounting: Surface
Material: Polycarbonate

LED | cold WHITE 6300-6500K | 120° | A↑G F

99LED966CW

Type: LED panel
Power: 28W
Lumens: 2500lm
Efficiency: 89lm/W
Body colour: White
Mounting: Surface
Material: Polycarbonate

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP40
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

*Options with emergency kit



page 461

stellar



99XLED633
99XLED632
99XLED632CW



99XLED635
99XLED634
99XLED634CW

SQUARE LED PANELS FOR RECESSED MOUNTING, STELLAR

2 YEARS TOTAL WARRANTY
+ 2 standard 0 extended

IP40
~230V
SMD 2835
>15000
15000h
Ra≥80
EMC



LED warm WHITE 2700K 120° A↑G F

99XLED633

Type: Square LED panel*
Power: 12W
Lumens: 840lm
Efficiency: 70lm/W
Body colour: White
Cut size: 150x150 mm
Material: Aluminum

LED neutral WHITE 4000K 120° A↑G F

99XLED632

Type: Square LED panel*
Power: 12W
Lumens: 840lm
Efficiency: 70lm/W
Body colour: White
Cut size: 150x150 mm
Material: Aluminum

LED cold WHITE 6500K 120° A↑G F

99XLED632CW

Type: Square LED panel*
Power: 12W
Lumens: 840lm
Efficiency: 70lm/W
Body colour: White
Cut size: 150x150 mm
Material: Aluminum

Scan QR code for 3D models, IES files & price.



LED warm WHITE 2700K 120° A↑G F

99XLED635

Type: Square LED panel*
Power: 18W
Lumens: 1350lm
Efficiency: 75lm/W
Body colour: White
Cut size: 200x200 mm
Material: Aluminum

LED neutral WHITE 4000K 120° A↑G F

99XLED634

Type: Square LED panel*
Power: 18W
Lumens: 1350lm
Efficiency: 75lm/W
Body colour: White
Cut size: 200x200 mm
Material: Aluminum

LED cold WHITE 6500K 120° A↑G F

99XLED634CW

Type: Square LED panel*
Power: 18W
Lumens: 1350lm
Efficiency: 75lm/W
Body colour: White
Cut size: 200x200 mm
Material: Aluminum

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Options with emergency kit

page 461



99XLED637
99XLED636
99XLED636CW

SQUARE LED PANELS FOR RECESSED MOUNTING, STELLAR



LED | warm WHITE 2700K | 120° | A F G

99XLED637

Type: Square LED panel*
Power: 24W
Lumens: 1800lm
Efficiency: 75lm/W
Body colour: White
Cut size: 275x275 mm
Material: Aluminum

LED | neutral WHITE 4000K | 120° | A F G

99XLED636

Type: Square LED panel*
Power: 24W
Lumens: 1800lm
Efficiency: 75lm/W
Body colour: White
Cut size: 275x275 mm
Material: Aluminum

LED | cold WHITE 6500K | 120° | A F G

99XLED636CW

Type: Square LED panel*
Power: 24W
Lumens: 1800lm
Efficiency: 75lm/W
Body colour: White
Cut size: 275x275 mm
Material: Aluminum

2 YEARS TOTAL WARRANTY
+ 2 standard 0 extended

IP40
~230V
SMD 2835
>15000
15000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



99XLED640WW
99XLED640W
99XLED640CW




99XLED641WW
99XLED641W
99XLED641CW

SQUARE LED PANELS FOR SURFACE MOUNTING, STELLAR

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP40
~230V
SMD 2835
>15000
15000h
Ra≥80
EMC



LED | warm WHITE 2700K | 120° | G

99XLED640WW

Type: Square LED panel
Power: 12W
Lumens: 960lm
Efficiency: 80lm/W
Body colour: White
Material: Steel base + PP ring + PS cover

LED | neutral WHITE 4000K | 120° | G

99XLED640W

Type: Square LED panel
Power: 12W
Lumens: 960lm
Efficiency: 80lm/W
Body colour: White
Material: Steel base + PP ring + PS cover

LED | cold WHITE 6500K | 120° | G

99XLED640CW

Type: Square LED panel
Power: 12W
Lumens: 960lm
Efficiency: 80lm/W
Body colour: White
Material: Steel base + PP ring + PS cover



LED | warm WHITE 2700K | 120° | G

99XLED641WW

Type: Square LED panel
Power: 18W
Lumens: 1440lm
Efficiency: 80lm/W
Body colour: White
Material: Steel base + PP ring + PS cover

LED | neutral WHITE 4000K | 120° | G

99XLED641W

Type: Square LED panel
Power: 18W
Lumens: 1440lm
Efficiency: 80lm/W
Body colour: White
Material: Steel base + PP ring + PS cover

LED | cold WHITE 6500K | 120° | G

99XLED641CW

Type: Square LED panel
Power: 18W
Lumens: 1440lm
Efficiency: 80lm/W
Body colour: White
Material: Steel base + PP ring + PS cover

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



99XLED642WW
99XLED642W
99XLED642CW

SQUARE LED PANELS FOR SURFACE MOUNTING, STELLAR



LED | warm WHITE 2700K | 120° | G

99XLED642WW

Type: Square LED panel
Power: 24W
Lumens: 1920lm
Efficiency: 80lm/W
Body colour: White
Material: Steel base + PP ring + PS cover

LED | neutral WHITE 4000K | 120° | G

99XLED642W

Type: Square LED panel
Power: 24W
Lumens: 1920lm
Efficiency: 80lm/W
Body colour: White
Material: Steel base + PP ring + PS cover

LED | cold WHITE 6500K | 120° | G

99XLED642CW

Type: Square LED panel
Power: 24W
Lumens: 1920lm
Efficiency: 80lm/W
Body colour: White
Material: Steel base + PP ring + PS cover

2 YEARS TOTAL WARRANTY
+ 2 standard 0 extended

IP40
~230V
SMD 2835
>15000
15000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Options with emergency kit



page 462

ELMARK
The Brand of Electricity



99LED967WW
99LED967
99LED967CW



99LED968WW
99LED968
99LED968CW

SQUARE LED PANELS FOR RECESSED MOUNTING, ELMARK

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP40
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC



LED warm WHITE 2700K 120° A↑G F

99LED967WW

Type: Square LED panel*
Power: 12W
Lumens: 890lm
Efficiency: 74lm/W
Body colour: White
Cut size: 155x155 mm
Material: Aluminum

LED neutral WHITE 4000K 120° A↑G F


99LED967

Type: Square LED panel*
Power: 12W
Lumens: 890lm
Efficiency: 74lm/W
Body colour: White
Cut size: 155x155 mm
Material: Aluminum

LED cold WHITE 6400K 120° A↑G F

99LED967CW

Type: Square LED panel*
Power: 12W
Lumens: 890lm
Efficiency: 74lm/W
Body colour: White
Cut size: 155x155 mm
Material: Aluminum



LED warm WHITE 2700K 120° A↑G F

99LED968WW

Type: Square LED panel*
Power: 18W
Lumens: 1420lm
Efficiency: 78lm/W
Body colour: White
Cut size: 205x205 mm
Material: Aluminum

LED neutral WHITE 4000K 120° A↑G F

99LED968

Type: Square LED panel*
Power: 18W
Lumens: 1420lm
Efficiency: 78lm/W
Body colour: White
Cut size: 205x205 mm
Material: Aluminum

LED cold WHITE 6400K 120° A↑G F

99LED968CW

Type: Square LED panel*
Power: 18W
Lumens: 1420lm
Efficiency: 78lm/W
Body colour: White
Cut size: 205x205 mm
Material: Aluminum

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Options with emergency kit

page 462

ELMARK
The Brand of Electricity



99LED969WW
99LED969
99LED969CW

SQUARE LED PANELS FOR SURFACE MOUNTING, ELMARK



LED warm WHITE 2700K | 120° | A F G

99LED969WW

Type: Square LED panel*
Power: 18W
Lumens: 1420lm
Efficiency: 78lm/W
Body colour: White
Mounting: Surface
Material: Aluminum

LED neutral WHITE 4000K | 120° | A F G

99LED969

Type: Square LED panel*
Power: 18W
Lumens: 1420lm
Efficiency: 78lm/W
Body colour: White
Mounting: Surface
Material: Aluminum

LED cold WHITE 6400K | 120° | A F G

99LED969CW

Type: Square LED panel*
Power: 18W
Lumens: 1420lm
Efficiency: 78lm/W
Body colour: White
Mounting: Surface
Material: Aluminum

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Options with emergency kit



page 462

ELMARK
The Brand of Electricity



99LED638
99LED639



99LED640
99LED641

ROUND GLASS LED PANELS, ELMARK


5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

99LED639

LED | warm WHITE 2700K | 120° | A↑G F



Type: Round LED panel*
Power: 6W
Lumens: 480lm
Efficiency: 80lm/W
Body colour: White
Cut size: 60 mm
Material: Aluminum + Glass

99LED638


LED | neutral WHITE 4000K | 120° | A↑G F



Type: Round LED panel*
Power: 6W
Lumens: 480lm
Efficiency: 80lm/W
Body colour: White
Cut size: 60 mm
Material: Aluminum + Glass

99LED641


LED | warm WHITE 2700K | 120° | A↑G F



Type: Round LED panel*
Power: 18W
Lumens: 1440lm
Efficiency: 80lm/W
Body colour: White
Cut size: 148 mm
Material: Aluminum + Glass

99LED640

LED | neutral WHITE 4000K | 120° | A↑G G



Type: Round LED panel*
Power: 18W
Lumens: 1440lm
Efficiency: 80lm/W
Body colour: White
Cut size: 148 mm
Material: Aluminum + Glass

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Options with emergency kit



page 463

ELMARK
The Brand of Electricity



99LED642
99LED643




99LED644
99LED645

SQUARE GLASS LED PANELS, ELMARK

LED | warm WHITE 2700K | 120° | A↑G F


99LED643



Type: Square LED panel*
Power: 6W
Lumens: 480lm
Efficiency: 80lm/W
Body colour: White
Cut size: 77 mm
Material: Aluminum + Glass

LED | neutral WHITE 4000K | 120° | A↑G F

99LED642



Type: Square LED panel*
Power: 6W
Lumens: 480lm
Efficiency: 80lm/W
Body colour: White
Cut size: 77 mm
Material: Aluminum + Glass

LED | warm WHITE 2700K | 120° | A↑G F

99LED645



Type: Square LED panel*
Power: 18W
Lumens: 1440lm
Efficiency: 80lm/W
Body colour: White
Cut size: 180 mm
Material: Aluminum + Glass

LED | neutral WHITE 4000K | 120° | A↑G F

99LED644



Type: Square LED panel*
Power: 18W
Lumens: 1440lm
Efficiency: 80lm/W
Body colour: White
Cut size: 180 mm
Material: Aluminum + Glass

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



WALL & CEILING LIGHTS





95AMYLEDS12/W



95AMYLEDS18/W



95AMYLEDS24/W

CEILING LAMPS AMY SUPER SLIM

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP20
~230V
SMD 2835
>10000
15000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

95AMYLEDS12/W

LED | neutral WHITE 4000K | 120° | A G F



Type: LED ceiling lamp
Power: 12W
Lumens: 960lm
Efficiency: 80lm/W
Body colour: White
Material: Steel + PMMA
Mounting: Surface
Super slim

95AMYLEDS18/W

LED | neutral WHITE 4000K | 120° | A G F



Type: LED ceiling lamp
Power: 18W
Lumens: 1440lm
Efficiency: 80lm/W
Body colour: White
Material: Steel + PMMA
Mounting: Surface
Super slim

95AMYLEDS24/W

LED | neutral WHITE 4000K | 120° | A G F



Type: LED ceiling lamp
Power: 24W
Lumens: 1920lm
Efficiency: 80lm/W
Body colour: White
Material: Steel + PMMA
Mounting: Surface
Super slim

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



95TRACYLEDS20
95TRACYLEDS32



95SHINE16LED
95SHINE36LED

CEILING LAMPS TRACY & SHINE

LED | neutral WHITE 4000K | F

95TRACYLEDS20



Type: LED ceiling lamp
Power: 20W
Lumens: 1400lm
Efficiency: 70lm/W
Body colour: White
Material: Metal + MS
Mounting: Surface
Super slim

IP20

LED | neutral WHITE 4000K | F

95TRACYLEDS32



Type: LED ceiling lamp
Power: 32W
Lumens: 2400lm
Efficiency: 75lm/W
Body colour: White
Material: Metal + MS
Mounting: Surface
Super slim

IP20

LED | neutral WHITE 4000K | G

95SHINE16LED



Type: LED ceiling lamp
Power: 16W
Lumens: 1040lm
Efficiency: 65lm/W
Body colour: White
Material: Polycarbonate
Mounting: Surface

IP40

LED | neutral WHITE 4000K | G

95SHINE36LED



Type: LED ceiling lamp
Power: 36W
Lumens: 2340lm
Efficiency: 65lm/W
Body colour: White
Material: Polycarbonate
Mounting: Surface

IP40

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

~230V
>20000
30000h
Ra≥80
RoHS COMPLIANT
EMC
CE

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



Settable Colour Temperature

95NEOS18LED



Settable Colour Temperature

95NIGHTSKY60LED



Settable Colour Temperature

95SHELLY18LED/WH



Settable Colour Temperature

95SHELLY18LED/GR

CEILING LAMPS WITH REMOTE CONTROL

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP40
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

95NEOS18LED


LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | E | 120° | DIMMABLE



Type: Ceiling lamp with remote control
Power: 18W
Lumens: 2160lm
Efficiency: 120lm/W
Body colour: White & Chrome
Mounting: Surface
Material: Metal + Plastic

95NIGHTSKY60LED

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | G | DIMMABLE



Type: Ceiling lamp with remote control
Power: 60W
Lumens: 4800lm
Efficiency: 80lm/W
Body colour: Chrome
Mounting: Surface
Material: Metal + Plastic

95SHELLY18LED/WH

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | E | 120° | DIMMABLE



Type: Ceiling lamp with remote control
Power: 18W
Lumens: 2160lm
Efficiency: 120lm/W
Body colour: White
Mounting: Surface
Material: Metal

95SHELLY18LED/GR

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | E | 120° | DIMMABLE



Type: Ceiling lamp with remote control
Power: 18W
Lumens: 2160lm
Efficiency: 120lm/W
Body colour: Dark gray
Mounting: Surface
Material: Metal

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



SMART LAMP
Settable Colour Temperature

95EL223036CCT



SMART LAMP
Settable Colour Temperature

95EL226636CCT




SMART LAMP
Settable Colour Temperature

95EL220236CCT
95EL220260CCT

WI-FI SMART CEILING LAMPS

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | A G | G | WiFi | tuya | DIMMABLE

95EL223036CCT



Type: Smart LED ceiling lamp
Power: 36W
Lumens: 2160lm
Efficiency: 60lm/W
Body colour: Gold
Material: Metal + PMMA
**Built-in Tuya intelligent module*

95EL226636CCT



Type: Smart LED ceiling lamp
Power: 36W
Lumens: 2160lm
Efficiency: 60lm/W
Body colour: Transparent Brown
Material: Metal + PMMA
**Built-in Tuya intelligent module*

95EL220236CCT



Type: Smart LED ceiling lamp
Power: 36W
Lumens: 2160lm
Efficiency: 60lm/W
Body colour: White & Brown
Material: Metal + PMMA
**Built-in Tuya intelligent module*

95EL220260CCT



Type: Smart LED ceiling lamp
Power: 60W
Lumens: 3600lm
Efficiency: 60lm/W
Body colour: White & Brown
Material: Metal + PMMA
**Built-in Tuya intelligent module*

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
>20000
30000h
Ra≥80
RoHS COMPLIANT
EMC
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



95LIGHTS6



95NEIL14LED/WH

WALL & CEILING LAMPS

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP40
~230V
30000h
Ra≥80
EMC

LED | neutral WHITE 4000K | A G G



95LIGHTS6

Type: LED wall lamp
Power: 6W
Lumens: 480lm
Efficiency: 80lm/W
Body colour: White
Material: Aluminum

LED | neutral WHITE 4200K | A G G



95NEIL14LED/WH

Type: LED Ceiling lamp
Power: 14W
Lumens: 770lm
Efficiency: 55lm/W
Body colour: White
Mounting: Surface
Material: Aluminum + Acrylic
Flicker free







Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



95EL401520W/GR



95EL401524W/GR



95EL401536W/GR

CEILING LAMPS

LED | neutral WHITE 4000K | A G | G

95EL401520W/GR



Type: LED ceiling lamp
Power: 20W
Lumens: 1600lm
Efficiency: 80lm/W
Body colour: Grey
Material: PP

LED | neutral WHITE 4000K | A G | G

95EL401524W/GR



Type: LED ceiling lamp
Power: 24W
Lumens: 1920lm
Efficiency: 80lm/W
Body colour: Grey
Material: PP

LED | neutral WHITE 4000K | A G | G

95EL401536W/GR



Type: LED ceiling lamp
Power: 36W
Lumens: 2880lm
Efficiency: 80lm/W
Body colour: Grey
Material: PP

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP54
~230V
>20000
30000h
Ra≥80
RoHs COMPLIANT
EMC
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity

95EL229112W/WH
95EL229118W/WH
95EL229128W/WH
95EL229145W/WH

CEILING LAMPS

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP54
~230V
>20000
30000h
Ra≥80
RoHs COMPLIANT
EMC
CE

95EL229112W/WH


LED | neutral WHITE 4000K | A G | G



Type: LED ceiling lamp
Power: 12W
Lumens: 840lm
Efficiency: 70lm/W
Body colour: White
Material: PP

95EL229118W/WH

LED | neutral WHITE 4000K | A G | G



Type: LED ceiling lamp
Power: 18W
Lumens: 1260lm
Efficiency: 70lm/W
Body colour: White
Material: PP

95EL229128W/WH


LED | neutral WHITE 4000K | A G | G



Type: LED ceiling lamp
Power: 28W
Lumens: 1960lm
Efficiency: 70lm/W
Body colour: White
Material: PP

95EL229145W/WH

LED | neutral WHITE 4000K | A G | G



Type: LED ceiling lamp
Power: 45W
Lumens: 3150lm
Efficiency: 70lm/W
Body colour: White
Material: PP

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 707

ELMARK
The Brand of Electricity



Settable Colour Temperature

95EL218130W/WH



99DS409



958300WH/2

CEILING LAMP WITH SETTABLE COLOUR TEMPERATURE AND SENSOR

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | A G | G

95EL218130W/WH



Type: LED ceiling lamp
Power: 30W
Lumens: 2400lm
Efficiency: 80lm/W
Body colour: White & Grey
Material: PP

IP65

LED | neutral WHITE 4000K | A G | G

3 YEARS TOTAL WARRANTY + 2 standard 1 extended

99DS409



Type: Ceiling lamp with sensor
Power: 18W
Lumens: 1560lm
Body colour: White
Material: Plastic
Mounting: Surface

Sensor

Detection distance: max. 6m
Ambient Light: < 3-2000LUX
Time-Delay: 10 sec ± 3 sec to 3 min ± 30 sec (adjustable)

IP40

Lamps Not Included | Included | 2xE27 + SENSOR

3 YEARS TOTAL WARRANTY + 2 standard 1 extended

958300WH/2



Type: Ceiling lamp with sensor
Body colour: White
Material: Metal + Glass
Max.: 2x25W

Sensor

Detection range: 360°
Detection distance: max.5m
Time-Delay: 7sec to 8 min (adjustable)
Installation height: 2.2 - 4m

IP20

5 YEARS TOTAL WARRANTY + 3 standard 2 extended

~230V
>20000
30000h
Ra≥80
RoHS COMPLIANT
EMC
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



UV DISINFECTION

99DS201

UV DISINFECTION WALL LAMP

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

LED | neutral WHITE 4000K | A F

99DS201

IP40
~230V
SMD 2835
30000h
Ra≥80
EMC



Type: Wall lamp with sensor
Power: 10W
Lumens: 800lm
Body colour: White
Material: Polycarbonate
Mounting: Surface

Sensor

Detection range: 140°
Detection distance: max. 9m
Installation height: 1.8-2m
Ambient Light: < 3-2000LUX (adjustable)
Time-Delay: 10 sec ± 3 sec to 3 min ± 30 sec (adjustable)
Automatically switching from disinfection mode to normal mode, via infrared sensor
UV Lamp mode: Prohibit disinfecting time: 5min
Power: 3W
Disinfecting time: 30 min

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



99DS408



99USB2



9HINGE2

CABINET & NIGHT LAMPS

LED | neutral WHITE 4000K

99DS408



Type: Cabinet lamp with sensor
Power: 1.5W
Body colour: White
Material: ABS
Mode: ON/OF & Auto
Battery: 3 X AAA
Sensor distance: max. 4m
Duration: 30s
Sensors: PIR sensor- work when light intensity is less than 10lx

LED | neutral WHITE 4000K


99USB2



Type: LED Night lamp with USB
Power: 0.5W
Body colour: White
Material: ABS
Mode: ON/OF & auto
Sensors: PIR sensor- work when light intensity is less than 10lx

LED

9HINGE2



Type: Cabinet lamp
Power: 2W
Body colour: Grey
Material: ABS
Easy to install and convenient to use
Operated by 12V 23A battery (Not included)
When opening the cabinet, lamp will turns on automatically. When closing the cabinet, the light turns off.

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



95EL124870/CH



95EL124570/W

CHANDELIERS WITH FAN

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
30000h
Ra≥80
EMC
RoHs COMPLIANT
CE

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | A↑G | G | DIMMABLE


95EL124870/CH



Type: LED chandelier + fan
Fan power: 70W
Light power: 24W
Lumens: 1100lm
Body colour: Chrome
Material: Stainless steel + Copper
Control: Remote control
Settable colour temperature

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | A↑G | G | DIMMABLE

95EL124570/W



Type: LED chandelier + fan
Fan power: 70W
Light power: 20W
Lumens: 1000lm
Body colour: Chrome & Wood
Material: Stainless steel + Wood
Control: Remote control
Settable colour temperature

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store




99EL50390940/WH



99EL50510940/WH

WALL LAMPS WITH DOUBLE LIGHTS

LED | neutral WHITE 4200K | A T G | G



99EL50390940/WH

Type: LED wall lamp
Power: 3W+6W
Lumens: 150lm+300lm
Body colour: White
Material: Aluminum + PC
Mounting: Surface

**With 2 Switch ON/OFF for Front and Back Lights*

LED | neutral WHITE 4000K | A T G | G



99EL50510940/WH

Type: LED wall lamp
Power: 3W+8W
Lumens: 150lm+550lm
Body colour: White
Material: Aluminum + PC
Mounting: Surface

** With ON/OFF switch*

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
30000h
Ra≥80
RoHs COMPLIANT
EMC
CE

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



99EL1240630/BL
99EL1240640/BL



99EL50600930/WH
99EL50600940/WH

WALL LAMPS WITH DOUBLE LIGHTS

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
30000h
Ra≥80
RoHS COMPLIANT
EMC
CE

LED | warm WHITE 3000K | A T G



99EL1240630/BL

Type: LED Wall Lamp
Power: 2x3W
Lumens: 2x240lm
Efficiency: 80lm/W
Body Colour: Black
Material: Aluminum + Iron
Mounting: Surface
Switch ON/OFF


LED | neutral WHITE 4000K | A T G



99EL1240640/BL

Type: LED Wall Lamp
Power: 2x3W
Lumens: 2x240lm
Efficiency: 80lm/W
Body Colour: Black
Material: Aluminum + Iron
Mounting: Surface
Switch ON/OFF


LED | warm WHITE 3000K | A T G



99EL50600930/WH

Type: LED wall lamp
Power: 3W+6W
Lumens: 150lm+300lm
Body colour: White
Material: Aluminum + PC
Mounting: Surface
Switch: 3 position- back light, front light, back & front light

LED | neutral WHITE 4200K | A T G



99EL50600940/WH

Type: LED wall lamp
Power: 3W+6W
Lumens: 150lm+300lm
Body colour: White
Material: Aluminum + PC
Mounting: Surface
Switch: 3 position- back light, front light, back & front light

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



99LWL03WW/WH
99LWL03/WH




99LWL06WW/WH
99LWL06/WH

WALL LAMPS

LED | warm WHITE 3000K | 60° | A G | G


99LWL03WW/WH



Type: LED wall lamp
Power: 3W
Lumens: 195lm
Body colour: White
Mounting: Surface
Material: Aluminum
** With ON/OFF switch*

LED | warm WHITE 3000K | 60° | A G | G


99LWL06WW/WH



Type: LED wall lamp
Power: 3W+3W
Lumens: 195lm+195lm
Body colour: White
Mounting: Surface
Material: Aluminum
**With USB 2A and 2 switch ON/OFF for front & back lights*

LED | neutral WHITE 4000K | 60° | A G | G


99LWL03/WH



Type: LED wall lamp
Power: 3W
Lumens: 195lm
Body colour: White
Mounting: Surface
Material: Aluminum
** With ON/OFF switch*

LED | neutral WHITE 4000K | 60° | A G | G

99LWL06/WH



Type: LED wall lamp
Power: 3W+3W
Lumens: 195lm+195lm
Body colour: White
Mounting: Surface
Material: Aluminum
**With USB 2A and 2 switch ON/OFF for front & back lights*

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
30000h
Ra≥80
RoHs COMPLIANT
EMC
CE

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



95MALIA12LED/BL



95MALIA24LED/BL

WALL LAMPS MALIA

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
SMD 2835
30000h
Ra≥80
EMC

LED | neutral WHITE 4200K | G


95MALIA12LED/BL



Type: LED wall lamp
Power: 12W
Lumens: 660lm
Efficiency: 55lm/W
Body colour: Black
Mounting: Surface
Material: Aluminum + Acrylic

LED | neutral WHITE 4200K | G

95MALIA24LED/BL



Type: LED wall lamp
Power: 24W
Lumens: 1320lm
Efficiency: 55lm/W
Body colour: Black
Mounting: Surface
Material: Aluminum + Acrylic





Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



95MALIA12LED/WH



95MALIA24LED/WH

WALL LAMPS MALIA

LED | neutral WHITE 4200K | A G G


95MALIA12LED/WH



Type: LED wall lamp
Power: 12W
Lumens: 660lm
Efficiency: 55lm/W
Body colour: White
Mounting: Surface
Material: Aluminum + Acrylic

LED | neutral WHITE 4200K | A G G

95MALIA24LED/WH



Type: LED wall lamp
Power: 24W
Lumens: 1320lm
Efficiency: 55lm/W
Body colour: White
Mounting: Surface
Material: Aluminum + Acrylic





5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
SMD 2835
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



955PICASSO12/AB



955PICASSO8/AB



955PICASSO12/SN



955PICASSO8/SN


PICTURE LIGHTING FIXTURES

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP40
~230V
Ra≥80
EMC
CE

LED | neutral WHITE 4000K | 30° | A↑G F


955PICASSO12/AB



Type: LED Picture Light
Power: 12W
Lumens: 960lm
Efficiency: 80lm/W
Body colour: Antique brass
Material: Metal

LED | neutral WHITE 4000K | 30° | A↑G F


955PICASSO12/SN



Type: LED Picture Light
Power: 12W
Lumens: 960lm
Efficiency: 80lm/W
Body colour: Satin nickel
Material: Metal

LED | neutral WHITE 4000K | 30° | A↑G F


955PICASSO8/AB



Type: LED Picture Light
Power: 8W
Lumens: 640lm
Efficiency: 80lm/W
Body colour: Antique brass
Material: Metal

LED | neutral WHITE 4000K | 30° | A↑G F

955PICASSO8/SN



Type: LED Picture Light
Power: 8W
Lumens: 640lm
Efficiency: 80lm/W
Body colour: Satin nickel
Material: Metal

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



99LPL094/GBR



9LPL094/ABR



99LPL094/BL




99LPL094/WH

PICTURE LIGHTING FIXTURES

LED | 120° | G | warm WHITE 3000K | neutral WHITE 4000K

99LPL094WW/GBR

99LPL094/GBR




Type: LED picture light
Power: 9.4W
Lumens: 610lm
Efficiency: 65lm/W
Body colour: Green bronze
Material: Iron + Aluminum + Acrylic

LED | 120° | G | warm WHITE 3000K | neutral WHITE 4000K

99LPL094WW/ABR

99LPL094/ABR




Type: LED picture light
Power: 9.4W
Lumens: 610lm
Efficiency: 65lm/W
Body colour: Antique brass
Material: Iron + Aluminum + Acrylic

LED | 120° | G | warm WHITE 3000K | neutral WHITE 4000K

99LPL094WW/BL

99LPL094/BL




Type: LED picture light
Power: 9.4W
Lumens: 610lm
Efficiency: 65lm/W
Body colour: Black
Material: Iron + Aluminum + Acrylic

LED | 120° | G | warm WHITE 3000K | neutral WHITE 4000K

99LPL094WW/WH

99LPL094/WH



Type: LED picture light
Power: 9.4W
Lumens: 610lm
Efficiency: 65lm/W
Body colour: White
Material: Iron + Aluminum + Acrylic

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP40
~230V
Ra≥80
EMC
CE

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



99WT06/BL
99WT12/BL



99WTE12/BL


PICTURE LIGHTING FIXTURES

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP40
~230V
Ra≥80
EMC
CE

LED | neutral WHITE 4000K | 120° | A G | G


99WT06/BL



Type: LED picture light
Power: 6W
Lumens: 390lm
Efficiency: 65lm/W
Body colour: Black
Material: Iron + Aluminum + Acrylic

LED | neutral WHITE 4000K | 120° | A G | G


99WT12/BL



Type: LED picture light
Power: 12W
Lumens: 780lm
Efficiency: 65lm/W
Body colour: Black
Material: Iron + Aluminum + Acrylic

LED | neutral WHITE 4000K | 120° | A G | G

99WTE12/BL



Type: LED picture light
Power: 12W
Lumens: 780lm
Efficiency: 65lm/W
Body colour: Black
Material: Iron + Acrylic


Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

LED PROFILES




ELMARK
The Brand of Electricity




ACOUSTIC LED FIXTURES

- **99ACOUSTIC1200/BL**
- **99ACOUSTIC1200/WH**
- **99ACOUSTIC1200/GR**



Type: Acoustic sound baffle
Colour: Black | White | Grey
Depth: 9 mm
Material: Polyester
Acoustic rating: 0.85 NRC

- **99ACOUSTIC2400/BL**
- **99ACOUSTIC2400/WH**
- **99ACOUSTIC2400/GR**



Type: Acoustic sound baffle
Colour: Black | White | Grey
Depth: 9 mm
Material: Polyester
Acoustic rating: 0.85 NRC


IP20
RoHs COMPLAINT
CE

Scan QR code for 3D models and ULD-DIALux files



Application: Acoustic sound baffle find application in many work and office spaces, conference and presentation halls, meeting rooms, retails, institutional and more. They significantly reduce noise pollution, minimizing reverberation and echo in the room, absorbing any reflect sounds from other surfaces, thereby increasing speech intelligibility and communication. They are mounted on the ceiling in rows or columns.
Features: High quality and easy mounting | Lightweight | Safe and non-toxic | Available in three colours | Possibility to create custom design
Mounting: Hanging. Attach one piece of wire/cord onto each of the 2 eye hooks on the baffle. Then attach the other end of the wire to two equally-spaced hooks in the ceiling

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store




HIGH POWER

99SM36S4020A/GR
99SM36S4040A/GR
99SM36S4050A/GR

ACOUSTIC LED FIXTURES

LED | neutral WHITE 4000K | 90° | G


- **99SM36S4020A/BL**
- **99SM36S4020A/WH**
- **99SM36S4020A/GR**



Type: Acoustic LED profile
Power: 20W
Lumens: 1600lm
Efficiency: 80lm/W
Body colour: Black | White | Grey
Width: 55 mm
Driver: 42V SELV
Light Source: Samsung
Mounting: Hanging
Material: Aluminum + PC

LED | neutral WHITE 4000K | 90° | G


- **99SM36S4040A/BL**
- **99SM36S4040A/WH**
- **99SM36S4040A/GR**



Type: Acoustic LED profile
Power: 40W
Lumens: 32000lm
Efficiency: 80lm/W
Body colour: Black | White | Grey
Width: 55 mm
Driver: 42V SELV
Light Source: Samsung
Mounting: Hanging
Material: Aluminum + PC

LED | neutral WHITE 4000K | 90° | G

- **99SM36S4050A/BL**
- **99SM36S4050A/WH**
- **99SM36S4050A/GR**



Type: Acoustic LED profile
Power: 50W
Lumens: 4000lm
Efficiency: 80lm/W
Body colour: Black | White | Grey
Width: 55 mm
Driver: 42V SELV
Light Source: Samsung
Mounting: Hanging
Material: Aluminum + PC

INSTALLATION ACCESSORIES FOR LED PROFILES

99ACC51



Suspension wire

99ACC52



Suspension wire with console

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
Ra≥80
EMC
CE

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



99RING6004035/GR
99RING8004060/GR
99RING10004075/GR
99RING11504096/GR



99RING6004035/WH
99RING8004060/WH
99RING10004075/WH
99RING11504096/WH



99RING6004035/BL
99RING8004060/BL
99RING10004075/BL
99RING11504096/BL


LED RINGS FOR HANGING MOUNTING

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP40
~230V
Ra≥80
EMC
RoHs COMPLIANT
CE

LED | neutral WHITE 4000K | 90° | A↑G F


- **99RING6004035/BL**
- **99RING6004035/WH**
- **99RING6004035/GR**



Type: LED ring
Power: 35W
Lumens: 3500lm
Efficiency: 100lm/W
Body colour: Black | White | Grey
Mounting: Hanging
Material: Aluminum + PC

LED | neutral WHITE 4000K | 90° | A↑G F


- **99RING8004060/BL**
- **99RING8004060/WH**
- **99RING8004060/GR**



Type: LED ring
Power: 42W
Lumens: 4200lm
Efficiency: 100lm/W
Body colour: Black | White | Grey
Mounting: Hanging
Material: Aluminum + PC

LED | neutral WHITE 4000K | 90° | A↑G F

- **99RING10004075/BL**
- **99RING10004075/WH**
- **99RING10004075/GR**



Type: LED ring
Power: 50W
Lumens: 5000lm
Efficiency: 100lm/W
Body colour: Black | White | Grey
Width: 55 mm
Mounting: Hanging
Material: Aluminum + PC

LED | neutral WHITE 4000K | 90° | A↑G F

- **99RING11504096/BL**
- **99RING11504096/WH**
- **99RING11504096/GR**



Type: LED ring
Power: 63W
Lumens: 6300lm
Efficiency: 100lm/W
Body colour: Black | White | Grey
Mounting: Hanging
Material: Aluminum + PC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store




99XPOM602440/BL
99XPOM1204040/BL

LED PROFILES FOR HANGING AND SURFACE MOUNTING

LED | neutral WHITE 4000K | 120° | F


99XPOM602440/BL



Type: LED profile
Power: 24W
Lumens: 2160lm
Efficiency: 90lm/W
Body colour: Black
Mounting: Surface/Hanging
Material: Aluminum + PC

LED | neutral WHITE 4000K | 120° | F

99XPOM1204040/BL



Type: LED profile
Power: 40W
Lumens: 3600lm
Efficiency: 90lm/W
Body colour: Black
Mounting: Surface/Hanging
Material: Aluminum + PC

* The products are available independently and cannot be used to create lighting systems with additional elements.


2 YEARS TOTAL WARRANTY
+ 2 standard 0 extended

IP40
~230V
Ra≥80
EMC
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



99POM602430/BL
99POM602440/BL
99POM1505030/BL
99POM1505040/BL

LED PROFILES FOR HANGING AND SURFACE MOUNTING


5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
Ra≥80
EMC
RoHS COMPLIANT
CE

99POM602430/BL
99POM602440/BL

LED | 120° | A F G

warm WHITE 3000K
neutral WHITE 4000K




Type: LED profile
Power: 24W
Lumens: 2400lm
Efficiency: 100lm/W
Body colour: Black
Mounting: Surface/Hanging
Material: Aluminum + PC

99POM1505030/BL
99POM1505040/BL

LED | 120° | A F G

warm WHITE 3000K
neutral WHITE 4000K




Type: LED profile
Power: 50W
Lumens: 5000lm
Efficiency: 100lm/W
Body colour: Black
Mounting: Surface/Hanging
Material: Aluminum + PC

99POM602430/WH
99POM602440/WH

LED | 120° | A F G

warm WHITE 3000K
neutral WHITE 4000K




Type: LED profile
Power: 24W
Lumens: 2400lm
Efficiency: 100lm/W
Body colour: White
Mounting: Surface/Hanging
Material: Aluminum + PC

99POM1505030/WH
99POM1505040/WH

LED | 120° | A F G

warm WHITE 3000K
neutral WHITE 4000K



Type: LED profile
Power: 50W
Lumens: 5000lm
Efficiency: 100lm/W
Body colour: White
Mounting: Surface/Hanging
Material: Aluminum + PC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



99POML30/BL
99POML40/BL




99POMT30/BL
99POMT40/BL

ACCESSORIES FOR LED PROFILES ELMARK FOR HANGING AND SURFACE MOUNTING

LED | warm WHITE 3000K | 120° | F


● **99POML30/BL**
○ **99POML30/WH**



Type: L-connector for LED profile
Power: 8W
Lumens: 800
Efficiency: 100lm/W
Body colour: Black | White
Mounting: Surface/Hanging
Material: Aluminum + PC
** Suitable only for ELMARK LED profiles*

LED | neutral WHITE 4000K | 120° | F


● **99POML40/BL**
○ **99POML40/WH**



Type: L-connector for LED profile
Power: 8W
Lumens: 800lm
Efficiency: 100lm/W
Body colour: Black | White
Mounting: Surface/Hanging
Material: Aluminum + PC
** Suitable only for ELMARK LED profiles*

LED | warm WHITE 3000K | 120° | F


● **99POMT30/BL**
○ **99POMT30/WH**



Type: T-connector for LED profile
Power: 12W
Lumens: 1200lm
Efficiency: 100lm/W
Body colour: Black | White
Mounting: Surface/Hanging
Material: Aluminum + PC
** Suitable only for ELMARK LED profiles*

LED | neutral WHITE 4000K | 120° | F

● **99POMT40/BL**
○ **99POMT40/WH**




Type: T-connector for LED profile
Power: 12W
Lumens: 1200lm
Efficiency: 100lm/W
Body colour: Black | White
Mounting: Surface/Hanging
Material: Aluminum + PC
** Suitable only for ELMARK LED profiles*

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended


IP40
~230V
Ra≥80
EMC
CE

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



99POMX30/BL
99POMX40/BL



99ACC40




99ACC41

ACCESSORIES FOR LED PROFILES ELMARK FOR HANGING AND SURFACE MOUNTING

LED | warm WHITE 3000K | 120° | F


● **99POMX30/BL**
○ **99POMX30/WH**



Type: X-connector for LED profile
Power: 15W
Lumens: 1500lm
Efficiency: 100lm/W
Body colour: Black | White
Mounting: Surface/ Hanging
Material: Aluminum + PC
** Suitable only for ELMARK LED profiles*


LED | neutral WHITE 4000K | 120° | F

● **99POMX40/BL**
○ **99POMX40/WH**



Type: X-connector for LED profile
Power: 15W
Lumens: 1500lm
Efficiency: 100lm/W
Body colour: Black | White
Mounting: Surface/ Hanging
Material: Aluminum + PC
** Suitable only for ELMARK LED profiles*

99ACC40



Type: I-connector for LED profile
Mounting: Between 2 profiles for surface or hanging mount
Material: Metal
** Suitable only for ELMARK LED profiles for joining 2 profiles*

99ACC41



Type: Parts for surface mounting- 2 pieces SET
Mounting: Ceiling
Material: Metal
** Suitable only for ELMARK LED profiles for their installation surface on ceiling*

5 YEARS TOTAL WARRANTY + 3 standard 2 extended

IP40
~230V
Ra≥80
EMC
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Options with emergency kit



page 468

ELMARK
The Brand of Electricity



99PFM602430/WH
99PFM602430/WH
99PFM1505030/WH
99PFM1505040/WH




99PFM602430/BL
99PFM602440/BL
99PFM1505030/BL
99PFM1505040/BL

LED PROFILES FOR RECESSED MOUNTING

LED | 120° | A F G | F | warm WHITE 3000K | neutral WHITE 4000K


99PFM602430/BL
99PFM602440/BL



Type: LED profile*
Power: 24W
Lumens: 2400lm
Efficiency: 100lm/W
Body colour: Black
Mounting: Recessed
Material: Aluminum + PC

LED | 120° | A F G | F | warm WHITE 3000K | neutral WHITE 4000K

99PFM1505030/BL
99PFM1505040/BL



Type: LED profile*
Power: 50W
Lumens: 5000lm
Efficiency: 100lm/W
Body colour: Black
Mounting: Recessed
Material: Aluminum + PC

LED | 120° | A F G | F | warm WHITE 3000K | neutral WHITE 4000K


99PFM602430/WH
99PFM602430/WH



Type: LED profile*
Power: 24W
Lumens: 2400lm
Efficiency: 100lm/W
Body colour: White
Mounting: Recessed
Material: Aluminum + PC

LED | 120° | A F G | F | warm WHITE 3000K | neutral WHITE 4000K

99PFM1505030/WH
99PFM1505040/WH



Type: LED profile*
Power: 50W
Lumens: 5000lm
Efficiency: 100lm/W
Body colour: White
Mounting: Recessed
Material: Aluminum + PC

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
Ra≥80
EMC
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



99PFML30/BL
99PFML40/BL




99PFMT30/BL
99PFMT40/BL

ACCESSORIES FOR LED PROFILES FOR RECESSED MOUNTING

LED | warm WHITE 3000K | 120° | A↑G F


● **99PFML30/BL**
○ **99PFML30/WH**



Type: L-connector for LED profile
Power: 8W
Lumens: 800lm
Efficiency: 100lm/W
Body colour: Black | White
Mounting: Recessed
Material: Aluminum + PC

LED | neutral WHITE 4000K | 120° | A↑G F


● **99PFML40/BL**
○ **99PFML40/WH**



Type: L-connector for LED profile
Power: 8W
Lumens: 800lm
Efficiency: 100lm/W
Body colour: Black | White
Mounting: Recessed
Material: Aluminum + PC

LED | warm WHITE 3000K | 120° | A↑G F


● **99PFMT30/BL**
○ **99PFMT30/WH**



Type: T-connector for LED profile
Power: 12W
Lumens: 1200lm
Efficiency: 100lm/W
Body colour: Black | White
Mounting: Recessed
Material: Aluminum + PC

LED | neutral WHITE 4000K | 120° | A↑G F

● **99PFMT40/BL**
○ **99PFMT40/WH**



Type: T-connector for LED profile
Power: 12W
Lumens: 1200lm
Efficiency: 100lm/W
Body colour: Black | White
Mounting: Recessed
Material: Aluminum + PC

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
Ra≥80
EMC
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



99PFMX30/BL
99PFMX40/BL




99PFMI30/BL
99PFMI40/BL

ACCESSORIES FOR LED PROFILES FOR RECESSED MOUNTING

LED | warm WHITE 3000K | 120° | A F G


● **99PFMX30/BL**
○ **99PFMX30/WH**



Type: X-connector for LED profile
Power: 15W
Lumens: 1500lm
Efficiency: 100lm/W
Body colour: Black | White
Mounting: Recessed
Material: Aluminum + PC

LED | neutral WHITE 4000K | 120° | A F G

● **99PFMX40/BL**
○ **99PFMX40/WH**



Type: X-connector for LED profile
Power: 15W
Lumens: 1500lm
Efficiency: 100lm/W
Body colour: Black | White
Mounting: Recessed
Material: Aluminum + PC

LED | warm WHITE 3000K | 120° | A F G


● **99PFMI30/BL**
○ **99PFMI30/WH**



Type: Inside corner for LED profile
Power: 8W
Lumens: 800lm
Efficiency: 100lm/W
Body colour: Black | White
Mounting: Recessed
Material: Aluminum + PC

LED | neutral WHITE 4000K | 120° | A F G

● **99PFMI40/BL**
○ **99PFMI40/WH**



Type: Inside corner forLED profile
Power: 8W
Lumens: 800lm
Efficiency: 100lm/W
Body colour: Black | White
Mounting: Recessed
Material: Aluminum + PC

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
Ra≥80
EMC
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



95204550


COMMERCIAL LED FIXTURES

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP40
~230V
Ra≥80
EMC
RoHs COMPLAINT
CE

95204550

LED | neutral WHITE 4000K | 120° | F



Type: Commercial LED fixture
Power: 50W
Lumens: 4800lm
Efficiency: 96lm/W
Body colour: Grey
Mounting: Surface
Material: Aluminum + PC

92ACC03



Type: Wire and fittings for hanging mounting 2.5m
Mounting: on commercial fixture with cat. number 95204550
Material: Metal



Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



9MOD18W
9MOD36W

LED FIXTURE FOR SURFACE MOUNTING

LED | neutral WHITE 4000K | 120° | G

9MOD18W



Type: LED mod fixture
Power: 18W
Lumens: 1100lm
Efficiency: 61lm/W
Body colour: White
Mounting: Surface
Material: PC+Iron

LED | neutral WHITE 4000K | 120° | G

9MOD36W




Type: LED mod fixture
Power: 36W
Lumens: 2200lm
Efficiency: 61lm/W
Body colour: White
Material: PC+Iron

CONNECTORS FOR 9MOD18W & 9MOD36W


9MODL

Type: Connector 90° L-type for 9MOD18W & 9MOD36W
Material: PC




9MODI

Type: Coupling 180° I-type for 9MOD18W & 9MOD36W
Material: PC



9MODT

Type: T-joint for 9MOD18W & 9MOD36W
Material: PC



3 YEARS TOTAL WARRANTY
3 standard
0 extended

IP40
~230V
Ra≥80
EMC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

stellar



9XREMY18LED
9XREMY18LED/CW
9XREMY36LED
9XREMY36LED/CW


LED FIXTURE FOR SURFACE MOUNTING

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP40
~230V
Ra≥80
EMC
RoHs COMPLAINT
CE

9XREMY18LED


LED | neutral WHITE 4000K | 115° | A↑G G



Type: LED fixture
Power: 18W
Lumens: 1650lm
Efficiency: 92lm/W
Body colour: White
Mounting: Surface
Material: PP+PC

9XREMY18LED/CW


LED | cold WHITE 6400K | 115° | A↑G F



Type: LED fixture
Power: 18W
Lumens: 1650lm
Efficiency: 92lm/W
Body colour: White
Mounting: Surface
Material: PP+PC

9XREMY36LED


LED | neutral WHITE 4000K | 115° | A↑G G



Type: LED fixture
Power: 36W
Lumens: 3300lm
Efficiency: 92lm/W
Body colour: White
Mounting: Surface
Material: PP+PC

9XREMY36LED/CW

LED | cold WHITE 6400K | 115° | A↑G F



Type: LED fixture
Power: 36W
Lumens: 3300lm
Efficiency: 92lm/W
Body colour: White
Mounting: Surface
Material: PP+PC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store




910109LW
910109LCW

LIGHTING FIXTURE WITH LED TUBES, SURFACE MOUNTING

LED | neutral WHITE 4000K | G


910109LW



Type: LED fixture with LED tube
T8 Stellar
Power: 9W
Lumens: 630lm
Efficiency: 70lm/W
Body colour: White
Mounting: Surface
Material: Aluminum + PC

LED | cold WHITE 6400K | G

910109LCW



Type: LED fixture with LED tube
T8 Stellar
Power: 9W
Lumens: 630lm
Efficiency: 70lm/W
Body colour: White
Mounting: Surface
Material: Aluminum + PC

2 YEARS TOTAL WARRANTY
+ 2 standard 0 extended

IP21
~230V
G13
Ra≥80
EMC
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.


Recommended tube



G13

page 736

ELMARK
The Brand of Electricity



99POM121/BL
99POM122/BL


LIGHTING FIXTURES FOR LED TUBES T8 FOR SURFACE OR HANGING MOUNTING, IP40

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
~230V
RoHs COMPLAINT
CE

Lamps Not Included 1xG13


99POM121/BL



Type: Empty lighting fixtures for single ended tubes T8
LED tube size: 1x1200mm (1x18W)
Body Colour: Black
Material: Metal + PP
Height: 53 mm
*With hanging parts 1m

Lamps Not Included 2xG13

99POM122/BL



Type: Empty lighting fixtures for single ended tubes T8
LED tube size: 2x1200mm (2x18W)
Body Colour: Black
Material: Metal + PP
Height: 53
*With hanging parts 1m





Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended tube



G13

page 736

ELMARK
The Brand of Electricity




99POM121/WH
99POM122/WH

LIGHTING FIXTURES FOR LED TUBES T8 FOR SURFACE OR HANGING MOUNTING, IP40

Lamps Not Included 1xG13


99POM121/WH



Type: Empty lighting fixtures for single ended tubes T8
LED tube size: 1x1200mm (1x18W)
Body Colour: White
Material: Metal + PP
Height: 53 mm
*With hanging parts 1m

Lamps Not Included 2xG13

99POM122/WH



Type: Empty lighting fixtures for single ended tubes T8
LED tube size: 2x1200mm (2x18W)
Body Colour: White
Material: Metal + PP
Height: 53
*With hanging parts 1m





3 YEARS TOTAL WARRANTY
+ 3 standard 0 extended

IP20
~230V
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Options with emergency kit



page 470

stellar



9LOM260LED
9LOM260LEDCW



9LOM460LED
9LOM460LEDCW



9LOM2120LED
9LOM2120LEDCW

LIGHTING FIXTURE WITH LED TUBES, SURFACE MOUNTING

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP21
~230V
G13
Ra≥80
EMC
RoHs COMPLAINT
CE

LED G

neutral WHITE 4000K
cold WHITE 6400K

9LOM260LED
9LOM260LEDCW




Type: LED fixture with LED tubes T8 Stellar*
Power: 2x9W
Lumens: 1170lm
Efficiency: 65lm/W
Body colour: White
Mounting: Surface
Material: Steel + Aluminum

LED G

neutral WHITE 4000K
cold WHITE 6400K

9LOM460LED
9LOM460LEDCW



Type: Square LED fixture with LED tubes T8 Stellar*
Power: 4x9W
Lumens: 2340lm
Efficiency: 65lm/W
Body colour: White
Mounting: Surface
Material: Steel + Aluminum

LED G

neutral WHITE 4000K
cold WHITE 6400K

9LOM2120LED
9LOM2120LEDCW



Type: LED fixture with LED tube T8 Stellar*
Power: 2x18W
Lumens: 2340lm
Efficiency: 65lm/W
Body colour: White
Mounting: Surface
Material: Aluminum + PC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Options with emergency kit



page 471

stellar



9LBM260LED
9LBM260LEDCW



9LBM460LED
9LBM460LEDCW




9LBM2120LED
9LBM2120LEDCW

LIGHTING FIXTURE WITH LED TUBES, RECESSED MOUNTING

LED A G

neutral WHITE 4000K
cold WHITE 6400K

9LBM260LED
9LBM260LEDCW




Type: LED fixture with LED tubes T8 Stellar*
Power: 2x9W
Lumens: 1170lm
Efficiency: 65lm/W
Body colour: White
Mounting: Recessed
Material: Steel + Aluminum

LED A G

neutral WHITE 4000K
cold WHITE 6400K

9LBM460LED
9LBM460LEDCW



Type: Square LED fixture with LED tubes T8 Stellar*
Power: 4x9W
Lumens: 2340lm
Efficiency: 65lm/W
Body colour: White
Mounting: Recessed
Material: Steel + Aluminum

LED A G

neutral WHITE 4000K
cold WHITE 6400K

9LBM2120LED
9LBM2120LEDCW



Type: LED fixture with LED tube T8 Stellar*
Power: 2x18W
Lumens: 2340lm
Efficiency: 65lm/W
Body colour: White
Mounting: Recessed
Material: Aluminum + PC

2 YEARS TOTAL WARRANTY
+ 2 standard 0 extended

IP21
~230V
G13
Ra≥80
EMC
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



BATHROOM LIGHTING



ELMARK
The Brand of Electricity



95IP4411
95IP4414



95IP4411/2

WATERPROOF BATHROOM LED LIGHTING

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP44
~230V
Ra≥80
EMC
RoHs COMPLAINT
CE

LED | warm WHITE 2700K | 120° | A↑G F


95IP4414



Type: Bathroom wall lamp
Power: 8W
Lumens: 504lm
Body colour: Chrome
Mounting: Surface, on wall
Material: Aluminum + PC

LED | neutral WHITE 4000K | 120° | A↑G F

95IP4411



Type: Bathroom wall lamp
Power: 8W
Lumens: 504lm
Body colour: Chrome
Mounting: Surface, on wall
Material: Aluminum + PC

LED | neutral WHITE 4000K | 120° | A↑G F

95IP4411/2



Type: Bathroom wall lamp
Power: 8W
Lumens: 504lm
Body colour: Chrome
Mounting: Surface, over cabinet
Material: Aluminum + PC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



99LPL12/BL



99LPL12/WH




99LBL08/CH
99LBL12/CH

WATERPROOF BATHROOM LED LIGHTING

LED | neutral WHITE 4000K | 120° | A T G | G


99LPL12/BL



Type: Bathroom wall light
Power: 12W
Lumens: 780lm
Body colour: Black
Material: Iron + Aluminum + PC

LED | neutral WHITE 4000K | 120° | A T G | G

99LPL12/WH



Type: Bathroom wall light
Power: 12W
Lumens:780lm
Body colour: White
Material: Iron + Aluminum + PC

LED | neutral WHITE 4000K | 120° | A T G | G

99LBL08/CH



Type: LED bathroom light
Power: 8W
Lumens: 520lm
Body colour: Chrome
Mounting: Surface on the wall
Material: Stainless Steel + Aluminum + Acrylic

LED | neutral WHITE 4000K | 120° | A T G | G

99LBL12/CH



Type: LED bathroom light
Power: 12W
Lumens: 780lm
Body colour: Chrome
Mounting: Surface on the wall
Material: Stainless Steel + Aluminum + Acrylic

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP44
~230V
Ra≥80
EMC
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



955POSEIDON12
955POSEIDON18
955POSEIDON24

WATERPROOF BATHROOM LED LIGHTING

5 YEARS TOTAL WARRANTY + 3 standard 2 extended

IP44
~230V
Ra≥80
EMC

955POSEIDON12

LED | neutral WHITE 4000K | 30° | G



Type: Bathroom wall light
Power: 12W
Lumens: 960lm
Body colour: Chrome
Mounting: Surface, on wall
Material: Aluminum alloy

955POSEIDON18

LED | neutral WHITE 4000K | 30° | G



Type: Bathroom wall light
Power: 18W
Lumens: 1440lm
Body colour: Chrome
Mounting: Surface, on wall
Material: Aluminum alloy

955POSEIDON24

LED | neutral WHITE 4000K | 30° | G



Type: Bathroom wall light
Power: 24W
Lumens: 1920lm
Body colour: Chrome
Mounting: Surface, on wall
Material: Aluminum alloy

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



95IP4412



95IP4413

WATERPROOF BATHROOM LED LIGHTING

LED | neutral WHITE 4000K | 133° | F

95IP4412



Type: LED mirror light
Power: 15W
Lumens: 1200lm
Body colour: Chrome
Mounting: Surface, on wall
Material: Aluminum + PC

LED | neutral WHITE 4000K | 133° | F

95IP4413



Type: LED mirror light
Power: 20W
Lumens: 1600lm
Body colour: Chrome
Mounting: Surface, on wall
Material: Aluminum + PC

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP44
~230V
Ra≥80
EMC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Recommended bulb



GU5.3

page 728

ELMARK
The Brand of Electricity



92627/W




92627/SN

WATERPROOF BATHROOM DOWN LIGHTS, IP44

Lamps Not Included 1xGU5.3


92627/W



Type: Bathroom downlight
Body colour: White
Material: Steel + Glass
Cut size: 60mm
Max.: 50W

Lamps Not Included 1xGU5.3

92627/SN



Type: Bathroom downlight
Body colour: Satin nickel
Material: Steel + Glass
Cut size: 60mm
Max.: 50W

3 YEARS TOTAL WARRANTY
+ 3 standard 0 extended

IP44
12V
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



GU5.3

page 728

ELMARK
The Brand of Electricity



92627/CH




92627/AB

WATERPROOF BATHROOM DOWN LIGHTS, IP44

Lamps Not Included | 1xGU5.3


92627/CH



Type: Bathroom downlight
Body colour: Chrome
Material: Steel + Glass
Cut size: 60mm
Max.: 50W

Lamps Not Included | 1xGU5.3

92627/AB



Type: Bathroom downlight
Body colour: Antique brass
Material: Steel + Glass
Cut size: 60mm
Max.: 50W

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP44
12V
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



MOVABLE

92DL83TS0530/WH
92DL83TS0540/WH



MOVABLE

92DL83TS1230/WH
92DL83TS1240/WH

RECESSED SPOT LIGHTS, IP65

LED | 24° | A++ A+ A G

warm WHITE 3000K
neutral WHITE 4000K

92DL83TS0530/WH
92DL83TS0540/WH



Type: Round spotlight
Power: 5W
Lumens: 350lm
Efficiency: 70lm/W
Body colour: White
Cut size: 62mm
Height: 80 mm
Material: Aluminum

LED | 24° | A++ A+ A G

warm WHITE 3000K
neutral WHITE 4000K

92DL83TS1230/WH
92DL83TS1240/WH



Type: Round spotlight
Power: 12W
Lumens: 840lm
Efficiency: 70lm/W
Body colour: White
Cut size: 62mm
Height: 93 mm
Material: Aluminum


3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP65
~230V
Ra≥80
EMC


Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store


ELMARK
The Brand of Electricity



955DORIA2



955DORIA3




955DORIA4

WATERPROOF BATHROOM LED LIGHTING, IP44

Lamps Not Included 2xG9


955DORIA2



Type: Waterproof wall lamp
Body colour: Chrome
Diameter of the lamp: 115 mm
Material: Stainless steel + Glass
Max.: 2x40W

Lamps Not Included 3xG9


955DORIA3



Type: Waterproof wall lamp
Body colour: Chrome
Diameter of the lamp: 115 mm
Material: Stainless steel + Glass
Max.: 3x40W

Lamps Not Included 4xG9

955DORIA4



Type: Waterproof wall lamp
Body colour: Chrome
Diameter of the lamp: 115 mm
Material: Stainless steel + Glass
Max.: 4x40W

3 YEARS TOTAL WARRANTY
+ 3 standard 0 extended

IP44
~230V
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



99MIRROR36S1
99MIRROR36S2
99MIRROR48S3



99MIRRORS4

WATERPROOF BATHROOM LED MIRRORS


5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP44
~230V
Ra≥80
EMC
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

99MIRROR36S1


LED | neutral WHITE 4000K | 120° | ATG G | DIMMABLE | IP44



Type: LED mirror light
Power: 36W
Lumens: 1300lm
Mounting: Surface on the wall
Material: Glass
Features & Functions: Touch switch, Dimmable, Memory, Demisting, Back light, Plug-in

99MIRROR36S2


LED | neutral WHITE 4000K | 120° | ATG G | DIMMABLE | IP44



Type: LED mirror light
Power: 36W
Lumens: 1300lm
Mounting: Surface on the wall
Material: Glass
Features & Functions: Touch switch, Dimmable, Memory, Demisting, Back light, Plug-in

99MIRROR48S3


LED | neutral WHITE 4000K | 120° | ATG G | DIMMABLE | IP44



Type: LED mirror light
Power: 48W
Lumens: 1560lm
Mounting: Surface on the wall
Material: Glass
Features & Functions: Touch switch, Dimmable, Memory, Demisting, Back light, Plug-in

99MIRRORS4

LED | neutral WHITE 4000K | 120° | ATG G | DIMMABLE | IP20



Type: LED mirror light
Power: 30W
Lumens: 1650lm
Mounting: Surface, on the wall
Material: Glass
Features & Functions: Touch switch, Dimmable, Memory, Demisting, Plug-in

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store




99MIRROR24R1
99MIRROR36R2

WATERPROOF BATHROOM LED MIRRORS

LED | neutral WHITE 4000K | 120° | G | DIMMABLE | IP44


99MIRROR24R1



Type: LED mirror light
Power: 24W
Lumens: 910lm
Mounting: Surface on the wall
Material: Glass
Features & Functions: Touch switch, Dimmable, Memory, Demisting, Back light, Plug-in

LED | neutral WHITE 4000K | 120° | G | DIMMABLE | IP44

99MIRROR36R2



Type: LED mirror light
Power: 36W
Lumens: 1300lm
Mounting: Surface on the wall
Material: Glass
Features & Functions: Touch switch, Dimmable, Memory, Demisting, Back light, Plug-in

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP44
~230V
Ra≥80
EMC
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.



DOWN LIGHTS



Recommended bulb



GU5.3

page 728



GU10

page 725

ELMARK
The Brand of Electricity



925P771R/CL



925772S/CL



925772S/CF

CRYSTAL DOWN LIGHTS

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
12V
~230V
RoHs COMPLAINT
CE

Lamps Not Included 1xGU5.3

925P771R/CL



Type: Crystal down light
Body colour: Transparent
Height: 22 mm
Cut size: 60 mm
Material: Aluminum + Polyester + Crystal

Decorative ring with LED light 150lm | 3W Driver for LED ring included

Lamps Not Included 1xGU5.3

925772S/CL



Type: Crystal down light
Body colour: Transparent
Height: 22 mm
Cut size: 60 mm
Material: Aluminum + Polyester + Crystal

Decorative ring with LED light 150lm | 3W Driver for LED ring included

Lamps Not Included 1xGU5.3

925772S/CF



Type: Crystal down light
Body colour: Coffee
Height: 22 mm
Cut size: 60 mm
Material: Aluminum + Polyester + Crystal

Decorative ring with LED light 150lm | 3W Driver for LED ring included

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



GU5.3

page 728



GU10

page 725

ELMARK
The Brand of Electricity



925774S/CL



925775S/CL



925773R/CL



925773S/CL

CRYSTAL DOWN LIGHTS

Lamps Not Included 1xGU5.3

925774S/CL



Type: Crystal down light
Body colour: Transparent
Height: 22 mm
Cut size: 60 mm
Material: Aluminum + Polyester + Crystal

Decorative ring with LED light 150lm | 3W Driver for LED ring included

Lamps Not Included 1xGU5.3

925775S/CL




Type: Crystal down light
Body colour: Transparent
Height: 22 mm
Cut size: 60 mm
Material: Aluminum + Polyester + Crystal

Decorative ring with LED light 150lm | 3W Driver for LED ring included

Lamps Not Included 1xGU5.3


925773R/CL



Type: Round down light
Body colour: Satin nickel
Height: 50 mm
Cut size: 60mm
Material: Stainless steel + Crystal
Max.: 50W

Lamps Not Included 1xGU5.3

925773S/CL



Type: Square down light
Body colour: Satin nickel
Height: 50 mm
Cut size: 60mm
Material: Stainless steel + Crystal
Max.: 50W

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
12V
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



GU5.3

page 728



GU10

page 725

ELMARK
The Brand of Electricity



925777R/BK



925777S/BK



925778R/CL



925778S/CL

CRYSTAL DOWN LIGHTS

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
12V
~230V
RoHs COMPLAINT
CE

Lamps Not Included 1xGU5.3

925777R/BK



Type: Round down light
Body colour: Chrome & Black
Height: 22 mm
Cut size: 60 mm
Material: Aluminum + Glass
Max.: 50W

Lamps Not Included 1xGU5.3


925777S/BK



Type: Square down light
Body colour: Chrome & Black
Height: 22 mm
Cut size: 60 mm
Material: Aluminum + Glass
Max.: 50W

Lamps Not Included 1xGU5.3


925778R/CL



Type: Round down light
Body colour: Chrome & Transparent
Height: 32 mm
Cut size: 60 mm
Material: Aluminum + Glass
Max.: 50W

Lamps Not Included 1xGU5.3

925778S/CL



Type: Square down light
Body colour: Chrome & Transparent
Height: 32 mm
Cut size: 60 mm
Material: Aluminum + Glass
Max.: 50W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



GU5.3

page 728



GU10

page 725

ELMARK
The Brand of Electricity



92045R1/BLFR



92045S1/BLFR



92045S2/BLFR

RECESSED DOWN LIGHTS

Lamps Not Included 1xGU5.3

92045R1/BLFR




Type: Round down light
Body colour: Black
Height: 45 mm
Cut size: 70 mm
Material: Aluminum + Acrylic

For use with LED bulb only

Lamps Not Included 1xGU5.3

92045S1/BLFR



Type: Square down light
Body colour: Black
Height: 45 mm
Cut size: 70 mm
Material: Aluminum + Acrylic

For use with LED bulb only

Lamps Not Included 2xGU5.3

92045S2/BLFR



Type: Down light
Body colour: Black
Hight: 45mm
Cut size: 165x70mm
Material: Aluminum + Acrylic

For use with LED bulb only

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
12V
~230V
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



GU5.3

page 728



GU10

page 725

ELMARK
The Brand of Electricity



92045S3/BLFR



92045S4/BLFR

RECESSED DOWN LIGHTS


5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
12V
~230V
RoHs COMPLAINT
CE

Lamps Not Included



92045S3/BLFR



Type: Down light
Body colour: Black
Hight: 45mm
Cut size: 240x70mm
Material: Aluminum + Acrylic
For use with LED bulb only

Lamps Not Included



92045S4/BLFR



Type: Down light
Body colour: Black
Hight: 45mm
Cut size: 150x150mm
Material: Aluminum + Acrylic
For use with LED bulb only

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



GU5.3

page 728



GU10

page 725

ELMARK
The Brand of Electricity



92045R1/WHFR



92045S1/WHFR



92045S2/WHFR

RECESSED DOWN LIGHTS

Lamps Not Included | 1xGU5.3


92045R1/WHFR



Type: Round down light
Body colour: White
Height: 45 mm
Cut size: 70 mm
Material: Aluminum + Acrylic
For use with LED bulb only

Lamps Not Included | 1xGU5.3


92045S1/WHFR



Type: Square down light
Body colour: White
Height: 45 mm
Cut size: 70 mm
Material: Aluminum + Acrylic
For use with LED bulb only

Lamps Not Included | 2xGU5.3

92045S2/WHFR



Type: Down light
Body colour: White
Height: 45mm
Cut size: 165x70mm
Material: Aluminum + Acrylic
For use with LED bulb only

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
12V
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



GU5.3

page 728



GU10

page 725

ELMARK
The Brand of Electricity



92045S3/WHFR



92045S4/WHFR

RECESSED DOWN LIGHTS


5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
12V
~230V
RoHs COMPLAINT
CE

Lamps Not Included



92045S3/WHFR



Type: Down light
Body colour: White
Height: 45mm
Cut size: 240x70mm
Material: Aluminum + Acrylic
For use with LED bulb only

Lamps Not Included



92045S4/WHFR



Type: Down light
Body colour: White
Height: 45mm
Cut size: 150x150mm
Material: Aluminum + Acrylic
For use with LED bulb only

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



GU10

page 726

ELMARK
The Brand of Electricity



92EL902R1/BL



92EL902R1/WH



92EL902S1/BL



92EL902S1/WH

FIXED RECESSED DOWN LIGHTS

Lamps Not Included 1xGU10

92EL902R1/BL



Type: Fixed round down light
Body colour: Black
Height: 40 mm
Cut size: 75 mm
Material: Plastic
Max.: 8W
Max. beam angle: 60°
For use with LED bulb only

Lamps Not Included 1xGU10


92EL902R1/WH



Type: Fixed round down light
Body colour: White
Height: 40 mm
Cut size: 75 mm
Material: Plastic
Max.: 8W
Max. beam angle: 60°
For use with LED bulb only

Lamps Not Included 1xGU10


92EL902S1/BL



Type: Fixed square down light
Body colour: Black
Height: 40 mm
Cut size: 75x75 mm
Material: Plastic
Max.: 8W
Max. beam angle: 60°
For use with LED bulb only

Lamps Not Included 1xGU10

92EL902S1/WH



Type: Fixed square down light
Body colour: White
Height: 40 mm
Cut size: 75x75 mm
Material: Plastic
Max.: 8W
Max. beam angle: 60°
For use with LED bulb only

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



GU10

page 726

ELMARK
The Brand of Electricity



92GDL05R



92GDL09R



92GDL11R


GYPSUM DOWN LIGHTS

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP20
~230V
RoHs COMPLAINT
CE

Lamps Not Included 1xGU10

92GDL05R



Type: Round down light
Body colour: White
Material: Gypsum
Height: 40 mm
Cut size: 90 mm
Max.: 20W

Lamps Not Included 1xGU10

92GDL09R



Type: Round down light
Body colour: White
Material: Gypsum
Height: 43 mm
Cut size: 108 mm
Max.: 20W

Lamps Not Included 1xGU10

92GDL11R



Type: Round down light
Body colour: White
Material: Gypsum
Height: 72 mm
Cut size: 116 mm
Max.: 20W



Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



GU10

page 726

ELMARK
The Brand of Electricity



92GDL06S
92GDL10S



92GDL06SGL



92GDL13S

GYPSUM DOWN LIGHTS

Lamps Not Included 1xGU10

92GDL06S



Type: Square down light
Body colour: White
Material: Plaster
Height: 57 mm
Cut size: 107x107 mm
Max.: 20W

Lamps Not Included 1xGU10


92GDL10S



Type: Square down light
Body colour: White
Material: Plaster
Height: 60 mm
Cut size: 107x107 mm
Max.: 20W

Lamps Not Included 1xGU10

92GDL06SGL



Type: Square down light with diffuser
Body colour: White
Material: Plaster
Height: 56 mm
Cut size: 100x100 mm
Max.: 20W

Lamps Not Included 1xGU10

92GDL13S



Type: Square down light
Body colour: White
Material: Plaster
Height: 58 mm
Cut size: 100x100 mm
Max.: 20W

2 YEARS TOTAL WARRANTY
+ 2 standard 0 extended

IP20
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Recommended bulb



GU10

page 726

ELMARK
The Brand of Electricity



9250R/W



9250R/BL



9250R/SN

FIXED RECESSED DOWN LIGHTS


3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
~230V
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

9250R/W


Lamps Not Included 1xGU10



Type: Fixed round downlight
Body colour: White
Material: Powder coated steel
Height: 28 mm
Cut size: 55 mm
Max.: 8W

9250R/BL


Lamps Not Included 1xGU10



Type: Fixed round downlight
Body colour: Black
Material: Powder coated steel
Height: 28 mm
Cut size: 55 mm
Max.: 8W

9250R/SN

Lamps Not Included 1xGU10




Type: Fixed round downlight
Body colour: Satin Nickel
Material: Powder coated steel
Height: 28 mm
Cut size: 55 mm
Max.: 8W

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



9250R/BZ




9250R/RG

FIXED RECESSED DOWN LIGHTS

Lamps Not Included 1xGU10


9250R/BZ



Type: Fixed round downlight
Body colour: Bronze
Material: Powder coated steel
Height: 28 mm
Cut size: 55 mm
Max.: 8W

Lamps Not Included 1xGU10

9250R/RG



Type: Fixed round downlight
Body colour: Rose Gold
Material: Powder coated steel
Height: 28 mm
Cut size: 55 mm
Max.: 8W

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Recommended bulb



GU10

page 726

ELMARK
The Brand of Electricity



MOVABLE

9251R/W



MOVABLE

9251R/BL



MOVABLE

9251R/SN


MOVABLE RECESSED DOWN LIGHTS

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
~230V
RoHs COMPLAINT
CE

Lamps Not Included — 1xGU10


9251R/W



Type: Movable round downlight
Body colour: White
Material: Powder coated steel
Height: 28 mm
Cut size: 67 mm
Max.: 8W

Lamps Not Included — 1xGU10


9251R/BL



Type: Movable round downlight
Body colour: Black
Material: Powder coated steel
Height: 28 mm
Cut size: 67 mm
Max.: 8W

Lamps Not Included — 1xGU10

9251R/SN



Type: Movable round downlight
Body colour: Satin Nickel
Material: Powder coated steel
Height: 28 mm
Cut size: 67 mm
Max.: 8W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



MOVABLE

9251R/BZ




MOVABLE

9251R/RG

MOVABLE RECESSED DOWN LIGHTS

Lamps Not Included 1xGU10


9251R/BZ



Type: Movable round downlight
Body colour: Bronze
Material: Powder coated steel
Height: 28 mm
Cut size: 67 mm
Max.: 8W

Lamps Not Included 1xGU10

9251R/RG



Type: Movable round down-light
Body colour: Rose Gold
Material: Powder coated steel
Height: 28 mm
Cut size: 67 mm
Max.: 8W

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
~230V
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

Recommended bulb



GU10

page 726

ELMARK
The Brand of Electricity



MOVABLE

9251S/W



MOVABLE

9251S/BL



MOVABLE

9251S/SN


MOVABLE RECESSED DOWN LIGHTS

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
~230V
RoHs COMPLAINT
CE

Lamps Not Included 1xGU10


9251S/W



Type: Movable square downlight
Body colour: White
Material: Powder coated steel
Height: 28 mm
Cut size: 67 mm
Max.: 8W

Lamps Not Included 1xGU10


9251S/BL



Type: Movable square downlight
Body colour: Black
Material: Powder coated steel
Height: 28 mm
Cut size: 67 mm
Max.: 8W

Lamps Not Included 1xGU10

9251S/SN



Type: Movable square downlight
Body colour: Satin Nickel
Material: Powder coated steel
Height: 28 mm
Cut size: 67 mm
Max.: 8W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



MOVABLE

9251S/BZ




MOVABLE

9251S/RG

MOVABLE RECESSED DOWN LIGHTS

Lamps Not Included 1xGU10


9251S/BZ



Type: Movable square downlight
Body colour: Bronze
Material: Powder coated steel
Height: 28 mm
Cut size: 67 mm
Max.: 8W

Lamps Not Included 1xGU10

9251S/RG



Type: Movable square downlight
Body colour: Rose Gold
Material: Powder coated steel
Height: 28 mm
Cut size: 67 mm
Max.: 8W

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
~230V
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

Recommended bulb



GU5.3

page 728



GU10

page 725

ELMARK
The Brand of Electricity



9271/SN-CH



9271/PCH-CH



9271/GR-CH


FIXED RECESSED DOWN LIGHTS

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP20
12V
~230V
RoHS COMPLAINT
CE

Lamps Not Included 1xGU5.3


9271/SN-CH



Type: Fixed down light
Body colour: Satin nickel & Chrome
Material: Die-cast zinc
Height: 25 mm
Cut size: 58 mm
Max.: 50W

Lamps Not Included 1xGU5.3


9271/PCH-CH



Type: Fixed down light
Body colour: Pearl chrome & Chrome
Material: Die-cast zinc
Height: 25 mm
Cut size: 58 mm
Max.: 50W

Lamps Not Included 1xGU5.3

9271/GR-CH



Type: Fixed down light
Body colour: Graphite & Chrome
Material: Die-cast zinc
Height: 25 mm
Cut size: 58 mm
Max.: 50W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



GU5.3

page 728



GU10

page 725

ELMARK
The Brand of Electricity



MOVABLE

9291/SN-CH



MOVABLE

9291/PCH-CH




MOVABLE

9291/GR-CH

MOVABLE RECESSED DOWN LIGHTS

Lamps Not Included 1xGU5.3


9291/SN-CH



Type: Movable down light
Body colour: Satin nickel & Chrome
Material: Die-cast zinc
Height: 25 mm
Cut size: 72 mm
Max.: 50W

Lamps Not Included 1xGU5.3


9291/PCH-CH



Type: Movable down light
Body colour: Pearl chrome & Chrome
Material: Die-cast zinc
Height: 25 mm
Cut size: 72 mm
Max.: 50W

Lamps Not Included 1xGU5.3

9291/GR-CH



Type: Movable down light
Body colour: Graphite & Chrome
Material: Die-cast zinc
Height: 25 mm
Cut size: 72 mm
Max.: 50W

2 YEARS TOTAL WARRANTY
2 standard + 0 extended

IP20
12V
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



GU5.3

page 728



GU10

page 725

ELMARK
The Brand of Electricity



9270/W



9270/CH



9270/SN



9270/AB


FIXED RECESSED DOWN LIGHTS

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP20
12V
~230V
RoHS COMPLAINT
CE

Lamps Not Included 1xGU5.3


9270/W



Type: Fixed down light
Body colour: White
Material: Die-cast zinc
Height: 25 mm
Cut size: 58 mm
Max.: 50W

Lamps Not Included 1xGU5.3


9270/CH



Type: Fixed down light
Body colour: Chrome
Material: Die-cast zinc
Height: 25 mm
Cut size: 58 mm
Max.: 50W

Lamps Not Included 1xGU5.3


9270/SN



Type: Fixed down light
Body colour: Satin nickel
Material: Die-cast zinc
Height: 25 mm
Cut size: 58 mm
Max.: 50W

Lamps Not Included 1xGU5.3

9270/AB



Type: Fixed down light
Body colour: Antique brass
Material: Die-cast zinc
Height: 25 mm
Cut size: 58 mm
Max.: 50W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



GU5.3

page 728



GU10

page 725

ELMARK
The Brand of Electricity



MOVABLE 9290/W



MOVABLE 9290/CH



MOVABLE 9290/SN




MOVABLE 9290/AB

MOVABLE RECESSED DOWN LIGHTS

Lamps Not Included 1xGU5.3


9290/W



Type: Movable down light
Body colour: White
Material: Die-cast zinc
Height: 25 mm
Cut size: 70 mm
Max.: 50W

Lamps Not Included 1xGU5.3


9290/CH



Type: Movable down light
Body colour: Chrome
Material: Die-cast zinc
Height: 25 mm
Cut size: 70 mm
Max.: 50W

Lamps Not Included 1xGU5.3


9290/SN



Type: Movable down light
Body colour: Satin nickel
Material: Die-cast zinc
Height: 25 mm
Cut size: 70 mm
Max.: 50W

Lamps Not Included 1xGU5.3

9290/AB



Type: Movable down light
Body colour: Antique brass
Material: Die-cast zinc
Height: 25 mm
Cut size: 70 mm
Max.: 50W

2 YEARS TOTAL WARRANTY
2 standard + 0 extended

IP20
12V
~230V
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



GU5.3

page 728

ELMARK
The Brand of Electricity



92627/W



92627/SN


RECESSED DOWN LIGHTS, IP44

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP44
~230V
RoHs COMPLAINT
CE

Lamps Not Included 1xGU5.3


92627/W



Type: Bathroom down-light
Body colour: White
Material: Steel + Glass
Cut size: 60mm
Max.: 50W

Lamps Not Included 1xGU5.3

92627/SN



Type: Bathroom down-light
Body colour: Satin nickel
Material: Steel + Glass
Cut size: 60mm
Max.: 50W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



GU5.3

page 728

ELMARK
The Brand of Electricity



92627/CH




92627/AB

RECESSED DOWN LIGHTS, IP44

Lamps Not Included 1xGU5.3


92627/CH



Type: Bathroom down-light
Body colour: Chrome
Material: Steel + Glass
Cut size: 60mm
Max.: 50W

Lamps Not Included 1xGU5.3

92627/AB



Type: Bathroom down-light
Body colour: Antique brass
Material: Steel + Glass
Cut size: 60mm
Max.: 50W

3 YEARS TOTAL WARRANTY
+ 3 standard 0 extended

IP44
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Recommended bulb



GU10

page 726

ELMARK
The Brand of Electricity



MOVABLE

92EL259SQ



MOVABLE


92EL259RD

MOVABLE RECESSED SPOTLIGHTS

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHs COMPLAINT
CE


Lamps Not Included
1xGU10



92EL259SQ

Type: Movable Recessed square spotlight
Lamp holder: GU10
Body colour: Sandy white
Material: Aluminum
Mounting: Recessed
Cut size: 90x90mm
Height: 52 mm
Max. beam angle: 60°

Lamps Not Included
1xGU10



92EL259RD

Type: Movable recessed round spotlight
Lamp holder: GU10
Body colour: Sandy white
Material: Aluminum
Mounting: Recessed
Cut size: 90mm
Height: 52 mm
Max. beam angle: 60°

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



GU10

page 726

ELMARK
The Brand of Electricity



MOVABLE

92EL110SQ1/WHBK



MOVABLE

92EL110SQ2/WHBK




MOVABLE

92EL110SQ3/WHBK

MOVABLE RECESSED SPOTLIGHTS

Lamps Not Included 1xGU10


92EL110SQ1/WHBK



Type: Movable recessed square spotlight
Body colour: White & Black
Material: Aluminum
Max.: 8W
Mounting: Recessed
Cut size: 90x90 mm
Height: 40 mm

Lamps Not Included 2xGU10


92EL110SQ2/WHBK



Type: Movable recessed square spotlight
Body colour: White & Black
Material: Aluminum
Max.: 8W
Mounting: Recessed
Cut size: 170x92 mm
Height: 40 mm

Lamps Not Included 3xGU10

92EL110SQ3/WHBK



Type: Movable recessed square spotlight
Body colour: White & Black
Material: Aluminum
Max.: 8W
Mounting: Recessed
Cut size: 250x92 mm
Height: 40 mm

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



GU10

page 726

ELMARK
The Brand of Electricity



92EL305/WH



92EL305/BK



92EL305/WHBK

RECESSED ANTI-GLARE DOWN LIGHTS WITH HONEY COMB

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20

~230V

RoHs COMPLAINT

CE

Lamps Not Included



92EL305/WHBK



Type: Recessed round anti-glare down light
Body colour: White & Black
Material: Aluminum
Cut size: 75 mm
Mounting: Recessed
Height: 66 mm
Max. beam angle: 60°

Lamps Not Included



92EL305/BK



Type: Recessed round anti-glare down light
Body colour: Black
Material: Aluminum
Cut size: 75 mm
Mounting: Recessed
Height: 66 mm
Max. beam angle: 60°

Lamps Not Included



92EL305/WH



Type: Recessed round anti-glare down light
Body colour: White
Material: Aluminum
Cut size: 75 mm
Mounting: Recessed
Height: 66 mm
Max. beam angle: 60°

Honey comb



Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Options with emergency kit page 465

*Compatible with DALI page 802

ELMARK
The Brand of Electricity



UGR <19
MOVABLE

92EL64531230/WH
92EL64531240/WH



UGR <19
MOVABLE

92EL64532030/WH
92EL64532034/WH

MOVABLE RECESSED SPOT LIGHTS WITH HONEY COMB, IP44

LED | 38° | G

warm WHITE 3000K
neutral WHITE 4000K

92EL64531230/WH
92EL64531240/WH

Type: Recessed LED adjustable spotlight*
Power: 12W
Lumens: 900lm
Efficiency: 75lm/W
Body colour: White & Grey
Material: Aluminum + PC
Mounting: Recessed
Cut size: 75 mm
Height: 96 mm



LED | 38° | G


warm WHITE 3000K
neutral WHITE 4000K

92EL64532030/WH
92EL64532040/WH

Type: Recessed LED adjustable downlight*
Power: 20W
Lumens: 1500lm
Efficiency: 75lm/W
Body colour: White & Black
Material: Aluminum
Mounting: Recessed
Cut size: 100 mm
Height: 110 mm



** Dimmable with DALI driver: 99DALI1240042*



Honey comb



5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP44
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



92DL84TS0330/WH
92DL84TS0340/WH



92DL84TS0530/WH
92DL84TS0540/WH


RECESSED DOWN LIGHTS WITH HONEY COMB, IP44

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

LED | 24° | A G | G

warm WHITE 3000K — **92DL84TS0330/WH**

neutral WHITE 4000K — **92DL84TS0340/WH**




Type: Round down light
Power: 3W
Lumens: 210mm
Efficiency: 70lm/W
Body colour: White
Cut size: 40mm
Material: Aluminum
Height: 37.5 mm

LED | 24° | A G | G

warm WHITE 3000K — **92DL84TS0530/WH**

neutral WHITE 4000K — **92DL84TS0540/WH**



Type: Round down light
Power: 5W
Lumens: 350lm
Efficiency: 70lm/W
Body colour: White
Cut size: 55mm
Material: Aluminum
Height: 51

IP44
~230V
Ra≥80
EMC



Honey comb



Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



92DL84TS0830/WH
92DL84TS0840/WH




92DL84TS1230/WH
92DL84TS1240/WH

RECESSED DOWN LIGHTS WITH HONEY COMB, IP44

LED | 24° | A T G | G

warm WHITE 3000K — **92DL84TS0830/WH**

neutral WHITE 4000K — **92DL84TS0840/WH**




Type: Round down light
Power: 8W
Lumens: 560lm
Efficiency: 70lm/W
Body colour: White
Cut size: 65mm
Material: Aluminum
Height: 66.5

LED | 24° | A T G | G

warm WHITE 3000K — **92DL84TS1230/WH**

neutral WHITE 4000K — **92DL84TS1240/WH**



Type: Round down light
Power: 12W
Lumens: 840lm
Efficiency: 70lm/W
Body colour: White
Cut size: 75mm
Material: Aluminum
Height: 75.5 mm



Honey comb



3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP44
~230V
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

*Options with emergency kit



page 463

ELMARK
The Brand of Electricity



MOVABLE

92DLTS0830/WH
92DLTS0840/WH
92DLTS1230/WH
92DLTS1240/WH



MOVABLE

92DLTS2030/WH
92DLTS2040/WH
92DLTS2430/WH
92DLTS2440/WH

MOVABLE RECESSED SPOT LIGHTS , IP44

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP44
~230V
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

LED | 24° | A G | G | warm WHITE 3000K | neutral WHITE 4000K

92DLTS0830/WH
92DLTS0840/WH



Type: Round spotlight movable
Power: 8W
Lumens: 560lm
Efficiency: 70lm/W
Body colour: White
Cut size: 75mm
Height: 50 mm
Material: Aluminum

LED | 24° | A G | G | warm WHITE 3000K | neutral WHITE 4000K

92DLTS1230/WH
92DLTS1240/WH



Type: Round spotlight movable
Power: 12W
Lumens: 840lm
Efficiency: 70lm/W
Body colour: White
Cut size: 90mm
Height: 60 mm
Material: Aluminum

LED | 24° | A G | G | warm WHITE 3000K | neutral WHITE 4000K

92DLTS2030/WH
92DLTS2040/WH



Type: Round spotlight movable*
Power: 20W
Lumens: 1400lm
Efficiency: 70lm/W
Body colour: White
Cut size: 120mm
Height: 70 mm
Material: Aluminum

LED | 24° | A G | G | warm WHITE 3000K | neutral WHITE 4000K

92DLTS2430/WH
92DLTS2440/WH



Type: Round spotlight movable*
Power: 24W
Lumens: 1680lm
Efficiency: 70lm/W
Body colour: White
Cut size: 145mm
Height: 80 mm
Material: Aluminum

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Options with emergency kit



page 465

ELMARK
The Brand of Electricity



MOVABLE

92DL83TS0530/WH
92DL83TS0540/WH



MOVABLE

92DL83TS1230/WH
92DL83TS1240/WH

RECESSED SPOT LIGHTS, IP65

LED | 24° | A G | G

warm WHITE 3000K
neutral WHITE 4000K

92DL83TS0530/WH
92DL83TS0540/WH



Type: Round spotlight
Power: 5W
Lumens: 350lm
Efficiency: 70lm/W
Body colour: White
Cut size: 62mm
Height: 80 mm
Material: Aluminum

LED | 24° | A G | G

warm WHITE 3000K
neutral WHITE 4000K

92DL83TS1230/WH
92DL83TS1240/WH



Type: Round spotlight
Power: 12W
Lumens: 840lm
Efficiency: 70lm/W
Body colour: White
Cut size: 62mm
Height: 93 mm
Material: Aluminum

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP65
~230V
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Options with emergency kit



page 463

ELMARK
The Brand of Electricity



MOVABLE
92DL81F1530/BL
92DL81F1540/BL



MOVABLE
92DL82F3030/BL
92DL82F3040/BL



MOVABLE
92DL81F3030/BL
92DL81F3040/BL



MOVABLE
92DL82F6030/BL
92DL82F6040/BL

MOVABLE RECESSED SPOTLIGHTS , IP44

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended


IP44
~230V
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

LED | 24° | A G | G

warm WHITE 3000K
neutral WHITE 4000K

92DL81F1530/BL
92DL81F1540/BL



Type: Square down light movable
Power: 15W
Lumens: 1050lm
Efficiency: 70lm/W
Body colour: Black
Cut size: 120x120mm
Height: 98 mm
Material: Aluminum

LED | 24° | A G | G

warm WHITE 3000K
neutral WHITE 4000K

92DL82F3030/BL
92DL82F3040/BL



Type: Square down light movable*
Power: 30W
Lumens: 2100lm
Efficiency: 70lm/W
Body colour: Black
Cut size: 160x160lm
Height: 138 mm
Material: Aluminum

LED | 24° | A G | G

warm WHITE 3000K
neutral WHITE 4000K

92DL81F3030/BL
92DL81F3040/BL



Type: Square down light movable*
Power: 2x15W
Lumens: 2100lm
Efficiency: 70lm/W
Body colour: Black
Height: 98mm
Cut size: 230x120mm
Material: Aluminum

LED | 24° | A G | G

warm WHITE 3000K
neutral WHITE 4000K

92DL82F6030/BL
92DL82F6040/BL



Type: Square down light movable*
Power: 2x30W
Lumens: 4200lm
Efficiency: 70lm/W
Body colour: Black
Height: 138mm
Cut size: 310x160mm
Material: Aluminum

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Options with emergency kit



page 463

ELMARK
The Brand of Electricity



MOVABLE
92DL81F1530/WH
92DL81F1540/WH



MOVABLE
92DL82F3030/WH
92DL82F3040/WH



MOVABLE
92DL81F3030/WH
92DL81F3040/WH



MOVABLE
92DL82F6030/WH
92DL82F6040/WH

MOVABLE RECESSED SPOTLIGHTS , IP44

LED | 24° | A G | G

warm WHITE 3000K
neutral WHITE 4000K

92DL81F1530/WH
92DL81F1540/WH




Type: Square down light movable
Power: 15W
Lumens: 1050lm
Efficiency: 70lm/W
Body colour: White
Cut size: 120x120mm
Height: 98 mm
Material: Aluminum

LED | 24° | A G | G

warm WHITE 3000K
neutral WHITE 4000K

92DL82F3030/WH
92DL82F3040/WH



Type: Square down light movable*
Power: 30W
Lumens: 2100lm
Efficiency: 70lm/W
Body colour: White
Cut size: 160x160lm
Height: 138 mm
Material: Aluminum

LED | 24° | A G | G

warm WHITE 3000K
neutral WHITE 4000K

92DL81F3030/WH
92DL81F3040/WH



Type: Square down light movable*
Power: 2x15W
Lumens: 2100lm
Efficiency: 70lm/W
Body colour: White
Height: 98mm
Cut size: 230x120mm
Material: Aluminum

LED | 24° | A G | G

warm WHITE 3000K
neutral WHITE 4000K

92DL82F6030/WH
92DL82F6040/WH



Type: Square down light movable*
Power: 2x30W
Lumens: 4200lm
Efficiency: 70lm/W
Body colour: White
Height: 138mm
Cut size: 310x160mm
Material: Aluminum

3 YEARS TOTAL WARRANTY
+ 3 standard 0 extended

IP44
~230V
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Options with emergency kit



page 463

ELMARK
The Brand of Electricity



MOVABLE

92DL81F4530/BL
92DL81F4540/BL
92DL82F9030/BL
92DL82F9040/BL



MOVABLE

92DL81F4530/WH
92DL81F4540/WH
92DL82F9030/WH
92DL82F9040/WH

MOVABLE RECESSED SPOT LIGHTS , IP44

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP44
~230V
Ra≥80
EMC

LED | 24° | A G | G

warm WHITE 3000K
neutral WHITE 4000K

92DL81F4530/BL
92DL81F4540/BL



Type: Square down light movable*
Power: 3x15W
Lumens: 3150lm
Efficiency: 70lm/W
Body colour: Black
Height: 98mm
Cut size: 345x120mm
Material: Aluminum

LED | 24° | A G | G

warm WHITE 3000K
neutral WHITE 4000K

92DL82F9030/BL
92DL82F9040/BL



Type: Square down light movable
Power: 3x30W
Lumens: 6300lm
Efficiency: 70lm/W
Body colour: Black
Height: 138mm
Cut size: 460x160mm
Material: Aluminum

LED | 24° | A G | G

warm WHITE 3000K
neutral WHITE 4000K

92DL81F4530/WH
92DL81F4540/WH



Type: Square down light movable*
Power: 3x15W
Lumens: 3150lm
Efficiency: 70lm/W
Body colour: White
Height: 98mm
Cut size: 345x120mm
Material: Aluminum

LED | 24° | A G | G

warm WHITE 3000K
neutral WHITE 4000K

92DL82F9030/WH
92DL82F9040/WH



Type: Square down light movable
Power: 3x30W
Lumens: 6300lm
Efficiency: 70lm/W
Body colour: White
Height: 138mm
Cut size: 460x160mm
Material: Aluminum

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Options with emergency kit



page 467

*Compatible with DALI

page 802


ELMARK
The Brand of Electricity



MOVABLE

92EL67054030/WH
92EL67054040/WH
92EL67054065/WH

RECESSED SPOT LIGHTS, IP44



LED | warm WHITE 3000K | 90° | A↑G F

92EL67054030/WH

Type: Recessed LED SMD spotlight*
Power: 40W
Lumens: 3600lm
Efficiency: 90lm/W
Body colour: White
Material: Aluminum
Cut size: 220x130mm
Height: 85 mm

LED | neutral WHITE 4000K | 90° | A↑G F

92EL67054040/WH

Type: Recessed LED SMD spotlight*
Power: 40W
Lumens: 3600lm
Efficiency: 90lm/W
Body colour: White
Material: Aluminum
Cut size: 220x130mm
Height: 85 mm

LED | cold WHITE 6500K | 90° | A↑G F

92EL67054065/WH

Type: Recessed LED SMD spotlight*
Power: 40W
Lumens: 3600lm
Efficiency: 90lm/W
Body colour: White
Material: Aluminum
Cut size: 220x130mm
Height: 85 mm

** Dimmable with DALI driver: 99DALI40105042*

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP44
~230V
20000h
Ra≥80
EMC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Compatible with DALI

DALI page 802

ELMARK
The Brand of Electricity



MOVABLE

92M6210W366020
92M6215W366020
92M6210W606020
92M6215W606020

MOVABLE RECESSED SPOT LIGHTS, IP44

LED | neutral WHITE 4000K | 36° | A↑G E


92M6210W366020



Type: Deep round spotlight
Power: 13W
Lumens: 1560lm
Efficiency: 120lm/W
Body colour: White
Cut size: Ø83 mm
Height: 68 mm
Material: Aluminum + PC
** Dimmable with DALI driver: 99DALI2050042*

LED | neutral WHITE 4000K | 36° | A↑G E | DIMMABLE


92M6215W366020



Type: Deep round spotlight
Power: 18W
Lumens: 2160lm
Efficiency: 120lm/W
Body colour: White
Cut size: Ø83 mm
Height: 68 mm
Material: Aluminum + PC
** Dimmable with DALI driver: 99DALI2050042*

LED | neutral WHITE 4000K | 60° | A↑G E


92M6210W606020



Type: Deep round spotlight
Power: 13W
Lumens: 1430lm
Efficiency: 110lm/W
Body colour: White
Cut size: Ø83 mm
Height: 68 mm
Material: Aluminum + PC
** Dimmable with DALI driver: 99DALI2050042*

LED | neutral WHITE 4000K | 60° | A↑G E | DIMMABLE

92M6215W606020



Type: Deep round spotlight
Power: 18W
Lumens: 2000lm
Efficiency: 111lm/W
Body colour: White
Cut size: Ø83 mm
Height: 68 mm
Material: Aluminum + PC
** Dimmable with DALI driver: 99DALI2050042*

5 YEARS TOTAL WARRANTY + 4 standard 1 extended

IP44
~230V
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Compatible with DALI

page 802

ELMARK
The Brand of Electricity




MOVABLE

92M6210W366215
92M6215W366215
92M6210W606215
92M6215W606215

MOVABLE RECESSED SPOT LIGHTS, IP44

LED | neutral WHITE 4000K | 36° | E


92M6210W366215



Type: Deep square spotlight
Power: 13W
Lumens: 1560lm
Efficiency: 120lm/W
Body colour: White
Cut size: 80x83 mm
Height: 68 mm
Material: Aluminum + PC
** Dimmable with DALI driver: 99DALI2050042*

LED | neutral WHITE 4000K | 36° | E | DIMMABLE


92M6215W366215



Type: Deep square spotlight
Power: 18W
Lumens: 2160lm
Efficiency: 120lm/W
Body colour: White
Cut size: 80x83 mm
Height: 68 mm
Material: Aluminum + PC
** Dimmable with DALI driver: 99DALI2050042*

LED | neutral WHITE 4000K | 60° | E


92M6210W606215



Type: Deep square spotlight
Power: 13W
Lumens: 1430lm
Efficiency: 110lm/W
Body colour: White
Cut size: 80x83 mm
Height: 68 mm
Material: Aluminum + PC
** Dimmable with DALI driver: 99DALI2050042*

LED | neutral WHITE 4000K | 60° | E | DIMMABLE

92M6215W606215



Type: Deep square spotlight
Power: 18W
Lumens: 2000lm
Efficiency: 111lm/W
Body colour: White
Cut size: 80x83 mm
Height: 68 mm
Material: Aluminum + PC
** Dimmable with DALI driver: 99DALI2050042*

5 YEARS TOTAL WARRANTY
+ 4 standard 1 extended

IP44
~230V
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Compatible with DALI

DALI page 802

ELMARK
The Brand of Electricity



MOVABLE

92M6210W366154
92M6215W366154
92M6210W606154
92M6215W606154

MOVABLE RECESSED SPOTLIGHTS, IP44

5 YEARS TOTAL WARRANTY
+ 4 standard 1 extended

IP44
~230V
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

LED | neutral WHITE 4000K | 36° | A G E

92M6210W366154



Type: Deep round spotlight
Power: 13W
Lumens: 1560lm
Efficiency: 120lm/W
Body colour: White
Cut size: Ø83 mm
Height: 53 mm
Material: Aluminum + PC
** Dimmable with DALI driver: 99DALI2050042*

LED | neutral WHITE 4000K | 36° | A G E | DIMMABLE

92M6215W366154



Type: Deep round spotlight
Power: 18W
Lumens: 2160lm
Efficiency: 120lm/W
Body colour: White
Cut size: Ø83 mm
Height: 53 mm
Material: Aluminum + PC
** Dimmable with DALI driver: 99DALI2050042*

LED | neutral WHITE 4000K | 60° | A G E

92M6210W606154



Type: Deep round spotlight
Power: 13W
Lumens: 1430lm
Efficiency: 110lm/W
Body colour: White
Cut size: Ø83 mm
Height: 53 mm
Material: Aluminum + PC
** Dimmable with DALI driver: 99DALI2050042*

LED | neutral WHITE 4000K | 60° | A G E | DIMMABLE

92M6215W606154



Type: Deep round spotlight
Power: 18W
Lumens: 2000lm
Efficiency: 111lm/W
Body colour: White
Cut size: Ø83 mm
Height: 53 mm
Material: Aluminum + PC
** Dimmable with DALI driver: 99DALI2050042*

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



92M6210W366255
92M6215W366255
92M6210W606255
92M6215W606255

RECESSED SPOTLIGHTS, IP44

LED | neutral WHITE 4000K | 36° | A↑G E

92M6210W366255



Type: Deep square spotlight
Power: 13W
Lumens: 1560lm
Efficiency: 120lm/W
Body colour: White
Cut size: Ø83 mm
Height: 54 mm
Material: Aluminum + PC
** Dimmable with DALI driver: 99DALI2050042*

LED | neutral WHITE 4000K | 36° | A↑G E | DIMMABLE

92M6215W366255



Type: Deep round spotlight
Power: 18W
Lumens: 2160lm
Efficiency: 120lm/W
Body colour: White
Cut size: Ø83 mm
Height: 54 mm
Material: Aluminum + PC
** Dimmable with DALI driver: 99DALI2050042*

LED | neutral WHITE 4000K | 60° | A↑G E

92M6210W606255



Type: Deep square spotlight
Power: 13W
Lumens: 1430lm
Efficiency: 110lm/W
Body colour: White
Cut size: Ø83 mm
Height: 54 mm
Material: Aluminum + PC
** Dimmable with DALI driver: 99DALI2050042*

LED | neutral WHITE 4000K | 60° | A↑G E | DIMMABLE

92M6215W606255



Type: Deep square spotlight
Power: 18W
Lumens: 2000lm
Efficiency: 111lm/W
Body colour: White
Cut size: Ø83 mm
Height: 54 mm
Material: Aluminum + PC
** Dimmable with DALI driver: 99DALI2050042*

5 YEARS TOTAL WARRANTY
+ 4 standard 1 extended

IP44
~230V
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

*Options with emergency kit page 466

*Compatible with DALI page 802

ELMARK
The Brand of Electricity



92EL62281330/WH
92EL62281340/WH
92EL62281365/WH



92EL62282030/WH
92EL62282040/WH
92EL62282065/WH

RECESSED DOWN LIGHTS, IP44

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP44
~230V
SMD 2835
>20000
Ra≥80
EMC



LED | warm WHITE 3000K | 60° | G

92EL62281330/WH

Type: Recessed LED down light*
Power: 13W
Lumens: 1080lm
Efficiency: 83lm/W
Body Colour: White
Material: Aluminum
Cut size: 100mm
Height: 59 mm

LED | neutral WHITE 4000K | 60° | G

92EL62281340/WH

Type: Recessed LED down light*
Power: 13W
Lumens: 1080lm
Efficiency: 83lm/W
Body Colour: White
Material: Aluminum
Cut size: 100mm
Height: 59 mm

LED | cold WHITE 6500K | 60° | G

92EL62281365/WH

Type: Recessed LED down light*
Power: 13W
Lumens: 1080lm
Efficiency: 83lm/W
Body Colour: White
Material: Aluminum
Cut size: 100mm
Height: 59 mm

** Dimmable with DALI driver: 99DALI2050042*



LED | warm WHITE 3000K | 60° | F

92EL62282030/WH

Type: Recessed LED down light*
Power: 20W
Lumens: 1800lm
Efficiency: 90lm/W
Body Colour: White
Material: Aluminum
Cut size: 140mm
Height: 88 mm

LED | neutral WHITE 4000K | 60° | F

92EL62282040/WH

Type: Recessed LED down light*
Power: 20W
Lumens: 1800lm
Efficiency: 90lm/W
Body Colour: White
Material: Aluminum
Cut size: 140mm
Height: 88 mm

LED | cold WHITE 6500K | 60° | F

92EL62282065/WH

Type: Recessed LED down light*
Power: 20W
Lumens: 1800lm
Efficiency: 90lm/W
Body Colour: White
Material: Aluminum
Cut size: 140mm
Height: 88 mm

** Dimmable with DALI driver: 99DALI2050042*

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Options with emergency kit



page 466

*Compatible with DALI

page 802

ELMARK
The Brand of Electricity



92EL62283030/WH
92EL62283040/WH
92EL62283065/WH



92EL62284230/WH
92EL62284240/WH
92EL62284265/WH

RECESSED DOWN LIGHTS WITH LED CHIP OSRAM, IP44



LED | warm WHITE 3000K | 75° | F

92EL62283030/WH

Type: Recessed LED down light*
Power: 30W
Lumens: 3000lm
Efficiency: 100lm/W
Body Colour: White
Material: Aluminum
Cut size: 170mm
Height: 110 mm

LED | neutral WHITE 4000K | 75° | F

92EL62283040/WH

Type: Recessed LED down light*
Power: 30W
Lumens: 3000lm
Efficiency: 100lm/W
Body Colour: White
Material: Aluminum
Cut size: 170mm
Height: 110 mm

LED | cold WHITE 6500K | 75° | F

92EL62283065/WH

Type: Recessed LED down light*
Power: 30W
Lumens: 3000lm
Efficiency: 100lm/W
Body Colour: White
Material: Aluminum
Cut size: 170mm
Height: 110 mm

** Dimmable with DALI driver: 99DALI40105042*



LED | warm WHITE 3000K | 70° | F

92EL62284230/WH

Type: Recessed LED down light*
Power: 42W
Lumens: 4200lm
Efficiency: 100lm/W
Body Colour: White
Material: Aluminum
Cut size: 205mm
Height: 121 mm

LED | neutral WHITE 4000K | 70° | F

92EL62284240/WH

Type: Recessed LED down light*
Power: 42W
Lumens: 4200lm
Efficiency: 100lm/W
Body Colour: White
Material: Aluminum
Cut size: 205mm
Height: 121 mm

LED | cold WHITE 6500K | 70° | F

92EL62284265/WH

Type: Recessed LED down light*
Power: 42W
Lumens: 4200lm
Efficiency: 100lm/W
Body Colour: White
Material: Aluminum
Cut size: 205mm
Height: 121 mm

** Dimmable with DALI driver: 99DALI40105042*

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP44
~230V
SMD 2835
>20000
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Options with emergency kit page 466

*Compatible with DALI page 802

ELMARK
The Brand of Electricity



93EL62282030/WH
93EL62282040/WH
93EL62282065/WH



93EL62283030/WH
93EL62283040/WH
93EL62283065/WH

RECESSED DOWN LIGHTS, IP44

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP44
~230V
SMD 2835
>20000
Ra≥80
EMC



LED | warm WHITE 3000K | 60° | A F G

93EL62282030/WH

Type: Recessed LED down light*
Power: 20W
Lumens: 1800lm
Efficiency: 90lm/W
Body Colour: White
Material: Aluminum
Cut size: 140mm
Height: 88 mm

LED | neutral WHITE 4000K | 60° | A F G

93EL62282040/WH

Type: Recessed LED down light*
Power: 20W
Lumens: 1800lm
Efficiency: 90lm/W
Body Colour: White
Material: Aluminum
Cut size: 140mm
Height: 88 mm

LED | cold WHITE 6500K | 60° | A F G

93EL62282065/WH

Type: Recessed LED down light*
Power: 20W
Lumens: 1800lm
Efficiency: 90lm/W
Body Colour: White
Material: Aluminum
Cut size: 140mm
Height: 88 mm

** Dimmable with DALI driver: 99DALI2050042*



LED | warm WHITE 3000K | 75° | A F G

93EL62283030/WH

Type: Recessed LED down light*
Power: 30W
Lumens: 3000lm
Efficiency: 100lm/W
Body Colour: White
Material: Aluminum
Cut size: 170mm
Height: 110 mm

LED | neutral WHITE 4000K | 75° | A F G

93EL62283040/WH

Type: Recessed LED down light*
Power: 30W
Lumens: 3000lm
Efficiency: 100lm/W
Body Colour: White
Material: Aluminum
Cut size: 170mm
Height: 110 mm

LED | cold WHITE 6500K | 75° | A F G

93EL62283065/WH

Type: Recessed LED down light*
Power: 30W
Lumens: 3000lm
Efficiency: 100lm/W
Body Colour: White
Material: Aluminum
Cut size: 170mm
Height: 110 mm

** Dimmable with DALI driver: 99DALI40105042*

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Options with emergency kit page 466

*Compatible with DALI page 802

ELMARK
The Brand of Electricity



93EL62284230/WH
93EL62284240/WH
93EL62284265/WH

RECESSED DOWN LIGHTS WITH LED CHIP OSRAM, IP44



LED | warm WHITE 3000K | 70° | A F G

93EL62284230/WH

Type: Recessed LED down light*
Power: 42W
Lumens: 4200lm
Efficiency: 100lm/W
Body Colour: White
Material: Aluminum
Cut size: 205mm
Height: 121 mm

LED | neutral WHITE 4000K | 70° | A F G

93EL62284240/WH

Type: Recessed LED down light*
Power: 42W
Lumens: 4200lm
Efficiency: 100lm/W
Body Colour: White
Material: Aluminum
Cut size: 205mm
Height: 121 mm

LED | cold WHITE 6500K | 70° | A F G

9EL62284265/WH

Type: Recessed LED down light*
Power: 42W
Lumens: 4200lm
Efficiency: 100lm/W
Body Colour: White
Material: Aluminum
Cut size: 205mm
Height: 121 mm

** Dimmable with DALI driver: 99DALI40105042*

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP44
~230V
SMD 2835
>20000
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Options with emergency kit page 468

*Compatible with DALI page 802

ELMARK
The Brand of Electricity



92EL05630/WHBK
92EL05640/WHBK



92EL051230/WHBK
92EL051240/WHBK



92EL052030/WHBK
92EL052040/WHBK

RECESSED LINEAR LIGHTS

LED | 38° | A T G | G

warm WHITE 3000K
neutral WHITE 4000K

92EL05630/WHBK
92EL05640/WHBK




Type: Recessed LED COB Linear Light
Power: 5W
Lumens: 400lm
Efficiency: 80lm/W
Body colour: White & Black
Material: Aluminum
Mounting: Recessed
Cut size: 138x35mm
Height: 35 mm

LED | 38° | A T G | G

warm WHITE 3000K
neutral WHITE 4000K

92EL051230/WHBK
92EL051240/WHBK




Type: Recessed LED COB Linear Light
Power: 10W
Lumens: 800lm
Efficiency: 80lm/W
Body colour: White & Black
Material: Aluminum
Mounting: Recessed
Cut size: 272x35mm
Height: 35 mm

** Dimmable with DALI driver: 99DALI1240042*

LED | 38° | A T G | G

warm WHITE 3000K
neutral WHITE 4000K

92EL052030/WHBK
92EL052040/WHBK



Type: Recessed LED COB linear light*
Power: 15W
Lumens: 1200lm
Efficiency: 80lm/W
Body colour: White & Black
Material: Aluminum
Mounting: Recessed
Cut size: 406x35mm
Height: 35 mm

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
20000h
Ra≥80
EMC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



92EL141030/WHBK
92EL141040/WHBK



92EL142030/WHBK
92EL142040/WHBK

SURFACE LINEAR LIGHTS

LED | 38° | A G G | warm WHITE 3000K | neutral WHITE 4000K


92EL141030/WHBK
92EL141040/WHBK



Type: Surface LED COB linear light
Power: 10W
Lumens: 800lm
Efficiency: 80lm/W
Body colour: White & Black
Material: Aluminum
Mounting: Surface

LED | 38° | A G G | warm WHITE 3000K | neutral WHITE 4000K

92EL142030/WHBK
92EL142040/WHBK



Type: Recessed LED COB linear light
Power: 20W
Lumens: 1600lm
Efficiency: 80lm/W
Body colour: White & Black
Material: Aluminum
Mounting: Surface

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
20000h
Ra≥80
EMC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



93TLOM1540/WH
93TLOM3040/WH



93TLBM1540/WH

SURFACE & RECESSED FIXTURES

LED | neutral WHITE 4000K | 24° | A↑G G

93TLOM1540/WH



Type: Spotlight
Power: 15W
Lumens: 1350lm
Efficiency: 90lm/W
Body colour: White
Mounting: Surface
Material: Aluminum

LED | neutral WHITE 4000K | 24° | A↑G G

93TLOM3040/WH



Type: Spotlight
Power: 30W
Lumens: 2700lm
Efficiency: 90lm/W
Body colour: White
Mounting: Surface
Material: Aluminum

LED | neutral WHITE 4000K | 30° | A↑G G

93TLBM1540/WH



Type: Spotlight
Power: 15W
Lumens: 1350lm
Efficiency: 90lm/W
Body colour: White
Mounting: Recessed
Material: Aluminum

5 YEARS TOTAL WARRANTY + 3 standard 2 extended

IP40
~230V
Ra≥80
EMC
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



93TLOM1540/BL
93TLOM3040/BL



93TLBM1540/BL

SURFACE & RECESSED FIXTURES

LED | neutral WHITE 4000K | 24° | A T G G

93TLOM1540/BL



Type: Spotlight
Power: 15W
Lumens: 1350lm
Efficiency: 90lm/W
Body colour: Black
Mounting: Surface
Material: Aluminum

LED | neutral WHITE 4000K | 24° | A T G G

93TLOM3040/BL



Type: Spotlight
Power: 30W
Lumens: 2700lm
Efficiency: 90lm/W
Body colour: Black
Mounting: Surface
Material: Aluminum

LED | neutral WHITE 4000K | 30° | A T G G

93TLBM1540/BL



Type: Spotlight
Power: 15W
Lumens: 1350lm
Efficiency: 90lm/W
Body colour: Black
Mounting: Recessed
Material: Aluminum

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
Ra≥80
EMC
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



GU10

page 726

ELMARK
The Brand of Electricity



MOVABLE

92DL044S1/BL



MOVABLE

92DL044S1/BLWH



MOVABLE

92DL044S1/GDBL



MOVABLE

92DL044S1/GDWH

SURFACE SPOT LIGHTS

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20

~230V


RoHS COMPLIANT

CE

Scan QR code for 3D models, IES files & price.

92DL044S1/BL


Lamps Not Included 1xGU10



Type: Square down light
Body colour: Black
Material: Aluminum
Mounting: Surface
Max.: 8W

92DL044S1/BLWH


Lamps Not Included 1xGU10



Type: Square down light
Body colour: White & Black
Material: Aluminum
Mounting: Surface
Max.: 8W

92DL044S1/GDBL


Lamps Not Included 1xGU10



Type: Square down light
Body colour: Black & Gold
Material: Aluminum
Mounting: Surface
Max.: 8W

92DL044S1/GDWH

Lamps Not Included 1xGU10



Type: Square down light
Body colour: White & Gold
Material: Aluminum
Mounting: Surface
Max.: 8W

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



GU10

page 726

ELMARK
The Brand of Electricity



MOVABLE 92DL044S2/BL



MOVABLE 92DL044S2/BLWH



MOVABLE 92DL044S2/GDBL




MOVABLE 92DL044S2/GDWH

SURFACE DOWN LIGHTS

Lamps Not Included 2xGU10


92DL044S2/BL



Type: Down light
Body colour: Black
Material: Aluminum
Mounting: Surface
Max.: 2x8W

Lamps Not Included 2xGU10


92DL044S2/BLWH



Type: Down light
Body colour: White & Black
Material: Aluminum
Mounting: Surface
Max.: 2x8W

Lamps Not Included 2xGU10


92DL044S2/GDBL



Type: Down light
Body colour: Black & Gold
Material: Aluminum
Mounting: Surface
Max.: 2x8W

Lamps Not Included 2xGU10

92DL044S2/GDWH



Type: Down light
Body colour: White & Gold
Material: Aluminum
Mounting: Surface
Max.: 2x8W

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
12V
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



92FLCOM1040/BL
92FLCOM2040/BL
92FLCOM3040/BL
92FLCOM4040/BL

SURFACE DOWN LIGHTS, IP44

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP44
~230V
20000h
Ra≥80
EMC
RoHs COMPLAINT
CE

LED | neutral WHITE 4000K | 60° | F

92FLCOM1040/BL



Type: Round down light
Power: 10W
Lumens: 800lm
Efficiency: 80lm/W
Body colour: Black
Mounting: Surface
Material: Aluminum

LED | neutral WHITE 4000K | 60° | F

92FLCOM2040/BL



Type: Round down light
Power: 20W
Lumens: 1600lm
Efficiency: 80lm/W
Body colour: Black
Mounting: Surface
Material: Aluminum

LED | neutral WHITE 4000K | 60° | G

92FLCOM3040/BL



Type: Round down light
Power: 30W
Lumens: 2400lm
Efficiency: 80lm/W
Body colour: Black
Mounting: Surface
Material: Aluminum

LED | neutral WHITE 4000K | 60° | G

92FLCOM4040/BL



Type: Round down light
Power: 40W
Lumens: 3200lm
Efficiency: 80lm/W
Body colour: Black
Mounting: Surface
Material: Aluminum

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



92FLCOM1040/WH
92FLCOM2040/WH
92FLCOM3040/WH
92FLCOM4040/WH

SURFACE DOWN LIGHTS, IP44

LED | neutral WHITE 4000K | 60° | A F G

92FLCOM1040/WH



Type: Round down light
Power: 10W
Lumens: 800lm
Efficiency: 80lm/W
Body colour: White
Mounting: Surface
Material: Aluminum

LED | neutral WHITE 4000K | 60° | A F G

92FLCOM2040/WH



Type: Round down light
Power: 20W
Lumens: 1600lm
Efficiency: 80lm/W Body colour: White
Mounting: Surface
Material: Aluminum

LED | neutral WHITE 4000K | 60° | A G

92FLCOM3040/WH



Type: Round down light
Power: 30W
Lumens: 2400lm
Efficiency: 80lm/W
Body colour: White
Mounting: Surface
Material: Aluminum

LED | neutral WHITE 4000K | 60° | A G

92FLCOM4040/WH



Type: Round down light
Power: 40W
Lumens: 3200lm
Efficiency: 80lm/W
Body colour: White
Mounting: Surface
Material: Aluminum

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP44
~230V
SMD 2835
>20000
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Recommended bulb



GU10

page 726

ELMARK
The Brand of Electricity



MOVABLE

92DL044R1/WH



MOVABLE

92DL044R1/BL

SURFACE DOWN LIGHTS

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20

RoHS COMPLAINT

CE

Scan QR code for 3D models, IES files & price.

92DL044R1/BL

Lamps Not Included 1xGU10



Type: Round down light
Body colour: Black
Material: Aluminum
Mounting: Surface
Max.: 8W
Max. beam angle: 90°

92DL044R1/WH

Lamps Not Included 1xGU10



Type: Round down light
Body colour: White
Material: Aluminum
Mounting: Surface
Max.: 8W
Max. beam angle: 90°

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



95LIVIA160/BL





95LIVIA160/GR



95LIVIA160/WH

LIVIA SURFACE DOWN LIGHTS, IP55







95LIVIA160/BL

Type: Ceiling lamp
Lamp holder: GX53
Power: 10W
Lumens: 1200lm
Efficiency: 120lm/W
Body colour: Black
Material: Resin + frosted glass

UV resistant







95LIVIA160/GR

Type: Ceiling lamp
Lamp holder: GX53
Power: 10W
Lumens: 1200lm
Efficiency: 120lm/W
Body colour: Grey
Material: Resin + frosted glass

UV resistant





95LIVIA160/WH

Type: Ceiling lamp
Lamp holder: GX53
Power: 10W
Lumens: 1200lm
Efficiency: 120lm/W
Body colour: White
Material: Resin + frosted glass

UV resistant

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP55
~230V
SMD 2835
>15000
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



95LIVIA90/BL



95LIVIA90/GR



95LIVIA90/WH

LIVIA SURFACE DOWN LIGHTS, IP55

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP55
~230V
SMD 2835
>15000
Ra≥80
EMC

LED | warm WHITE 2700K | neutral WHITE 4000K | SETTABLE | A G F | 45°




95LIVIA90/BL

Type: Ceiling lamp
Lamp holder: GU10
Power: 6W
Lumens: 600lm
Efficiency: 100lm/W
Body colour: Black
Material: Resin + frosted glass

UV resistant

LED | warm WHITE 3000K | neutral WHITE 4000K | SETTABLE | A G F | 45°




95LIVIA90/GR

Type: Ceiling lamp
Lamp holder: GU10
Power: 6W
Lumens: 600lm
Efficiency: 100lm/W
Body colour: Grey
Material: Resin + frosted glass

UV resistant

LED | warm WHITE 3000K | neutral WHITE 4000K | SETTABLE | A G F | 45°



95LIVIA90/WH

Type: Ceiling lamp
Lamp holder: GU10
Power: 6W
Lumens: 600lm
Efficiency: 100lm/W
Body colour: White
Material: Resin + frosted glass

UV resistant

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



95LIVIA180/BL





95LIVIA180/GR



95LIVIA180/WH

LIVIA SURFACE DOWN LIGHTS, IP55







95LIVIA180/BL

Type: Ceiling lamp
Lamp holder: E27
Power: 15W
Lumens: 1800lm
Efficiency: 120lm/W
Body colour: Black
Material: Resin + frosted glass

UV resistant







95LIVIA180/GR

Type: Ceiling lamp
Lamp holder: E27
Power: 15W
Lumens: 1800lm
Efficiency: 120lm/W
Body colour: Grey
Material: Resin + frosted glass

UV resistant





95LIVIA180/WH

Type: Ceiling lamp
Lamp holder: E27
Power: 15W
Lumens: 1800lm
Efficiency: 120lm/W
Body colour: White
Material: Resin + frosted glass

UV resistant

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP55
~230V
SMD 2835
>15000
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Recommended bulb



E27

page 707

ELMARK
The Brand of Electricity



96DL305/BL



96DL305/GR



96DL305/WH

SURFACE DOWN LIGHTS, IP54

3 YEARS TOTAL WARRANTY
+ 2 standard 1 extended

IP54
~230V
RoHs COMPLAINT
CE

Lamps Not Included | 1xE27

96DL305/BL



Type: Ceiling lamp
Body colour: Black
Material: UV resistant ABS + PC
Max.: 40W
Max. beam angle: 90°
UV resistant

Lamps Not Included | 1xE27


96DL305/GR



Type: Ceiling lamp
Body colour: Grey
Material: UV resistant ABS + PC
Max.: 40W
Max. beam angle: 90°
UV resistant

Lamps Not Included | 1xE27

96DL305/WH



Type: Ceiling lamp
Body colour: White
Material: UV resistant ABS + PC
Max.: 40W
Max. beam angle: 90°
UV resistant

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



GU10

page 726

ELMARK
The Brand of Electricity



96DL306/BL



96DL306/GR



96DL306/WH

SURFACE DOWN LIGHTS, IP54

Lamps Not Included 1xGU10

96DL306/BL



Type: Ceiling lamp
Body colour: Black
Material: UV resistant ABS + PC
Max.: 8W
Max. beam angle: 90°
UV resistant

Lamps Not Included 1xGU10


96DL306/GR



Type: Ceiling lamp
Body colour: Grey
Material: UV resistant ABS + PC
Max.: 8W
Max. beam angle: 90°
UV resistant

Lamps Not Included 1xGU10

96DL306/WH



Type: Ceiling lamp
Body colour: White
Material: UV resistant ABS + PC
Max.: 8W
Max. beam angle: 90°
UV resistant

3 YEARS TOTAL WARRANTY
+ 2 standard 1 extended

IP54
~230V
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

MAGNETIC TRACK SYSTEMS



ELMARK
The Brand of Electricity



93M20FGL0630/BL
93M20FGL0640/BL



93M20FGL1230/BL
93M20FGL1240/BL

FOUR POLES MAGNETIC LED LIGHTS, FGL SERIES

LED | 36° | A T G F | warm WHITE 3000K | neutral WHITE 4000K

93M20FGL0630/BL
93M20FGL0640/BL



Type: Magnet foldable LED light
Power: 6W
Lumens: 520lm
Efficiency: 87lm/W
Body colour: Black
Material: Metal

LED | 36° | A T G F | warm WHITE 3000K | neutral WHITE 4000K

93M20FGL1230/BL
93M20FGL1240/BL



Type: Magnet foldable LED light
Power: 12W
Lumens: 870lm
Efficiency: 73lm/W
Body colour: Black
Material: Metal

3 YEARS TOTAL WARRANTY
+ 3 standard 0 extended

IP20
48V DC
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



93M20FFL0630/BL
93M20FFL0640/BL



93M20FFL1230/BL
93M20FFL1240/BL



93M20DL1230/BL
93M20DL1240/BL


FOUR POLES MAGNETIC LED LIGHTS, FFL SERIES

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
48V DC
Ra≥80
EMC

LED | 120° | A T G | G


warm WHITE 3000K — **93M20FFL0630/BL**
neutral WHITE 4000K — **93M20FFL0640/BL**



Type: Magnet foldable LED light
Power: 6W
Lumens: 360lm
Efficiency: 60lm/W
Body colour: Black
Material: Metal

LED | 120° | A T G | G


warm WHITE 3000K — **93M20FFL1230/BL**
neutral WHITE 4000K — **93M20FFL1240/BL**



Type: Magnet foldable LED light
Power: 12W
Lumens: 740lm
Efficiency: 62lm/W
Body colour: Black
Material: Metal

LED | 120° | A T G | G

warm WHITE 3000K — **93M20DL1230/BL**
neutral WHITE 4000K — **93M20DL1240/BL**



Type: Magnet LED Light
Power: 12W
Lumens: 1220lm
Efficiency: 102lm/W
Body colour: Black
Material: Metal + Plastic

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



93M20FL1030/BL
93M20FL1040/BL



93M20FL2030/BL
93M20FL2040/BL




93M20FL3030/BL
93M20FL3040/BL

FOUR POLES MAGNETIC LED LIGHTS, FL & DL SERIES

LED | 120° | A I G | G | warm WHITE 3000K | neutral WHITE 4000K


93M20FL1030/BL
93M20FL1040/BL



Type: Magnet LED Light
Power: 10W
Lumens: 600lm
Efficiency: 60lm/W
Body colour: Black
Material: Metal

LED | 120° | A I G | G | warm WHITE 3000K | neutral WHITE 4000K


93M20FL2030/BL
93M20FL2040/BL



Type: Magnet LED Light
Power: 20W
Lumens: 1160lm
Efficiency: 58lm/W
Body colour: Black
Material: Meta

LED | 120° | A I G | G | warm WHITE 3000K | neutral WHITE 4000K

93M20FL3030/BL
93M20FL3040/BL



Type: Magnet LED Light
Power: 30W
Lumens: 1530lm
Efficiency: 51lm/W
Body colour: Black
Material: Metal

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
48V DC
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



93M20TL0530/BL
93M20TL0540/BL



93M20TL1230/BL
93M20TL1240/BL



93M20TL1630/BL
93M20TL1640/BL

FOUR POLES MAGNETIC LED FLOODLIGHT, TL SERIES

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
48V DC
Ra≥80
EMC

LED | 36° | A G | G | warm WHITE 3000K | neutral WHITE 4000K

93M20TL0530/BL
93M20TL0540/BL



Type: Magnet foldable LED fixture
Power: 5W
Lumens: 170lm
Efficiency: 34lm/W
Body colour: Black
Material: Metal

LED | 36° | A G | G | warm WHITE 3000K | neutral WHITE 4000K

93M20TL1230/BL
93M20TL1240/BL



Type: Magnet foldable LED fixture
Power: 12W
Lumens: 880lm
Efficiency: 74lm/W
Body colour: Black
Material: Metal

LED | 36° | A G | G | warm WHITE 3000K | neutral WHITE 4000K

93M20TL1630/BL
93M20TL1640/BL



Type: Magnet foldable LED fixture
Power: 16W
Lumens: 1520lm
Efficiency: 95lm/W
Body colour: Black
Material: Metal

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



93M20PL0930/BL
93M20PL0940/BL




93M20TL2030/BL
93M20TL2040/BL

FOUR POLES MAGNETIC LED LIGHTS, PL & TL SERIES

LED | warm WHITE 3000K | 36° | A↑G F


93M20PL0930/BL



Type: Magnet LED pendant light
Power: 9W
Lumens: 920lm
Efficiency: 102lm/W
Body colour: Black
Material: Metal

LED | neutral WHITE 4000K | 36° | A↑G F


93M20PL0940/BL



Type: Magnet LED pendant light
Power: 9W
Lumens: 920lm
Efficiency: 102lm/W
Body colour: Black
Material: Metal

LED | 36° | A↑G G

warm WHITE 3000K — 93M20TL2030/BL
neutral WHITE 4000K — 93M20TL2040/BL



Type: Magnet foldable LED fixture
Power: 2x8W
Lumens: 960lm
Efficiency: 60lm/W
Body colour: Black
Material: Metal


3 YEARS TOTAL WARRANTY
+ 3 standard 0 extended

IP20
48V DC
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



93M21PLB1030/BL
93M21PLB1040/BL



93M21TLB1030/BL
93M21TLB1040/BL

FOUR POLES MAGNETIC LED LIGHTS, PLB & TLB SERIES


3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
48V DC
Ra≥80
EMC

LED | 36° | A T G | G

warm WHITE 3000K — **93M21PLB1030/BL**

neutral WHITE 4000K — **93M21PLB1040/BL**




Type: Magnet LED pendant light
Power: 12W
Lumens: 920lm
Efficiency: 77lm/W
Body colour: Black
Material: Metal

LED | 36° | A T G | G

warm WHITE 3000K — **93M21TLB1030/BL**

neutral WHITE 4000K — **93M21TLB1040/BL**




Type: Magnet LED fixture
Power: 12W
Lumens: 920lm
Efficiency: 77lm/W
Body colour: Black
Material: Metal

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



93M20TLB1030/BL
93M20TLB1040/BL




93M20PLB1030/BL
93M20PLB1040/BL

FOUR POLES MAGNETIC LED LIGHTS, PLB & TLB SERIES

LED | 120° | A↑G | G | warm WHITE 3000K | neutral WHITE 4000K


93M20PLB1030/BL
93M20PLB1040/BL



Type: Magnet LED pendant light
Power: 10W
Lumens: 860lm
Efficiency: 86lm/W
Body colour: Black
Material: Metal + PC

LED | 120° | A↑G | G | warm WHITE 3000K | neutral WHITE 4000K

93M20TLB1030/BL
93M20TLB1040/BL



Type: Magnet LED fixture
Power: 10W
Lumens: 860lm
Efficiency: 86lm/W
Body colour: Black
Material: Metal + PC

3 YEARS TOTAL WARRANTY
+ 3 standard 0 extended

IP20
48V DC
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



93MR2OM2/BL



93MA019




93MA021



93MA020


FOUR POLES 48V TRACK RAILS FOR MAGNETIC LIGHTS

93MR2OM2/BL




Type: Four poles 48V track rail with plastic cover for magnetic lights
Body colour: Black
Length: 2000 mm
Mounting: Surface
Material: Aluminum

93MA019




Type: L-connector for magnetic track rail 93MR2OM2/BL
Body colour: Black
Mounting: Surface
Material: Aluminum

93MA020



Type: Inside corner for magnetic track rail 93MR2OM2/BL
Body colour: Black
Mounting: Surface
Material: Aluminum

93MA021



Type: T-connector for magnetic track rail 93MR2OM2/BL
Body colour: Black
Mounting: Surface
Material: Aluminum

IP20
48V DC
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.


Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



93MA022



93MA023




93MA017



93MA033


FOUR POLES 48V ACCESSORIES FOR MAGNETIC LIGHTS

93MA022




Type: X-connector for magnetic track rail 93MR2OM2/BL
Body colour: Black
Mounting: Surface
Material: Aluminum

93MA023



Type: Connector for magnetic track rail 93MR2OM2/BL
Body colour: Black
Mounting: To connect two rails
Material: Aluminum

93MA017



Type: Two hanging wires (SET) for magnetic track rail 93MR2OM2/BL
Colour: Grey
Length: 2000 mm
Mounting: Ceiling
Material: Metal

93MA033



Type: Two surface mount accessories (SET) for magnetic track rail 93MR2OM2/BL
Colour: Grey
Mounting: Surface
Material: Metal

IP20
48V DC
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



93MR2BM2/BL




93MA024



93MA025


FOUR POLES 48V ACCESSORIES FOR MAGNETIC LIGHTS

93MR2BM2/BL




Type: Four poles 48V track rail with plastic cover for magnetic lights
Body colour: Black
Length: 2000 mm
Mounting: Recessed under dry wall
Material: Aluminum

93MA024



Type: L-connector for magnetic track rail 93MR2BM2/BL
Body colour: Black
Mounting: Recessed
Material: Aluminum

93MA025



Type: Inside corner for magnetic track rail 93MR2BM2/BL
Body colour: Black
Mounting: Recessed
Material: Aluminum

IP20
48V DC
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store




93MA026



93MA027


FOUR POLES 48V ACCESSORIES FOR MAGNETIC LIGHTS

93MA026



Type: T-connector for magnetic track rail 93MR2BM2/BL
Body colour: Black
Mounting: Recessed
Material: Aluminum

93MA027



Type: X-connector for magnetic track rail 93MR2BM2/BL
Body colour: Black
Mounting: Recessed
Material: Aluminum

IP20
48V DC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



93MR3BM2/BL



93MA028




93MA029



93MA030


FOUR POLES 48V RAIL & ACCESSORIES FOR MAGNETIC LIGHTS

93MR3BM2/BL




Type: Four poles 48V track rail with plastic cover for magnetic lights
Body colour: Black
Length: 2000 mm
Mounting: Recessed under dry wall
Material: Aluminum

93MA028




Type: L-connector for magnetic track rail 93MR3BM2/BL
Body colour: Black
Mounting: Recessed
Material: Aluminum

93MA029



Type: Inside corner for magnetic track rail 93MR3BM2/BL
Body colour: Black
Mounting: Recessed
Material: Aluminum

93MA030



Type: T-connector for magnetic track rail 93MR3BM2/BL
Body colour: Black
Mounting: Recessed
Material: Aluminum


IP20
48V DC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



93MA031



93MA034




93MA035



93MA005


FOUR POLES 48V ACCESSORIES FOR MAGNETIC LIGHTS

93MA031




Type: X-connector for magnetic track rail 93MR3BM2/BL
Body colour: Black
Mounting: Recessed
Material: Aluminum

93MA034




Type: End caps for magnetic track rails - 2pcs SET
Body colour: Black
Material: Aluminum

93MA035



Type: Connector for magnetic rails 93MR2BM2 & 93MR3BM2
Mounting: Between two rails
Material: Metal

93MA005



Type: I- flexible connector for all type magnetic track rails
Body colour: Black
Mounting: In magnetic rail

IP20
48V DC
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



93MA006



93MA032



93MA016



93MA018


FOUR POLES 48V ACCESSORIES FOR MAGNETIC LIGHTS

93MA006



Type: Power adapter with cable for all type magnetic track rails
Body colour: Black
Mounting: In magnetic rail
Cable length: 0.5 m

93MA032




Type: I-connector for all types magnetic track rails
Body colour: Black
Mounting: In magnetic rail
Cable length: 0.5 m

93MA016



Type: Power adapter for all type T-connectors
Body colour: Black
Mounting: In T-connector

93MA018



Type: Power adapter for all type X-connectors
Body colour: Black
Mounting: In X-connector

IP20
48V DC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



93MA100SETDC/48
93MA200SETDC/48

CONSTANT VOLTAGE DRIVERS FOR MAGNETIC TRACK RAILS, 48V DC

93MA100SETDC/48



Type: Constant Voltage Driver for Magnetic Track Rails
Power: 100W
Input Voltage: 176-264V AC/ 50-60Hz
Output voltage: 48V DC
Output Current: 2.08A
Height: 58mm

93MA200SETDC/48



Type: Constant Voltage Driver for Magnetic Track Rails
Power: 200W
Input Voltage: 176-264V AC/ 50-60Hz
Output voltage: 48V DC
Output Current: 4.16A
Height: 60mm


3 YEARS TOTAL WARRANTY
+ 3 standard 0 extended

IP20
48V DC
RoHs COMPLAINT
EMC
CE

Scan QR code for 3D models, IES files & price.

TRACK LIGHT SYSTEMS





93FGNL2030/BL
93FGNL2040/BL
93FGNL3030/BL
93FGNL3040/BL




93FGNL6030/BL
93FGNL6040/BL

TWO LINES TRACK LIGHTS FGNL SERIES

LED | 120° | A G | G

warm WHITE 3000K — **93FGNL2030/BL**

neutral WHITE 4000K — **93FGNL2040/BL**




Type: Two lines track light
Power: 20W
Lumens: 1600lm
Efficiency: 80lm/W
Body colour: Black
Material: Aluminum + Plastic

LED | 120° | A G | G

warm WHITE 3000K — **93FGNL3030/BL**

neutral WHITE 4000K — **93FGNL3040/BL**




Type: Two lines track light
Power: 30W
Lumens: 2400lm
Efficiency: 80lm/W
Body colour: Black
Material: Aluminum + Plastic

LED | 120° | A G | G

warm WHITE 3000K — **93FGNL6030/BL**

neutral WHITE 4000K — **93FGNL6040/BL**



Type: Two lines track light
Power: 60W
Lumens: 4800lm
Efficiency: 80lm/W
Body colour: Black
Material: Aluminum + Plastic

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
~230V
Ra≥80
EMC
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



93PGNL2030/BL
93PGNL2040/BL



93SS1030/BL
93SS1040/BL

TWO LINES TRACK LIGHTS PGNL & SS SERIES

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
~230V
Ra≥80
EMC
RoHs COMPLAINT
CE

LED | 30° | F

warm WHITE 3000K — **93SS1030/BL**
neutral WHITE 4000K — **93SS1040/BL**



Type: Two lines track light
Power: 10W
Lumens: 800lm
Efficiency: 80lm/W
Body colour: Black
Material: Aluminum + Plastic

LED | 120° | G

warm WHITE 3000K — **93PGNL2030/BL**
neutral WHITE 4000K — **93PGNL2040/BL**



Type: Two lines track light
Power: 20W
Lumens: 1600lm
Efficiency: 80lm/W
Body colour: Black
Material: Aluminum + Plastic

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



93PFLD2030/BL
93PFLD2040/BL



93PFLD6030/BL
93PFLD6040/BL




93DFLD6040/BL
93DFLD6030/BL

TWO LINES TRACK LIGHTS PFLD & DFLD SERIES

LED | 30° | E | warm WHITE 3000K | neutral WHITE 4000K


93PFLD2030/BL
93PFLD2040/BL



Type: Two lines track light
Power: 20W
Lumens: 1600lm
Efficiency: 80lm/W
Body colour: Black
Material: Aluminum + Plastic

LED | 30° | E | warm WHITE 3000K | neutral WHITE 4000K

93PFLD6030/BL
93PFLD6040/BL



Type: Two lines track light
Power: 60W
Lumens: 4800lm
Efficiency: 80lm/W
Body colour: Black
Material: Aluminum + Plastic

LED | 30° | F | warm WHITE 3000K | neutral WHITE 4000K

93DFLD6030/BL
93DFLD6040/BL



Type: Two lines track light
Power: 2x30W
Lumens: 4800lm
Efficiency: 80lm/W
Body colour: Black
Material: Aluminum + Plastic

3 YEARS TOTAL WARRANTY
+ 3 standard 0 extended

IP20
~230V
Ra≥80
EMC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



93ZFLD1240/BL
93ZFLD1230/BL



93ZFLD2040/BL
93ZFLD2030/BL



93ZFLD3040/BL
93ZFLD3030/BL




93ZFLD6040/BL
93ZFLD6030/BL

TWO LINES TRACK LIGHTS ZFLD SERIES

LED | 30° | E

warm WHITE 3000K
neutral WHITE 4000K

93ZFLD1230/BL
93ZFLD1240/BL



Type: Two lines track light
Power: 12W
Lumens: 960lm
Efficiency: 80lm/W
Body colour: Black
Material: Aluminum + Plastic

LED | 30° | E

warm WHITE 3000K
neutral WHITE 4000K

93ZFLD2030/BL
93ZFLD2040/BL




Type: Two lines track light
Power: 20W
Lumens: 1600lm
Efficiency: 80lm/W
Body colour: Black
Material: Aluminum + Plastic

LED | 30° | E

warm WHITE 3000K
neutral WHITE 4000K

93ZFLD3030/BL
93ZFLD3040/BL



Type: Two lines track light
Power: 30W
Lumens: 2400lm
Efficiency: 80lm/W
Body colour: Black
Material: Aluminum + Plastic

LED | 30° | F

warm WHITE 3000K
neutral WHITE 4000K

93ZFLD6030/BL
93ZFLD6040/BL



Type: Two lines track light
Power: 60W
Lumens: 4800lm
Efficiency: 80lm/W
Body colour: Black
Material: Aluminum + Plastic

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
~230V
Ra≥80
EMC
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store




93K302L12CCT/BL




93K302L24CCT/BL
93K302L48CCT/BL

TWO LINES TRACK LIGHTS K30 SERIES




93K302L12CCT/BL



Type: Two lines track light
Power: 12W
Lumens: 840lm
Efficiency: 70lm/W
Rail connectors: 1pc
Body colour: Black
Material: Aluminum

**CCT Colour Temperature adjustable*




93K302L24CCT/BL



Type: Two lines track light
Power: 24W
Lumens: 1680lm
Efficiency: 70lm/W
Rail connectors: 2 pc
Body colour: Black
Material: Aluminum

**CCT Colour Temperature adjustable*



93K302L48CCT/BL



Type: Two lines track light
Power: 48W
Lumens: 3360lm
Efficiency: 70lm/W
Rail connectors: 2 pc
Body colour: Black
Material: Aluminum

**CCT Colour Temperature adjustable*

3 YEARS TOTAL WARRANTY
3 standard
0 extended

IP40
~230V
Ra≥80
EMC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



93K304L12CCT/BL



93K304L24CCT/BL
93K304L48CCT/BL



93TL206750WW/BL
93TL206750W/BL


FOUR LINES TRACK LIGHTS K30 & TL SERIES

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP40
~230V
Ra≥80
EMC
RoHs COMPLIANT
CE

93K304L12CCT/BL

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | A↑G G | 120°



Type: Four lines track light
Power: 12W
Lumens: 840lm
Efficiency: 70lm/W
Rail connectors: 1pc
Body colour: Black
Material: Aluminum

**CCT Colour Temperature adjustable*

93K304L24CCT/BL

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | A↑G G | 120°



Type: Four lines track light
Power: 24W
Lumens: 1680lm
Efficiency: 70lm/W
Rail connectors: 2 pc
Body colour: Black
Material: Aluminum

**CCT Colour Temperature adjustable*

93K304L48CCT/BL

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | A↑G G | 120°



Type: Four lines track light
Power: 48W
Lumens: 3360lm
Efficiency: 70lm/W
Rail connectors: 2 pc
Body colour: Black
Material: Aluminum

**CCT Colour Temperature adjustable*

93TL206750WW/BL
93TL206750W/BL

LED | 90° | A↑G F | warm WHITE 3000K | neutral WHITE 4000K



Type: Four lines folding track light
Power: 50W
Lumens: 5500lm
Efficiency: 110lm/W
Body colour: Black
Material: Aluminum

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



93B602L24CCT/BL
93B604L42CCT/BL




93B602L42CCT/BL
93B604L42CCT/BL

TWO & FOUR LINES TRACK LIGHTS B60 SERIES SUPER SLIM

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 5700K | SETTABLE | A↑G F | 60°

93B602L24CCT/BL



Type: Two lines track light
Power: 24W
Lumens: 2400lm
Efficiency: 100lm/W
Rail connectors: 1pc
Body colour: Black
Material: Aluminum

CCT Colour Temperature adjustable

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 5700K | SETTABLE | A↑G F | 60°

93B602L42CCT/BL



Type: Two lines track light
Power: 42W
Lumens: 4200lm
Efficiency: 100lm/W
Rail connectors: 1pc
Body colour: Black
Material: Aluminum

CCT Colour Temperature adjustable

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 5700K | SETTABLE | A↑G F | 60°

93B604L24CCT/BL



Type: Four lines track light
Power: 24W
Lumens: 2400lm
Efficiency: 100lm/W
Rail connectors: 1pc
Body colour: Black
Material: Aluminum

CCT Colour Temperature adjustable

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 5700K | SETTABLE | A↑G F | 60°

93B604L42CCT/BL



Type: Four lines track light
Power: 42W
Lumens: 4200lm
Efficiency: 100lm/W
Rail connectors: 1pc
Body colour: Black
Material: Aluminum

CCT Colour Temperature adjustable

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
Ra≥80
EMC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



93T302L12CCT/BL
93T304L12CCT/BL



93T302L24CCT/BL
93T304L24CCT/BL


TWO & FOUR LINES TRACK LIGHTS T30 SERIES SUPER SLIM

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP40
~230V
Ra≥80
EMC
RoHs COMPLAINT
CE

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 5700K | SETTABLE | A↑G F | 30°

93T302L12CCT/BL




Type: Two lines track light
Power: 12W
Lumens: 1200lm
Efficiency: 100lm/W
Rail connectors: 1pc
Body colour: Black
Material: Aluminum

CCT Colour Temperature adjustable

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 5700K | SETTABLE | A↑G F | 30°

93T302L24CCT/BL



Type: Two lines track light
Power: 24W
Lumens: 2400lm
Efficiency: 100lm/W
Rail connectors: 2pc
Body colour: Black
Material: Aluminum

CCT Colour Temperature adjustable

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 5700K | SETTABLE | A↑G F | 30°

93T304L12CCT/BL




Type: Four lines track light
Power: 12W
Lumens: 1200lm
Efficiency: 100lm/W
Rail connectors: 1pc
Body colour: Black
Material: Aluminum

CCT Colour Temperature adjustable

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 5700K | SETTABLE | A↑G F | 30°

93T304L24CCT/BL



Type: Four lines track light
Power: 24W
Lumens: 2400lm
Efficiency: 100lm/W
Rail connectors: 2pc
Body colour: Black
Material: Aluminum

CCT Colour Temperature adjustable

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended Bulb



GU10

page 726

ELMARK
The Brand of Electricity



93TL292LGU10/BL
93TL294LGU10/BL



93TL292LGU10/WH
93TL294LGU10/WH

TWO & FOUR LINES TRACK HANGING LIGHT, TL29 SERIES

Lamps Not Included | 1xGU10 | 24°


93TL292LGU10/BL



Type: Two lines track light - hanging
Body colour: Black
Material: Aluminum
Max.: 8W

Lamps Not Included | 1xGU10 | 24°

93TL292LGU10/WH



Type: Two lines track light - hanging
Body colour: White
Material: Aluminum
Max.: 8W

Lamps Not Included | 1xGU10 | 24°


93TL294LGU10/BL



Type: Four lines track light - hanging
Body colour: Black
Material: Aluminum
Max.: 8W

Lamps Not Included | 1xGU10 | 24°

93TL294LGU10/WH



Type: Four lines track light - hanging
Body colour: White
Material: Aluminum
Max.: 8W

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
12V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



93TL292L10WW/BL
93TL292L10W/BL
93TL292L15WW/BL
93TL292L15W/BL



93TL292L10WW/WH
93TL292L10W/WH
93TL292L15WW/WH
93TL292L15W/WH

TWO LINES TRACK HANGING LIGHT, TL29 SERIES

LED | 24° | A G | G

warm WHITE 2700K
neutral WHITE 4000K

93TL292L10WW/BL
93TL292L10W/BL



Type: Two lines track light - hanging
Power: 10W
Lumens: 800lm
Efficiency: 80lm/W
Body colour: Black
Material: Aluminum

LED | 24° | A G | G

warm WHITE 2700K
neutral WHITE 4000K

93TL292L15WW/BL
93TL292L15W/BL




Type: Two lines track light - hanging
Power: 15W
Lumens: 1500lm
Efficiency: 100lm/W
Body colour: Black
Material: Aluminum

LED | 24° | A G | G

warm WHITE 2700K
neutral WHITE 4000K

93TL292L10WW/WH
93TL292L10W/WH




Type: Two lines track light - hanging
Power: 10W
Lumens: 800lm
Efficiency: 80lm/W
Body colour: White
Material: Aluminum

LED | 24° | A G | G

warm WHITE 2700K
neutral WHITE 4000K

93TL292L15WW/WH
93TL292L15W/WH



Type: Two lines track light - hanging
Power: 15W
Lumens: 1500lm
Efficiency: 100lm/W
Body colour: White
Material: Aluminum

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
Ra≥80
EMC
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



93TL294L10WW/BL
93TL294L10W/BL
93TL294L15WW/BL
93TL294L15W/BL



93TL294L10WW/WH
93TL294L10W/WH
93TL294L15WW/WH
93TL294L15W/WH

FOUR LINES TRACK HANGING LIGHT, TL29 SERIES

LED | 24° | A G | G

warm WHITE 2700K — **93TL294L10WW/BL**

neutral WHITE 4000K — **93TL294L10W/BL**



Type: Four lines track light - hanging
Power: 10W
Lumens: 800lm
Efficiency: 80lm/W
Body colour: Black
Material: Aluminum

LED | 24° | A G | G

warm WHITE 2700K — **93TL294L15WW/BL**

neutral WHITE 4000K — **93TL294L15W/BL**




Type: Four lines track light - hanging
Power: 15W
Lumens: 1500lm
Efficiency: 100lm/W
Body colour: Black
Material: Aluminum

LED | 24° | A G | G

warm WHITE 2700K — **93TL294L10WW/WH**

neutral WHITE 4000K — **93TL294L10W/WH**




Type: Four lines track light - hanging
Power: 10W
Lumens: 800lm
Efficiency: 80lm/W
Body colour: White
Material: Aluminum

LED | 24° | A G | G

warm WHITE 2700K — **93TL294L15WW/WH**

neutral WHITE 4000K — **93TL294L15W/WH**



Type: Four lines track light - hanging
Power: 15W
Lumens: 1500lm
Efficiency: 100lm/W
Body colour: White
Material: Aluminum

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
Ra≥80
EMC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



93TL202520WW/BL

TWO & FOUR LINES TRACK LIGHT, SKY TL2025 SERIES

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP40
~230V
Ra≥80
EMC
RoHs COMPLIANT
CE

LED | 24° | G

warm WHITE 2700K
neutral WHITE 4000K

93TL202520WW/BL
93TL202520W/BL



Type: Two lines track light
Power: 23W
Lumens: 1400lm
Efficiency: 70lm/W
Body colour: Black
Material: Aluminum

LED | 24° | G

warm WHITE 2700K
neutral WHITE 4000K

93TL202530WW/BL
93TL202530W/BL



Type: Two lines track light
Power: 32W
Lumens: 2000lm
Efficiency: 70lm/W
Body colour: Black
Material: Aluminum

LED | 24° | G

warm WHITE 2700K
neutral WHITE 4000K

94TL202520WW/BL
94TL202520W/BL



Type: Four lines track light
Power: 23W
Lumens: 1400lm
Efficiency: 70lm/W
Body colour: Black
Material: Aluminum

LED | 24° | G

warm WHITE 2700K
neutral WHITE 4000K

94TL202530WW/BL
94TL202530W/BL



Type: Four lines track light
Power: 32W
Lumens: 2000lm
Efficiency: 70lm/W
Body colour: Black
Material: Aluminum

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



93TL202520WW/WH

TWO & FOUR LINES TRACK LIGHT, SKY TL2025 SERIES

LED | 24° | A↑G | G

warm WHITE 2700K — **93TL202520WW/WH**

neutral WHITE 4000K — **93TL202520W/WH**



Type: Two lines track light
Power: 23W
Lumens: 1400lm
Efficiency: 70lm/W
Body colour: White
Material: Aluminum

LED | 24° | A↑G | G

warm WHITE 2700K — **93TL202530WW/WH**

neutral WHITE 4000K — **93TL202530W/WH**



Type: Two lines track light
Power: 32W
Lumens: 2000lm
Efficiency: 70lm/W
Body colour: White
Material: Aluminum

LED | 24° | A↑G | G

warm WHITE 2700K — **94TL202520WW/WH**

neutral WHITE 4000K — **94TL202520W/WH**



Type: Four lines track light
Power: 23W
Lumens: 1400lm
Efficiency: 70lm/W
Body colour: White
Material: Aluminum

LED | 24° | A↑G | G

warm WHITE 2700K — **94TL202530WW/WH**

neutral WHITE 4000K — **94TL202530W/WH**



Type: Four lines track light
Power: 32
Lumens: 2000lm
Efficiency: 70lm/W
Body colour: White
Material: Aluminum

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
Ra≥80
EMC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



93FTL25WW/BL
93FTL25W/BL
93FTL25CW/BL
93FTL35WW/BL
93FTL35W/BL
93FTL35CW/BL

TWO LINES TRACK LIGHT, SKY FTL SERIES

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP40
~230V
Ra≥80
EMC
RoHs COMPLIANT
CE



LED | warm WHITE 2700K | 38° | A G F

93FTL25WW/BL

Type: Two lines track light
Power: 25W
Lumens: 2250lm
Efficiency: 90lm/W
Body colour: Black
Material: Aluminum

LED | neutral WHITE 4000K | 38° | A G F

93FTL25W/BL

Type: Two lines track light
Power: 25W
Lumens: 2250lm
Efficiency: 90lm/W
Body colour: Black
Material: Aluminum

LED | cold WHITE 6000K | 38° | A G F

93FTL25CW/BL

Type: Two lines track light
Power: 25W
Lumens: 2250lm
Efficiency: 90lm/W
Body colour: Black
Material: Aluminum



LED | warm WHITE 2700K | 38° | A G F

93FTL35WW/BL

Type: Two lines track light
Power: 35W
Lumens: 3150lm
Efficiency: 90lm/W
Body colour: Black
Material: Aluminum

LED | neutral WHITE 4000K | 38° | A G F

93FTL35W/BL

Type: Two lines track light
Power: 35W
Lumens: 3150lm
Efficiency: 90lm/W
Body colour: Black
Material: Aluminum

LED | cold WHITE 6000K | 38° | A G F

93FTL35CW/BL

Type: Two lines track light
Power: 35W
Lumens: 3150lm
Efficiency: 90lm/W
Body colour: Black
Material: Aluminum

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



94FTL25WW/BL
94FTL25W/BL
94FTL25CW/BL
94FTL35WW/BL
94FTL35W/BL
94FTL35CW/BL

FOUR LINES TRACK LIGHT, SKY FTL SERIES



LED | warm WHITE 2700K | 38° | A G F

934FTL25WW/BL

Type: Four lines track light
Power: 25W
Lumens: 2250lm
Efficiency: 90lm/W
Body colour: Black
Material: Aluminum

LED | neutral WHITE 4000K | 38° | A G F

934FTL25W/BL

Type: Four lines track light
Power: 25W
Lumens: 2250lm
Efficiency: 90lm/W
Body colour: Black
Material: Aluminum

LED | cold WHITE 6000K | 38° | A G F

934FTL25CW/BL

Type: Four lines track light
Power: 25W
Lumens: 2250lm
Efficiency: 90lm/W
Body colour: Black
Material: Aluminum



LED | warm WHITE 2700K | 38° | A G F

934FTL35WW/BL

Type: Four lines track light
Power: 35W
Lumens: 3150lm
Efficiency: 90lm/W
Body colour: Black
Material: Aluminum

LED | neutral WHITE 4000K | 38° | A G F

934FTL35W/BL

Type: Four lines track light
Power: 35W
Lumens: 3150lm
Efficiency: 90lm/W
Body colour: Black
Material: Aluminum

LED | cold WHITE 6000K | 38° | A G F

934FTL35CW/BL

Type: Four lines track light
Power: 35W
Lumens: 3150lm
Efficiency: 90lm/W
Body colour: Black
Material: Aluminum

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
Ra≥80
EMC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity




93FTL25WW/WH
93FTL25W/WH
93FTL25CW/WH
93FTL35WW/WH
93FTL35W/WH
93FTL35CW/WH

TWO LINES TRACK LIGHT, SKY FTL SERIES

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP40
~230V
Ra≥80
EMC
RoHs COMPLAINT
CE



LED | warm WHITE 2700K | 38° | A↑G F

93FTL25WW/WH

Type: Two lines track light
Power: 25W
Lumens: 2250lm
Efficiency: 90lm/W
Body colour: White
Material: Aluminum

LED | neutral WHITE 4000K | 38° | A↑G F

93FTL25W/WH

Type: Two lines track light
Power: 25W
Lumens: 2250lm
Efficiency: 90lm/W
Body colour: White
Material: Aluminum

LED | cold WHITE 6000K | 38° | A↑G F

93FTL25CW/WH

Type: Two lines track light
Power: 25W
Lumens: 2250lm
Efficiency: 90lm/W
Body colour: White
Material: Aluminum



LED | warm WHITE 2700K | 38° | A↑G F

93FTL35WW/WH

Type: Two lines track light
Power: 35W
Lumens: 3150lm
Efficiency: 90lm/W
Body colour: White
Material: Aluminum

LED | neutral WHITE 4000K | 38° | A↑G F

93FTL35W/WH

Type: Two lines track light
Power: 35W
Lumens: 3150lm
Efficiency: 90lm/W
Body colour: White
Material: Aluminum

LED | cold WHITE 6000K | 38° | A↑G F

93FTL35CW/WH

Type: Two lines track light
Power: 35W
Lumens: 3150lm
Efficiency: 90lm/W
Body colour: White
Material: Aluminum

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



94FTL25WW/WH
94FTL25W/WH
94FTL25CW/WH
94FTL35WW/WH
94FTL35W/WH
94FTL35CW/WH

FOUR LINES TRACK LIGHT, SKY FTL SERIES



LED | warm WHITE 2700K | 38° | A↑G F

934FTL25WW/WH

Type: Four lines track light
Power: 25W
Lumens: 2250lm
Efficiency: 90lm/W
Body colour: White
Material: Aluminum

LED | neutral WHITE 4000K | 38° | A↑G F

934FTL25W/WH

Type: Four lines track light
Power: 25W
Lumens: 2250lm
Efficiency: 90lm/W
Body colour: White
Material: Aluminum

LED | cold WHITE 6000K | 38° | A↑G F

934FTL25CW/WH

Type: Four lines track light
Power: 25W
Lumens: 2250lm
Efficiency: 90lm/W
Body colour: White
Material: Aluminum



LED | warm WHITE 2700K | 38° | A↑G F

934FTL35WW/WH

Type: Four lines track light
Power: 35W
Lumens: 3150lm
Efficiency: 90lm/W
Body colour: White
Material: Aluminum

LED | neutral WHITE 4000K | 38° | A↑G F

934FTL35W/WH

Type: Four lines track light
Power: 35W
Lumens: 3150lm
Efficiency: 90lm/W
Body colour: White
Material: Aluminum

LED | cold WHITE 6000K | 38° | A↑G F

934FTL35CW/WH

Type: Four lines track light
Power: 35W
Lumens: 3150lm
Efficiency: 90lm/W
Body colour: White
Material: Aluminum

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
Ra≥80
EMC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



93TL5020WW/BL
93TL5020W/BL
93TL5020CW/BL

TWO LINES TRACK LIGHT, SKY TL 5020 SERIES

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP40
~230V
Ra≥80
EMC
RoHs COMPLAINT
CE



LED warm WHITE 2700K 36° G

93TL5020WW/BL

Type: Two lines track light
Power: 20W
Lumens: 1800lm
Efficiency: 90lm/W
Body colour: Black
Material: Aluminum

LED neutral WHITE 4000K 36° G

93TL5020W/BL

Type: Two lines track light
Power: 20W
Lumens: 1800lm
Efficiency: 90lm/W
Body colour: Black
Material: Aluminum

LED cold WHITE 6000K 36° G

93TL5020CW/BL

Type: Two lines track light
Power: 20W
Lumens: 1800lm
Efficiency: 90lm/W
Body colour: Black
Material: Aluminum

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



93TL5020WW/WH
93TL5020W/WH
93TL5020CW/WH

TWO LINES TRACK LIGHT, SKY TL 5020 SERIES



LED | warm WHITE 2700K | 36° | G

93TL5020WW/WH

Type: Two lines track light
Power: 20W
Lumens: 1800lm
Efficiency: 90lm/W
Body colour: White
Material: Aluminum

LED | neutral WHITE 4000K | 36° | G

93TL5020W/WH

Type: Two lines track light
Power: 20W
Lumens: 1800lm
Efficiency: 90lm/W
Body colour: White
Material: Aluminum

LED | cold WHITE 6000K | 36° | G

93TL5020CW/WH

Type: Two lines track light
Power: 20W
Lumens: 1800lm
Efficiency: 90lm/W
Body colour: White
Material: Aluminum

2 YEARS TOTAL WARRANTY
2 standard + 0 extended

IP40
~230V
Ra≥80
EMC
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



93SKY4527
93SKY4540
93SKY4564
94SKY4527
94SKY4540
94SKY4564

TWO & FOUR LINES TRACK LIGHT, SKY TL808 SERIES

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP40
~230V
Ra≥80
EMC
RoHs COMPLAINT
CE



LED | warm WHITE 2700K | 90° | A↑G F

93SKY4527

Type: Two lines track light
Power: 15W
Lumens: 1275lm
Efficiency: 85lm/W
Body colour: Black
Material: Aluminum

LED | neutral WHITE 4000K | 90° | A↑G F

93SKY4540

Type: Two lines track light
Power: 15W
Lumens: 1275lm
Efficiency: 85lm/W
Body colour: Black
Material: Aluminum

LED | cold WHITE 6400K | 90° | A↑G F

93SKY4564

Type: Two lines track light
Power: 15W
Lumens: 1275lm
Efficiency: 85lm/W
Body colour: Black
Material: Aluminum



LED | warm WHITE 2700K | 90° | A↑G F

94SKY4527

Type: Four lines track light
Power: 15W
Lumens: 1275lm
Efficiency: 85lm/W
Body colour: Black
Material: Aluminum

LED | neutral WHITE 4000K | 90° | A↑G F

94SKY4540

Type: Four lines track light
Power: 15W
Lumens: 1275lm
Efficiency: 85lm/W
Body colour: Black
Material: Aluminum

LED | cold WHITE 6400K | 90° | A↑G F

94SKY4564

Type: Four lines track light
Power: 15W
Lumens: 1275lm
Efficiency: 85lm/W
Body colour: Black
Material: Aluminum

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



93SKY3527
93SKY3540
93SKY3564
94SKY3527
94SKY3540
94SKY3564

TWO & FOUR LINES TRACK LIGHT, SKY TL808 SERIES



LED | warm WHITE 2700K | 90° | A↑G F

93SKY3527

Type: Two lines track light
Power: 15W
Lumens: 1275lm
Efficiency: 85lm/W
Body colour: White
Material: Aluminum

LED | neutral WHITE 4000K | 90° | A↑G F

93SKY3540

Type: Two lines track light
Power: 15W
Lumens: 1275lm
Efficiency: 85lm/W
Body colour: White
Material: Aluminum

LED | cold WHITE 6400K | 90° | A↑G F

93SKY3564

Type: Two lines track light
Power: 15W
Lumens: 1275lm
Efficiency: 85lm/W
Body colour: White
Material: Aluminum



LED | warm WHITE 2700K | 90° | A↑G F

94SKY3527

Type: Four lines track light
Power: 15W
Lumens: 1275lm
Efficiency: 85lm/W
Body colour: White
Material: Aluminum

LED | neutral WHITE 4000K | 90° | A↑G F

94SKY3540

Type: Four lines track light
Power: 15W
Lumens: 1275lm
Efficiency: 85lm/W
Body colour: White
Material: Aluminum

LED | cold WHITE 6400K | 90° | A↑G F

94SKY3564

Type: Four lines track light
Power: 15W
Lumens: 1275lm
Efficiency: 85lm/W
Body colour: White
Material: Aluminum

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP40
~230V
Ra≥80
EMC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



GU10

page 725

ELMARK
The Brand of Electricity



93TL5LEDBL
94TL5LEDBL



93TL5
94TL5

TWO & FOUR LINES TRACK LIGHT, SKY TL5 SERIES

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
RoHs COMPLIANT
CE

Lamps Not Included 1xGU10

93TL5LEDBL



Type: Two lines track light
Body colour: Black
Material: Aluminum
Max.: 8W

Lamps Not Included 1xGU10

93TL5



Type: Two lines track light
Body colour: White
Material: Aluminum
Max.: 8W

Lamps Not Included 1xGU10

94TL5LEDBL



Type: Four lines track light
Body colour: Black
Material: Aluminum
Max.: 8W

Lamps Not Included 1xGU10

94TL5



Type: Four lines track light
Body colour: White
Material: Aluminum
Max.: 8W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



GU10

page 724

ELMARK
The Brand of Electricity



93TL2032/BL
94TL2032/BL



93TL2032/WH
94TL2032/WH

TWO & FOUR LINES TRACK LIGHT, TL2032 SERIES

Lamps Not Included 1xGU10


93TL2032/BL



Type: Two lines track light
Body colour: Black
Material: Iron
Max.: 8W

Lamps Not Included 1xGU10

93TL2032/WH



Type: Two lines track light
Body colour: White
Material: Iron
Max.: 8W

Lamps Not Included 1xGU10


94TL2032/BL



Type: Four lines track light
Body colour: Black
Material: Iron
Max.: 8W

Lamps Not Included 1xGU10

94TL2032/WH



Type: Four lines track light
Body colour: White
Material: Iron
Max.: 8W

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP40
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



GU10

page 724

ELMARK
The Brand of Electricity



93TL2044/BL
94TL2044/BL



93TL2044/WH
94TL2044/WH


TWO & FOUR LINES TRACK LIGHT, SKY TL2044 SERIES

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP40
~230V
RoHs COMPLAINT
CE

Lamps Not Included 1xGU10


93TL2044/BL



Type: Two lines track light
Body colour: Black
Material: Iron
Max.: 8W

Lamps Not Included 1xGU10


93TL2044/WH



Type: Two lines track light
Body colour: White
Material: Iron
Max.: 8W

Lamps Not Included 1xGU10


94TL2044/BL



Type: Four lines track light
Body colour: Black
Material: Iron
Max.: 8W

Lamps Not Included 1xGU10

94TL2044/WH



Type: Four lines track light
Body colour: White
Material: Iron
Max.: 8W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 722

ELMARK
The Brand of Electricity



93TL809/BL



93TL809/WH

TWO & FOUR LINES TRACK LIGHT, SKY TL809 SERIES

Lamps Not Included | 1xE27

93TL809/BL



Type: Two lines track light
Body colour: Black
Material: Aluminum
Max.: 15W

Lamps Not Included | 1xE27

93TL809/WH



Type: Two lines track light
Body colour: White
Material: Aluminum
Max.: 15W

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP40
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



TWO LINES TRACK RAILS

93301



Type: Two lines track rail
Body colour: Black
Width: 40 mm
Material: Aluminum
Max.: 10A

93302



Type: Two lines track rail
Body colour: Black
Width: 40 mm
Material: Aluminum
Max.: 10A

93101



Type: Two lines track rail
Body colour: White
Width: 40 mm
Material: Aluminum
Max.: 10A

93102



Type: Two line track rail
Body colour: White
Width: 40 mm
Material: Aluminum
Max.: 10A

IP20
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



I - TYPE
93310



L - TYPE
93320




T - TYPE
93330



X - TYPE
93340


TWO LINES TRACK ADAPTERS

● **93310**
○ **93110**




Type: I-type adapter for two lines track rail
Body colour: Black | White
Width: 40 mm
Material: Aluminum
Max.: 10A

● **93320**
○ **93120**



Type: L-type adapter for two lines track rail
Body colour: Black | White
Width: 40 mm
Material: Aluminum
Max.: 10A

● **93330**
○ **93130**



Type: T-type adapter for two lines track rail
Body colour: Black | White
Width: 40 mm
Material: Aluminum
Max.: 10A

● **93340**
○ **93140**



Type: X-type adapter for two lines track rail
Body colour: Black | White
Width: 40 mm
Material: Aluminum
Max.: 10A

IP20
~230V
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



94101



94301

FOUR LINES TRACK RAILS

94301




Type: Four lines track rail
Body colour: Black
Width: 34 mm
Material: Aluminum
Max.: 10A
** The track rail comes without power supply*

94302




Type: Four lines track rail
Body colour: Black
Width: 34 mm
Material: Aluminum
Max.: 10A
** The track rail comes without power supply*

94101



Type: Four lines track rail
Body colour: White
Width: 34 mm
Material: Aluminum
Max.: 10A
** The track rail comes without power supply*

94102



Type: Four lines track rail
Body colour: White
Width: 34 mm
Material: Aluminum
Max.: 10A
** The track rail comes without power supply*

IP20
~230V
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



I - TYPE
94310



L - TYPE
94320



T - TYPE
94330



X - TYPE
94340


FOUR LINES TRACK ADAPTERS

● **94310**
○ **94110**




Type: I-type adapter for four lines track rail
Body colour: Black | White
Width: 30 mm
Material: ABS anti-flaming + copper sheet
Max.: 10A

● **94320**
○ **94120**




Type: L-type adapter for two lines track rail
Body colour: Black | White
Width: 30 mm
Material: ABS anti-flaming + copper sheet
Max.: 10A

● **94330**
○ **94130**



Type: T-type adapter for two lines track rail
Body colour: Black | White
Width: 30 mm
Material: ABS anti-flaming + copper sheet
Max.: 10A

● **94340**
○ **93140**



Type: X-type adapter for two lines track rail
Body colour: Black | White
Width: 30 mm
Material: ABS anti-flaming + cooper sheet
Max.: 10A

IP20
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



L- TYPE
94120M




94150



94160

FOUR LINES TRACK ADAPTERS

● **94320M**
○ **94120M**




Type: Four lines soft L-type connector
Body colour: Black | White
Width: 30 mm
Material: ABS anti-flaming + cooper sheet
Max.: 10A

● **94350**
○ **94150**



Type: Four lines power supply
Body colour: Black | White
Width: 30 mm
Material: ABS anti-flaming + cooper sheet
Max.: 10A

● **94360**
○ **94160**



Type: End cap
Body colour: Black | White
Width: 30 mm
Material: ABS anti-flaming

IP20
~230V
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



93SKY01/BL



93SKY01/W

TWO & FOUR LINES TRACK CONNECTORS

93SKY01/BL



Type: Connector for two lines track rail
Body colour: Black
Material: Plastic

93SKY01/W



Type: Connector for two lines track rail
Body colour: White
Material: Plastic

93SKY03/BL



Type: Connector for four lines track rail
Body colour: Black
Material: Plastic

93SKY03/W



Type: Connector for four lines track rail
Body colour: White
Material: Plastic

IP20
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

EMERGENCY LIGHTS





9XL88LED



9XL88A LED



98XL103LEDIP65

EMERGENCY LIGHTS, XL SERIES

LED IP44


9XL88LED



Type: Exit - double face
Power: 3W/6LED
Luminous flux: 80mcd
Emergency time: ≈ 2h
Battery: 1.2V / 800mAh Ni-Cd
Mounting: Surface/Hanging

LED IP44

9XL88A LED



Type: Exit - one face
Power: 3W/6LED
Luminous flux: 80mcd
Emergency time: ≈ 2h
Battery: 1.2V / 800mAh Ni-Cd
Mounting: Surface/Hanging

LED IP65

98XL103LEDIP65



Type: Emergency fixture with stickers
Power: 5W/27LED
Luminous flux: 200 mcd
Emergency time: ≥ 3h
Battery: 3.7V / 2000mAh Ni-Cd
Body colour: White with stickers
Material: ABS+PC
Mounting: Surface
* With 5 stickers



5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP44
IP65
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



9XL5113



9XL5114



9XL3114



9XL3115

EMERGENCY LIGHTS, XL SERIES

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP21

RoHs COMPLIANT

CE

Scan QR code for 3D models, IES files & price.

LED

9XL5113



Type: Surface Exit Light
Power: 3W/ 8 LED
Charging time: 8-12h
Emergency time: 3h
Battery: 1.2V/800mAh Ni-Cd
Mounting: Surface / Hanging
Material: ABS + PC

LED

9XL5114



Type: Surface Exit Light
Power: 3W/ 8 LED
Charging time: 8-12h
Emergency time: 3h
Battery: 1.2V/800mAh Ni-Cd
Mounting: Surface / Hanging
Material: ABS + PC

LED

9XL3114



Type: Surface Exit Light
Power: 3W/ 8 LED
Charging time: 8-12h
Emergency time: 3h
Battery: 1.2V/800mAh Ni-Cd
Mounting: Surface / Hanging
Material: ABS + PC

LED

9XL3115



Type: Surface Exit Light
Power: 3W/ 8 LED
Charging time: 8-12h
Emergency time: 3h
Battery: 1.2V/800mAh Ni-Cd
Mounting: Surface / Hanging
Material: ABS + PC

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



9AL3116




9AL3117

EMERGENCY LIGHTS, AL SERIES

LED Li-ion


9AL3116



Type: Recessed Exit Light
Power: 3W/8 LED
Emergency time: ≥ 3h
Battery: 1.2V/800mAh LiFePO4
Mounting: Plasterboard
Material: ABS + PC
With test button

LED Li-ion

9AL3117



Type: Recessed Exit Light
Power: 3W/8 LED
Emergency time: ≥ 3h
Battery: 1.2V/800mAh LiFePO4
Mounting: Plasterboard
Material: ABS + PC
With test button

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP21
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



9EL1150LED



9XL102LED

EMERGENCY LIGHTS

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended


IP21

RoHs COMPLAINT

CE

LED | cold WHITE 6000K | Li-ion

9EL1150LED




Type: Exit
Input Voltage: 110-220V AC
Operation Power: 1.5W
Lumens: 100lm
Charging time: 20-24h
Emergency time: 6-8h
Battery: Lithium 7V/2200mAh
Width: 55.3 mm
Body Colour: White
Mounting: Surface and Recessed



LED | cold WHITE 6000K | Li-ion

9XL102LED



Type: Emergency fixture
Input Voltage: 127-220V
Power: 2W/30LED
Lumens: 100lm
Charging time: 220V- 12h
Emergency time: 5h
Battery: Lithium 3.7V/1000mAh
Body colour: White
Mounting: Surface



Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



95NEPTUN18LEDE



92EL1LED

EMERGENCY LIGHTS

LED | cold WHITE 6000K | F | Li-ion | IP65

95NEPTUN18LEDE



Type: Emergency ceiling lamp
Power: 18W
Lumens: 1800lm
Charging time: ≤ 24h
Emergency time: ≥ 3h
Battery: 7.4V 4400mAh 18650 Li-ion
Body colour: White
Material: Fireproof ABS
Monthly inspection and manual simulation check

LED | cold WHITE 6000K | Li-ion

92EL1LED



Type: Emergency fixture
Input Voltage: 220-240V
Power: 3W
Lumens: 180lm
Charging time: 220V- 12h
Emergency time: 3h
Battery: 18650 3.7V/3Ah Li-ion
Body colour: White
Mounting: Recessed

5 YEARS TOTAL WARRANTY + 3 standard 2 extended

IP65
IP21
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity

AUTONOMY EMERGENCY LIGHTING

The emergency lighting is aimed to be used in all cases when the power of the normal lighting is canceled due to occur of the emergency situation– an electric shock, fire, earthquake and etc. This assures the lighting needed and its continuous visibility, needed for the unimpeded leaving of the building through the emergency exits and it assures the ability for the easy recognition of the fireproof equipment and the signalization tools, positioned on the emergency roads.
The emergency blocks, offered by us, are suitable for autonomic lighting systems. They are with built in batteries and guarantee the autonomic switching on of the lighting body to which they are connected, if an emergency situation occurs, using the energy reserve of the battery. Similar lighting bodies do not need special power lines and they can be mounted anywhere, without a special need of support. Its main advantage is their independence of special built emergency lines and even if there is a damage in one of the emergency lightings, all of the others will keep on working. This gives an additional security and reliability of the whole emergency system.

89229



IP30

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

EMERGENCY DRIVER FOR LAMP WITH EXTERNAL DRIVERS

The housing of this emergency driver adopts good-quality aluminum and flame-retardant plastic. It has low weight and being convenient to install, so you can rest assure its safety. Battery adopts Li-ion battery with long lifespan. Its PCB adopts SMT technology, using IC control design in charging/discharging and power supply part. PCB uses fully automatic SMT technology, PCB core use PN8355, DW01 and M8205A IC chips which are especially for emergency lights and Li-ion battery protections. PCB circuit has the complete protection designs for over charging/discharging.

Operated principle:

The emergency driver is being charged when AC power works, when fully charged, the circuit will protect the battery from over being-charged, and the emergency is standing by as soon as the battery is fully charged. When AC power is down, emergency driver supplies power to LED fixtures and they up light to the way to escape.

Technical data

- Working voltage: 85-265V AC
- Input voltage: 85-265V AC
- Charging time: 24h
- Battery: 3.7V 2400mAh
- Emergency switch time: <2s
- Suitable: for LED lamp with external driver and power 3-50W
- Emergency time: >120min
- Working temperature: from -5 to +45°C
- Size: 130x58x22mm
- IP 30

Recommended:

For all LED panels and fixtures with external driver and power from 3-50W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

LED PANELS STELLAR IP40 WITH EMERGENCY DRIVER 3-50W


2 YEAR TOTAL WARRANTY
2 standard+0 extended

LED | 120° | F | neutral WHITE 4000K | cold WHITE 6400K

99XPANEL020WE

99XPANEL020CWE

Type: LED panel
Power: 48W
Lumens: 4320lm
Efficiency: 90lm/W
Emergency time: ≥2h
Body colour: White
Material: Aluminum
Height: 30 mm




IP40

LED | neutral WHITE 4000K | 120° | F

99XPANEL021WE

Type: LED panel
Power: 48W
Lumens: 4320lm
Efficiency: 90lm/W
Emergency time: ≥2h
Body colour: White
Material: Aluminum
Height: 30 mm



IP40

LED PANELS ELMARK IP40 WITH EMERGENCY DRIVER 3-50W

5 YEAR TOTAL WARRANTY
4 standard+1 extended

LED | neutral WHITE 4000K | 120° | G

92PANEL013WE

Type: LED panel
Power: 36W
Lumens: 3600lm
Efficiency: 100lm/W
Emergency time: ≥2h
Body colour: White
Material: Aluminum
Height: 11 mm



IP40

LED | neutral WHITE 4000K | 120° | F

92PANEL021WE

Type: LED panel
Power: 48W
Lumens: 4800lm
Efficiency: 100lm/W
Emergency time: ≥2h
Body colour: White
Material: Aluminum
Height: 30 mm




IP40

LED | 120° | E | HIGH EFFICIENCY | neutral WHITE 4000K | cold WHITE 6400K

92PANEL032WE

92PANEL032CWE

Type: LED panel
Power: 40W
Lumens: 4800lm
Efficiency: 120lm/W
Emergency time: ≥2h
Body colour: White
Material: Aluminum
Height: 30 mm



IP40

~230V
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity


LED PANELS ELMARK IP40 WITH EMERGENCY DRIVER 3-50W

5 YEAR TOTAL WARRANTY
4 standard+1 extended

~230V
Ra≥80
EMC

92PANEL030WE / 92PANEL030CWE

LED | 120° | F | neutral WHITE 4000K | cold WHITE 6400K | KNAUF




Type: LED panel
Power: 48W
Lumens: 4800lm
Efficiency: 100lm/W
Emergency time: ≥2h
Body colour: White
Material: Aluminum
Height: 9 mm

IP40

92PANEL031WE / 92PANEL031CWE

LED | 120° | F | HIGH POWER | neutral WHITE 4000K | cold WHITE 6400K




Type: LED panel
Power: 60W
Lumens: 6000lm
Efficiency: 100lm/W
Emergency time: max. 2.5h
Body colour: White
Material: Aluminum
Height: 30 mm

IP40

92PANEL028WE / 92PANEL028CWE

LED | 120° | F | UGR <19 | neutral WHITE 4000K | cold WHITE 6400K



Type: High efficiency LED panel
Power: 48W
Lumens: 5280lm
Efficiency: 110lm/W
Emergency time: ≥2h
Body colour: White
Material: Iron + PS
Height: 30 mm

IP40

92PANEL029WE / 92PANEL029CWE

LED | 120° | F | UGR <19 | neutral WHITE 4000K | cold WHITE 6400K




Type: High efficiency LED panel
Power: 48W
Lumens: 5280lm
Efficiency: 110lm/W
Emergency time: ≥2h
Body colour: White
Material: Iron + PS
Height: 30 mm

IP40

92PANEL023WE / 92PANEL023CWE

LED | 120° | D | HIGH EFFICIENCY | neutral WHITE 4000K | cold WHITE 6400K



Type: Square LED panel
Power: 30W
Lumens: 4200lm
Efficiency: 140lm/W
Emergency time: max.3h
Body colour: White
Material: Iron + PS
Mounting: Recessed
Height: 35 mm

IP40

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

LED PANELS ELMARK IP54 WITH EMERGENCY DRIVER 3-50W

5 YEAR TOTAL WARRANTY
4 standard+1 extended

LED | neutral WHITE 4000K | 120° | F

92PANEL013WIP54E




Type: LED panel
Power: 36W
Lumens: 3600lm
Efficiency: 100lm/W
Emergency time: ≥2h
Body colour: White
Material: Aluminum
Height: 11 mm

IP54

LED | neutral WHITE 4000K | 120° | F

92PANEL021WIP54E




Type: LED panel
Power: 48W
Lumens: 4800lm
Efficiency: 100lm/W
Emergency time: ≥2h
Body colour: White
Material: Aluminum
Height: 30 mm

IP54

LED | 120° | F | HIGH EFFICIENCY | neutral WHITE 4000K | cold WHITE 6400K

92PANEL032WIP54E

92PANEL032CWIP54E




Type: LED panel
Power: 40W
Lumens: 4800lm
Efficiency: 120lm/W
Emergency time: ≥2h
Body colour: White
Material: Aluminum
Height: 30 mm

IP54

LED | 120° | F | UGR <19 | neutral WHITE 4000K | cold WHITE 6400K

92PANEL028W54E

92PANEL028CW54E



Type: High efficiency LED panel
Power: 48W
Lumens: 5280lm
Efficiency: 110lm/W
Emergency time: ≥2h
Body colour: White
Material: Iron + PS
Height: 30 mm

IP54

LED | 120° | F | UGR <19 | neutral WHITE 4000K | cold WHITE 6400K

92PANEL029W54E

92PANEL029CW54E



Type: High efficiency LED panel
Power: 48W
Lumens: 5280lm
Efficiency: 110lm/W
Emergency time: ≥2h
Body colour: White
Material: Iron + PS
Height: 30 mm

IP54

~230V
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.


ELMARK
The Brand of Electricity

LED PANELS ELMARK IP54 WITH EMERGENCY DRIVER 3-50W

5 YEAR TOTAL WARRANTY
4 standard+1 extended

LED | 120° | F | neutral WHITE 4000K | cold WHITE 6400K | KNAUF

92PANEL030WIP54E
92PANEL030CWIP54E




Type: LED panel
Power: 48W
Lumens: 4800lm
Efficiency: 100lm/W
Emergency time: ≥2h
Body colour: White
Material: Aluminum
Height: 9 mm

IP54

LED | 120° | F | HIGH POWER | neutral WHITE 4000K | cold WHITE 6400K

92PANEL031WIP54E
92PANEL031CWIP54E




Type: LED panel
Power: 60W
Lumens: 6000lm
Efficiency: 100lm/W
Emergency time: max.2h
Body colour: White
Material: Aluminum
Height: 30 mm

IP54

LED | 120° | D | HIGH EFFICIENCY | neutral WHITE 4000K | cold WHITE 6400K

92PANEL023WIP54E
92PANEL023CWIP54E



Type: Square LED panel
Power: 30W
Lumens: 4200lm
Efficiency: 140lm/W
Emergency time: max.3h
Body colour: White
Material: Iron + PS
Mounting: Recessed
Height: 35 mm

IP54

~230V
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ROUND LED PANELS STELLAR IP40 WITH EMERGENCY DRIVER 3-50W

2 YEAR TOTAL WARRANTY
2 standard+0 extended



LED | warm WHITE 2700K | 120° | G

99XLED610E

Type: Round LED panel
Power: 6W
Lumens: 330lm
Efficiency: 55lm/W
Emergency time: ≥3h
Body colour: White
Cut size: 100 mm
Material: Aluminum

IP40

LED | neutral WHITE 4000K | 120° | G

99XLED609E

Type: Round LED panel
Power: 6W
Lumens: 330lm
Efficiency: 55lm/W
Emergency time: ≥3h
Body colour: White
Cut size: 100 mm
Material: Aluminum

IP40

LED | cold WHITE 6500K | 120° | G

99XLED609CWE

Type: Round LED panel
Power: 6W
Lumens: 330lm
Efficiency: 55lm/W
Emergency time: ≥3h
Body colour: White
Cut size: 100 mm
Material: Aluminum

IP40



LED | warm WHITE 2700K | 120° | F

99XLED612E

Type: Round LED panel
Power: 12W
Lumens: 840lm
Efficiency: 70lm/W
Emergency time: ≥3h
Body colour: White
Cut size: 150 mm
Material: Aluminum

IP40

LED | neutral WHITE 4000K | 120° | F

99XLED611E

Type: Round LED panel
Power: 12W
Lumens: 840lm
Efficiency: 70lm/W
Emergency time: ≥3h
Body colour: White
Cut size: 150 mm
Material: Aluminum

IP40

LED | cold WHITE 6500K | 120° | F

99XLED611CWE

Type: Round LED panel
Power: 12W
Lumens: 840lm
Efficiency: 70lm/W
Emergency time: ≥3h
Body colour: White
Cut size: 150 mm
Material: Aluminum

IP40



LED | warm WHITE 2700K | 120° | F

99XLED615E

Type: Round LED panel
Power: 18W
Lumens: 1350lm
Efficiency: 70lm/W
Emergency time: ≥3h
Body colour: White
Cut size: 205 mm
Material: Aluminum

IP40

LED | neutral WHITE 4000K | 120° | F

99XLED614E

Type: Round LED panel
Power: 18W
Lumens: 1350lm
Efficiency: 70lm/W
Emergency time: ≥3h
Body colour: White
Cut size: 205 mm
Material: Aluminum

IP40

LED | cold WHITE 6500K | 120° | F

99XLED614CWE

Type: Round LED panel
Power: 18W
Lumens: 1350lm
Efficiency: 70lm/W
Emergency time: ≥3h
Body colour: White
Cut size: 205 mm
Material: Aluminum

IP40

~230V
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity

ROUND LED PANELS STELLAR IP40 WITH EMERGENCY DRIVER 3-50W

2 YEAR TOTAL WARRANTY
2 standard+0 extended



LED | warm WHITE 2700K | 120° | F

99XLED621E

Type: Round LED panel
Power: 24W
Lumens: 1800lm
Efficiency: 75lm/W
Emergency time: ≥3h
Body colour: White
Cut size: 268 mm
Material: Aluminum

IP40

LED | neutral WHITE 4000K | 120° | F

99XLED620E

Type: Round LED panel
Power: 24W
Lumens: 1800lm
Efficiency: 75lm/W
Emergency time: ≥3h
Body colour: White
Cut size: 268 mm
Material: Aluminum

IP40

LED | cold WHITE 6500K | 120° | F

99XLED620CWE

Type: Round LED panel
Power: 24W
Lumens: 1800lm
Efficiency: 75lm/W
Emergency time: ≥3h
Body colour: White
Cut size: 268 mm
Material: Aluminum

IP40

ROUND LED PANELS ELMARK IP44 WITH EMERGENCY DRIVER 3-50W

5 YEAR TOTAL WARRANTY
4 standard+1 extended

LED | 120° | G | neutral WHITE 4000K | cold WHITE 6500K

99LED609IP44E
99LED609IP44CWE



Type: LED panel
Power: 5W
Lumens: 400lm
Efficiency: 80lm/W
Emergency time: ≥3h
Body colour: White
Material: Aluminum

IP44

LED | 120° | G | neutral WHITE 4000K | cold WHITE 6400K

99LED611IP44E
99LED611IP44CWE



Type: LED panel
Power: 12W
Lumens: 960lm
Efficiency: 80lm/W
Emergency time: ≥3h
Body colour: White
Material: Aluminum

IP44

LED | 120° | G | neutral WHITE 4000K | cold WHITE 6400K

99LED617IP44E
99LED617IP44CWE



Type: LED panel
Power: 18W
Lumens: 1440lm
Efficiency: 80lm/W
Emergency time: ≥3h
Body colour: White
Material: Aluminum

IP44

~230V
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.


Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ROUND LED PANELS ELMARK IP65 WITH EMERGENCY DRIVER 3-50W

5 YEAR TOTAL WARRANTY
4 standard+1 extended

LED | 120° | F | neutral WHITE 4000K | cold WHITE 6500K

99LED607IP65E
99LED607IP65CWE



Type: LED panel
Power: 7W
Lumens: 660lm
Efficiency: 94lm/W
Emergency time: ≥3h
Body colour: White
Cut size: 100-110 mm
Material: Polycarbonate

IP65


99LED610IP65E
99LED610IP65CWE



Type: LED panel
Power: 10W
Lumens: 770lm
Efficiency: 77lm/W
Emergency time: ≥3h
Body colour: White
Cut size: 150-160 mm
Material: Polycarbonate

IP65


99LED616IP65E
99LED616IP65CWE



Type: LED panel
Power: 16W
Lumens: 1300lm
Efficiency: 81lm/W
Emergency time: ≥3h
Body colour: White
Cut size: 200-210 mm
Material: Polycarbonate

IP65

99LED623IP65E
99LED623IP65CWE



Type: LED panel
Power: 23W
Lumens: 1750lm
Efficiency: 76lm/W
Emergency time: ≥3h
Body colour: White
Cut size: 220-230 mm
Material: Polycarbonate

IP65

SQUARE LED PANELS STELLAR IP40 WITH EMERGENCY DRIVER 3-50W

2 YEAR TOTAL WARRANTY
2 standard+0 extended



LED | warm WHITE 2700K | 120° | F

99XLED633E

Type: Square LED panel
Power: 12W
Lumens: 840lm
Efficiency: 70lm/W
Emergency time: ≥3h
Body colour: White
Cut size: 150x150 mm
Material: Aluminum

IP40

LED | neutral WHITE 4000K | 120° | F

99XLED632E

Type: Square LED panel
Power: 12W
Lumens: 840lm
Efficiency: 70lm/W
Emergency time: ≥3h
Body colour: White
Cut size: 150x150 mm
Material: Aluminum

IP40

LED | cold WHITE 6500K | 120° | F

99XLED632CWE

Type: Square LED panel
Power: 12W
Lumens: 840lm
Efficiency: 70lm/W
Emergency time: ≥3h
Body colour: White
Cut size: 150x150 mm
Material: Aluminum

IP40

~230V
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity

SQUARE LED PANELS STELLAR IP40 WITH EMERGENCY DRIVER 3-50W

2 YEAR TOTAL WARRANTY
2 standard+0 extended



LED | warm WHITE 2700K | 120° | A↑G F

99XLED635E

Type: Square LED panel
Power: 18W
Lumens: 1350lm
Efficiency: 75lm/W
Emergency time: ≥3h
Body colour: White
Cut size: 200x200 mm
Material: Aluminum

IP40

LED | neutral WHITE 4000K | 120° | A↑G F

99XLED634E

Type: Square LED panel
Power: 18W
Lumens: 1350lm
Efficiency: 75lm/W
Emergency time: ≥3h
Body colour: White
Cut size: 200x200 mm
Material: Aluminum


IP40

LED | cold WHITE 6500K | 120° | A↑G F

99XLED634CWE

Type: Square LED panel
Power: 18W
Lumens: 1350lm
Efficiency: 75lm/W
Emergency time: ≥3h
Body colour: White
Cut size: 200x200 mm
Material: Aluminum

IP40



LED | warm WHITE 2700K | 120° | A↑G F

99XLED637E

Type: Square LED panel
Power: 24W
Lumens: 1800lm
Efficiency: 75lm/W
Emergency time: ≥3h
Body colour: White
Cut size: 275x275 mm
Material: Aluminum

IP40

LED | neutral WHITE 4000K | 120° | A↑G F

99XLED636E

Type: Square LED panel
Power: 24W
Lumens: 1800lm
Efficiency: 75lm/W
Emergency time: ≥3h
Body colour: White
Cut size: 275x275 mm
Material: Aluminum

IP40

LED | cold WHITE 6500K | 120° | A↑G F

99XLED636CWE

Type: Square LED panel
Power: 24W
Lumens: 1800lm
Efficiency: 75lm/W
Emergency time: ≥3h
Body colour: White
Cut size: 275x275 mm
Material: Aluminum

IP40

SQUARE LED PANELS ELMARK IP40 WITH EMERGENCY DRIVER 3-50W

5 YEAR TOTAL WARRANTY
3 standard+2 extended



LED | warm WHITE 2700K | 120° | A↑G F

99LED967WWE

Type: Square LED panel
Power: 12W
Lumens: 890lm
Efficiency: 74lm/W
Emergency time: ≥3h
Body colour: White
Cut size: 155x155 mm
Material: Aluminum

IP40

LED | neutral WHITE 4000K | 120° | A↑G F

99LED967E

Type: Square LED panel
Power: 12W
Lumens: 890lm
Efficiency: 74lm/W
Emergency time: ≥3h
Body colour: White
Cut size: 155x155 mm
Material: Aluminum

IP40

LED | cold WHITE 6400K | 120° | A↑G F

99LED967CWE

Type: Square LED panel
Power: 12W
Lumens: 890lm
Efficiency: 74lm/W
Emergency time: ≥3h
Body colour: White
Cut size: 155x155 mm
Material: Aluminum

IP40


~230V
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

SQUARE LED PANELS ELMARK IP40 WITH EMERGENCY DRIVER 3-50W

5 YEAR TOTAL WARRANTY
3standard+2 extended



LED | warm WHITE 2700K | 120° | F

99LED968WWE

Type: Square LED panel
Power: 18W
Lumens: 1420lm
Efficiency: 78lm/W
Emergency time: ≥3h
Body colour: White
Cut size: 205x205 mm
Material: Aluminum

IP40

LED | neutral WHITE 4000K | 120° | F

99LED968E

Type: Square LED panel
Power: 18W
Lumens: 1420lm
Efficiency: 78lm/W
Emergency time: ≥3h
Body colour: White
Cut size: 205x205 mm
Material: Aluminum

IP40

LED | cold WHITE 6400K | 120° | F

99LED968CWE

Type: Square LED panel
Power: 18W
Lumens: 1420lm
Efficiency: 78lm/W
Emergency time: ≥3h
Body colour: White
Cut size: 205x205 mm
Material: Aluminum

IP40



LED | warm WHITE 2700K | 120° | F

99LED969WWE

Type: Square LED panel
Power: 18W
Lumens: 1420lm
Efficiency: 78lm/W
Emergency time: ≥3h
Body colour: White
Mounting: Surface
Material: Aluminum

IP40

LED | neutral WHITE 4000K | 120° | F

99LED969E

Type: Square LED panel
Power: 18W
Lumens: 1420lm
Efficiency: 78lm/W
Emergency time: ≥3h
Body colour: White
Mounting: Surface
Material: Aluminum

IP40

LED | cold WHITE 6400K | 120° | F


99LED969CWE

Type: Square LED panel
Power: 18W
Lumens: 1420lm
Efficiency: 78lm/W
Emergency time: ≥3h
Body colour: White
Mounting: Surface
Material: Aluminum

IP40

ROUND LED GLASS PANELS ELMARK IP40 WITH EMERGENCY DRIVER 3-50W

5 YEAR TOTAL WARRANTY
3 standard+2 extended



LED | 120° | F | warm WHITE 2700K

99LED639E

LED | 120° | F | neutral WHITE 4000K

99LED638E

Type: Round LED panel
Power: 6W
Lumens: 480lm
Efficiency: 80lm/W
Emergency time: ≥3h
Body colour: White
Cut size: 60 mm
Material: Aluminum + Glass

IP40



LED | 120° | G | warm WHITE 2700K

99LED641E

LED | 120° | G | neutral WHITE 4000K

99LED640E

Type: Round LED panel
Power: 18W
Lumens: 1440lm
Efficiency: 80lm/W
Emergency time: ≥3h
Body colour: White
Cut size: 148 mm
Material: Aluminum + Glass

IP40

~230V
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.


ELMARK
The Brand of Electricity

SQUARE LED GLASS PANELS ELMARK IP40 WITH EMERGENCY DRIVER 3-50W

5 YEAR TOTAL WARRANTY
3 standard+2 extended

LED | 120° | F

warm WHITE 2700K — **99LED643E**
neutral WHITE 4000K — **99LED642E**



Type: Square LED panel
Power: 6W
Lumens: 480lm
Efficiency: 80lm/W
Emergency time: ≥3h
Body colour: White
Cut size: 77 mm
Material: Aluminum + Glass

IP40

LED | 120° | F

warm WHITE 2700K — **99LED645E**
neutral WHITE 4000K — **99LED644E**



Type: Square LED panel
Power: 18W
Lumens: 1440lm
Efficiency: 80lm/W
Emergency time: ≥3h
Body colour: White
Cut size: 180 mm
Material: Aluminum + Glass

IP40

ROUND LED DOWN LIGHTS ELMARK IP44 WITH EMERGENCY DRIVER 3-50W

3 YEAR TOTAL WARRANTY
3 standard+0 extended

LED | 24° | G

warm WHITE 3000K — **92DLTS2030/WHE**
neutral WHITE 4000K — **92DLTS2040/WHE**



Type: Round downlight movable
Power: 20W
Lumens: 1400lm
Efficiency: 70lm/W
Emergency time: ≥3h
Body colour: White
Cut size: 120mm
Material: Aluminum

IP44

LED | 24° | G

warm WHITE 3000K — **92DLTS2430/WHE**
neutral WHITE 4000K — **92DLTS2440/WHE**



Type: Round downlight movable
Power: 24W
Lumens: 1680lm
Efficiency: 70lm/W
Emergency time: ≥3h
Body colour: White
Cut size: 145mm
Material: Aluminum


IP44

SQUARE LED DOWN LIGHTS ELMARK IP44 WITH EMERGENCY DRIVER 3-50W

3 YEAR TOTAL WARRANTY
3 standard+0 extended

LED | 24° | G

warm WHITE 3000K — **92DL82F3030/BLE**
neutral WHITE 4000K — **92DL82F3040/BLE**




Type: Movable downlight
Power: 30W
Lumens: 2100lm
Efficiency: 70lm/W
Emergency time: max.3h
Body colour: Black
Cut size: 160x160lm
Height: 138 mm
Material: Aluminum

IP44

LED | 24° | G

warm WHITE 3000K — **92DL81F3030/BLE**
neutral WHITE 4000K — **92DL81F3040/BLE**



Type: Movable downlight
Power: 2x15W
Lumens: 2100lm
Efficiency: 70lm/W
Emergency time: max.3h
Body colour: Black
Height: 98mm
Cut size: 230x120mm
Material: Aluminum

IP44

~230V
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.


SQUARE LED DOWN LIGHTS ELMARK IP44 WITH EMERGENCY DRIVER 3-50W

3 YEAR TOTAL WARRANTY
3 standard+0 extended

LED | 24° | A↑G | G

warm WHITE 3000K
neutral WHITE 4000K

92DL82F6030/BLE
92DL82F6040/BLE



Type: Movable downlight
Power: 2x30W
Lumens: 4200lm
Efficiency: 70lm/W
Emergency time: max.2h
Body colour: Black
Height: 138mm
Cut size: 310x160mm
Material: Aluminum

IP44


92DL81F4530/BLE
92DL81F4540/BLE



Type: Movable downlight
Power: 3x15W
Lumens: 3150lm
Efficiency: 70lm/W
Emergency time: ≥2h
Body colour: Black
Height: 98mm
Cut size: 345x120mm
Material: Aluminum

IP44


92DL82F3030/WHE
92DL82F3040/WHE



Type: Movable downlight
Power: 30W
Lumens: 2100lm
Efficiency: 70lm/W
Emergency time: max.3h
Body colour: White
Cut size: 160x160lm
Height: 138 mm
Material: Aluminum

IP44


92DL81F3030/WHE
92DL81F3040/WHE



Type: Movable downlight
Power: 2x15W
Lumens: 2100lm
Efficiency: 70lm/W
Emergency time: max.3h
Body colour: White
Height: 98mm
Cut size: 230x120mm
Material: Aluminum

IP44

92DL82F6030/WHE
92DL82F6040/WHE



Type: Movable downlight
Power: 2x30W
Lumens: 4200lm
Efficiency: 70lm/W
Emergency time: max.2h
Body colour: White
Height: 138mm
Cut size: 310x160mm
Material: Aluminum

IP44

92DL81F4530/WHE
92DL81F4540/WHE



Type: Movable downlight
Power: 3x15W
Lumens: 3150lm
Efficiency: 70lm/W
Emergency time: max.2h
Body colour: White
Height: 98mm
Cut size: 345x120mm
Material: Aluminum

IP44

~230V
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity


LED COB DOWN LIGHTS ELMARK IP44 WITH EMERGENCY DRIVER 3-50W

5 YEAR TOTAL WARRANTY
3 standard+2 extended

LED | 38° | G | warm WHITE 3000K | UGR <19 | neutral WHITE 4000K

92EL64531230/WHE
92EL64531240/WHE

With honey comb




Type: Recessed LED adjustable downlight
Power: 12W
Lumens: 900lm
Efficiency: 75lm/W
Emergency time: ≥3h
Body colour: White & Grey
Material: Aluminum + PC
Cut size: 75 mm
Height: 96 mm

IP44

LED | 38° | G | warm WHITE 3000K | UGR <19 | neutral WHITE 4000K

92EL64532030/WHE
92EL64532040/WHE

With honey comb



Type: Recessed LED adjustable downlight
Power: 20W
Lumens: 1500lm
Efficiency: 75lm/W
Emergency time: ≥3h
Body colour: White & Black
Material: Aluminum
Cut size: 100 mm
Height: 110mm

IP44

DEEP RECESSED LED DOWN LIGHTS ELMARK IP44 WITH EMERGENCY DRIVER 3-50W

5 YEAR TOTAL WARRANTY
3 standard+2 extended

~230V
Ra≥80
EMC



LED | warm WHITE 3000K | 60° | F

93EL62282030/WHE

Type: Recessed LED down light
Power: 20W
Lumens: 1800lm
Efficiency: 90lm/W
Emergency time: ≥3h
Body Colour: White
Material: Aluminum
Cut size: 140mm
Height: 88 mm

IP44

LED | neutral WHITE 4000K | 60° | F

93EL62282040/WHE

Type: Recessed LED down light
Power: 20W
Lumens: 1800lm
Efficiency: 90lm/W
Emergency time: ≥3h
Body Colour: White
Material: Aluminum
Cut size: 140mm
Height: 88 mm

IP44

LED | cold WHITE 6500K | 60° | F

93EL62282065/WHE

Type: Recessed LED down light
Power: 20W
Lumens: 1800lm
Efficiency: 90lm/W
Emergency time: ≥3h
Body Colour: White
Material: Aluminum
Cut size: 140mm
Height: 88 mm

IP44



LED | warm WHITE 3000K | 75° | F

93EL62283030/WHE

Type: Recessed LED down light
Power: 30W
Lumens: 3000lm
Efficiency: 100lm/W
Emergency time: max.3h
Body Colour: White
Material: Aluminum
Cut size: 170mm
Height: 110 mm

IP44

LED | neutral WHITE 4000K | 75° | F

93EL62283040/WHE

Type: Recessed LED down light
Power: 30W
Lumens: 3000lm
Efficiency: 100lm/W
Emergency time: max.3h
Body Colour: White
Material: Aluminum
Cut size: 170mm
Height: 110 mm

IP44

LED | cold WHITE 6500K | 75° | F

93EL62283065/WHE

Type: Recessed LED down light
Power: 30W
Lumens: 3000lm
Efficiency: 100lm/W
Emergency time: max.3h
Body Colour: White
Material: Aluminum
Cut size: 170mm
Height: 110 mm

IP44

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

DEEP RECESSED LED DOWN LIGHTS ELMARK IP44 WITH EMERGENCY DRIVER 3-50W

5 YEAR TOTAL WARRANTY
3 standard+2 extended



LED | warm WHITE 3000K | 70° | F

93EL62284230/WHE
Type: Recessed LED down light
Power: 42W
Lumens: 4200lm
Efficiency: 100lm/W
Emergency time: ≥2h
Body Colour: White
Material: Aluminum
Cut size: 205mm
Height: 121 mm
IP44

LED | neutral WHITE 4000K | 70° | F

93EL62284240/WHE
Type: Recessed LED down light
Power: 42W
Lumens: 4200lm
Efficiency: 100lm/W
Emergency time: ≥2h
Body Colour: White
Material: Aluminum
Cut size: 205mm
Height: 121 mm
IP44

LED | cold WHITE 6500K | 70° | F

9EL62284265/WHE
Type: Recessed LED down light
Power: 42W
Lumens: 4200lm
Efficiency: 100lm/W
Emergency time: ≥2h
Body Colour: White
Material: Aluminum
Cut size: 205mm
Height: 121 mm
IP44

DEEP RECESSED LED DOWN LIGHTS ELMARK IP44 WITH EMERGENCY DRIVER 3-50W

5 YEAR TOTAL WARRANTY
3 standard+2 extended



LED | warm WHITE 3000K | 60° | G

92EL62281330/WHE
Type: Recessed LED downlight
Power: 13W
Lumens: 1080lm
Efficiency: 83lm/W
Emergency time: ≥3h
Body Colour: White
Material: Aluminum
Cut size: 100mm
Height: 59 mm
LED Chip: OSRAM
IP44

LED | neutral WHITE 4000K | 60° | G

92EL62281340/WHE
Type: Recessed LED downlight
Power: 13W
Lumens: 1080lm
Efficiency: 83lm/W
Emergency time: ≥3h
Body Colour: White
Material: Aluminum
Cut size: 100mm
Height: 59 mm
LED Chip: OSRAM
IP44

LED | cold WHITE 6500K | 60° | G

92EL62281365/WHE
Type: Recessed LED downlight
Power: 13W
Lumens: 1080lm
Efficiency: 83lm/W
Emergency time: ≥3h
Body Colour: White
Material: Aluminum
Cut size: 100mm
Height: 59 mm
LED Chip: OSRAM
IP44



LED | warm WHITE 3000K | 60° | F

92EL62282030/WHE
Type: Recessed LED downlight
Power: 20W
Lumens: 1800lm
Efficiency: 90lm/W
Emergency time: ≥3h
Body Colour: White
Material: Aluminum
Cut size: 140mm
Height: 88 mm
LED Chip: OSRAM
IP44

LED | neutral WHITE 4000K | 60° | F

92EL62282040/WHE
Type: Recessed LED downlight
Power: 20W
Lumens: 1800lm
Efficiency: 90lm/W
Emergency time: ≥3h
Body Colour: White
Material: Aluminum
Cut size: 140mm
Height: 88 mm
LED Chip: OSRAM
IP44

LED | cold WHITE 6500K | 60° | F

92EL62282065/WHE
Type: Recessed LED downlight
Power: 20W
Lumens: 1800lm
Efficiency: 90lm/W
Emergency time: ≥3h
Body Colour: White
Material: Aluminum
Cut size: 140mm
Height: 88 mm
LED Chip: OSRAM
IP44

~230V
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

~230V
Ra≥80
EMC

ELMARK
The Brand of Electricity

DEEP RECESSED LED DOWNLIGHTS ELMARK IP44 WITH EMERGENCY DRIVER 3-50W

5 YEAR TOTAL WARRANTY
3 standard+2 extended



LED warm WHITE 3000K 75° A↑G F

92EL62283030/WHE

Type: Recessed LED downlight
Power: 30W
Lumens: 3000lm
Efficiency: 100lm/W
Emergency time: max.3h
Body Colour: White
Material: Aluminum
Cut size: 170mm
Height: 110 mm
LED Chip: OSRAM
IP44

LED neutral WHITE 4000K 75° A↑G F

92EL62283040/WHE

Type: Recessed LED downlight
Power: 30W
Lumens: 3000lm
Efficiency: 100lm/W
Emergency time: max.3h
Body Colour: White
Material: Aluminum
Cut size: 170mm
Height: 110 mm
LED Chip: OSRAM
IP44

LED cold WHITE 6500K 75° A↑G F

92EL62283065/WHE

Type: Recessed LED downlight
Power: 30W
Lumens: 3000lm
Efficiency: 100lm/W
Emergency time: max.3h
Body Colour: White
Material: Aluminum
Cut size: 170mm
Height: 110 mm
LED Chip: OSRAM
IP44



LED warm WHITE 3000K 70° A↑G F

92EL62284230/WHE

Type: Recessed LED downlight
Power: 42W
Lumens: 4200lm
Efficiency: 100lm/W
Emergency time: ≥2h
Body Colour: White
Material: Aluminum
Cut size: 205mm
Height: 121 mm
LED Chip: OSRAM
IP44

LED neutral WHITE 4000K 70° A↑G F

92EL62284240/WHE

Type: Recessed LED downlight
Power: 42W
Lumens: 4200lm
Efficiency: 100lm/W
Emergency time: ≥2h
Body Colour: White
Material: Aluminum
Cut size: 205mm
Height: 121 mm
LED Chip: OSRAM
IP44

LED cold WHITE 6500K 70° A↑G F

92EL62284265/WHE

Type: Recessed LED downlight
Power: 42W
Lumens: 4200lm
Efficiency: 100lm/W
Emergency time: ≥2h
Body Colour: White
Material: Aluminum
Cut size: 205mm
Height: 121 mm
LED Chip: OSRAM
IP44

RECESSED LED DOWNLIGHT ELMARK IP44 WITH EMERGENCY DRIVER 3-50W

5 YEAR TOTAL WARRANTY
4 standard+1 extended



LED warm WHITE 3000K 90° A↑G F

92EL67054030/WHE

Type: Recessed LED SMD downlight
Power: 40W
Lumens: 3600lm
Efficiency: 90lm/W
Emergency time: ≥2h
Body colour: White
Material: Aluminum
Cut size: 220x130mm
Height: 85 mm
IP44

LED neutral WHITE 4000K 90° A↑G F

92EL67054040/WHE

Type: Recessed LED SMD downlight
Power: 40W
Lumens: 3600lm
Efficiency: 90lm/W
Emergency time: ≥2h
Body colour: White
Material: Aluminum
Cut size: 220x130mm
Height: 85 mm
IP44

LED cold WHITE 6500K 90° A↑G F

92EL67054065/WHE

Type: Recessed LED SMD downlight
Power: 40W
Lumens: 3600lm
Efficiency: 90lm/W
Emergency time: ≥2h
Body colour: White
Material: Aluminum
Cut size: 220x130mm
Height: 85 mm
IP44

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

LINEAR LED LIGHTS ELMARK IP40 WITH EMERGENCY DRIVER 3-50W

5 YEAR TOTAL WARRANTY
3 standard+2 extended


LED | 38° | G

warm WHITE 3000K
92EL052030/WHBKE

neutral WHITE 4000K
92EL052040/WHBKE

Type: Recessed LED linear light
Power: 15W
Lumens: 1200lm
Efficiency: 80lm/W
Emergency time: ≥3h
Body colour: White & Black
Material: Aluminum
Cut size: 406x35mm
Height: 35 mm

IP40



LED PROFILES ELMARK FOR RECESSED MOUNTING WITH EMERGENCY DRIVER 3-50W

5 YEAR TOTAL WARRANTY
3 standard+2 extended


LED | 120° | F

warm WHITE 3000K
99PFM602430/BLE

neutral WHITE 4000K
99PFM602440/BLE

Type: LED profile
Power: 24W
Lumens: 2400lm
Efficiency: 100lm/W
Emergency time: ≥3h
Body colour: Black
Mounting: Recessed
Material: Aluminum + PC

IP40




LED | 120° | F

warm WHITE 3000K
99PFM1505030/BLE

neutral WHITE 4000K
99PFM1505040/BLE

Type: LED profile
Power: 50W
Lumens: 5000lm
Efficiency: 100lm/W
Emergency time: ≥2h
Body colour: Black
Mounting: Recessed
Material: Aluminum + PC

IP40




LED | 120° | F

warm WHITE 3000K
99PFM602430/WHE

neutral WHITE 4000K
99PFM602430/WHE

Type: LED profile
Power: 24W
Lumens: 2400lm
Efficiency: 100lm/W
Emergency time: ≥3h
Body colour: White
Mounting: Recessed
Material: Aluminum + PC

IP40




LED | 120° | F

warm WHITE 3000K
99PFM1505030/WHE

neutral WHITE 4000K
99PFM1505040/WHE

Type: LED profile
Power: 50W
Lumens: 5000lm
Efficiency: 100lm/W
Emergency time: ≥2h
Body colour: White
Mounting: Recessed
Material: Aluminum + PC

IP40



~230V
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity


LIGHTING FIXTURE WITH ELMARK LED TUBES, SURFACE MOUNTING WITH EMERGENCY DRIVER 3-20W

5 YEAR TOTAL WARRANTY
4 standard+1 extended

LED E

neutral WHITE 4000K
cold WHITE 6500K

9BR40LEDE
9BR40LEDCWE




Type: LED fixture with clips and cable gland
Power: 40W
Lumens: 3800lm
Efficiency: 95lm/W
Emergency time: ≥2h
Body colour: Grey
Material: PC

IP65

LED E

neutral WHITE 4000K
cold WHITE 6500K

9BR55LEDE
9BR55LEDCWE



Type: LED fixture with clips and cable gland
Power: 55W
Lumens: 5000lm
Efficiency: 90lm/W
Emergency time: ≥2h
Body colour: Grey
Material: PC

IP65

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

EMERGENCY DRIVER 3-20W

89231



IP30

EMERGENCY DRIVER FOR LAMP WITH INTERNAL IC DRIVERS

The housing of this emergency driver adopts good-quality steel models with powder coating. It has low weight and being convenient to install, so you can rest assure its safety. It mainly includes housing, PCB and battery etc. Its battery adopts Li-ion battery with long lifespan. Its PCB adopts automatic SMT technology, uses IC control design in charging/discharging and power supply part. PCB uses fully automatic SMT technology, PCB core use 3525 IC chips which is especially for emergency lights and Li-ion battery protections. PCB circuit has the complete protection for over charging/discharging,output Short Circuit, Open Circuit,input/output reverse connection.

Operated principle:

The emergency driver is being charged when AC power works, when fully charged, the circuit will protect the battery from over being-charged, and the emergency is standing by as soon as the battery is fully charged. When AC power is down, emergency driver supplies power to LED fixtures and they up light to the way to escape.

Technical data

- Input voltage: 85-265V AC
- Battery: 11.1V 2600mAh
- Emergency switch time: <2s
- Suitable: for LED lamp with internal driver and power 3-20W
- Emergency time: 60-180min
- Working temperature: from -10 to +50°C
- Size: 248x40x28mm
- IP 30

Recommended:

For all LED tubes and bulbs with external IC driver and power from 3-20W

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

LIGHTING FIXTURE WITH LED TUBES STELLAR, SURFACE MOUNTING WITH EMERGENCY DRIVER 3-20W

2 YEAR TOTAL WARRANTY
2 standard+0 extended

LED A G




neutral WHITE 4000K
9LOM260LEDWE

cold WHITE 6400K
9LOM260LEDCWE

Type: LED fixture with LED tubes T8 Stellar
Power: 2x9W
Emergency power: 1x9W
Lumens: 1170lm
Efficiency: 65lm/W
Emergency time: max.3h
Body colour: White
Material: Steel + Aluminum
Mounting: Surface

LED A G



neutral WHITE 4000K
9LOM460LEDWE

cold WHITE 6400K
9LOM460LEDCWE

Type: Square LED fixture with LED tubes T8 Stellar
Power: 4x9W
Emergency power: 2x9W
Lumens: 2340lm
Efficiency: 65lm/W
Emergency time: max.3h
Body colour: White
Material: Steel + Aluminum
Mounting: Surface

~230V
Ra≥80
EMC
IP21

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity

LIGHTING FIXTURE WITH LED TUBES STELLAR, SURFACE & RECESSED MOUNTING WITH EMERGENCY DRIVER 3-20W, IP21

2 YEAR TOTAL WARRANTY
2 standard+0 extended

LED G

neutral WHITE 4000K
cold WHITE 6400K

9LOM2120LEDWE
9LOM2120LEDCWE

Type: LED fixture with LED tube T8 Stellar
Power: 2x18W
Emergency power: 1x18W
Lumens: 2340lm
Efficiency: 65lm/W
Emergency time: ≥2h
Body colour: White
Material: Aluminum + PC
Mounting: Surface



LED G

neutral WHITE 4000K
cold WHITE 6400K

9LBM2120LEDWE
9LBM2120LEDCWE

Type: LED fixture with LED tube T8 Stellar
Power: 2x18W
Emergency power: 1x18W
Lumens: 2340lm
Efficiency: 65lm/W
Emergency time: ≥2h
Body colour: White
Material: Aluminum + PC
Mounting: Recessed



LIGHTING FIXTURE WITH LED TUBES STELLAR, RECESSED MOUNTING WITH EMERGENCY DRIVER 3-20W, IP21

2 YEAR TOTAL WARRANTY
2 standard+0 extended

LED G

neutral WHITE 4000K
cold WHITE 6400K

9LBM260LEDWE
9LBM260LEDCWE

Type: LED fixture with LED tubes T8 Stellar
Power: 2x9W
Emergency power: 1x9W
Lumens: 1170lm
Efficiency: 65lm/W
Emergency time: max.3h
Body colour: White
Material: Steel + Aluminum
Mounting: Recessed




LED G

neutral WHITE 4000K
cold WHITE 6400K

9LBM460LEDWE
9LBM460LEDCWE

Type: Square LED fixture with LED tubes T8 Stellar
Power: 4x9W
Emergency power: 2x9W
Lumens: 2340lm
Efficiency: 65lm/W
Emergency time: max.3h
Body colour: White
Material: Steel + Aluminum
Mounting: Recessed



LIGHTING FIXTURE ELMARK WITH LED TUBES, RECESSED MOUNTING WITH EMERGENCY DRIVER 3-20W, IP65

3 YEAR TOTAL WARRANTY
3 standard+0 extended

LED F

neutral WHITE 4000K
cold WHITE 6500K

9BM218LEDE
9BM218LEDCWE

Type: LED fixture with LED tubes T8 ELMARK
Power: 2x18W
Emergency power: 1x18W
Lumens: 3240lm
Efficiency: 95lm/W
Emergency time: ≥2h
Body colour: Grey
Material: PC
Reflector: steel white

IP65



LED F

neutral WHITE 4000K
cold WHITE 6500K

9BM224LEDE
9BM224LEDCWE

Type: LED fixture with LED tubes T8 ELMARK
Power: 2x24W
Emergency power: 1x24W
Lumens: 4320lm
Efficiency: 95lm/W
Emergency time: ≥2h
Body colour: Grey
Material: PC
Reflector: steel white

IP65



~230V
Ra≥80
EMC
IP21
IP65

Scan QR code for 3D models, IES files & price.

OUTDOOR LIGHTING

- Garden lighting
- Ceiling & wall lamps
- Facade & ground lighting
- Pool lights
- Solar lighting
- Flood lights
- High bays
- Street lights



Recommended bulb



E27

page 708

ELMARK
The Brand of Electricity



96301WD/BRB



96303P/BRB



96301WU/BRB

GARDEN LANTERNS, IP44

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended


IP44

~230V

RoHs COMPLAINT

CE

Lamps Not Included | 1xE27



96303P/BRB

Type: Hanging lantern
Body colour: Antique copper
Material: Aluminum + Glass
Max.: 40W

Lamps Not Included | 1xE27



96301WD/BRB

Type: Wall lantern
Body colour: Antique copper
Material: Aluminum + Glass
Max.: 40W

Lamps Not Included | 1xE27



96301WU/BRB

Type: Wall lantern
Body colour: Antique copper
Material: Aluminum + Glass
Max.: 40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



96305F/BRB



96304MF/BRB

2 YEARS TOTAL WARRANTY
+ 2 standard 0 extended

IP44
~230V
RoHs COMPLIANT
CE

GARDEN LANTERNS, IP44

Lamps Not Included 1xE27



96305F/BRB

Type: Lantern floor post
Body colour: Antique copper
Material: Aluminum + Glass
Max.: 40W

Lamps Not Included 1xE27



96304MF/BRB

Type: Lantern floor post
Body colour: Antique copper
Material: Aluminum + Glass
Max.: 40W

Scan QR code for 3D models, IES files & price.

Recommended bulb



E27

page 708

ELMARK
The Brand of Electricity



96403P/AB



96404MF/AB



96402WD/AB

GARDEN LANTERNS, IP44

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP44

~230V

RoHs COMPLAINT

CE

Lamps Not Included | 1xE27



96403P/AB

Type: Hanging lantern
Body colour: Antique brass
Material: Aluminum + Glass
Max.: 40W

Lamps Not Included | 1xE27



96402WD/AB

Type: Wall lantern
Body colour: Antique brass
Material: Aluminum + Glass
Max.: 40W

Lamps Not Included | 1xE27



96404MF/AB

Type: Lantern floor post
Body colour: Antique brass
Material: Aluminum + Glass
Max.: 40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 708

ELMARK
The Brand of Electricity



96501WU/AB



96504MF/AB



96503P/AB



96505F/AB

GARDEN LANTERNS, IP44

Lamps Not Included | 1xE27

96503P/AB



Type: Hanging lantern
Body colour: Antique brass
Material: Aluminum + PVC
Max.: 40W

Lamps Not Included | 1xE27

96501WU/AB



Type: Wall lantern
Body colour: Antique brass
Material: Aluminum + PVC
Max.: 40W

Lamps Not Included | 1xE27

96504MF/AB



Type: Lantern floor post
Body colour: Antique brass
Material: Aluminum + PVC
Max.: 40W

Lamps Not Included | 1xE27

96505F/AB



Type: Lantern floor post
Body colour: Antique brass
Material: Aluminum + PVC
Max.: 40W

2 YEARS TOTAL WARRANTY
+ 2 standard 0 extended

IP44
~230V
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

Recommended bulb



E27

page 708

ELMARK
The Brand of Electricity



96102WD/AB



96103P/AB



96101WU/AB

GARDEN LANTERNS, IP44

Lamps Not Included | 1xE27


96103P/AB



Type: Hanging lantern
Body colour: Antique brass
Material: Aluminum + Glass
Max.: 40W

Lamps Not Included | 1xE27


96102WD/AB



Type: Wall lantern
Body colour: Antique brass
Material: Aluminum + Glass
Max.: 40W

Lamps Not Included | 1xE27

96101WU/AB



Type: Wall lantern
Body colour: Antique brass
Material: Aluminum + Glass
Max.: 40W

2 YEARS TOTAL WARRANTY
+ 2 standard 0 extended

IP44
~230V
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



96105F/AB



96104MF/AB

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP44
~230V
RoHs COMPLIANT
CE

GARDEN LANTERNS, IP44

Lamps Not Included
1xE27



96105F/AB

Type: Lantern floor post
Body colour: Antique brass
Material: Aluminum + Glass
Max.: 40W

Lamps Not Included
1xE27



96104MF/AB

Type: Lantern floor post
Body colour: Antique brass
Material: Aluminum + Glass
Max.: 40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 694

ELMARK
The Brand of Electricity



96511WU/BL



96511P/BL



96511MF/BL

GARDEN LANTERNS, IP44

3 YEARS TOTAL WARRANTY
+ 2 standard 1 extended

IP44

~230V

RoHs COMPLAINT

CE

Scan QR code for 3D models, IES files & price.

Lamps Not Included | 1xE27

96511P/BL



Type: Hanging lantern
Body colour: Black
Material: UV resistant PP + PC
Max.: 40W

UV resistant

Lamps Not Included | 1xE27

96511WU/BL



Type: Wall lantern
Body colour: Black
Material: UV resistant PP + PC
Max.: 40W

UV resistant

Lamps Not Included | 1xE27

96511MF/BL



Type: Standing lantern
Body colour: Black
Material: UV resistant PP + PC
Max.: 40W

UV resistant

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 694

ELMARK
The Brand of Electricity



96511F2/BL



96511F/BL

3 YEARS TOTAL WARRANTY
+ 2 standard 1 extended

IP44

~230V

RoHs COMPLAINT

CE

GARDEN LANTERNS, IP44

Lamps Not Included | 2xE27



96511F2/BL

Type: Standing lantern
Body colour: Black
Material: UV resistant PP + PC
Max.: 40W

UV resistant

Lamps Not Included | 1xE27



96511F/BL

Type: Standing lantern
Body colour: Black
Material: UV resistant PP + PC
Max.: 40W

UV resistant

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 694

ELMARK
The Brand of Electricity



96514WU/BL



96514P/BL



96514MF/BL



96514F/BL

GARDEN LANTERNS, IP44

3 YEARS TOTAL WARRANTY + 2 standard 1 extended

IP44

~230V

RoHs COMPLAINT

CE

Scan QR code for 3D models, IES files & price.

96514P/BL

Lamps Not Included 1xE27



Type: Hanging lantern
Body colour: Black
Material: UV resistant PP + Glass
Max.: 40W

UV resistant

96514WU/BL

Lamps Not Included 1xE27



Type: Wall lantern
Body colour: Black
Material: UV resistant PP + Glass
Max.: 40W

UV resistant

96514F/BL

Lamps Not Included 1xE27



Type: Standing lantern
Body colour: Black
Material: UV resistant PP + Glass
Max.: 40W

UV resistant

96514MF/BL

Lamps Not Included 1xE27



Type: Standing lantern
Body colour: Black
Material: UV resistant PP + Glass
Max.: 40W

UV resistant

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



96512WD/BL



96513WD/BL

GARDEN LANTERNS, IP44

Lamps Not Included | 1xE27

96512WD/BL




Type: Wall lantern
Body colour: Black
Material: UV resistant PP + Glass
Max.: 40W

UV resistant

Lamps Not Included | 1xE27

96513WD/BL



Type: Wall lantern
Body colour: Black
Material: UV resistant PP + Glass
Max.: 40W

UV resistant

3 YEARS TOTAL WARRANTY
+ 2 standard 1 extended

IP44
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Recommended bulb



E27

page 694

ELMARK
The Brand of Electricity



96515P/BL



96515WU/BL

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP44

~230V

RoHs COMPLAINT

CE

GARDEN LANTERNS, IP44

Lamps Not Included 1xE27



96515P/BL

Type: Hanging lantern
Body colour: Black
Material: UV resistant PP+ PC
Max.: 40W

UV resistant

Lamps Not Included 1xE27



96515WU/BL

Type: Wall lantern
Body colour: Black
Material: UV resistant PP+ PC
Max.: 40W

UV resistant

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 694

ELMARK
The Brand of Electricity



96515F/BL



96515MF/BL

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP44

~230V

RoHs COMPLIANT

CE

GARDEN LANTERNS, IP44

Lamps Not Included | 1xE27



96515F/BL

Type: Standing lantern
Body colour: Black
Material: UV resistant PP+ PC
Max.: 40W

UV resistant

Lamps Not Included | 1xE27



96515MF/BL

Type: Standing lantern
Body colour: Black
Material: UV resistant PP+ PC
Max.: 40W

UV resistant

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 694

ELMARK
The Brand of Electricity



96516WU/BL



96516P/BL



96516MF/BL

GARDEN LANTERNS, IP44

3 YEARS TOTAL WARRANTY
+ 2 standard 1 extended

IP44
~230V
RoHs COMPLAINT
CE

Lamps Not Included 1xE27

96516WU/BL



Type: Wall lantern
Body colour: Black
Material: UV resistant PP+ PC
Max.: 40W

UV resistant

Lamps Not Included 1xE27

96516P/BL



Type: Hanging lantern
Body colour: Black
Material: UV resistant PP+ PC
Max.: 40W

UV resistant

Lamps Not Included 1xE27

96516MF/BL



Type: Standing lantern
Body colour: Black
Material: UV resistant PP+ PC
Max.: 40W

UV resistant

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 694

ELMARK
The Brand of Electricity



96517WD/BL



96518WD/BL



96519WD/BL

GARDEN LANTERNS, IP44

Lamps Not Included | 1xE27

96517WD/BL



Type: Wall lantern
Body colour: Black
Material: UV resistant PP+ PC
Max.: 40W

UV resistant

Lamps Not Included | 1xE27

96518WD/BL



Type: Wall lantern
Body colour: Black
Material: UV resistant PP+ PC
Max.: 40W

UV resistant

Lamps Not Included | 1xE27

96519WD/BL



Type: Wall lantern
Body colour: Black
Material: UV resistant PP+ PC
Max.: 40W

UV resistant

3 YEARS TOTAL WARRANTY
+ 2 standard 1 extended

IP44
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 692

ELMARK
The Brand of Electricity



96GOLIAWL/BL



96GOLIAP/BL



96GOLIAMF/BL



96IESSEWL/BL

GARDEN LANTERNS, IP55

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP55
~230V
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

96GOLIAP/BL

Lamps Not Included | 1xE27



Type: Hanging lantern
Body colour: Black
Material: Resin + Clear glass
Max.: 40W

UV resistant

96GOLIAWL/BL

Lamps Not Included | 1xE27



Type: Wall lantern
Body colour: Black
Material: Resin + Clear glass
Max.: 40W

UV resistant

96GOLIAMF/BL

Lamps Not Included | 1xE27



Type: Lantern floor post
Body colour: Black
Material: Resin + Clear glass
Max.: 40W

UV resistant

96IESSEWL/BL

Lamps Not Included | 1xE27



Type: Wall half lantern
Body colour: Black
Material: Resin + Clear glass
Max.: 40W

UV resistant

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



96GOLIAGG/BL



96GOLIAMG/BL

LED PARK LIGHTS, IP55

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | A↑G E



96GOLIAGG/BL

Type: Lantern floor post
Lamp holder: E27
Power: 8.5W
Lumens: 969lm
Efficiency: 147lm/W
Body colour: Black
Material: Resin + Clear glass

UV resistant

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | A↑G E



96GOLIAMG/BL

Type: Lantern floor post
Lamp holder: E27
Power: 8.5W
Lumens: 969lm
Efficiency: 147lm/W
Body colour: Black
Material: Resin + Clear glass

UV resistant

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP55
~230V
LED BULB PEAR A60
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 694

ELMARK
The Brand of Electricity



96120WU/BL



96120P/BL



96120MF/BL

GARDEN LANTERNS, IP55

5 YEARS TOTAL WARRANTY + 3 standard 2 extended

IP55

~230V

RoHs COMPLAINT

CE

Lamps Not Included 1xE27

96120WU/BL



Type: Wall lantern
Body colour: Black
Material: Resin + Glass
Max.: 40W

UV resistant

Lamps Not Included 1xE27

96120P/BL



Type: Hanging lantern
Body colour: Black
Material: Resin + Glass
Max.: 40W

UV resistant

Lamps Not Included 1xE27

96120MF/BL



Type: Lantern floor post
Body colour: Black
Material: Steel + Resin + Glass
Max.: 40W

UV resistant

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



96120GB2L/BL



96120F/BL

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP55

~230V

LED BULB
PEAR A60

Ra≥80

EMC

LED PARK LIGHTS, IP55

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | A↑G E

96120GB2L/BL



Type: Lantern floor post
Lamp holder: E27
Power: 2x8.5W
Lumens: 1938lm
Efficiency: 147lm/W
Body colour: Black
Material: Resin +Clear glass
UV resistant

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | A↑G E

96120F/BL



Type: Lantern floor post
Lamp holder: E27
Power: 8.5W
Lumens: 969lm
Efficiency: 147lm/W
Body colour: Black
Material: Resin + Clear glass
UV resistant

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 707

ELMARK
The Brand of Electricity



96G250WL/BL



96G250P/BL



96G250MF/BL

GARDEN LIGHTS, IP55

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP55
~230V
RoHs COMPLAINT
CE

Lamps Not Included | 1xE27

96G250WL/BL



Type: Wall lamp
Body colour: Black
Material: Resin + Clear glass
Max.: 40W

UV resistant

Lamps Not Included | 1xE27

96G250P/BL



Type: Hanging lamp
Body colour: Black
Material: Resin + Clear glass
Max.: 40W

UV resistant

Lamps Not Included | 1xE27

96G250MF/BL



Type: Floor lamp
Body colour: Black
Material: Resin + Clear glass
Max.: 40W

UV resistant

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



96G250GB2L/BL



96G250M/BL


5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP55
~230V
LED BULB PEAR A60
Ra≥80
EMC

LED PARK LIGHTS, IP55

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | A↑G E

96G250GB2L/BL



Type: Floor lamp
Lamp holder: E27
Power: 2x8.5W
Lumens: 1938lm
Efficiency: 147lm/W
Body colour: Black
Material: Resin +Clear glass
UV resistant

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | A↑G E

96G250M/BL



Type: Floor lamp
Lamp holder: E27
Power: 8.5W
Lumens: 969lm
Efficiency: 147lm/W
Body colour: Black
Material: Resin +Clear glass
UV resistant

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 707

ELMARK
The Brand of Electricity



95LUCIA/BL



96GABRI/BL

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP66


~230V

RoHs COMPLIANT

CE

GARDEN LIGHTS, IP66

Lamps Not Included | 1xE27



95LUCIA/BL

Type: Wall lamp
Body colour: Black
Material: Resin
Max.: 40W

UV resistant

Lamps Not Included | 1xE27



96GABRI/BL

Type: Path light
Body colour: Black
Material: Resin
Max.: 40W

UV resistant

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



96GINO5040/BL1



96BEPPE40/BL



96VIVI5040/BL1

LED PARK LIGHTS, IP65

LED | neutral WHITE 4000K | E27 | A G E

96GINO5040/BL1



Type: Park Light GINO400
Power: 50W
Lumens: 6550lm
Efficiency: 131lm/W
Body Colour: Black
Material: Resin + Clear PMMA Diffuser

UV resistant

LED | neutral WHITE 4000K | E27 | A G E

96BEPPE40/BL



Type: Park Light BEPPE400
Power: 50W
Lumens: 6550lm
Efficiency: 131lm/W
Body Colour: Black
Material: Resin + Clear + PMMA Diffuser

UV resistant

LED | neutral WHITE 4000K | E27 | A G E

96VIVI5040/BL1



Type: Park Light VIVI400
Power: 50W
Lumens: 6550lm
Efficiency: 131lm/W
Body Colour: Black
Material: Resin + Clear + PMMA Diffuser

UV resistant





5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP65
~230V
SMD 2835
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



96BASEGB/BL



96WPILARGB/BL



96WPILARV1L/BL



96WPILARV2L/BL

ACCESSORIES FOR LED PARK LIGHTS GINO, VIVI AND BEPPE

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

96BASEGB/BL



Type: Base for ground mounting- BEPPE400; VIVI400; GINO400
Body Colour: Black
Material: Resin

UV resistant

96WPILARGB/BL



Type: Pillar bracket for wall mounting- VIVI400; GINO400
Body Colour: Black
Material: Resin

UV resistant

96WPILARV1L/BL



Type: Pillar 1L bracket for pole mounting- VIVI400
Body Colour: Black
Material: Resin

UV resistant

96WPILARV2L/BL



Type: Pillar 2L bracket for pole mounting- VIVI400
Body Colour: Black
Material: Resin

UV resistant

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



96BEPPE40/BL2


96EKTOR3000D/BL


96EKTOR3500D/BL

POLES FOR PARK LIGHTS GINO, VIVI AND BEPPE


Lamp Not Included



96BEPPE40/BL2

Type: Pole without door for BEPPE400; VIVI400; GINO400
Body Colour: Black
Material: Resin
**VIVI 400 can be mounted to the pole only 1L or 2L bracket*
UV resistant


Lamp Not Included



96EKTOR3000D/BL

Type: Pole without door for BEPPE400; VIVI400; GINO400
Body Colour: Black
Material: Resin
**VIVI 400 can be mounted to the pole only 1L or 2L bracket*
UV resistant

Lamp Not Included



96EKTOR3500D/BL

Type: Pole without door for BEPPE400; VIVI400; GINO400
Body Colour: Black
Material: Resin
**VIVI 400 can be mounted to the pole only 1L or 2L bracket*
UV resistant

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

RoHs COMPLIANT

CE

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



96LEDW206
96LEDW206WW



96LEDP20678
96LEDP20678WW

GARDEN LAMP, IP54

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP54
~230V
SMD 2835
>20000
Ra≥80
EMC

96LEDW206


LED | neutral WHITE 4000K | A G | G



Type: LED wall light
Power: 10W
Lumens: 800lm
Efficiency: 80lm/W
Body colour: Graphite black
Material: Aluminum + PC

96LEDP20678

LED | neutral WHITE 4000K | A G | G



Type: LED path light
Power: 10W
Lumens: 800lm
Efficiency: 80lm/W
Body colour: Graphite black
Material: Aluminum + PC

96LEDW206WW

LED | warm WHITE 3000K | A G | G



Type: LED wall light
Power: 10W
Lumens: 800lm
Efficiency: 80lm/W
Body colour: Graphite black
Material: Aluminum + PC

96LEDP20678WW

LED | warm WHITE 3000K | A G | G



Type: LED path light
Power: 10W
Lumens: 800lm
Efficiency: 80lm/W
Body colour: Graphite black
Material: Aluminum + PC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



96LEDW302




96LEDP30278

GARDEN LAMP, IP54

LED | neutral WHITE 4000K | A T G | G


96LEDW302



Type: LED wall light
Power: 10W
Lumens: 800lm
Efficiency: 80lm/W
Body colour: Graphite black
Material: Aluminum + PC

LED | neutral WHITE 4000K | A T G | G

96LEDP30278



Type: LED path light
Power: 10W
Lumens: 800lm
Efficiency: 80lm/W
Body colour: Graphite black
Material: Aluminum + PC

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP54
~230V
SMD 2835
>20000
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



96LEDW307/BL



95SAURO800/BL

GARDEN LAMP, IP55

LED | neutral WHITE 4000K | A T G F

96LEDW307/BL



3 YEARS TOTAL WARRANTY
+ 2 standard 1 extended

Type: LED path light
Power: 6W
Lumens: 600lm
Efficiency: 100lm/W
Body colour: Black
Material: UV resistant PP + PC

IP54

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | A T G E

95SAURO800/BL



5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

Type: LED path light
Power: 10W
Lumens: 1200lm
Efficiency: 120lm/W
Body colour: Black
Material: UV resistant PP + PC

UV resistant

IP55

~230V
SMD 2835
>20000
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.





Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



95CARLO400D/BL



95CARLO800D/BL



95CARLOWLDFS/BL



95CARLOWLD/BL

GARDEN LAMP, IP55

LED | warm WHITE 2700K | neutral WHITE 4000K | SETTABLE | A↑G F



95CARLO800D/BL

Type: LED path light
Lamp holder: GU10
Power: 6W
Lumens: 600lm
Efficiency: 100lm/W
Body colour: Black
Material: Resin + Clear glass

UV resistant

LED | warm WHITE 2700K | neutral WHITE 4000K | SETTABLE | A↑G F



95CARLO400D/BL

Type: LED path light
Lamp holder: GU10
Power: 6W
Lumens: 600lm
Efficiency: 100lm/W
Body colour: Black
Material: Resin + Clear glass

UV resistant

LED | warm WHITE 2700K | neutral WHITE 4000K | SETTABLE | A↑G F




95CARLOWLD/BL

Type: LED wall light
Lamp holder: GU10
Power: 6W
Lumens: 600lm
Efficiency: 100lm/W
Body colour: Black
Material: Resin + Clear glass

UV resistant

LED | warm WHITE 2700K | neutral WHITE 4000K | SETTABLE | A↑G F



95CARLOWLDFS/BL

Type: LED wall light
Lamp holder: GU10
Power: 6W
Lumens: 600lm
Efficiency: 100lm/W
Body colour: Black
Material: Resin + Clear glass

UV resistant

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP55
~230V
SMD 2835
>20000
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



95CARLO400/BL



95CARLO800/BL



95CARLOWLFS/BL



95CARLOWL/BL


GARDEN LAMP, IP55

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP55
~230V
SMD 2835
>20000
Ra≥80
EMC

95CARLO800/BL

LED | warm WHITE 2700K | neutral WHITE 4000K | SETTABLE | A G F



Type: LED path light
Lamp holder: GU10
Power: 6W
Lumens: 600lm
Efficiency: 100lm/W
Body colour: Black
Material: Resin + Clear glass

UV resistant

95CARLO400/BL

LED | warm WHITE 2700K | neutral WHITE 4000K | SETTABLE | A G F



Type: LED path light
Lamp holder: GU10
Power: 6W
Lumens: 600lm
Efficiency: 100lm/W
Body colour: Black
Material: Resin + Clear glass

UV resistant

95CARLOWL/BL

LED | warm WHITE 2700K | neutral WHITE 4000K | SETTABLE | A G F



Type: LED wall light
Lamp holder: GU10
Power: 6W
Lumens: 600lm
Efficiency: 100lm/W
Body colour: Black
Material: Resin + Clear glass

UV resistant

95CARLOWLFS/BL

LED | warm WHITE 2700K | neutral WHITE 4000K | SETTABLE | A G F



Type: LED wall light
Lamp holder: GU10
Power: 6W
Lumens: 600lm
Efficiency: 100lm/W
Body colour: Black
Material: Resin + Clear glass

UV resistant

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



95CARLO400/GR



95CARLO800/GR




95CARLOWLFS/GR



95CARLOWL/GR

GARDEN LAMP, IP55

LED | warm WHITE 2700K | neutral WHITE 4000K | SETTABLE | A↑G F



95CARLO800/GR

Type: LED path light
Lamp holder: GU10
Power: 6W
Lumens: 600lm
Efficiency: 100lm/W
Body colour: Grey
Material: Resin + Clear glass

UV resistant

LED | warm WHITE 2700K | neutral WHITE 4000K | SETTABLE | A↑G F



95CARLO400/GR

Type: LED path light
Lamp holder: GU10
Power: 6W
Lumens: 600lm
Efficiency: 100lm/W
Body colour: Grey
Material: Resin + Clear glass

UV resistant

LED | warm WHITE 2700K | neutral WHITE 4000K | SETTABLE | A↑G F



95CARLOWL/GR

Type: LED wall light
Lamp holder: GU10
Power: 6W
Lumens: 600lm
Efficiency: 100lm/W
Body colour: Black
Material: Resin + Clear glass

UV resistant

LED | warm WHITE 2700K | neutral WHITE 4000K | SETTABLE | A↑G F



95CARLOWLFS/GR

Type: LED wall light
Lamp holder: GU10
Power: 6W
Lumens: 600lm
Efficiency: 100lm/W
Body colour: Black
Material: Resin + Clear glass

UV resistant

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP55
~230V
SMD 2835
>20000
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



95ESTER800/BL



95ESTER500/BL



95ESTERWL/BL


GARDEN LAMP, IP55

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP55
~230V
SMD 2835
>20000
Ra≥80
EMC

95ESTER800/BL

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | A G E



Type: LED path light
Lamp holder: GX53
Power: 10W
Lumens: 1200lm
Efficiency: 120lm/W
Body colour: Black
Material: Resin + Clear glass

UV resistant

95ESTER500/BL

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | A G E




Type: LED path light
Lamp holder: GX53
Power: 10W
Lumens: 1200lm
Efficiency: 120lm/W
Body colour: Black
Material: Resin + Clear glass

UV resistant

95ESTERWL/BL

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | A G E



Type: LED wall light
Lamp holder: GX53
Power: 10W
Lumens: 1200lm
Efficiency: 120lm/W
Body colour: Black
Material: Resin + Clear glass

UV resistant



Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



95ESTER800/GR



95ESTER500/GR




95ESTERWL/GR

GARDEN LAMP, IP55

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | A↑G E

95ESTER800/GR




Type: LED path light
Lamp holder: GX53
Power: 10W
Lumens: 1200lm
Efficiency: 120lm/W
Body colour: Grey
Material: Resin + Clear glass

UV resistant

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | A↑G E

95ESTER500/GR




Type: LED path light
Lamp holder: GX53
Power: 10W
Lumens: 1200lm
Efficiency: 120lm/W
Body colour: Grey
Material: Resin + Clear glass

UV resistant

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | A↑G E

95ESTERWL/GR



Type: LED wall light
Lamp holder: GX53
Power: 10W
Lumens: 1200lm
Efficiency: 120lm/W
Body colour: Grey
Material: Resin + Clear glass

UV resistant



5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP55
~230V
SMD 2835
>20000
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 708

ELMARK
The Brand of Electricity



95SAURO800L/BL



95SAURO1100L/BL



955MIRELLAWL/BL



95SAURO500L/BL

GARDEN LAMP, IP55

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP55

~230V

RoHs COMPLIANT

CE

Scan QR code for 3D models, IES files & price.

Lamps Not Included | 1xE27

95SAURO1100L/BL



Type: Path light
Body colour: Black
Material: Resin
Max.: 40W

UV resistant

Lamps Not Included | 1xE27

95SAURO800L/BL



Type: Path light
Body colour: Black
Material: Resin
Max.: 40W

UV resistant

Lamps Not Included | 1xE27

95SAURO500L/BL



Type: Path light
Body colour: Black
Material: Resin
Max.: 40W

UV resistant

Lamps Not Included | 1xE27

955MIRELLAWL/BL



Type: Wall light
Body colour: Black
Material: Resin
Max.: 40W

UV resistant

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 708

ELMARK
The Brand of Electricity



95SAURO800L/GR



95SAURO1100L/GR



955MIRELLAWL/GR




95SAURO500L/GR

GARDEN LAMP, IP55

Lamps Not Included | 1xE27

95SAURO1100L/GR




Type: Path light
Body colour: Grey
Material: Resin
Max.: 40W

UV resistant

Lamps Not Included | 1xE27

95SAURO800L/GR




Type: Path light
Body colour: Grey
Material: Resin
Max.: 40W

UV resistant

Lamps Not Included | 1xE27

95SAURO500L/GR




Type: Path light
Body colour: Grey
Material: Resin
Max.: 40W

UV resistant

Lamps Not Included | 1xE27

955MIRELLAWL/GR



Type: Wall light
Body colour: Grey
Material: Resin
Max.: 40W

UV resistant

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP55
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 707

ELMARK
The Brand of Electricity



96300016



96300017



96400023



96400024

GARDEN PILLAR LAMP, IP65

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP65
~230V
RoHs COMPLIANT
CE

Lamps Not Included | 1xE27

- 96300016
- 96400023



Type: Pillar light
Body colour: Opal/ Transparent
Material: PMMA
Max.: 20W
Mounting: Metal pole ø60


Lamps Not Included | 1xE27

- 96300017
- 96400024




Type: Pillar light
Body colour: Opal/ Transparent
Material: PMMA
Max.: 20W
Mounting: Metal pole ø60

93SP60BL



Type: Metal pole
Colour: Black
Diameter 60mm
Base: ø145 mm

93SP80BL



Type: Metal pole
Colour: Black
Diameter 60mm
Base: ø145 mm

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



96300018



96300019



96400025



96400027

GARDEN PILLAR LAMP, IP65

Lamps Not Included | 1xE27

- **96300018**
- **96400025**



Type: Pillar light
Body colour: Opal/ Transparent
Material: PMMA
Max.: 40W
Mounting: Metal pole ø60


Lamps Not Included | 1xE27

- **96300019**
- **96400027**




Type: Pillar light
Body colour: Opal/ Transparent
Material: PMMA
Max.: 40W
Mounting: Metal pole ø60

93SP100BL



Type: Metal pole
Colour: Black
Diameter 60mm
Base: ø145 mm

93SP120BL



Type: Metal pole
Colour: Black
Diameter 60mm
Base: ø145 mm

2 YEARS TOTAL WARRANTY
2 standard + 0 extended

IP65
~230V
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

Recommended bulbs

E27 page 721



ELMARK
The Brand of Electricity



961527



BELT LIGHT, IP44

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

Lamps Not Included



961527



Type: Belt light
Cable length: 5 m
Cable specification: H05RN-F 2x1.0mm²
Connectors type: 3 pcs male/ female
Length 5m / 15 lamps holders





IP44
~230V
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

WALL & CEILING LAMPS



ELMARK
The Brand of Electricity



99DS204



99DS203



99DS202

WALL LAMPS WITH SENSOR, IP54

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP54
~230V
SMD 2835
>15000
Ra≥80
EMC

99DS204

LED | neutral WHITE 4000K | A F G | F



Type: Wall lamp with sensor
Power: 15W
Lumens: 1200lm
Body colour: White
Material: PC + Aluminum

Sensor

Detection range: 140°
Detection distance: max. 9m
Ambient light: <3-2000LUX
Time-Delay: 10sec ± 3sec to 5min ± 1min (adjustable)

99DS203

LED | neutral WHITE 4000K | A F G | G



Type: Wall lamp with sensor
Power: 15W
Lumens: 1100lm
Body colour: White
Material: Polycarbonate

Sensor

Detection range: 140°
Detection distance: max. 9m
Ambient light: <3-2000LUX
Time-Delay: 10sec ± 3sec to 5min ± 1min (adjustable)

99DS202

LED | neutral WHITE 4000K | A F G | G



Type: Wall lamp with sensor
Power: 15W
Lumens: 1100lm
Body colour: White
Material: Polycarbonate

Sensor

Detection range: 140°
Detection distance: max. 9m
Ambient light: <3-2000LUX
Time-Delay: 10sec ± 3sec to 5min ± 1min (adjustable)

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



99DS206



99DS205

WALL LAMPS WITH SENSOR, IP65

LED | neutral WHITE 4000K | G



99DS206

Type: Wall lamp with sensor
Power: 20W
Lumens: 1800lm
Body colour: White
Material: PC + Aluminum

Sensor

Detection range: 140°
Detection distance: max. 9m
Ambient light: <3-2000LUX
Time-Delay: 10sec ± 3sec to 5min ± 1min (adjustable)

LED | neutral WHITE 4000K | F



99DS205

Type: Wall lamp with sensor
Power: 20W
Lumens: 2300lm
Body colour: White
Material: PC + Aluminum

Sensor

Detection range: 140°
Detection distance: max. 9m
Ambient light: <3-2000LUX
Time-Delay: 10sec ± 3sec to 15min ± 2min

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP65
~230V
SMD 2835
>15000
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



96GRFLED0041
96GRFLED0031

Additional decorative grid


RECESSED LAMPS, IP65

3 YEARS TOTAL WARRANTY
+ 2 standard 1 extended

IP65
~230V
SMD 2835
>15000
Ra≥80
EMC

96GRFLED0031


LED | cold WHITE 6000-6500K | 30° | A↑G G



Type: LED recessed light
Power: 1.5W
Lumens: 55/32lm
Body colour: Grey
Material: Stainless steel + Aluminum
Operating temperature: -20°C÷+65°C
+ Additional decorative grid

96GRFLED0041

LED | cold WHITE 6000-6500K | 30° | A↑G G




Type: LED recessed light
Power: 3.5W
Lumens: 187/165lm
Body colour: Grey
Material: Stainless steel + Aluminum
Operating temperature: -20°C÷+65°C
+ Additional decorative grid

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



96NINA150/BL



96NINA190/BL



96NINA150/GR




96NINA190/GR

RECESSED LAMPS, IP55

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | A G E


96NINA150/BL



Type: LED recessed light
Lamp holder: R7s
Power: 3.2W
Lumens: 400lm
Efficiency: 125lm/W
Body colour: Black
Material: Resin

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | A G E


96NINA190/BL



Type: LED recessed light
Lamp holder: R7s
Power: 7.5W
Lumens: 850lm
Efficiency: 113lm/W
Body colour: Black
Material: Resin

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | A G E

96NINA150/GR



Type: LED recessed light
Lamp holder: R7s
Power: 3.2W
Lumens: 400lm
Efficiency: 125lm/W
Body colour: Grey
Material: Resin

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | A G E

96NINA190/GR



Type: LED recessed light
Lamp holder: R7s
Power: 7.5W
Lumens: 850lm
Efficiency: 113lm/W
Body colour: Grey
Material: Resin

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP55
~230V
SMD 2835
>15000
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



96GRFLED52/DGR



96GRFLED52/GR



96GRFLED52/WH


WALL LAMPS, IP65

3 YEARS TOTAL WARRANTY
+ 2 standard 1 extended

IP65
~230V
SMD 2835
>15000
Ra≥80
EMC

LED | neutral WHITE 4000K | A G | G


96GRFLED52/DGR



Type: LED wall light
Power: 1.5W
Lumens: 60lm
Body colour: Dark grey
Material: ABS + PVC
Operating temperature:
-20°C÷+65°C

LED | neutral WHITE 4000K | A G | G


96GRFLED52/GR



Type: LED wall light
Power: 1.5W
Lumens: 60lm
Body colour: Grey
Material: ABS + PVC
Operating temperature:
-20°C÷+65°C

LED | neutral WHITE 4000K | A G | G

96GRFLED52/WH



Type: LED wall light
Power: 1.5W
Lumens: 60lm
Body colour: White
Material: ABS + PVC
Operating temperature:
-20°C÷+65°C

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



96GRFLED02/DGR



96GRFLED02/GR




96GRFLED02/WH

WALL LAMPS, IP65

LED | neutral WHITE 4000K | A G


96GRFLED02/DGR



Type: LED wall light
Power: 1.8W
Lumens: 90lm
Body colour: Dark grey
Material: ABS + PVC
Operating temperature:
-20°C÷+65°C

LED | neutral WHITE 4000K | A G


96GRFLED02/GR



Type: LED wall light
Power: 1.8W
Lumens: 90lm
Body colour: Grey
Material: ABS + PVC
Operating temperature:
-20°C÷+65°C

LED | neutral WHITE 4000K | A G

96GRFLED02/WH



Type: LED wall light
Power: 1.8W
Lumens: 90lm
Body colour: White
Material: ABS + PVC
Operating temperature:
-20°C÷+65°C

3 YEARS TOTAL WARRANTY
+ 2 standard
1 extended

IP65
~230V
SMD 2835
>15000
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



96GRFLED01/1BL



96GRFLED309/4BL



96GRFLED308/4BL

WALL LAMPS, IP65

3 YEARS TOTAL WARRANTY
+ 2 standard 1 extended

IP65
~230V
SMD 2835
>15000
Ra≥80
EMC

96GRFLED01/1BL

LED | neutral WHITE 4000K | A G | G



Type: LED wall light
Power: 1W
Lumens: 30lm
Body colour: Black
Material: UV resistant ABS+ PC

UV resistant

96GRFLED309/4BL

LED | neutral WHITE 4000K | A G | F




Type: LED wall light
Power: 4W
Lumens: 280lm
Efficiency: 70lm/W
Body colour: Black
Material: UV resistant ABS+ PC

UV resistant

96GRFLED308/4BL

LED | neutral WHITE 4000K | A G | F



Type: LED wall light
Power: 4W
Lumens: 300lm
Efficiency: 75lm/W
Body colour: Black
Material: UV resistant ABS+ PC

UV resistant

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



96GRFLED01/1GR



96GRFLED309/4GR




96GRFLED308/4GR

WALL LAMPS, IP65

LED | neutral WHITE 4000K | A↑G G

96GRFLED01/1GR




Type: LED wall light
Power: 1W
Lumens: 30lm
Body colour: Grey
Material: UV resistant ABS+ PC

UV resistant

LED | neutral WHITE 4000K | A↑G F

96GRFLED309/4GR




Type: LED wall light
Power: 4W
Lumens: 280lm
Efficiency: 70lm/W
Body colour: Grey
Material: UV resistant ABS+ PC

UV resistant

LED | neutral WHITE 4000K | A↑G F

96GRFLED308/4GR



Type: LED wall light
Power: 4W
Lumens: 300lm
Efficiency: 75lm/W
Body colour: Grey
Material: UV resistant ABS+ PC

UV resistant

3 YEARS TOTAL WARRANTY
+ 2 standard 1 extended

IP65
~230V
SMD 2835
>15000
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



96LETI100/BL



96LETI100GR/BL



96LETI100EL/BL

RECESSED WALL LAMPS, IP66

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP66
~230V
SMD 2835
>15000
Ra≥80
EMC

96LETI100/BL

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | A G | E



Type: LED wall lamp
Lamp holder: GX53
Power: 3W
Lumens: 350lm
Efficiency: 117lm/W
Body colour: Black
Cut size: 96 mm
Material: Resin + Opal glass
UV resistant

96LETI100GR/BL

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | A G | E



Type: LED wall lamp
Lamp holder: GX53
Power: 3W
Lumens: 350lm
Efficiency: 117lm/W
Body colour: Black
Cut size: 96 mm
Material: Resin + Opal glass
UV resistant

96LETI100EL/BL

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | A G | E



Type: LED wall lamp
Lamp holder: GX53
Power: 3W
Lumens: 350lm
Efficiency: 117lm/W
Body colour: Black
Cut size: 96 mm
Material: Resin + Opal glass
UV resistant



Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



96LETI100/GR



96LETI100GR/GR




96LETI100EL/GR

RECESSED WALL LAMPS, IP66

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | A G E


96LETI100/GR



Type: LED wall lamp
Lamp holder: GX53
Power: 3W
Lumens: 350lm
Efficiency: 117lm/W
Body colour: Grey
Cut size: 96 mm
Material: Resin + Opal glass
UV resistant

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | A G E

96LETI100GR/GR



Type: LED wall lamp
Lamp holder: GX53
Power: 3W
Lumens: 350lm
Efficiency: 117lm/W
Body colour: Grey
Cut size: 96 mm
Material: Resin + Opal glass
UV resistant

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | A G E

96LETI100EL/GR



Type: LED wall lamp
Lamp holder: GX53
Power: 3W
Lumens: 350lm
Efficiency: 117lm/W
Body colour: Grey
Cut size: 96 mm
Material: Resin + Opal glass
UV resistant



5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP66
~230V
SMD 2835
>15000
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



96LETI100REL/BL



96ELETI100RGR/BL


WALL LAMPS, IP66

5 YEARS TOTAL WARRANTY + 3 standard 2 extended

IP66
~230V
SMD 2835
>15000
Ra≥80
EMC

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | A↑G E

96LETI100REL/BL



Type: LED wall lamp
Lamp holder: GX53
Power: 3W
Lumens: 350lm
Efficiency: 117lm/W
Body colour: Black
Material: Resin + Opal glass

UV resistant

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | A↑G E

96ELETI100RGR/BL



Type: LED wall lamp
Lamp holder: GX53
Power: 3W
Lumens: 350lm
Efficiency: 117lm/W
Body colour: Black
Material: Resin + Opal glass

UV resistant



Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



96LETI100REL/GR



96ELETI100RGR/GR

WALL LAMPS, IP66

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | A G E

96LETI100REL/GR



Type: LED wall lamp
Lamp holder: GX53
Power: 3W
Lumens: 350lm
Efficiency: 117lm/W
Body colour: Grey
Material: Resin + Opal glass

UV resistant

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | A G E

96ELETI100RGR/GR



Type: LED wall lamp
Lamp holder: GX53
Power: 3W
Lumens: 350lm
Efficiency: 117lm/W
Body colour: Grey
Material: Resin + Opal glass

UV resistant



5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP66
~230V
SMD 2835
>15000
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Recommended bulb



E27

page 716

ELMARK
The Brand of Electricity



96LETI300HVP/BL



96LETI300VP/BL

WALL LAMPS, IP66

5 YEARS TOTAL WARRANTY + 3 standard 2 extended

IP66

~230V

RoHs COMPLAINT

CE

Lamps Not Included

1xE27



96LETI300HVP/BL

Type: Wall lamp
Body colour: Black
Material: Resin + Opal glass
Max.: 40W

UV resistant

Lamps Not Included

1xE27



96LETI300VP/BL

Type: Wall lamp
Body colour: Black
Material: Resin + Opal glass
Max.: 40W

UV resistant





Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb




E27

page 716

ELMARK
The Brand of Electricity



96LETI300/BL



96LETI300GL/BL

WALL LAMPS, IP66

Lamps Not Included | 1xE27

96LETI300/BL




Type: Wall lamp
Body colour: Black
Material: Resin + Opal glass
Max.: 40W

UV resistant

Lamps Not Included | 1xE27

96LETI300GL/BL



Type: Wall lamp
Body colour: Black
Material: Resin + Opal glass
Max.: 40W

UV resistant





5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP66
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 716

ELMARK
The Brand of Electricity



96LETI300/GR



96LETI300VP/GR


WALL LAMPS, IP66

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP66
~230V
RoHs COMPLIANT
CE

Lamps Not Included | 1xE27

96LETI300/GR




Type: Wall lamp
Body colour: Grey
Material: Resin + Opal glass
Max.: 40W

UV resistant

Lamps Not Included | 1xE27

96LETI300VP/GR



Type: Wall lamp
Body colour: Grey
Material: Resin + Opal glass
Max.: 40W


UV resistant

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



96GRFLED300/6BL



96GRFLED301/6BL



96GRFLED302/6BL

WALL LAMPS, IP65

LED | neutral WHITE 4000K | A G | G

96GRFLED300/6BL



Type: LED wall lamp
Power: 6W
Lumens: 330lm
Efficiency: 55lm/W
Body colour: Black
Material: UV resistant ABS + PC
UV resistant

LED | neutral WHITE 4000K | A G | G


96GRFLED301/6BL



Type: LED wall lamp
Power: 6W
Lumens: 120lm
Efficiency: 20lm/W
Body colour: Black
Material: UV resistant ABS + PC
UV resistant

LED | neutral WHITE 4000K | A G | G

96GRFLED302/6BL



Type: LED wall lamp
Power: 6W
Lumens: 110lm
Efficiency: 18 lm/W
Body colour: Black
Material: UV resistant ABS + PC
UV resistant


3 YEARS TOTAL WARRANTY
+ 2 standard 1 extended

IP65
~230V
SMD 2835
>15000
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



96GRFLED300/6GR



96GRFLED301/6GR



96GRFLED302/6GR


WALL LAMPS, IP65

3 YEARS TOTAL WARRANTY
+ 2 standard 1 extended

IP65
~230V
SMD 2835
>15000
Ra≥80
EMC

LED | neutral WHITE 4000K | A G | G


96GRFLED300/6GR



Type: LED wall lamp
Power: 6W
Lumens: 330lm
Efficiency: 55lm/W
Body colour: Grey
Material: UV resistant ABS + PC
UV resistant

LED | neutral WHITE 4000K | A G | G

96GRFLED301/6GR



Type: LED wall lamp
Power: 6W
Lumens: 120lm
Efficiency: 20lm/W
Body colour: Grey
Material: UV resistant ABS + PC
UV resistant

LED | neutral WHITE 4000K | A G | G

96GRFLED302/6GR



Type: LED wall lamp
Power: 6W
Lumens: 110lm
Efficiency: 18lm/W
Body colour: Grey
Material: UV resistant ABS + PC
UV resistant

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



96GRFLED303/6BL



96GRFLED304/6BL



96GRFLED303/6GR



96GRFLED304/6GR

WALL LAMPS, IP65

LED | neutral WHITE 4000K | A G

96GRFLED303/6BL



Type: LED wall lamp
Power: 6W
Lumens: 200lm
Efficiency: 33lm/W
Body colour: Black
Material: UV resistant ABS+ PC
UV resistant

LED | neutral WHITE 4000K | A G

96GRFLED304/6BL



Type: LED wall lamp
Power: 6W
Lumens: 100lm
Efficiency: 17lm/W
Body colour: Black
Material: UV resistant ABS+ PC
UV resistant

LED | neutral WHITE 4000K | A G

96GRFLED303/6GR



Type: LED wall lamp
Power: 6W
Lumens: 200lm
Efficiency: 33lm/W
Body colour: Grey
Material: UV resistant ABS+ PC
UV resistant

LED | neutral WHITE 4000K | A G

96GRFLED304/6GR



Type: LED wall lamp
Power: 6W
Lumens: 100lm
Efficiency: 17lm/W
Body colour: Grey
Material: UV resistant ABS+ PC
UV resistant

3 YEARS TOTAL WARRANTY
+ 2 standard 1 extended

IP65
~230V
SMD 2835
>15000
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



96GRFLED310/8BL



96GRFLED311/8BL


WALL LAMPS, IP65

3 YEARS TOTAL WARRANTY + 2 standard 1 extended

IP65
~230V
SMD 2835
>15000
Ra≥80
EMC

LED | neutral WHITE 4000K | A G | G


96GRFLED310/8BL



Type: LED wall lamp
Power: 8W
Lumens: 260lm
Efficiency: 33lm/W
Body colour: Black
Material: UV resistant ABS + PC
UV resistant

LED | neutral WHITE 4000K | A G | F

96GRFLED311/8BL



Type: LED wall lamp
Power: 8W
Lumens: 260lm
Efficiency: 33lm/W
Body colour: Black
Material: UV resistant ABS + PC
UV resistant



Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



96GRFLED310/8GR




96GRFLED311/8GR

WALL LAMPS, IP65

LED | neutral WHITE 4000K | A1G G


96GRFLED310/8GR



Type: LED wall lamp
Power: 8W
Lumens: 260lm
Efficiency: 33lm/W
Body colour: Black
Material: UV resistant ABS + PC
UV resistant

LED | neutral WHITE 4000K | A1G F

96GRFLED311/8GR



Type: LED wall lamp
Power: 8W
Lumens: 260lm
Efficiency: 33lm/W
Body colour: Black
Material: UV resistant ABS + PC
UV resistant



3 YEARS TOTAL WARRANTY
+ 2 standard 1 extended

IP65
~230V
SMD 2835
>15000
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



95LORENZA150/BL



95LORENZA190/BL

WALL LAMPS, IP55

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP55
~230V
SMD 2835
>15000
Ra≥80
EMC

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | A↑G E

95LORENZA150/BL




Type: LED wall lamp
Lamp holder: R7s
Power: 3.2W
Lumens: 400lm
Efficiency: 125lm/W
Body colour: Black
Material: Resin + Clear glass

UV resistant

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | A↑G E

95LORENZA190/BL



Type: LED wall lamp
Lamp holder: R7s
Power: 7.5W
Lumens: 850lm
Efficiency: 118lm/W
Body colour: Black
Material: Resin + Clear glass

UV resistant





Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



95LORENZA150/GR




95LORENZA190/GR

WALL LAMPS, IP55

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | A G E

95LORENZA150/GR




Type: LED wall lamp
Lamp holder: R7s
Power: 3.2W
Lumens: 400lm
Efficiency: 125lm/W
Body colour: Grey
Material: Resin + Clear glass

UV resistant

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | A G E

95LORENZA190/GR



Type: LED wall lamp
Lamp holder: R7s
Power: 7.5W
Lumens: 850lm
Efficiency: 118lm/W
Body colour: Grey
Material: Resin + Clear glass

UV resistant





5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP55
~230V
SMD 2835
>15000
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



95LORENZA270/BL



95LORENZA270/GR

WALL LAMPS, IP55

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP55
~230V
SMD 2835
>15000
Ra≥80
EMC

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | A G | F

95LORENZA270/BL




Type: LED wall lamp
Power: 10.5W
Lumens: 1100lm
Efficiency: 105lm/W
Body colour: Black
Material: Resin + Clear glass

UV resistant

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | A G | F

95LORENZA270/GR



Type: LED wall lamp
Power: 10.5W
Lumens: 1100lm
Efficiency: 105lm/W
Body colour: Grey
Material: Resin + Clear glass

UV resistant





Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



95FRANCY/BL



95FRANCY/WH

WALL LAMPS, IP66

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | A G F

95FRANCY/BL




Type: LED wall lamp
Lamp holder: E27
Power: 8.5W
Lumens: 969lm
Efficiency: 114lm/W
Body colour: Black
Material: Resin

UV resistant

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | A G F

95FRANCY/WH



Type: LED wall lamp
Lamp holder: E27
Power: 8.5W
Lumens: 969lm
Efficiency: 114lm/W
Body colour: White
Material: Resin

UV resistant





5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP66
~230V
SMD 2835
>15000
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



95ABRAM150/BL



95ABRAM190/BL


WALL LAMPS, IP55

5 YEARS TOTAL WARRANTY + 3 standard 2 extended

IP55
~230V
SMD 2835
>15000
Ra≥80
EMC

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | A G E

95ABRAM150/BL



Type: LED wall lamp
Power: 3.2W
Lumens: 400lm
Efficiency: 125lm/W
Body colour: Black
Material: Resin + Clear glass
UV resistant

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | A G E

95ABRAM190/BL



Type: LED wall lamp
Power: 7.5W
Lumens: 850lm
Efficiency: 118lm/W
Body colour: Black
Material: Resin + Clear glass
UV resistant





Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



95ABRAM150/GR



95ABRAM190/GR

WALL LAMPS, IP55

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | A G E

95ABRAM150/GR



Type: LED wall lamp
Power: 3.2W
Lumens: 400lm
Efficiency: 125lm/W
Body colour: Grey
Material: Resin + Clear glass
UV resistant

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | A G E

95ABRAM190/GR



Type: LED wall lamp
Power: 7.5W
Lumens: 850lm
Efficiency: 118lm/W
Body colour: Grey
Material: Resin + Clear glass
UV resistant





5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP55
~230V
SMD 2835
>15000
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



969LED100R/BL



969LED100R/GR



969LED100R/WH


WALL LAMPS, IP54

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP54
~230V
LED COB
>15000
Ra≥80
EMC

LED | neutral WHITE 4000K | A T G F


969LED100R/BL



Type: LED wall lamp
Power: 2x5W
Lumens: 900lm
Efficiency: 90lm/W
Body colour: Black
Material: Aluminum + Glass

LED | neutral WHITE 4000K | A T G F


969LED100R/GR




Type: LED wall lamp
Power: 2x5W
Lumens: 900lm
Efficiency: 90lm/W
Body colour: Grey
Material: Aluminum + Glass

LED | neutral WHITE 4000K | A T G F

969LED100R/WH



Type: LED wall lamp
Power: 2x5W
Lumens: 900lm
Efficiency: 90lm/W Body colour: White
Material: Aluminum + Glass




Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



969LED100S/BL



969LED100S/GR




969LED100S/WH

WALL LAMPS, IP54

LED | neutral WHITE 4000K | A F G


969LED100S/BL



Type: LED wall lamp
Power: 2x5W
Lumens: 900lm
Efficiency: 90lm/W
Body colour: Black
Material: Aluminum + Glass

LED | neutral WHITE 4000K | A F G


969LED100S/GR



Type: LED wall lamp
Power: 2x5W
Lumens: 900lm
Efficiency: 90lm/W
Body colour: Grey
Material: Aluminum + Glass

LED | neutral WHITE 4000K | A F G

969LED100S/WH



Type: LED wall lamp
Power: 2x5W
Lumens: 900lm
Efficiency: 90lm/W
Body colour: White
Material: Aluminum + Glass



5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP54
~230V
LED COB
>15000
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



969LEDW0440/BL



969LEDW0640/BL


WALL LAMPS, IP54

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP54
~230V
>15000
20000h
Ra≥80
EMC
RoHs COMPLIANT
CE

LED | neutral WHITE 4000K | A G


969LEDW0440/BL



Type: LED Wall Lamp
Power: 4x1W
Lumens: 4x80lm
Efficiency: 80lm/W
Body Colour: Black
Material: Aluminum
Mounting: Surface

LED | neutral WHITE 4000K | A G

969LEDW0640/BL



Type: LED Wall Lamp
Power: 6x1W
Lumens: 6x80lm
Efficiency: 80lm/W
Body Colour: Black
Material: Aluminum
Mounting: Surface





Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store




969LEDW0840/BL

WALL LAMPS, IP54

LED | neutral WHITE 4000K | A T G | G

969LEDW0840/BL



Type: LED Wall Lamp
Power: 8x1W
Lumens: 8x80lm
Efficiency: 80lm/W
Body Colour: Black
Material: Aluminum
Mounting: Surface



5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP54
~230V
>15000
20000h
Ra≥80
EMC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



969LEDW12/BL



969LEDW12/GR



969LEDW12/WH


WALL LAMPS, IP65

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP65
~230V
SMD 2835
>15000
Ra≥80
EMC

LED | neutral WHITE 4000K | A G F


969LEDW12/BL



Type: LED wall lamp
Power: 2x6W
Lumens: 1080lm
Efficiency: 90lm/W
Body colour: Black
Material: Aluminum + Glass

LED | neutral WHITE 4000K | A G F


969LEDW12/GR



Type: LED wall lamp
Power: 2x6W
Lumens: 1080lm
Efficiency: 90lm/W
Body colour: Grey
Material: Aluminum + Glass

LED | neutral WHITE 4000K | A G F

969LEDW12/WH



Type: LED wall lamp
Power: 2x6W
Lumens: 1080lm
Efficiency: 90lm/W
Body colour: White
Material: Aluminum + Glass



Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



96GRFLED05/DGR



96GRFLED05/GR




96GRFLED05/WH

WALL LAMPS, IP65

LED | neutral WHITE 4000K | A G


96GRFLED05/DGR



Type: LED wall lamp
Power: 6W
Lumens: 480lm
Efficiency: 80lm/W
Body colour: Dark grey
Material: ABS + PVC

LED | neutral WHITE 4000K | A G


96GRFLED05/GR



Type: LED wall lamp
Power: 6W
Lumens: 480lm
Efficiency: 80lm/W
Body colour: Grey
Material: ABS + PVC

LED | neutral WHITE 4000K | A G

96GRFLED05/WH



Type: LED wall lamp
Power: 6W
Lumens: 480lm
Efficiency: 80lm/W
Body colour: White
Material: ABS + PVC

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP65
~230V
SMD 2835
>15000
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 707

ELMARK
The Brand of Electricity



95BERTA/BL

95BERTA/WH

WALL & CEILING LAMPS, IP66

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP66
~230V
RoHs COMPLIANT
CE

Lamps Not Included | 1xE27

95BERTA/BL




Type: Wall lamp
Body colour: Black
Material: Resin
Max.: 40W

UV resistant

Lamps Not Included | 1xE27

95BERTA/WH



Type: Wall lamp
Body colour: White
Material: Resin
Max.: 40W

UV resistant





Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 707

ELMARK
The Brand of Electricity



95STUCCHI/BL




95STUCCHI/WH

WALL & CEILING LAMPS, IP66

Lamps Not Included | 1xE27

95STUCCHI/BL



Type: Wall lamp
Body colour: Black
Material: Resin
Max.: 40W

UV resistant

Lamps Not Included | 1xE27

95STUCCHI/WH



Type: Wall lamp
Body colour: White
Material: Resin
Max.: 40W

UV resistant





5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP66
~230V
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 707

ELMARK
The Brand of Electricity



95UMBERTA/BL
95UMBERTAS/BL

95UMBERTA/WH
95UMBERTAS/WH

WALL & CEILING LAMPS, IP66

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP66
~230V
RoHs COMPLAINT
CE

Lamps Not Included | 2xE27

95UMBERTA/BL




Type: Wall/ Ceiling lamp
Body colour: Black
Material: Resin with opal diffuser
Max.: 2x40W

UV resistant

Lamps Not Included | 2xE27

95UMBERTA/WH



Type: Wall/ Ceiling lamp
Body colour: White
Material: Resin with opal diffuser
Max.: 2x40W

UV resistant

Lamps Not Included | 2xE27

95UMBERTAS/BL




Type: Wall/ Ceiling lamp +sensor
Body colour: Black
Material: UV resistant resin with opal diffuser
Max.: 2x40W

Sensor

Motion & daylight
Detection angle: 30° - 150°
Detection range: 1-5 m (adjustable)

Lamps Not Included | 2xE27

95UMBERTAS/WH



Type: Wall/ Ceiling lamp +sensor
Body colour: White
Material: UV resistant resin with opal diffuser
Max.: 2x40W

Sensor

Motion & daylight
Detection angle: 30° - 150°
Detection range: 1-5 m (adjustable)

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 707

ELMARK
The Brand of Electricity



95LUCIA/BL



95LUCIAEL/BL



95LUCIAEL/GR

WALL LAMPS, IP66

Lamps Not Included | 1xE27

95LUCIA/BL




Type: Wall lamp
Body colour: Black
Material: Resin with opal diffuser
Max.: 1x40W

UV resistant

Lamps Not Included | 1xE27

95LUCIAEL/BL




Type: Wall lamp
Body colour: Black
Material: Resin with opal diffuser
Max.: 1x40W

UV resistant

Lamps Not Included | 1xE27

95LUCIAEL/GR



Type: Wall lamp
Body colour: Grey
Material: Resin with opal diffuser
Max.: 1x40W

UV resistant



5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP66
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 707

ELMARK
The Brand of Electricity



95WL001/BL



95WL001/WH

WALL LAMPS, IP44

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP44
~230V
RoHs COMPLIANT
CE

Lamps Not Included | 1xE27

95WL001/BL



Type: Wall lamp
Body colour: Black
Material: Metal + Glass
Max.: 40W

Lamps Not Included | 1xE27

95WL001/WH



Type: Wall lamp
Body colour: White
Material: Metal + Glass
Max.: 40W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 707

ELMARK
The Brand of Electricity



95WL315/BL




95WL315/WH

WALL LAMPS, IP65

Lamps Not Included | 1xE27

95WL315/BL




Type: Wall lamp
Body colour: Black
Material: UV resistant ABS+ PC
Max.: 40W

UV resistant

Lamps Not Included | 1xE27

95WL315/WH



Type: Wall lamp
Body colour: White
Material: UV resistant ABS+ PC
Max.: 40W

UV resistant

3 YEARS TOTAL WARRANTY
2 standard + 1 extended

IP65
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



96GRF341/BL



96GRF342/BL


WALL LAMPS, IP44

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP44
~230V
RoHs COMPLIANT
CE

LED | neutral WHITE 4000K | A G | G


96GRF341/BL



Type: Wall Lamp
Power: 10W
Lumens: 700lm
Efficiency: 70lm/W
Height: 95 mm
Body Colour: Black
Material: ABS + PC

LED | neutral WHITE 4000K | A G | G

96GRF342/BL



Type: Wall Lamp
Power: 12W
Lumens: 840lm
Efficiency: 70lm/W
Height: 110 mm
Body Colour: Black
Material: PP + PP

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store


ELMARK
The Brand of Electricity



96GRF343/BL

WALL LAMPS, IP44

Lamps Not Included
1xE27



96GRF343/BL

Type: LED wall lamp
Body Colour: Black
Material: ABS + PS
Height: 80 mm
Max.: 40W

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP44
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.


Recommended bulb



E27

page 707

ELMARK
The Brand of Electricity



95FRANCYOP/BL



95FRANCYOP/WH


WALL & CEILING LAMPS, IP66

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP66
~230V
RoHs COMPLIANT
CE

Lamps Not Included | 1xE27

95FRANCYOP/BL




Type: Wall & ceiling lamp
Body colour: Black
Material: Resin
Max.: 40W

UV resistant

Lamps Not Included | 1xE27

95FRANCYOP/WH



Type: Wall & ceiling lamp
Body colour: White
Material: Resin
Max.: 40W

UV resistant



Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 707

ELMARK
The Brand of Electricity



96GRF314/BL




96GRF314/WH

WALL & CEILING LAMPS, IP44

Lamps Not Included | 1xE27

96GRF314/BL




Type: Wall & ceiling lamp
Body colour: Black
Material: UV resistant ABS+ PC
Max.: 40W

UV resistant

Lamps Not Included | 1xE27

96GRF314/WH



Type: Wall & ceiling lamp
Body colour: White
Material: UV resistant ABS+ PC
Max.: 40W

UV resistant

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP44
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



95BLN1540/BK
95BLN2040/BK



95BLN1540/WH
95BLN2040/WH

WALL & CEILING LAMPS, IP54

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP54
~230V
SMD 2835
>15000
Ra≥80
EMC

LED | neutral WHITE 4000K | A F G

95BLN1540/BK



Type: Bulkhead lamp
Power: 15W
Lumens: 1350lm
Efficiency: 90lm/W
Body colour: Black
Material: Polycarbonate

LED | neutral WHITE 4000K | A F G


95BLN1540/WH



Type: Bulkhead lamp
Power: 15W
Lumens: 1350lm
Efficiency: 90lm/W
Body colour: White
Material: Polycarbonate

LED | neutral WHITE 4000K | A F G

95BLN2040/BK



Type: Bulkhead lamp
Power: 20W
Lumens: 1800lm
Efficiency: 90lm/W
Body colour: Black
Material: Polycarbonate

LED | neutral WHITE 4000K | A F G

95BLN2040/WH



Type: Bulkhead lamp
Power: 20W
Lumens: 1800lm
Efficiency: 90lm/W
Body colour: White
Material: Polycarbonate

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



95BLN1540S/BK




95BLN1540S/WH

WALL & CEILING LAMPS, IP54

LED | neutral WHITE 4000K | A T G F

95BLN1540S/BK



Type: Bulkhead lamp
Power: 15W
Lumens: 1350lm
Efficiency: 90lm/W
Body colour: Black
Material: Polycarbonate

LED | neutral WHITE 4000K | A T G F

95BLN1540S/WH



Type: Bulkhead lamp
Power: 15W
Lumens: 1350lm
Efficiency: 90lm/W
Body colour: White
Material: Polycarbonate

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP54
~230V
SMD 2835
>15000
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.


Recommended bulb



E27

page 707

ELMARK
The Brand of Electricity



91AT5201



91AT6126



91AT6117

WALL & CEILING LAMPS, IP54

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP54
~230V
RoHs COMPLAINT
CE

Lamps Not Included | 1xE27

91AT5201



Type: Wall & ceiling lamp
Body colour: White
Material: Polycarbonate
Max.: 23W

Lamps Not Included | 1xE27

91AT6126



Type: Wall & ceiling lamp
Body colour: White
Material: Polycarbonate
Max.: 20W

Lamps Not Included | 1xE27

91AT6117



Type: Wall & ceiling lamp
Body colour: White
Material: Polycarbonate
Max.: 20W

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



91AT1210



91AT1209

WALL & CEILING LAMPS, IP54

Lamps Not Included | 1xE27

91AT1210



Type: Wall & ceiling lamp
Body colour: White
Material: Polycarbonate
Max.: 20W

Lamps Not Included | 1xE27

91AT1209



Type: Wall & ceiling lamp
Body colour: White
Material: Polycarbonate
Max.: 20W

2 YEARS TOTAL WARRANTY
2 standard + 0 extended

IP54
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 707

ELMARK
The Brand of Electricity



96GRF1482

WALL & CEILING LAMPS, IP65

3 YEARS TOTAL WARRANTY
+ 2 standard 1 extended



Lamps Not Included 1xE27



96GRF1482

Type: Wall lamp
Body colour: Antique bronze
Material: Aluminum
Max.: 40W

IP65
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 708

ELMARK
The Brand of Electricity



96GRF312/BL



96GRF312/GR



95GERMANAG/BL




95GERMANAG/GR

WALL LAMPS GRF312 IP65 & GERMANA SERIES, IP66

Lamps Not Included | 2xE27

96GRF312/BL




Type: LED fixtures
Body colour: Black
Material: ABS+ PC
Max.: 2x40W

UV resistant

Lamps Not Included | 2xE27

96GRF312/GR



Type: LED fixtures
Body colour: Grey
Material: ABS+ PC
Max.: 2x40W

UV resistant

Lamps Not Included | 1xE27

95GERMANAG/BL



Type: LED fixtures
Body colour: Black
Material: Resin with opal diffuser
Max.: 40W

UV resistant

Lamps Not Included | 1xE27

95GERMANAG/GR



Type: LED fixtures
Body colour: Grey
Material: Resin with opal diffuser
Max.: 40W

UV resistant

3 YEARS TOTAL WARRANTY
+ 2 standard 1 extended

IP66
~230V
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



9EL1181840
9EL1183640
9EL1184540


TRI-PROOF LED FIXTURES, IP65

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP65
~230V
20000h
Ra>80
RoHs COMPLAINT
CE

9EL1181840


LED | neutral WHITE 4000K | 120° | G



Type: Tri-proof LED Fixture
Power: 18W
Lumens: 1440lm
Efficiency: 80lm/W
Body Colour: White
Material: PC + ABS
Mounting: Surface

9EL1183640


LED | neutral WHITE 4000K | 120° | G



Type: Tri-proof LED Fixture
Power: 36W
Lumens: 2880lm
Efficiency: 80lm/W
Body Colour: White
Material: PC + ABS
Mounting: Surface

9EL1184540

LED | neutral WHITE 4000K | 120° | G



Type: Tri-proof LED Fixture
Power: 45W
Lumens: 3600lm
Efficiency: 80lm/W
Body Colour: White
Material: PC + ABS
Mounting: Surface

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



9XBR18LED
9XBR18LEDCW



9XBR36LED
9XBR36LEDCW



9XBR54LED
9XBR54LEDCW

BELLA WATERPROOF LED FIXTURES, IP65

LED E

neutral WHITE 4000K
cold WHITE 6500K

9XBR18LED
9XBR18LEDCW



Type: LED fixture with clips and cable gland
Power: 18W
Lumens: 1620lm
Efficiency: 90lm/W
Body colour: Grey
Material: PC

LED E

neutral WHITE 4000K
cold WHITE 6500K

9XBR36LED
9XBR36LEDCW



Type: LED fixture with clips and cable gland
Power: 36W
Lumens: 3240lm
Efficiency: 90lm/W
Body colour: Grey
Material: PC

LED E

neutral WHITE 4000K
cold WHITE 6500K

9XBR54LED
9XBR54LEDCW



Type: LED fixture with clips and cable gland
Power: 54W
Lumens: 4860lm
Efficiency: 90lm/W
Body colour: Grey
Material: PC

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP65
~230V
SMD 2835
>10000
15000h
Ra>80
EMC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Options with emergency kit



page 469

ELMARK
The Brand of Electricity



9BR20LED
9BR20LEDCW



9BR40LED
9BR40LEDCW



9BR55LED
9BR55LEDCW

BELLA WATERPROOF LED FIXTURES, IP65


5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP65
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

LED A G E

neutral WHITE 4000K
cold WHITE 6500K

9BR20LED
9BR20LEDCW




Type: LED fixture with clips and cable gland
Power: 20W
Lumens: 1800lm
Efficiency: 90lm/W
Body colour: Grey
Material: PC

LED A G E

neutral WHITE 4000K
cold WHITE 6500K

9BR40LED
9BR40LEDCW



Type: LED fixture with clips and cable gland*
Power: 40W
Lumens: 3800lm
Efficiency: 95lm/W
Body colour: Grey
Material: PC

LED A G E

neutral WHITE 4000K
cold WHITE 6500K

9BR55LED
9BR55LEDCW



Type: LED fixture with clips and cable gland*
Power: 55W
Lumens: 5000lm
Efficiency: 91lm/W
Body colour: Grey
Material: PC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



9BR109LED
9BR109LEDCW



9BR209LED
9BR209LEDCW



9BR118LED
9BR118LEDCW

BELLA WATERPROOF FIXTURES WITH LED TUBES, IP65

LED A G

neutral WHITE 4000K
cold WHITE 6500K

9BR109LED
9BR109LEDCW



Type: LED fixture with LED tubes T8 Stellar
Power: 1x9W
Lumens: 720lm
Efficiency: 80lm/W
Body colour: Grey
Material: ABS+PC
Without reflector

LED A G

neutral WHITE 4000K
cold WHITE 6500K

9BR209LED
9BR209LEDCW



Type: LED fixture with LED tubes T8 Stellar
Power: 2x9W
Lumens: 1440lm
Efficiency: 80lm/W
Body colour: Grey
Material: ABS+PC
Without reflector

LED A G

neutral WHITE 4000K
cold WHITE 6500K

9BR118LED
9BR118LEDCW



Type: LED fixture with LED tubes T8 Stellar
Power: 1x18W
Lumens: 1440lm
Efficiency: 80lm/W
Body colour: Grey
Material: ABS+PC
Without reflector

2 YEARS TOTAL WARRANTY
+ 2 standard 0 extended

IP65
~230V
SMD 2835
>10000
15000h
Ra>80
EMC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



9BR218LED
9BR218LEDCW



9BR122LED
9BR122LEDCW



9BR222LED
9BR222LEDCW

BELLA WATERPROOF FIXTURES WITH LED TUBES, IP65

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP65
~230V
G13
>10000
15000h
Ra>80
EMC

LED G

neutral WHITE 4000K
cold WHITE 6500K

9BR218LED
9BR218LEDCW



Type: LED fixture with LED tubes T8 Stellar
Power: 2x18W
Lumens: 2880lm
Efficiency: 80lm/W
Body colour: Grey
Material: ABS+PC
Without reflector

LED G

neutral WHITE 4000K
cold WHITE 6500K

9BR122LED
9BR122LEDCW



Type: LED fixture with LED tubes T8 Stellar
Power: 1x24W
Lumens: 1920lm
Efficiency: 80lm/W
Body colour: Grey
Material: ABS+PC
Without reflector

LED G

neutral WHITE 4000K
cold WHITE 6500K

9BR222LED
9BR222LEDCW



Type: LED fixture with LED tubes T8 Stellar
Power: 2x24W
Lumens: 3840lm
Efficiency: 80lm/W
Body colour: Grey
Material: ABS+PC
Without reflector

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



9BM110LED
9BM110LEDCW



9BM118LED
9BM118LEDCW



9BM124LED
9BM124LEDCW

BELLA WATERPROOF FIXTURES WITH LED TUBES, IP65

LED A F

neutral WHITE 4000K
cold WHITE 6500K

9BM110LED
9BM110LEDCW



Type: LED fixture with LED tubes T8 ELMARK
Power: 1x10W
Lumens: 900lm
Efficiency: 90lm/W
Body colour: Grey
Material: PC
Reflector: steel white

LED A F

neutral WHITE 4000K
cold WHITE 6500K

9BM118LED
9BM118LEDCW



Type: LED fixture with LED tubes T8 ELMARK
Power: 1x18W
Lumens: 1620lm
Efficiency: 90lm/W
Body colour: Grey
Material: PC
Reflector: steel white

LED A F

neutral WHITE 4000K
cold WHITE 6500K

9BM124LED
9BM124LEDCW



Type: LED fixture with LED tubes T8 ELMARK
Power: 1x24W
Lumens: 2160lm
Efficiency: 90lm/W
Body colour: Grey
Material: PC
Reflector: steel white

3 YEARS TOTAL WARRANTY
3 standard
0 extended

IP65
~230V
G13
>10000
15000h
Ra>80
EMC

Scan QR code for 3D models, IES files & price.

*Options with emergency kit



page 471

ELMARK
The Brand of Electricity



9BM210LED
9BM210LEDCW



9BM218LED
9BM218LEDCW



9BM224LED
9BM224LEDCW

BELLA WATERPROOF FIXTURES WITH LED TUBES, IP65

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP65
~230V
G13
>20000
30000h
Ra>80
EMC

Scan QR code for 3D models, IES files & price.

LED F

neutral WHITE 4000K
cold WHITE 6500K

9BM210LED
9BM210LEDCW



Type: LED fixture with LED tubes T8 ELMARK
Power: 2x10W
Lumens: 1800lm
Efficiency: 90lm/W
Body colour: Grey
Material: PC
Reflector: steel white

LED F

neutral WHITE 4000K
cold WHITE 6500K

9BM218LED
9BM218LEDCW



Type: LED fixture with LED tubes T8 ELMARK*
Power: 2x18W
Lumens: 3240lm
Efficiency: 90lm/W
Body colour: Grey
Material: PC
Reflector: steel white

LED F

neutral WHITE 4000K
cold WHITE 6500K

9BM224LED
9BM224LEDCW



Type: LED fixture with LED tubes T8 ELMARK*
Power: 2x24W
Lumens: 4320lm
Efficiency: 90lm/W
Body colour: Grey
Material: PC
Reflector: steel white

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended tube



T8

page 736

ELMARK
The Brand of Electricity



89084



89085



89086



89087

BELLA WATERPROOF FIXTURES FOR LED TUBES T8, IP65

Lamps Not Included | 1xG13

89084

Type: Empty fixture BELLA for single ended LED tubes T8
LED tube size: 1x600mm
Body colour: Grey
Material: PC
Reflector: steel white



Lamps Not Included | 2xG13

89085

Type: Empty fixture BELLA for single ended LED tubes T8
LED tube size: 2x600mm
Body colour: Grey
Material: PC
Reflector: steel white



Lamps Not Included | 1xG13

89086


Type: Empty fixture BELLA for single ended LED tubes T8
LED tube size: 1x1200mm
Body colour: Grey
Material: PC
Reflector: steel white



Lamps Not Included | 2xG13

89087

Type: Empty fixture BELLA for single ended LED tubes T8
LED tube size: 2x1200mm
Body colour: Grey
Material: PC
Reflector: steel white



2 YEARS TOTAL WARRANTY
2 standard + 0 extended

IP65
~230V
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended tube



T8

page 736

ELMARK
The Brand of Electricity



89088



89089

BELLA WATERPROOF FIXTURES FOR LED TUBES T8, IP65

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP65
~230V
RoHs COMPLAINT
CE

Lamps Not Included | 1xG13


89088



Type: Empty fixture BELLA for single ended LED tubes T8
LED tube size: 1x1500mm
Body colour: Grey
Material: PC
Reflector: steel white

Lamps Not Included | 2xG13

89089



Type: Empty fixture BELLA for single ended LED tubes T8
LED tube size: 2x1500mm
Body colour: Grey
Material: PC
Reflector: steel white


Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

FACADE & GROUND LIGHTING



ELMARK
The Brand of Electricity



98FLARE09/W
98FLARE18/W
98FLARE36/W


WALL WASH LIGHTS, IP65

5 YEARS TOTAL WARRANTY + 3 standard 2 extended

IP65
~230V
30000h
EMC
RoHs COMPLAINT
CE

LED | neutral WHITE 4000K | 45° | A↑G F


98FLARE09/W



Type: LED Wall Wash
Power: 9W
Lumens: 765lm
Efficiency: 85lm/W
Body Colour: Silver
Width: 40 mm
Material: Aluminum + Glass
Mounting: Surface
LED Chip: SMD 3030

LED | neutral WHITE 4000K | 45° | A↑G F


98FLARE18/W



Type: LED Wall Wash
Power: 18W
Lumens: 1530lm
Efficiency: 85lm/W
Body Colour: Silver
Width: 40 mm
Material: Aluminum + Glass
Mounting: Surface
LED Chip: SMD 3030

LED | neutral WHITE 4000K | 45° | A↑G F

98FLARE36/W



Type: LED Wall Wash
Power: 36W
Lumens: 3060lm
Efficiency: 85lm/W
Body Colour: Silver
Width: 40 mm
Material: Aluminum + Glass
Mounting: Surface
LED Chip: SMD 3030

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store




98FLARE09/RGB
98FLARE18/RGB
98FLARE36/RGB

WALL WASH LIGHTS, IP65

LED RGB 45°


98FLARE09/RGB



Type: LED Wall Wash
Power: 9W
Body Colour: Silver
Width: 40 mm
Material: Aluminum + Glass
Mounting: Surface
LED Chip: SMD 3030

LED RGB 45°


98FLARE18/RGB



Type: LED Wall Wash
Power: 18W
Body Colour: Silver
Width: 40 mm
Material: Aluminium + Glass
Mounting: Surface
LED Chip: SMD 3030

LED RGB 45°

98FLARE36/RGB



Type: LED Wall Wash
Power: 36W
Body Colour: Silver
Width: 40 mm
Material: Aluminium + Glass
Mounting: Surface
LED Chip: SMD 3030

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP65
~230V
30000h
EMC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



96GRF328WW/1BL
96GRF328/1BL

FACADE LIGHTING FIXTURES, IP65

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP65
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

96GRF328WW/1BL
96GRF328/1BL

LED | A-G F | 45° | warm WHITE 3000K | neutral WHITE 4000K



Type: Facade lighting
Power: 10W
Lumens: 850lm
Efficiency: 85lm/W
Light direction: down
Body colour: Black
Material: Aluminum

96GRF328WW/2BL
96GRF328/2BL

LED | A-G F | 45° | warm WHITE 3000K | neutral WHITE 4000K



Type: Facade lighting
Power: 2x10W
Lumens: 1600lm
Efficiency: 85lm/W
Light direction: up & down
Body colour: Black
Material: Aluminum

96GRF329WW/1BL
96GRF329/1BL

LED | A-G F | 45° | warm WHITE 3000K | neutral WHITE 4000K



Type: Facade lighting
Power: 15W
Lumens: 1300lm
Efficiency: 85lm/W
Light direction: down
Body colour: Black
Material: Aluminum

96GRF329WW/2BL
96GRF329/2BL

LED | A-G F | 45° | warm WHITE 3000K | neutral WHITE 4000K



Type: Facade lighting
Power: 2x15W
Lumens: 2600lm
Efficiency: 85lm/W
Light direction: up & down
Body colour: Black
Material: Aluminum

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store




96GRF330WW/1BL
96GRF330/1BL

FACADE LIGHTING FIXTURES, IP65

LED | F | 45° | warm WHITE 3000K | neutral WHITE 4000K


96GRF330WW/1BL
96GRF330/1BL



Type: Facade lighting
Power: 10W
Lumens: 850lm
Efficiency: 85lm/W
Light direction: down
Body colour: Black
Material: Aluminum

LED | F | 45° | warm WHITE 3000K | neutral WHITE 4000K


96GRF330WW/2BL
96GRF330/2BL



Type: Facade lighting
Power: 2x10W
Lumens: 1600lm
Efficiency: 85lm/W
Light direction: up & down
Body colour: Black
Material: Aluminum

LED | F | 45° | warm WHITE 3000K | neutral WHITE 4000K


96GRF331WW/1BL
96GRF331/1BL



Type: Facade lighting
Power: 15W
Lumens: 1300lm
Efficiency: 85lm/W
Light direction: down
Body colour: Black
Material: Aluminum

LED | F | 45° | warm WHITE 3000K | neutral WHITE 4000K

96GRF331WW/2BL
96GRF331/2BL



Type: Facade lighting
Power: 2x15W
Lumens: 2600lm
Efficiency: 85lm/W
Light direction: up & down
Body colour: Black
Material: Aluminum

3 YEARS TOTAL WARRANTY
+ 3 standard 0 extended

IP65
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Recommended bulb



GU10

page 726

ELMARK
The Brand of Electricity



96GRF321/BL



96GRF321/GR



96GRF320/BL



96GRF320/GR


FACADE LIGHTING FIXTURES, IP54

3 YEARS TOTAL WARRANTY
+ 2 standard
1 extended

IP54
~230V
RoHs COMPLAINT
CE

Lamps Not Included 2xGU10

96GRF321/BL




Type: Facade lighting
Body colour: Black
Light direction: up & down
Material: UV resistant ABS + PC
Max.: 2x8W

UV resistant

Lamps Not Included 2xGU10

96GRF321/GR




Type: Facade lighting
Body colour: Grey
Light direction: up & down
Material: UV resistant ABS + PC
Max.: 2x8W

UV resistant

Lamps Not Included 1xGU10

96GRF320/BL




Type: Facade lighting
Body colour: Black
Light direction: down
Material: UV resistant ABS + PC
Max.: 8W

UV resistant

Lamps Not Included 1xGU10

96GRF320/GR



Type: Facade lighting
Body colour: Grey
Light direction: down
Material: UV resistant ABS + PC
Max.: 8W

UV resistant

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 707

ELMARK
The Brand of Electricity



96GRF313/BL




96GRF313/GR

FACADE LIGHTING FIXTURES, IP65

Lamps Not Included | 1xE27

96GRF313/BL




Type: Facade lighting
Body colour: Black
Light direction: down
Material: UV resistant ABS + PC
Max.: 40W

UV resistant

Lamps Not Included | 1xE27

96GRF313/GR



Type: Facade lighting
Body colour: Grey
Light direction: down
Material: UV resistant ABS + PC
Max.: 40W

UV resistant

3 YEARS TOTAL WARRANTY
+ 2 standard 1 extended

IP65
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



GU10

page 726

ELMARK
The Brand of Electricity



96GRF327/BL



96GRF326/BL



96GRF327/GR



96GRF326/GR


FACADE LIGHTING FIXTURES, IP54

3 YEARS TOTAL WARRANTY
+ 2 standard
1 extended

IP54
~230V
RoHs COMPLAINT
CE

Lamps Not Included 2xGU10

96GRF327/BL




Type: Facade lighting
Body colour: Black
Light direction: up & down
Material: UV resistant ABS + PC
Max.: 2x8W

UV resistant

Lamps Not Included 2xGU10

96GRF327/GR




Type: Facade lighting
Body colour: Grey
Light direction: up & down
Material: UV resistant ABS + PC
Max.: 2x8W

UV resistant

Lamps Not Included 1xGU10

96GRF326/BL




Type: Facade lighting
Body colour: Black
Light direction: down
Material: UV resistant ABS + PC
Max.: 8W

UV resistant

Lamps Not Included 1xGU10

96GRF326/GR



Type: Facade lighting
Body colour: Grey
Light direction: down
Material: UV resistant ABS + PC
Max.: 8W

UV resistant

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



GU10

page 726

ELMARK
The Brand of Electricity



96GRF323/BL



6GRF322/BL



96GRF323/GR



6GRF322/GR

FACADE LIGHTING FIXTURES, IP54

Lamps Not Included 2xGU10

96GRF323/BL



Type: Facade lighting
Body colour: Black
Light direction: up & down
Material: UV resistant ABS + PC
Max.: 2x8W

UV resistant

Lamps Not Included 2xGU10

96GRF323/GR



Type: Facade lighting
Body colour: Grey
Light direction: up & down
Material: UV resistant ABS + PC
Max.: 2x8W

UV resistant

Lamps Not Included 1xGU10

6GRF322/BL



Type: Facade lighting
Body colour: Black
Light direction: down
Material: UV resistant ABS + PC
Max.: 8W

UV resistant

Lamps Not Included 1xGU10

6GRF322/GR



Type: Facade lighting
Body colour: Grey
Light direction: down
Material: UV resistant ABS + PC
Max.: 8W

UV resistant

3 YEARS TOTAL WARRANTY
+ 2 standard 1 extended

IP54
~230V
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



GU10

page 726

ELMARK
The Brand of Electricity



96GRF325/BL



96GRF325/GR



96GRF324/BL



96GRF324/GR

FACADE LIGHTING FIXTURES, IP54

3 YEARS TOTAL WARRANTY
+ 2 standard
1 extended

IP54
~230V
RoHs COMPLAINT
CE

Lamps Not Included 2xGU10

96GRF325/BL




Type: Facade lighting
Body colour: Black
Light direction: up & down
Material: UV resistant ABS + PC
Max.: 40W

UV resistant

Lamps Not Included 2xGU10

96GRF325/GR




Type: Facade lighting
Body colour: Grey
Light direction: up & down
Material: UV resistant ABS + PC
Max.: 40W

UV resistant

Lamps Not Included 1xGU10

96GRF324/BL




Type: Facade lighting
Body colour: Black
Light direction: down
Material: UV resistant ABS + PC
Max.: 40W

UV resistant

Lamps Not Included 1xGU10

96GRF324/GR



Type: Facade lighting
Body colour: Grey
Light direction: down
Material: UV resistant ABS + PC
Max.: 40W

UV resistant

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



E27

page 716

ELMARK
The Brand of Electricity



96KYLE1W/BL



96SEAN1W/BL




96ALAN1W/BL

FACADE LIGHTING FIXTURES, IP54

Lamps Not Included | 1xE27


96KYLE1W/BL



Type: Wall lamp
Body colour: Black
Material: Aluminum + PC
Max.: 20W

Lamps Not Included | 1xE27

96SEAN1W/BL



Type: Wall lamp
Body colour: Black
Material: Aluminum + PC
Max.: 20W

Lamps Not Included | 1xE27

96ALAN1W/BL



Type: Wall lamp
Body colour: Black
Material: Iron + Glass
Max.: 20W

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP54
~230V
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



96GSL1/1024220W
96GSL1/1024220
96GSL1/2024220W
96GSL1/2024220
96GSL1/3024220W
96GSL1/3024220

SPOT LIGHT, IP65

5 YEARS TOTAL WARRANTY + 3 standard 2 extended

IP65
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

LED | A↑G F | 24° | warm WHITE 3000K | neutral WHITE 4000K

96GSL1/1024220W
96GSL1/1024220



Type: Spot light
Power: 10W
Lumens: 900lm
Efficiency: 90lm/W
Body colour: Grey
Material: Aluminum

LED | A↑G G | 24° | warm WHITE 3000K | neutral WHITE 4000K

96GSL1/2024220W
96GSL1/2024220



Type: Spot light
Power: 20W
Lumens: 1450lm
Efficiency: 73lm/W
Body colour: Grey
Material: Aluminum

LED | A↑G G | 24° | warm WHITE 3000K | neutral WHITE 4000K

96GSL1/3024220W
96GSL1/3024220



Type: Spot light
Power: 30W
Lumens: 2500lm
Efficiency: 83lm/W
Body colour: Grey
Material: Aluminum

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



96GRF50/52422W
96GRF50/524220
96GRF50/52412W
96GRF50/52412



9617LEDP

SPIKE GROUND / WALL FIXTURES, IP65

LED | 24° | A F G | warm WHITE 3000K | neutral WHITE 4000K


96GRF50/52422W
96GRF50/524220



Type: Spike ground fixture/ Wall fixture
Rated voltage: 220V
Power: 5W
Lumens: 450lm
Efficiency: 90lm/W
Body colour: Black
Material: Aluminum

LED | 24° | A F G | warm WHITE 3000K | neutral WHITE 4000K

96GRF50/52412W
96GRF50/52412



Type: Spike ground fixture/ Wall fixture
Rated voltage: 12V
Power: 5W
Lumens: 450lm
Efficiency: 90lm/W
Body colour: Black
Material: Aluminum

LED | cold WHITE 5500-6000K | 24° | A F G

9617LEDP



Type: Spike ground fixture
Rated voltage: 220V
Power: 5W
Lumens: 360lm
Efficiency: 72lm/W
Body colour: Dark grey
Material: PP+PC

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP65
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



96GRF51/106022W
96GRF51/1060220
96GRF51/106012W
96GRF51/106012



96GRF52/76022W
96GRF52/760220
96GRF52/76012W
96GRF52/76012

SPIKE GROUND / WALL FIXTURES, IP65

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP65
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

LED | 60° | A F G | F | warm WHITE 3000K | neutral WHITE 4000K

96GRF51/106022W
96GRF51/1060220



Type: Spike ground fixture/ Wall fixture
Rated voltage: 220V
Power: 10W
Lumens: 900lm
Efficiency: 90lm/W
Body colour: Black
Material: Aluminum

LED | 60° | A F G | G | warm WHITE 3000K | neutral WHITE 4000K

96GRF52/76022W
96GRF52/760220



Type: Spike ground fixture/ Wall fixture
Rated voltage: 220V
Power: 7W
Lumens: 650lm
Efficiency: 65lm/W
Body colour: Black
Material: Aluminum

LED | 60° | A F G | F | warm WHITE 3000K | neutral WHITE 4000K

96GRF51/106012W
96GRF51/106012



Type: Spike ground fixture/ Wall fixture
Rated voltage: 12V
Power: 10W
Lumens: 900lm
Efficiency: 90lm/W
Body colour: Black
Material: Aluminum

LED | 60° | A F G | G | warm WHITE 3000K | neutral WHITE 4000K

96GRF52/76012W
96GRF52/76012



Type: Spike ground fixture
Rated voltage: 12V
Power: 7W
Lumens: 650lm
Efficiency: 65lm/W
Body colour: Black
Material: Aluminum

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



96GRF53/10822W
96GRF53/108220



96GRF53/156022W
96GRF53/1560220



96GRF54/209022W
96GRF54/2090220

SPIKE GROUND / WALL FIXTURES, IP65

LED | 8° | A T G F | warm WHITE 3000K | neutral WHITE 4000K

96GRF53/10822W
96GRF53/108220



Type: Spike ground fixture/ Wall fixture
Power: 10W
Lumens: 850lm
Efficiency: 85lm/W
Body colour: Black
Material: Aluminum

LED | 60° | A T G F | warm WHITE 3000K | neutral WHITE 4000K

96GRF53/156022W
96GRF53/1560220



Type: Spike ground fixture/ Wall fixture
Power: 15W
Lumens: 1350lm
Efficiency: 90lm/W
Body colour: Black
Material: Aluminum

LED | 90° | A T G F | warm WHITE 3000K | neutral WHITE 4000K

96GRF54/209022W
96GRF54/2090220



Type: Spike ground fixture/ Wall fixture
Power: 20W
Lumens: 1760lm
Efficiency: 88lm/W
Body colour: Black
Material: Aluminum

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP65
12V DC
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



GU10

page 726

ELMARK
The Brand of Electricity



96GRF319/BL



96GRF319/GR



96GRF318/BL



96GRF318/GR

SPIKE GROUND / WALL FIXTURES, IP54

3 YEARS TOTAL WARRANTY
+ 2 standard
1 extended

IP54
~230V
RoHs COMPLAINT
CE

Lamps Not Included 1xGU10



96GRF319/BL

Type: Spike ground fixture
Body colour: Black
Material: UV resistant ABS + PC
Max.: 8W

UV resistant

Lamps Not Included 1xGU10



96GRF319/GR

Type: Spike ground fixture
Body colour: Grey
Material: UV resistant ABS + PC
Max.: 8W

UV resistant

Lamps Not Included 1xGU10



96GRF318/BL

Type: Wall fixture
Body colour: Black
Material: UV resistant ABS + PC
Max.: 8W

UV resistant

Lamps Not Included 1xGU10



96GRF318/GR

Type: Wall fixture
Body colour: Black
Material: UV resistant ABS + PC
Max.: 8W

UV resistant

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



GU10

page 726

ELMARK
The Brand of Electricity



96GRF316/BL



96GRF317/BL



96GRF316/GR



96GRF317/GR

SPIKE GROUND / WALL FIXTURES, IP54

Lamps Not Included 1xGU10

96GRF316/BL



Type: Spike ground fixture
Body colour: Black
Material: UV resistant ABS + PC
Max.: 8W

UV resistant

Lamps Not Included 1xGU10

96GRF316/GR



Type: Spike ground fixture
Body colour: Grey
Material: UV resistant ABS + PC
Max.: 8W

UV resistant

Lamps Not Included 1xGU10

96GRF317/BL



Type: Wall fixture
Body colour: Black
Material: UV resistant ABS + PC
Max.: 8W

UV resistant

Lamps Not Included 1xGU10

96GRF317/GR



Type: Wall fixture
Body colour: Grey
Material: UV resistant ABS + PC
Max.: 8W

UV resistant

3 YEARS TOTAL WARRANTY
+ 2 standard 1 extended

IP54
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



96GRF1/915220W
96GRF1/915220
96GRF1/91524WW
96GRF1/91524



96GRF1/1830220W
96GRF1/1830220
96GRF1/183024WW
96GRF1/183024

RECESSED GROUND FIXTURES, IP67

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP67
SMD 2835
>20000
30000h
Ra≥80
EMC

LED | 15° | A↑G F | warm WHITE 3000K | neutral WHITE 4000K

96GRF1/915220W
96GRF1/915220



Type: Ground recessed fixture
Rated voltage: 220V
Power: 9W
Lumens: 800lm
Efficiency: 89lm/W
Body colour: Grey
Height: 95 mm
Material: Aluminum + Tempered glass

LED | 15° | A↑G F | warm WHITE 3000K | neutral WHITE 4000K

96GRF1/91524WW
96GRF1/91524



Type: Ground recessed fixture
Rated voltage: 12-24V AC
Power: 9W
Lumens: 800lm
Efficiency: 89lm/W
Body colour: Grey
Height: 95 mm
Material: Aluminum + Tempered glass

LED | 30° | A↑G F | warm WHITE 3000K | neutral WHITE 4000K

96GRF1/1830220W
96GRF1/1830220



Type: Ground recessed fixture
Rated voltage: 220V
Power: 18W
Lumens: 1600lm
Efficiency: 89lm/W
Body colour: Grey
Height: 95 mm
Material: Aluminum + Tempered glass

LED | 30° | A↑G F | warm WHITE 3000K | neutral WHITE 4000K

96GRF1/183024WW
96GRF1/183024



Type: Ground recessed fixture
Rated voltage: 12-24V AC
Power: 18W
Lumens: 1600lm
Efficiency: 89lm/W
Body colour: Grey
Height: 95 mm
Material: Aluminum + Tempered glass

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



96GRF1/2445220W
96GRF1/2445220
96GRF1/244524WW
96GRF1/244524



96GRF1/3645220W
96GRF1/3645220
96GRF1/364524WW
96GRF1/364524

RECESSED GROUND FIXTURES, IP67

LED | 45° | F | warm WHITE 3000K | neutral WHITE 4000K

96GRF1/2445220W
96GRF1/2445220



Type: Ground recessed fixture
Rated voltage: 220V
Power: 24W
Lumens: 2100lm
Efficiency: 87lm/W
Body colour: Grey
Height: 95 mm
Material: Aluminum + Tempered glass

LED | 45° | F | warm WHITE 3000K | neutral WHITE 4000K

96GRF1/244524WW
96GRF1/244524



Type: Ground recessed fixture
Rated voltage: 24V AC
Power: 24W
Lumens: 2100lm
Efficiency: 87lm/W
Body colour: Grey
Height: 95 mm
Material: Aluminum + Tempered glass

LED | 45° | F | warm WHITE 3000K | neutral WHITE 4000K

96GRF1/3645220W
96GRF1/3645220



Type: Ground recessed fixture
Rated voltage: 220V
Power: 36W
Lumens: 3200lm
Efficiency: 89lm/W
Body colour: Grey
Height: 90 mm
Material: Aluminum + Tempered glass

LED | 45° | F | warm WHITE 3000K | neutral WHITE 4000K

96GRF1/364524WW
96GRF1/364524



Type: Ground recessed fixture
Rated voltage: 12-24V AC
Power: 36W
Lumens: 3200lm
Efficiency: 89lm/W
Body colour: Grey
Height: 90 mm
Material: Aluminum + Tempered glass

3 YEARS TOTAL WARRANTY
+ 3 standard 0 extended

IP67
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



96RAY10/WW
96RAY10/W



96RAY15/WW
96RAY15/W



96RAY20/WW
96RAY20/W


RECESSED GROUND FIXTURES, IP67

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP67
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

LED | 90° | A F G | F | warm WHITE 3000K | neutral WHITE 4000K


96RAY10/WW
96RAY10/W



Type: Ground recessed fixture
Power: 10W
Lumens: 890lm
Efficiency: 89lm/W
Body colour: Black
Height: 90 mm
Material: Stainless steel + Aluminum + Tempered glass

LED | 90° | A F G | G | warm WHITE 3000K | neutral WHITE 4000K

96RAY15/WW
96RAY15/W



Type: Ground recessed fixture
Power: 15W
Lumens: 1200lm
Efficiency: 80lm/W
Body colour: Black
Height: 90 mm
Material: Stainless steel + Aluminum + Tempered glass

LED | 90° | A F G | F | warm WHITE 3000K | neutral WHITE 4000K

96RAY20/WW
96RAY20/W



Type: Ground recessed fixture
Power: 20W
Lumens: 1750lm
Efficiency: 88lm/W
Body colour: Black
Height: 90 mm
Material: Stainless steel + Aluminum + Tempered glass

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



96RAY30/WW
96RAY30/W



96RAY50/WW
96RAY50/W

RECESSED GROUND FIXTURES, IP67

LED | 90° | A F G | F | warm WHITE 3000K | neutral WHITE 4000K

96RAY30/WW
96RAY30/W



Type: Ground recessed fixture
Power: 30W
Lumens: 2800lm
Efficiency: 93lm/W
Body colour: Black
Height: 90 mm
Material: Stainless steel + Aluminum + Tempered glass

LED | 90° | A F G | F | warm WHITE 3000K | neutral WHITE 4000K

96RAY50/WW
96RAY50/W



Type: Ground recessed fixture
Power: 50W
Lumens: 4500lm
Efficiency: 90lm/W
Body colour: Black
Height: 90 mm
Material: Stainless steel + Aluminum + Tempered glass

3 YEARS TOTAL WARRANTY
+ 3 standard 0 extended

IP67
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



96RAY24/10WW
96RAY24/10



96RAY24/20WW
96RAY24/20



96RAY24/30WW
96RAY24/30


RECESSED GROUND FIXTURES, IP67

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP67
24V DC
SMD 2835
>20000
30000h
Ra≥80
EMC

96RAY24/10WW
96RAY24/10


LED | 90° | A F G | warm WHITE 3000K | neutral WHITE 4000K



Type: Ground recessed fixture
Rated voltage: 24V DC
Power: 10W
Lumens: 890lm
Efficiency: 89lm/W
Body colour: Black
Height: 90 mm
Material: Stainless steel + Aluminum + Tempered glass

96RAY24/20WW
96RAY24/20

LED | 90° | A F G | warm WHITE 3000K | neutral WHITE 4000K



Type: Ground recessed fixture
Rated voltage: 24V DC
Power: 20W
Lumens: 1750lm
Efficiency: 87lm/W
Body colour: Black
Height: 90 mm
Material: Stainless steel + Aluminum + Tempered glass

96RAY24/30WW
96RAY24/30

LED | 90° | A F G | warm WHITE 3000K | neutral WHITE 4000K



Type: Ground recessed fixture
Rated voltage: 24V DC
Power: 30W
Lumens: 2800lm
Efficiency: 93lm/W
Body colour: Black
Height: 90 mm
Material: Stainless steel + Aluminum + Tempered glass

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



96GRF2/130220WW
96GRF2/130220
96GRF2/13012WW
96GRF2/13012



96GRF3/330220WW
96GRF3/330220
96GRF3/33012WW
96GRF3/33012

RECESSED GROUND FIXTURES, IP65

LED | 30° | A T G F | warm WHITE 3000K | neutral WHITE 4000K

96GRF2/130220WW
96GRF2/130220



Type: Ground recessed fixture
Rated voltage: 220V
Power: 1W
Lumens: 90lm
Body colour: Grey
Height: 80 mm
Material: Stainless steel +
Aluminum + Tempered glass

LED | 30° | A T G F | warm WHITE 3000K | neutral WHITE 4000K

96GRF2/13012WW
96GRF2/13012



Type: Ground recessed fixture
Rated voltage: 12V DC
Power: 1W
Lumens: 90lm
Body colour: Grey
Height: 80 mm
Material: Stainless steel +
Aluminum + Tempered glass

LED | 30° | A T G F | warm WHITE 3000K | neutral WHITE 4000K

96GRF3/330220WW
96GRF3/330220



Type: Ground recessed fixture
Rated voltage: 220V
Power: 3W
Lumens: 260lm
Efficiency: 87lm/W
Body colour: Black
Height: 80 mm
Material: Stainless steel +
Aluminum + Tempered glass

LED | 30° | A T G F | warm WHITE 3000K | neutral WHITE 4000K

96GRF3/33012WW
96GRF3/33012



Type: Ground recessed fixture
Rated voltage: 12V DC
Power: 3W
Lumens: 260lm
Efficiency: 87lm/W
Body colour: Black
Height: 80 mm
Material: Stainless steel +
Aluminum + Tempered glass

3 YEARS TOTAL WARRANTY
+ 3 standard 0 extended

IP65
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



96GRF1/315220W
96GRF1/315220
96GRF1/31524WW
96GRF1/31524



96GRF1/515220W
96GRF1/515220
96GRF1/51524WW
96GRF1/51524


RECESSED GROUND FIXTURES, IP67

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP65
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

LED | 15° | A↑G F | warm WHITE 3000K | neutral WHITE 4000K


96GRF1/315220W
96GRF1/315220



Type: Ground recessed fixture
Rated voltage: 220V
Power: 3W
Lumens: 270lm
Efficiency: 90lm/W
Body colour: Grey
Height: 60 mm
Material: Aluminum + Tempered glass

LED | 15° | A↑G F | warm WHITE 3000K | neutral WHITE 4000K

96GRF1/31524WW
96GRF1/31524



Type: Ground recessed fixture
Rated voltage: 12-24V DC
Power: 3W
Lumens: 270lm
Efficiency: 90lm/W
Body colour: Grey
Height: 60 mm
Material: Aluminum + Tempered glass

LED | 15° | A↑G G | warm WHITE 3000K | neutral WHITE 4000K

96GRF1/515220W
96GRF1/515220



Type: Ground recessed fixture
Rated voltage: 220V
Power: 5W
Lumens: 400lm
Efficiency: 80lm/W
Body colour: Grey
Height: 95 mm
Material: Aluminum + Tempered glass

LED | 15° | A↑G G | warm WHITE 3000K | neutral WHITE 4000K

96GRF1/51524WW
96GRF1/51524



Type: Ground recessed fixture
Rated voltage: 24V AC
Power: 5W
Lumens: 400lm
Efficiency: 80lm/W
Body colour: Grey
Height: 95 mm
Material: Aluminum + Tempered glass

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



96GRFLED069/T1W
96GRFLED069/T1



96GRFLED069/T2W
96GRFLED069/T2



96GRFLED069/T3W
96GRFLED069/T3

RECESSED GROUND FIXTURES, IP65

LED A G

warm WHITE 3000K
neutral WHITE 4000K

96GRFLED069/T1W
96GRFLED069/T1



Type: Ground recessed fixture with one light beam
Power: 3W
Lumens: 180lm
Body colour: Black
Height: 100 mm
Material: Aluminum

LED A G

warm WHITE 3000K
neutral WHITE 4000K

96GRFLED069/T2W
96GRFLED069/T2



Type: Ground recessed fixture with two light beams
Power: 3W
Lumens: 213lm
Body colour: Black
Height: 100 mm
Material: Aluminum

LED A G

warm WHITE 3000K
neutral WHITE 4000K

96GRFLED069/T3W
96GRFLED069/T3



Type: Ground recessed fixture with three light beams
Power: 3W
Lumens: 232lm
Body colour: Black
Height: 100 mm
Material: Aluminum

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP67
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



96GRFLED070/T1W
96GRFLED070/T1



96GRFLED070/T2W
96GRFLED070/T2



96GRFLED070/T3W
96GRFLED070/T3

RECESSED GROUND FIXTURES, IP65

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP65
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

96GRFLED070/T1W
96GRFLED070/T1

warm WHITE 3000K
neutral WHITE 4000K



Type: Ground recessed fixture with one light beam
Power: 7W
Lumens: 332lm
Body colour: Black
Height: 100 mm
Material: Aluminum

96GRFLED070/T2W
96GRFLED070/T2

warm WHITE 3000K
neutral WHITE 4000K



Type: Ground recessed fixture with two light beams
Power: 7W
Lumens: 412lm
Body colour: Black
Height: 100 mm
Material: Aluminum

96GRFLED070/T3W
96GRFLED070/T3

warm WHITE 3000K
neutral WHITE 4000K



Type: Ground recessed fixture with three light beams
Power: 7W
Lumens: 525lm
Body colour: Black
Height: 100 mm
Material: Aluminum

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



96GRFLED071/T1W
96GRFLED071/T1



96GRFLED071/T2W
96GRFLED071/T2



96GRFLED071/T3W
96GRFLED071/T3

RECESSED GROUND FIXTURES, IP65

LED A G

warm WHITE 3000K
neutral WHITE 4000K

96GRFLED071/T1W
96GRFLED071/T1



Type: Ground recessed fixture with one light beam
Power: 9W
Lumens: 400lm
Body colour: Black
Height: 100 mm
Material: Aluminum

LED A G

warm WHITE 3000K
neutral WHITE 4000K

96GRFLED071/T2W
96GRFLED071/T2



Type: Ground recessed fixture with two light beams
Power: 9W
Lumens: 500lm
Body colour: Black
Height: 100 mm
Material: Aluminum

LED A G

warm WHITE 3000K
neutral WHITE 4000K

96GRFLED071/T3W
96GRFLED071/T3



Type: Ground recessed fixture with three light beams
Power: 9W
Lumens: 600lm
Body colour: Black
Height: 100 mm
Material: Aluminum

3 YEARS TOTAL WARRANTY
+ 3 standard 0 extended

IP65
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



DRIVE OVER

96GRF4T1/3220WW
96GRF4T1/3220
96GRF4T1/312WW
96GRF4T1/312



DRIVE OVER

96GRF4T2/3220WW
96GRF4T2/3220
96GRF4T2/312WW
96GRF4T2/312

RECESSED GROUND FIXTURES, IP65


3 YEAR TOTAL WARRANTY
3 standard+0 extended
+ 0 extended

IP65
SMD 2835
>20000
30000h
Ra≥80
EMC

LED A G

warm WHITE 3000K
neutral WHITE 4000K

96GRF4T1/3220WW
96GRF4T1/3220



Type: Ground recessed fixture with one light beam
Rated voltage: 220V
Power: 3W
Lumens: 200lm
Efficiency: 67lm/W
Body colour: Grey
Height: 90 mm
Material: Stainless steel + Aluminum

96GRF4T1/312WW
96GRF4T1/312



Type: Ground recessed fixture with one light beam
Rated voltage: 12V DC
Power: 3W
Lumens: 200lm
Efficiency: 67lm/W
Body colour: Grey
Height: 90 mm`
Material: Stainless steel + Aluminum

96GRF4T2/3220WW
96GRF4T2/3220



Type: Ground recessed fixture with two light beams
Rated voltage: 220V
Power: 3W
Lumens: 200lm
Efficiency: 67lm/W
Body colour: Grey
Height: 90 mm
Material: Stainless steel + Aluminum

96GRF4T2/312WW
96GRF4T2/312



Type: Ground recessed fixture with two light beams
Rated voltage:12V DC
Power: 3W
Lumens: 200lm
Efficiency: 67lm/W
Body colour: Grey
Height: 90 mm
Material: Stainless steel + Aluminum

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



DRIVE OVER

96GRF4T3/3220WW
96GRF4T3/3220
96GRF4T3/312WW
96GRF4T3/312




96GRF4/524220WW
96GRF4/524220
96GRF4/52412WW
96GRF4/52412

RECESSED GROUND FIXTURES, IP65

LED A G

warm WHITE 3000K
neutral WHITE 4000K

96GRF4T3/3220WW
96GRF4T3/3220




Type: Ground recessed fixture with three light beams
Rated voltage: 220V
Power: 3W
Lumens: 200lm
Efficiency: 67lm/W
Body colour: Grey
Height: 90 mm
Material: Stainless steel + Aluminum

LED A G

warm WHITE 3000K
neutral WHITE 4000K

96GRF4T3/312WW
96GRF4T3/312



Type: Ground recessed fixture with three light beams
Rated voltage: 12V DC
Power: 3W
Lumens: 200lm
Efficiency: 67lm/W Body colour: Grey
Height: 90 mm
Material: Stainless steel + Aluminum

LED A G 45°

warm WHITE 3000K
neutral WHITE 4000K

96GRF4/524220WW
96GRF4/524220



Type: Ground recessed fixture
Rated voltage: 220V
Power: 5W
Lumens: 350lm
Efficiency: 70lm/W
Body colour: Black
Height: 80 mm
Material: Aluminum

LED A G 45°

warm WHITE 3000K
neutral WHITE 4000K

96GRF4/52412WW
96GRF4/52412



Type: Ground recessed fixture
Rated voltage: 12V DC
Power: 5W
Lumens: 350lm
Efficiency: 70lm/W
Body colour: Black
Height: 80 mm
Material: Aluminum

3 YEAR TOTAL WARRANTY
3 standard+0 extended
+ 0 extended

IP65
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



DRIVE OVER 96CECI90SQ/BL



DRIVE OVER 96CECI160/BL



DRIVE OVER 96CECI90SQ/GR



DRIVE OVER 96CECI160/GR

RECESSED GROUND FIXTURES, IP67


5 YEARS TOTAL WARRANTY + 3 standard 2 extended

IP67
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

LED | warm WHITE 3000K | neutral WHITE 4000K | SETTABLE | A↑G F | 45°


96CECI90SQ/BL



Type: Ground recessed fixture
Lamp holder: GU10
Power: 6W
Lumens: 600lm
Efficiency: 100lm/W
Body colour: Black
Height: 127 mm
Material: Resin + frosted diffuser
UV resistant

LED | warm WHITE 2700K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | A↑G E | 112°


96CECI160/BL



Type: Ground recessed fixture
Lamp holder: GX53
Power: 10W
Lumens: 1200lm
Efficiency: 120lm/W
Body colour: Black
Height: 111 mm
Material: Resin + frosted diffuser
UV resistant

LED | warm WHITE 3000K | neutral WHITE 4000K | SETTABLE | A↑G F | 45°


96CECI90SQ/GR



Type: Ground recessed fixture
Lamp holder: GU10
Power: 6W
Lumens: 600lm
Efficiency: 100lm/W
Body colour: Grey
Height: 127 mm
Material: Resin + frosted diffuser
UV resistant

LED | warm WHITE 2700K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | A↑G E | 112°

96CECI160/GR



Type: Ground recessed fixture
Lamp holder: GX53
Power: 10W
Lumens: 1200lm
Efficiency: 120lm/W
Body colour: Grey
Height: 111 mm
Material: Resin + frosted diffuser
UV resistant

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



DRIVE OVER

96CECI90/BL



DRIVE OVER

96CECI90/GR

RECESSED GROUND FIXTURES, IP67

LED | warm WHITE 2700K | neutral WHITE 4000K | SETTABLE | A G F | 45°



96CECI90/BL

Type: Ground recessed fixture
Lamp holder: GU10
Power: 3.5W
Lumens: 400lm
Efficiency: 114lm/W
Body colour: Black
Height: 127 mm
Material: Resin
UV resistant

LED | warm WHITE 2700K | neutral WHITE 4000K | SETTABLE | A G F | 45°



96CECI90/GR

Type: Ground recessed fixture
Lamp holder: GU10
Power: 3.5W
Lumens: 400lm
Efficiency: 114lm/W
Body colour: Grey
Height: 127 mm
Material: Resin
UV resistant





5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP67
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



DRIVE OVER

96ALDO/BL



DRIVE OVER

96ALDO/GR



DRIVE OVER

96GRFLED068

RECESSED GROUND FIXTURES, IP67

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP67

~230V

SMD 2835

>20000


30000h

Ra≥80

EMC

LED | neutral WHITE 4000K | 45° | A↑G F

96ALDO/BL




Type: Ground recessed fixture
Lamp holder: G9
Power: 1.7W
Lumens: 170lm
Efficiency: 100lm/W
Body colour: Black
Height: 50 mm
Material: Resin with opal glass

UV resistant

LED | neutral WHITE 4000K | 45° | A↑G F

96ALDO/GR




Type: Ground recessed fixture
Lamp holder: G9
Power: 1.7W
Lumens: 170lm
Efficiency: 100lm/W
Body colour: Grey
Height: 50 mm
Material: Resin with opal glass

UV resistant

LED | cold WHITE 6000-6500K | 45° | A↑G G

96GRFLED068



Type: Ground recessed fixture
Lamp holder: GU10
Power: 1W
Lumens: 60lm
Body colour: Grey
Height: 61 mm
Material: Stainless steel

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Recommended bulb



GU5.3

page 728

for 96GRF105



GU10

page 726

for 96GRF106

ELMARK
The Brand of Electricity



96GRF105



96GRF106

RECESSED GROUND FIXTURES, IP65

Lamps Not Included | 1xGU5.3 | 120°

96GRF105



Type: Ground recessed fixture
Body colour: Satin nickel
Material: PVC + aluminum ring and tempered glass
Max.: 50W

Lamps Not Included | 1xGU10 | 120°

96GRF106



Type: Ground recessed fixture
Body colour: Satin nickel
Material: PVC + aluminum ring and tempered glass
Max.: 50W

2 YEARS TOTAL WARRANTY
2 standard + 0 extended

IP65
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



96GRFLED011WW
96GRFLED011



96GRFLED013WW
96GRFLED013



96GRFLED012WW
96GRFLED012

STEP LIGHTS, IP65


3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP65
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

LED A G

warm WHITE 3000K
neutral WHITE 4000K

96GRFLED011WW
96GRFLED011




Type: Recessed step light
Power: 2W
Lumens: 50lm
Body colour: Black
Height: 55 mm
Material: Aluminum

LED A G

warm WHITE 3000K
neutral WHITE 4000K

96GRFLED013WW
96GRFLED013



Type: Recessed step light
Power: 2W
Lumens: 50lm
Body colour: Black
Height: 55 mm
Material: Aluminum

LED A G

warm WHITE 3000K
neutral WHITE 4000K

96GRFLED012WW
96GRFLED012



Type: Recessed step light
Power: 2W
Lumens: 50lm
Body colour: Black
Height: 55 mm
Material: Aluminum

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



96GRFLED014WW
96GRFLED014




96GRFLED015WW
96GRFLED015

STEP LIGHTS, IP65

LED A1G G

warm WHITE 3000K
neutral WHITE 4000K

96GRFLED014WW
96GRFLED014




Type: Recessed step light
Power: 5W
Lumens: 70lm
Body colour: Black
Height: 55 mm
Material: Aluminum

LED A1G G

warm WHITE 3000K
neutral WHITE 4000K

96GRFLED015WW
96GRFLED015



Type: Recessed step light
Power: 5W
Lumens: 70lm
Body colour: Black
Height: 55 mm
Material: Aluminum

3 YEARS TOTAL WARRANTY
+ 3 standard 0 extended

IP65
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



96GRFLED016WW
96GRFLED016

STEP LIGHTS, IP65


3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP65
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

96GRFLED016WW


LED | warm WHITE | 3000K | A G | G



Type: Recessed step light
Power: 2W
Lumens: 50lm
Body colour: Black
Height: 65 mm
Material: Aluminum

96GRFLED016

LED | neutral WHITE | 4000K | A G | G



Type: Recessed step light
Power: 2W
Lumens: 50lm
Body colour: Black
Height: 65 mm
Material: Aluminum


Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



96GRFLED001/T1W
96GRFLED001/T1



96GRFLED001/T2W
96GRFLED001/T2



96GRFLED001/T3W
96GRFLED001/T3

STEP LIGHTS, IP65

LED A G

warm WHITE 3000K
neutral WHITE 4000K

96GRFLED001/T1W
96GRFLED001/T1




Type: Recessed step light
Power: 1W
Lumens: 70lm
Body colour: Grey
Height: 80 mm
Material: Stainless Steel + Aluminum

LED A G

warm WHITE 3000K
neutral WHITE 4000K

96GRFLED001/T2W
96GRFLED001/T2




Type: Recessed step light
Power: 1W
Lumens: 70lm
Body colour: Grey
Height: 80 mm
Material: Stainless Steel + Aluminum

LED A G

warm WHITE 3000K
neutral WHITE 4000K

96GRFLED001/T3W
96GRFLED001/T3



Type: Wall recessed fixture
Power: 1W
Lumens: 70lm
Body colour: Grey
Height: 80 mm
Material: Stainless Steel + Aluminum

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP65
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



96GRFLED003/T1W
96GRFLED003/T1



96GRFLED003/T2W
96GRFLED003/T2



96GRFLED003/T3W
96GRFLED003/T3


STEP LIGHTS, IP65

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP65
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

96GRFLED003/T1W
96GRFLED003/T1


warm WHITE 3000K
neutral WHITE 4000K



Type: Recessed step light
Power: 3W
Lumens: 95lm
Body colour: Grey
Height: 80 mm
Material: Stainless Steel + Aluminum

96GRFLED003/T2W
96GRFLED003/T2


warm WHITE 3000K
neutral WHITE 4000K



Type: Recessed step light
Power: 3W
Lumens: 95lm
Body colour: Grey
Height: 80 mm
Material: Stainless Steel + Aluminum

96GRFLED003/T3W
96GRFLED003/T3

warm WHITE 3000K
neutral WHITE 4000K



Type: Recessed step light
Power: 3W
Lumens: 95lm
Body colour: Grey
Height: 80 mm
Material: Stainless Steel + Aluminum

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

POOL & UNDERWATER LIGHTING



ELMARK
The Brand of Electricity



96PL1/10WW
96PL1/10



96PL4/18WW
96PL4/18



96PL2/18



96PL3/24


POOL LIGHTS, IP68

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP68
12V/24V AC
SMD 2835
>20000
30000h
Ra≥80
EMC

LED | A G | G | 45° | warm WHITE 3000K | neutral WHITE 4000K

96PL1/10WW
96PL1/10



Type: Pool lighting
Rated voltage: 12-24V AC/DC
Power: 10W
Lumens: 800lm
Efficiency: 80lm/W
Body colour: White
Height: 28mm
Material: Plastic

LED | A G | F | 45° | warm WHITE 3000K | neutral WHITE 4000K

96PL4/18WW
96PL4/18



Type: Pool lighting
Rated voltage: 12-24V AC/DC
Power: 18W
Lumens: 1700lm
Efficiency: 94lm/W
Body colour: White
Height: 50mm
Material: Plastic

LED | RGB | 45°

96PL2/18



Type: Pool lighting with remote control
Rated voltage: 12V AC
Power: 18W
Body colour: White
Height: 36mm
Material: Plastic

24 key remote controller

LED | RGB | 45°

96PL3/24



Type: Pool lighting with remote control
Rated voltage: 12 AC
Power: 24W
Body colour: White
Height: 36mm
Material: Plastic

24 key remote controller

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



98LED003RGB



98LED006RGB



98LED012RGB
98LED018RGB

POOL LIGHTS WITH REMOTE CONTROL, IP68

LED RGB 45°

98LED003RGB



Type: Pool lighting with remote control
Rated voltage: 12V AC
Power: 3W
Body colour: Grey
Material: Stainless steel
24 key remote controller

LED RGB 45°

98LED006RGB



Type: Pool lighting with remote control
Rated voltage: 12V AC
Power: 6W
Body colour: Grey
Material: Stainless steel
24 key remote controller

LED RGB 45°

98LED012RGB



Type: Pool lighting with remote control
Rated voltage: 12V AC
Power: 12W
Body colour: Grey
Material: Stainless steel
24 key remote controller

LED RGB 45°

98LED018RGB



Type: Pool lighting with remote control
Rated voltage: 12V AC
Power: 18W
Body colour: Grey
Material: Stainless steel
24 key remote controller

3 YEARS TOTAL WARRANTY
3 standard
0 extended

IP68
12V/24V AC
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



96GRF5/31512WW
96GRF5/31512

POOL LIGHTS, IP68

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP68
12V DC
SMD 2835
>20000
30000h
Ra≥80
EMC

LED | warm WHITE 3000K | 15° | F


96GRF5/31512WW



Type: Ground recessed fixture
Rated voltage: 12V
Power: 3W
Lumens: 260lm
Efficiency: 87lm/W
Body colour: Grey
Height: 100 mm
Material: Stainless Steel + Tempered glass

LED | neutral WHITE 4000K | 15° | F

96GRF5/31512



Type: Ground recessed fixture
Rated voltage: 12V
Power: 3W
Lumens: 260lm
Efficiency: 87lm/W
Body colour: Grey
Height: 100 mm
Material: Stainless Steel + Tempered glass

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



96UW6RGB



96UW12RGB



96UW18RGB

POOL LIGHTS WITH REMOTE CONTROL, IP68

LED | RGB | 45°

96UW6RGB



Type: Pool lighting with remote control
Rated voltage: 12V AC
Power: 6W
Body colour: Grey
Height: 80 mm
Material: Stainless steel

24 key remote controller

LED | RGB | 45°

96UW12RGB




Type: Pool lighting with remote control
Rated voltage: 12V AC
Power: 12W
Body colour: Grey
Height: 80 mm
Material: Stainless steel

24 key remote controller

LED | RGB | 45°

96UW18RGB



Type: Pool lighting with remote control
Rated voltage: 12V AC
Power: 18W
Body colour: Grey
Height: 80 mm
Material: Stainless steel

24 key remote controller

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP68
12V AC
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



96FL6RGB
96FL12RGB
96FL18RGB


FOUNTAIN LIGHTS WITH REMOTE CONTROL, IP68

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP68
12V AC
SMD 2835
>20000
30000h
Ra≥80
EMC

LED RGB 45°

96FL6RGB



Type: LED fountain light with remote control
Rated voltage: 12V AC
Power: 6W
Body colour: Grey
Height: 80 mm
Material: Stainless steel
24 key remote controller

LED RGB 45°

96FL12RGB



Type: LED fountain light with remote control
Rated voltage: 12V AC
Power: 12W
Body colour: Grey
Height: 80 mm
Material: Stainless steel
24 key remote controller

LED RGB 45°

96FL18RGB



Type: LED fountain light with remote control
Rated voltage: 12V AC
Power: 18W
Body colour: Grey
Height: 80 mm
Material: Stainless steel
24 key remote controller

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

SOLAR LIGHTING



ELMARK
The Brand of Electricity



98SOL200



98SOL202

SOLAR LAMPS WITH SENSOR, IP54

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended


IP65
IP54
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

98SOL200

LED Solar Li-ion





Type: Solar wall lamp with sensor
LED QTY: 16 (front 14pcs + back 2pcs)
Power: 1.5W
Lumens: 220lm
Solar panel: 0.7- polycrystalline
Battery: 3.7V / 1200mAh li-ion battery
Body colour: White
Material: ABS + PC, anti UV

Functions:

- A- Full brightness+Weak brightness (front and back lights ON);
- B- Full brightness+Weak brightness (front light OFF, back lights ON)
- Auto on at night; Full brightness

Sensor


Detection range: 120°
Detection distance: 6m
Installation height: ≤ 4meters
Battery: 3.7V/ 1200mAh
Time-Delay: 10sec

IP54

98SOL202

LED Solar Li-ion





Type: Solar Wall Lamp with Sensor
Power: 4W
Lumens: 500lm
Solar Panel: 2.4W 5.5V DC Mono with Glass
Battery: 3.7V/ 2000mAh Li-ion battery
Charging time: 6h
Discharging time: 35h
Body Colour: White
Material: ABS + PC, UV Resistant

Functions:

- A- Full brightness after motion detection and lower when 20sec no motion
- B- Less than 30% energy: Saving mode with 50% brightness by motion detection

Sensor

Detection range: 120°
Detection distance: 6m
Installation height: ≤ 4meters

IP65

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



98SOL305




98SOL306

SOLAR LAMPS WITH SENSOR, IP65

LED Solar Li-ion

98SOL305





Type: Multifunction 7 in 1 Solar LED Light
Power: 8W
Lumens: 950lm
Battery: 3.7V/ 4000mAh
18650 Li-ion battery
Charging time: 5h
Discharging time:
- Mode A: till 5 nights
- Mode A: till 3 nights
- Mode B: till 5 nights

Body colour: Black
Material: ABS + PC; V0; UV-Resistant

Installation:
- Integrated Wall Mount
- Split Wall Mount


Functions:
- A- Full brightness after motion detection and lower when 20sec no motion
- B- continuously full brightness. After 5h full brightness after motion detection and lower when 20sec no motion.


Sensor

Detection range: 120°
Detection distance: 8m
Installation height: ≤ 4meters

LED Solar Li-ion

98SOL306





Type: Solar Wall Lamp
Power: 6W
Lumens: 800lm
Battery: 3.7V/ 3000mAh
18650 Li-ion battery
Charging time: 8h
Discharging time:
Mode A: till 4 nights
Mode B: till 2 nights

Body Colour: Black
Material: ABS + PC; V0; UV-Resistant

Functions:
- A- Full brightness after motion detection and 5% when 20sec no motion
- B- continuously 50% brightness. After 5h full brightness after motion detection and turn off when 20sec no motion

Sensor

Detection range: 120°
Detection distance: 6m
Installation height: ≤ 4meters

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP65
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



98SOL300



98SOL301

SOLAR FLOODLIGHTS

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP65
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

LED Solar Li-ion

98SOL300



Solar flood light with sensor
Power: 5W
Lumens: 500lm
Solar Panel: 2.3Wp Mono-crystal-line Silicon Housing
Battery: 3.7V/ 3000mAh Li-ion replaceable battery
Charging time: 8h
Discharging time: 35h
- Mode A: 5h
- Mode B: till 5 nights

Body Colour: Black
Material: ABS + PC; V0; UV-Resistant

Functions:
- A- Keep Lighting Mode
- B- Sensor Mode

Sensor
Detection range: 120°
Detection distance: 6m
Installation height: ≤ 4meters

LED Solar Li-ion

98SOL301



Solar flood light with sensor
Power: 10W
Lumens: 1080lm
Solar Panel: 6Wp Mono-crystal-line Silicon Housing
Battery: 3.7V/ 7200mAh Li-ion replaceable battery
Charging time: 8h
Discharging time: 35h
- Mode A: 12h
- Mode B: till 5 nights
- Mode C: till 7 nights

Body Colour: Black
Material: ABS + PC; V0; UV-Resistant

Functions:
- A-30% Constant Bright
- B- Full brightness after motion detection and 3% when 20sec no motion
- C- Full brightness after motion detection and OFF when 20sec no motion

Sensor
Detection range: 120°
Detection distance: 6m
Installation height: ≤ 4meters

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



98SOL307
98SOL308

SOLAR FLOODLIGHTS

LED Solar

98SOL307





Type: Solar Floodlight
Power: 10W
Lumens: 1300lm
Battery: 3.7V/ 3600mAh Li-ion replaceable battery
Charging time: 8h
Discharging time:
- Mode A: till 3 nights
- Mode B: till 2 nights

Body Colour: Black
Material: ABS + PC; V0; UV-Resistant

Functions:

- A- Full brightness 30 or 100%
- B- continuously full brightness. After 5h 30% brightness after motion detection and 5% when 20sec no motion

Sensor

Detection range: 120°
Detection distance: 6m
Installation height: ≤ 4meters

LED Solar

98SOL308





Type: Solar Floodlight
Power: 30W
Lumens: 4500lm
Battery: 6.4V/ 6000mAh Li-ion battery
Charging time: 8h
Discharging time:
- Mode A: till 3 nights
- Mode B: till 2 nights

Body Colour: Black
Material: ABS + PC

Functions:

- A- Full brightness 30 or 100%
- B- continuously full brightness. After 5h 30% brightness after motion detection and 5% when 20sec no motion

Sensor

Detection range: 120°
Detection distance: 6m
Installation height: ≤ 4meters

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP65
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



98SOL309



98SOL310

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP65

RoHS COMPLAINT


CE

Scan QR code for 3D models, IES files & price.

98SOL309

LED Solar Li-ion





Sensor

Detection range: 120°
Detection distance: 7 m

Type: Solar Garden Bollard Lamp
Power: 5W
Lumens: 400lm
Battery: 3.7V/ 2000mAh 18650
Replaceable Li-ion battery
Charging time: 12h
Discharging time:
- Mode A: till 4 nights
- Mode B: till 2 nights


Body Colour: Black
Material: ABS + PC; V0;
UV-Resistant

Installation:
Built-in Soft Lawn
Built-in Concrete ground

Functions:
• A- Light up at night and full brightness after motion detection and lower when 20sec no motion
• B- Automatically light up at night with 50% brightness. After 5h turn to mode A.

98SOL310

LED Solar Li-ion





Sensor

Detection range: 120°
Detection distance: 7 m

Type: Solar LED Area Light
Power: 20W
Lumens: 2100lm
Solar Panel: Mono-crystalline silicone 11.5W, DC10V
Battery: 6.4V/ 6000mAh 32700
Replaceable Li-ion battery
Charging time: 6h
Discharging time: 32h
Body Colour: Black
Material: ABS + PC; V0; UV-Resistant
Installation Height: 2-4m
Installation Spacing: 10-15m
Effective Projection Surface: 80m²

Functions:
The lamp automatically lights up at night and keep 100% brightness for the first 3 hours, 70% brightness for the next 2 hours, and then 50% brightness till down. With intelligent management system, the lamp will adjust the brightness according to the dynamic capacity of the battery.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



98SOL96

SOLAR LIGHTS, IP54

LED | Solar | warm WHITE 1500-1800K | 360°



98SOL96

Type: Solar torch light
LED QTY: 51pcs
Power: max 1W
Lumens: 20lm
Battery: 3.7V/1200mAh
Solar panel: 5.5V/0.66W
Charging time: 8h
Working time: 8h
Body colour: Black
Material: ABS+PC





1 YEARS TOTAL WARRANTY
+ 1 standard
0 extended

IP54

RoHs COMPLAINT

CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



98SOL5420



98SOL9620



98SOL5520



98SOL23310

SOLAR PATHWAY LIGHTS, IP44

1 YEARS TOTAL WARRANTY
+ 1 standard
0 extended

IP44
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

98SOL5420


LED Solar



Type: Solar pathway light
Power: 0.06W
Lumens: 1lm
Solar panel: Amorphous
Battery: Ni-Mh/100mAh AA 1.2V
Working time: 8h
Body colour: Black
Material: Plastic

98SOL5520


LED Solar



Type: Solar pathway light
Power: 0.06W
Lumens: 1lm
Solar panel: Amorphous
Battery: Ni-Mh/100mAh AAA 1.2V
Working time: 8h
Body colour: Black
Material: Plastic

98SOL9620

LED Solar



Type: Solar pathway light
Power: 0.06W
Lumens: 1lm
Solar panel: Amorphous
Battery: Ni-Mh/100mAh AAA 1.2V
Working time: 8h
Body colour: Black
Material: Plastic

98SOL23310

LED Solar



Type: Solar pathway light
Power: 0.08W
Lumens: 2lm
Solar panel: Amorphous
Battery: Ni-Mh AAA 2V
Working time: 8h
Body colour: Black
Material: Plastic

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



98SOL23357



98SOL11088



98SOL11103

SOLAR PATHWAY LIGHTS, IP44

LED Solar



98SOL23357

Type: Solar pathway light
Power: 0.2W
Lumens: 10lm
Solar panel: Polycrystalline
Battery: Ni-Mh/500mAh
Working time: 8h
Body colour: Black
Material: Plastic


LED Solar



98SOL11088

Type: Solar pathway light
Power: 0.3W
Lumens: 10lm
Solar panel: Polycrystalline
Battery: Ni-Mh/900mAh
Working time: 8h
Body colour: Grey
Material: Stainless steel

LED Solar



98SOL11103

Type: Solar pathway light
Power: 0.16W
Lumens: 8lm
Solar panel: Polycrystalline
Battery: Ni-Mh/400mAh
Working time: 8h
Body colour: Grey
Material: Stainless steel

2 YEARS TOTAL WARRANTY
2 standard + 0 extended

IP44
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



98SOL3122



98SOL6721




98SOL6921

SOLAR PATHWAY LIGHTS, IP44

1 YEARS TOTAL WARRANTY
+ 1 standard
0 extended

IP44
RoHs COMPLAINT
CE


LED Solar



98SOL3122

Type: Solar pathway light
Power: 0.06W
Lumens: 1lm
Solar panel: Amorphous
Battery: Ni-Mh/100mAh AAA 1.2V
Working time: 8h
Body colour: Brass
Material: Stainless steel + Plastic

LED Solar



98SOL6721

Type: Solar pathway light
Power: 0.06W
Lumens: 1lm
Solar panel: Amorphous
Battery: Ni-Mh/200mAh AA 1.2V
Working time: 8h
Body colour: Silver
Material: Stainless steel + Plastic

LED Solar



98SOL6921

Type: Solar pathway light
Power: 0.06W
Lumens: 1lm
Solar panel: Amorphous
Battery: Ni-Mh/100mAh AAA 1.2V
Working time: 8h
Body colour: Black
Material: Stainless steel + Plastic

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



98SOL8120



98SOL5821



98SOL4320

SOLAR PATHWAY LIGHTS, IP44

LED Solar



98SOL8120

Type: Solar pathway light
Power: 0.06W
Lumens: 1lm
Solar panel: Amorphous
Battery: Ni-Mh/40mAh button battery 1.2V
Working time: 8h
Body colour: Black
Material: Plastic

LED Solar



98SOL5821

Type: Solar pathway light
Power: 0.24W
Lumens: 4lm
Solar panel: Amorphous
Battery: Ni-Mh/200mAh AA 1.2V
Working time: 8h
Body colour: Silver
Material: Plastic

LED Solar



98SOL4320

Type: Solar pathway light
Power: 0.5W
Lumens: 15lm
Solar panel: Polycrystalline
Battery: NI-MH AA 300mAh 1.2V
Working time: 8h
Body colour: Black
Material: Plastic

1 YEARS TOTAL WARRANTY
+ 1 standard
0 extended

IP44
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



98SOL23276



98SOL4321

SOLAR PATHWAY LIGHTS

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

LED Solar IP44 Li-ion

98SOL23276



Type: Solar pathway light
Power: 0.4W
Lumens: 25lm
Solar panel: Polycrystalline
Battery: 14430 LiFePO4 400mAh
Working time: 8h
Body colour: Black
Material: Plastic

LED Solar IP65

98SOL4321



Type: Solar pathway light
Power: 5W
Functions: Light control + Switch. Automatic time-sharing brightness

RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



98SOL134



98SOL149

SOLAR PATHWAY LIGHTS

LED Solar IP65 Li-ion

98SOL134



Type: Solar Light
Lumens: 200/100/50lm
Solar panel: Monocrystal 5.5V/250mAh
Battery: Lithium 3.7V/2500mAh 18650
Working time: 2h with 200lm/ 5h with 100lm/ 8h with 50lm
Body colour: Black
Material: ABS & Stainless Steel

LED Solar IP54

98SOL149



Type: Motion Sensor Solar Light
Lumens: 250lm
Solar panel: Monocrystal 5.5V/2.5W
Battery: Lithium 3.7V/2500mAh 18650
Working time: 8h
Body colour: Black
Material: ABS & Stainless Steel
Detection Distance: 5-8m



3 YEARS TOTAL WARRANTY
+ 3 standard 0 extended

RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



98SOL41071



98SOL41073




98SOL41030

SOLAR DRIVEWAY & GROUND LIGHTS

LED Solar IP44

98SOL41071



Type: Solar driveway light
Power: 0.3W
Lumens: 10lm
Solar panel: Polycrystalline
Battery: Ni-Mh/ 900mAh
Working time: 8h
Body colour: Grey
Material: Aluminum

LED Solar IP44


98SOL41073




Type: Solar driveway light
Power: 0.3W/2V
Lumens: 10lm
Solar panel: Polycrystalline
Battery: Ni-Mh/ 900mAh
Working time: 8h
Body colour: Grey
Material: Metal + Plastic

LED Solar IP65 Li-ion

98SOL41030



Type: Solar recessed ground light
Power: 3W
Lumens: 50lm
Solar panel: 6V/0.6W Polycristalline
Battery: 2Ah, 3.7V LiFePO4 18650
Working time: 8-12h
Charging time: 4-5h
Body colour: Grey
Material: Stainless steal



2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



98SOL41072



98SOL148



98SOL146

SOLAR WALL LAMPS, IP65

LED Solar Li-ion

98SOL41072



Type: Solar wall light
Power: 300W
Lumens: 1000lm
Solar panel: 6V/13W Polycristalline
Battery: 3.2V/10Ah LiFePO4 32650
Working time: 8-12h

LED Solar Li-ion

98SOL148



Type: Motion Sensor Solar Light
Lumens: 250lm
Solar panel: Monocrystal 5.5V/2.5W
Battery: Lithium 3.7V/2500mAh 18650
Working time: 8h
Body colour: Black
Material: ABS + Stainless Steel
Detection Distance: 5-8m

LED Solar Li-ion

98SOL146



Type: Motion Sensor Solar Light
Lumens: 100lm
Solar panel: Monocrystal 5V/100mAh
Battery: Lithium 3.7V/500mAh 14500
Working time: 8h
Body colour: Black
Material: Aluminum
Detection Distance: 5-8m

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP65
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



98SOL23423



98SOL23429

SOLAR WALL LAMPS, IP44

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended


IP44

RoHs COMPLAINT

CE

LED Solar Li-ion


98SOL23423



Type: Solar wall light
Power: 0.8W
Lumens: 30m
Solar panel: Monocrystalline
Battery: LiFePO4/800mAh 18500 4.5V
Working time: 8h
Body colour: Black
Material: Plastic

LED Solar

98SOL23429




Type: Solar wall light
Power: 0.12W
Lumens: 6lm
Solar panel: Amorphous
Battery: Ni-Mh/ 300mAh 2V
Working time: 8h
Body colour: Grey
Material: Plastic





Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



98SOL23428




98SOL23456

SOLAR WALL LAMPS, IP44

LED Solar


98SOL23428



Type: Solar wall light
Power: 0.3W
Lumens: 10m
Solar panel: Monocrystalline
Battery: Ni-Mh/ 900mAh 2V
Working time: 8h
Body colour: Black
Material: Plastic

LED Solar

98SOL23456



Type: Solar wall light
Power: 0.42W/2V
Lumens: 15lm
Solar panel: Polycrystalline
Battery: AA Ni-Mh/1000mAh
Working time: 8h
Body colour: Black
Material: Plastic





2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP44
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



98SOL23379



98SOL23405

SOLAR WALL LANTERNS, IP44

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

LED Solar

98SOL23379



Type: Solar wall light
Power: 0.3W/2V
Lumens: 10lm
Solar panel: Polycrystalline
Battery: AA Ni-Mh/900mAh
Working time: 8h
Body colour: Black
Material: Plastic

LED Solar

98SOL23405



Type: Solar wall light
Power: 0.3W/2V
Lumens: 10lm
Solar panel: Polycrystalline
Battery: AA Ni-Mh/900mAh
Working time: 8h
Body colour: Black
Material: Plastic

IP44
RoHS COMPLAINT
CE

Scan QR code for 3D models, IES files & price.





Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



98SOL23357W

SOLAR WALL LAMPS, IP44

LED Solar

98SOL23357W



Type: Solar wall light
Power: 0.2W
Lumens: 10lm
Solar panel: Polycrystalline
Battery: Ni-Mh/500mAh
Working time: 8h
Body colour: Black
Material: Plastic



3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP44
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



98SOL23439



98SOL23451

SOLAR STRING LIGHTS, IP54

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

LED Solar warm WHITE

98SOL23439



Cable length 3000 mm

Type: Solar string lights
Lighting fixtures QTY: 8pcs
Power: 0.6W
Lumens: 24lm
Solar panel: Polycrystalline
Battery: 2x Ni-Mh/900mAh
Working time: 8h
Material: Plastic

LED Solar warm WHITE

98SOL23451



Cable length 4300 mm

Type: Solar string lights
Lighting fixtures QTY: 8pcs
Power: 0.6W
Lumens: 24lm
Solar panel: Polycrystalline
Battery: 2x Ni-Mh/900mAh
Working time: 8h
Material: Plastic

IP54
RoHS COMPLAINT
CE

Scan QR code for 3D models, IES files & price.







Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



98SOL23204C

SOLAR STRING LIGHTS, IP44

LED Solar RGB



Cable length 13 m

98SOL23204C

Type: Solar string lights
Lighting fixtures QTY: 100pcs
Power: 0.5W
Solar panel: Polycrystalline
Battery: Ni-Mh/1200mAh
Working time: 8h
Material: Plastic





2 YEARS TOTAL WARRANTY
2 standard + 0 extended

IP44
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



98SOL103



98SOL104



98SOL105



98SOL106

SOLAR STREET LIGHTS WITH SENSOR, IP65

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP65
SMD 5730
RoHs COMPLAINT
CE

LED Solar cold WHITE 6800-7200K

98SOL103



Type: Solar street light with remote control
Power: 30W
Lumens: 360lm
Solar panel: 5V/7W
Battery: 3.2V/5000mAh
Body colour: Black
Material: ABS

Function: Light sensor; Control ON/OFF and dimmable via remote control

LED Solar cold WHITE 6800-7200K

98SOL104



Type: Solar street light with remote control
Power: 60W
Lumens: 720lm
Solar panel: 5V/11W
Battery: 3.2V/10000mAh
Body colour: Black
Material: ABS

Function: Light sensor; Control ON/OFF and dimmable via remote control

LED Solar cold WHITE 6800-7200K

98SOL105



Type: Solar street light with remote control
Power: 90W
Lumens: 1080lm
Solar panel: 5V/14W
Battery: 3.2V/15000mAh
Body colour: Black
Material: ABS

Function: Light sensor; Control ON/OFF and dimmable via remote control

LED Solar cold WHITE 6800-7200K

98SOL106



Type: Solar street light with remote control
Power: 120W
Lumens: 1440lm
Solar panel: 5V/18W
Battery: 3.2V/20000mAh
Body colour: Black
Material: ABS

Function: Light sensor; Control ON/OFF and dimmable via remote control

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



98SOL110
98SOL111
98SOL112

SOLAR STREET LIGHTS WITH REMOTE CONTROL, IP65

LED | Solar | cold WHITE 6000K | Li-ion

98SOL110



Type: Solar street light with remote control
Power: 100W
Lumens: 1100lm
Solar panel: 6V/25W Monocrystalline
Battery: 20Ah/3.2V LiFePo4 32650
Body colour: Grey
Material: Aluminum

Functions: Time sharing brightness, Automatic light control, Cable free installation

LED | Solar | cold WHITE 6000K | Li-ion

98SOL111



Type: Solar street light with remote control
Power: 200W
Lumens: 2000lm
Solar panel: 6V/35W Monocrystalline
Battery: 30Ah/3.2V LiFePo4 32650
Body colour: Grey
Material: Aluminum

Functions: Time sharing brightness, Automatic light control, Cable free installation

LED | Solar | cold WHITE 6000K | Li-ion

98SOL112



Type: Solar street light with remote control
Power: 300W
Lumens: 2700lm
Solar panel: 6V/45W Monocrystalline
Battery: 40Ah/3.2V LiFePo4 32650
Body colour: Grey
Material: Aluminum

Functions: Time sharing brightness, Automatic light control, Cable free installation

2 YEARS TOTAL WARRANTY
2 standard + 0 extended

IP65
SMD 5730
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



FLOODLIGHTS



*Options with emergency kit



page 671

stellar



98HELIOS10



98HELIOS20



98HELIOS30



98HELIOS50

FLOODLIGHTS, IP65

2 YEARS TOTAL WARRANTY + 2 standard 0 extended

IP65
~230V
SMD 2835
15000h
Ra>70
EMC

LED | cold WHITE 5000-5500K | 120° | A↑G F

98HELIOS10



Type: LED Floodlight
Power: 10W
Lumens: 800lm
Efficiency: 80lm/W
Body colour: Black
Material: Aluminum casting
LED driver: Mounted in the body

LED | cold WHITE 5000-5500K | 120° | A↑G F

98HELIOS20



Type: LED Floodlight
Power: 20W
Lumens: 1600lm
Efficiency: 80lm/W
Body colour: Black
Material: Aluminum casting
LED driver: Mounted in the body

LED | cold WHITE 5000-5500K | 120° | A↑G F

98HELIOS30



Type: LED Floodlight*
Power: 30W
Lumens: 2400lm
Efficiency: 80lm/W
Body colour: Black
Material: Aluminum casting
LED driver: Mounted in the body

LED | cold WHITE 5000-5500K | 120° | A↑G F

98HELIOS50



Type: LED Floodlight*
Power: 50W
Lumens: 4000lm
Efficiency: 80lm/W
Body colour: Black
Material: Aluminum casting
LED driver: Mounted in the body

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Options with emergency kit



page 671



98HELIOS100
98HELIOS150
98HELIOS200

FLOODLIGHTS, IP65

LED | cold WHITE 5000-5500K | 120° | F

98HELIOS100



Type: LED Floodlight*
Power: 100W
Lumens: 8000lm
Efficiency: 80lm/W
Body colour: Black
Material: Aluminum casting
LED driver: Mounted in the body

LED | cold WHITE 5000-5500K | 120° | F

98HELIOS150



Type: LED Floodlight
Power: 150W
Lumens: 10000lm
Efficiency: 67lm/W
Body colour: Black
Material: Aluminum casting
LED driver: Mounted in the body

LED | cold WHITE 5000-5500K | 120° | F

98HELIOS200



Type: LED Floodlight
Power: 200W
Lumens: 12000lm
Efficiency: 60lm/W
Body colour: Black
Material: Aluminum casting
LED driver: Mounted in the body

2 YEARS TOTAL WARRANTY
2 standard + 0 extended

IP65
~230V
SMD 2835
15000h
Ra>70
EMC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Options with emergency kit



page 671



98HELIOS20SEN



98HELIOS30SEN



98HELIOS50SEN

FLOODLIGHTS WITH SENSOR, IP65

2 YEARS TOTAL WARRANTY + 2 standard 0 extended

IP65

~230V

SMD 2835

15000h

Ra>70

EMC

LED | cold WHITE 5000-5500K | 120° | F

98HELIOS20SEN



Type: Floodlight with sensor
Power: 20W
Lumens: 1600lm
Efficiency: 80lm/W
Body colour: Black
Material: Aluminum casting
LED driver: Mounted in the body

Sensor

Detection range: 120°
Detection distance: max. 8m (±2 m)
Ambient light: 25±10 lux
Time setting: 140±20 s

LED | cold WHITE 5000-5500K | 120° | F

98HELIOS30SEN



Type: Floodlight with sensor*
Power: 30W
Lumens: 2400lm
Efficiency: 80lm/W
Body colour: Black
Material: Aluminum casting
LED driver: Mounted in the body

Sensor

Detection range: 120°
Detection distance: max. 8m (±2 m)
Ambient light: 25±10 lux
Time setting: 140±20 s

LED | cold WHITE 5000-5500K | 120° | F

98HELIOS50SEN



Type: Floodlight with sensor*
Power: 50W
Lumens: 4000lm
Efficiency: 80lm/W
Body colour: Black
Material: Aluminum casting
LED driver: Mounted in the body

Sensor

Detection range: 120°
Detection distance: max. 8m (±2 m)
Ambient light: 25±10 lux
Time setting: 140±20 s

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Options with emergency kit



page 672



98HELIOS10/WH



98HELIOS20/WH




98HELIOS30/WH

FLOODLIGHTS, IP65

LED | neutral WHITE 4000K | 120° | A↑G F

98HELIOS10/WH



Type: LED Floodlight
Power: 10W
Lumens: 800lm
Efficiency: 80lm/W
Body colour: White
Material: Aluminum casting
LED driver: Mounted in the body

LED | neutral WHITE 4000K | 120° | A↑G F

98HELIOS20/WH



Type: LED Floodlight
Power: 20W
Lumens: 1600lm
Efficiency: 80lm/W
Body colour: White
Material: Aluminum casting
LED driver: Mounted in the body

LED | neutral WHITE 4000K | 120° | A↑G F

98HELIOS30/WH



Type: LED Floodlight*
Power: 30W
Lumens: 2400lm
Efficiency: 80lm/W
Body colour: White
Material: Aluminum casting
LED driver: Mounted in the body

2 YEARS TOTAL WARRANTY
2 standard + 0 extended

IP65
~230V
SMD 2835
15000h
Ra>70
EMC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Options with emergency kit



page 672

stellar



98HELIOS50/WH



98HELIOS100/WH

FLOODLIGHTS, IP65

LED | neutral WHITE 4000K | 120° | F

98HELIOS50/WH



Type: LED Floodlight*
Power: 50W
Lumens: 4000lm
Efficiency: 80lm/W
Body colour: White
Material: Aluminum casting
LED driver: Mounted in the body

LED | neutral WHITE 4000K | 120° | F

98HELIOS100/WH



Type: LED Floodlight*
Power: 100W
Lumens: 8000lm
Efficiency: 80lm/W Body colour: White
Material: Aluminum casting
LED driver: Mounted in the body

2 YEARS TOTAL WARRANTY
+ 2 standard 0 extended

IP65
~230V
SMD 2835
15000h
Ra>70
EMC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Options with emergency kit
page 672

ELMARK
The Brand of Electricity



98VEGA10SLIM



98VEGA20SLIM




98VEGA30SLIM

FLOODLIGHTS, IP65

LED | cold WHITE 5500K | 110° | A↑G F


98VEGA10SLIM



Type: LED Floodlight
Power: 10W
Lumens: 900lm
Efficiency: 90lm/W
Body colour: Black
Material: Plastic+Aluminum
LED driver: Mounted in the body

LED | cold WHITE 5500K | 110° | A↑G F


98VEGA20SLIM



Type: LED Floodlight
Power: 20W
Lumens: 1800lm
Efficiency: 90lm/W
Body colour: Black
Material: Plastic+Aluminum
LED driver: Mounted in the body

LED | cold WHITE 5500K | 110° | A↑G F

98VEGA30SLIM



Type: LED Floodlight*
Power: 30W
Lumens: 2700lm
Efficiency: 90lm/W
Body colour: Black
Material: Plastic+Aluminum
LED driver: Mounted in the body

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP65
~230V
LED SMD
20000h
Ra>70
EMC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Options with emergency kit



page 671

ELMARK
The Brand of Electricity



98VEGA50SLIM



98VEGA100SLIM



98VEGA150SLIM



98VEGA200SLIM


FLOODLIGHTS, IP65

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP65
~230V
LED SMD
20000h
Ra>70
EMC

LED | cold WHITE 5500K | 110° | A↑G F


98VEGA50SLIM



Type: LED Floodlight*
Power: 50W
Lumens: 4500lm
Efficiency: 90lm/W
Body colour: Black
Material: Plastic+Aluminum
LED driver: Mounted in the body

LED | cold WHITE 5500K | 110° | A↑G F


98VEGA100SLIM



Type: LED Floodlight*
Power: 100W
Lumens: 9000lm
Efficiency: 90lm/W
Body colour: Black
Material: Plastic+Aluminum
LED driver: Mounted in the body

LED | cold WHITE 5500K | 110° | A↑G F


98VEGA150SLIM



Type: LED Floodlight
Power: 150W
Lumens: 13500lm
Efficiency: 90lm/W
Body colour: Black
Material: Plastic+Aluminum
LED driver: Mounted in the body

LED | cold WHITE 5500K | 110° | A↑G F

98VEGA200SLIM



Type: LED Floodlight
Power: 200W
Lumens: 18500lm
Efficiency: 92lm/W
Body colour: Black
Material: Plastic+Aluminum
LED driver: Mounted in the body

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Options with emergency kit



page 673

ELMARK
The Brand of Electricity



98VEGA10SENSLIM



98VEGA20SENSLIM



98VEGA30SENSLIM



98VEGA50SENSLIM

FLOODLIGHTS, IP65

LED | cold WHITE 5500K | 110° | A↑G F

98VEGA10SENSLIM



Type: Floodlight with sensor
Power: 10W
Lumens: 900lm
Efficiency: 90lm/W
Body colour: Black
Material: Plastic+Aluminum
LED driver: Mounted in the body
Sensor
Detection range: 110°
Detection distance: max. 8m
Ambient light: 50 lux
Detection Motion Speed: 0.6-1.5m/s

LED | cold WHITE 5500K | 110° | A↑G F

98VEGA20SENSLIM



Type: Floodlight with sensor
Power: 20W
Lumens: 1800lm
Efficiency: 90lm/W
Body colour: Black
Material: Plastic+Aluminum
LED driver: Mounted in the body
Sensor
Detection range: 110°
Detection distance: max. 8m
Ambient light: 50 lux
Detection Motion Speed: 0.6-1.5m/s

LED | cold WHITE 5500K | 110° | A↑G F


98VEGA30SENSLIM



Type: Floodlight with sensor*
Power: 30W
Lumens: 2700lm
Efficiency: 90lm/W
Body colour: Black
Material: Plastic+Aluminum
LED driver: Mounted in the body
Sensor
Detection range: 110°
Detection distance: max. 8m
Ambient light: 50 lux
Detection Motion Speed: 0.6-1.5m/s

LED | cold WHITE 5500K | 110° | A↑G F

98VEGA50SENSLIM



Type: Floodlight with sensor*
Power: 50W
Lumens: 4500lm
Efficiency: 90lm/W
Body colour: Black
Material: Plastic+Aluminum
LED driver: Mounted in the body
Sensor
Detection range: 110°
Detection distance: max. 8m
Ambient light: 50 lux
Detection Motion Speed: 0.6-1.5m/s

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP65
~230V
LED SMD
20000h
Ra>70
EMC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Options with emergency kit



page 674

ELMARK
The Brand of Electricity



98VEGA10SLIM/WH



98VEGA20SLIM/WH




98VEGA30SLIM/WH

FLOODLIGHTS, IP65

LED | 110° | A F G | F

warm WHITE 3000K
neutral WHITE 4000K

98VEGA10WW/WH
98VEGA10SLIM/WH




Type: LED Floodlight
Power: 10W
Lumens: 900lm
Efficiency: 90lm/W
Body colour: White
Material: Plastic+Aluminum
LED driver: Mounted in the body

LED | 110° | A F G | F

warm WHITE 3000K
neutral WHITE 4000K

98VEGA20WW/WH
98VEGA20SLIM/WH




Type: LED Floodlight
Power: 20W
Lumens: 1800lm
Efficiency: 90lm/W
Body colour: White
Material: Plastic+Aluminum
LED driver: Mounted in the body

LED | 110° | A F G | F

warm WHITE 3000K
neutral WHITE 4000K

98VEGA30WW/WH
98VEGA30SLIM/WH



Type: LED Floodlight*
Power: 30W
Lumens: 2700lm
Efficiency: 90lm/W
Body colour: White
Material: Plastic+Aluminum
LED driver: Mounted in the body

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP65
~230V
LED SMD
20000h
Ra>70
EMC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Options with emergency kit



page 674

ELMARK
The Brand of Electricity



98VEGA50SLIM/WH




98VEGA100SLIM/WH

FLOODLIGHTS, IP65

LED | 110° | A T G F

warm WHITE 3000K — **98VEGA50WW/WH**

neutral WHITE 4000K — **98VEGA50SLIM/WH**



Type: LED Floodlight*
Power: 50W
Lumens: 4500lm
Efficiency: 90lm/W
Body colour: White
Material: Plastic+Aluminum
LED driver: Mounted in the body

LED | 110° | A T G F

warm WHITE 3000K — **98VEGA100WW/WH**

neutral WHITE 4000K — **98VEGA100SLIM/WH**



Type: LED Floodlight*
Power: 100W
Lumens: 9000lm
Efficiency: 90lm/W
Body colour: White
Material: Plastic+Aluminum
LED driver: Mounted in the body

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP65
~230V
LED SMD
20000h
Ra>70
EMC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Options with emergency kit



page 674

ELMARK
The Brand of Electricity



98VEGA20SWW/WH
98VEGA20SENSLIM/WH



98VEGA30SWW/WH
98VEGA30SENSLIM/WH

FLOODLIGHTS WITH SENSOR, IP65

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP65
~230V
LED SMD
20000h
Ra>70
EMC

98VEGA20SWW/WH

LED | warm WHITE 3000K | 110° | F



Type: Floodlight with sensor
Power: 20W
Lumens: 1800lm
Efficiency: 90lm/W
Body colour: White
Material: Plastic+Aluminum
LED driver: Mounted in the body
Sensor
Detection range: 110°
Detection distance: max. 8m
Ambient light: 50 lux
Detection Motion Speed: 0.6-1.5m/s

98VEGA20SENSLIM/WH

LED | neutral WHITE 4000K | 110° | F



Type: Floodlight with sensor
Power: 20W
Lumens: 1800lm
Efficiency: 90lm/W
Body colour: White
Material: Plastic+Aluminum
LED driver: Mounted in the body
Sensor
Detection range: 110°
Detection distance: max. 8m
Ambient light: 50 lux
Detection Motion Speed: 0.6-1.5m/s

98VEGA30SWW/WH

LED | warm WHITE 3000K | 110° | F



Type: Floodlight with sensor*
Power: 30W
Lumens: 2700lm
Efficiency: 90lm/W
Body colour: White
Material: Plastic+Aluminum
LED driver: Mounted in the body
Sensor
Detection range: 120°
Detection distance: max. 8m
Ambient light: 50 lux
Detection Motion Speed: 0.6-1.5m/s

98VEGA30SENSLIM/WH

LED | neutral WHITE 4000K | 110° | F



Type: Floodlight with sensor*
Power: 30W
Lumens: 2700lm
Efficiency: 90lm/W
Body colour: White
Material: Plastic+Aluminum
LED driver: Mounted in the body
Sensor
Detection range: 120°
Detection distance: max. 8m
Ambient light: 50 lux
Detection Motion Speed: 0.6-1.5m/s

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Options with emergency kit

page 674

ELMARK
The Brand of Electricity



98VEGA50SWW/WH
98VEGA50SENSLIM/WH

FLOODLIGHTS WITH SENSOR, IP65

LED | warm WHITE 4000K | 110° | A↑G F

98VEGA50SWW/WH



Type: Floodlight with sensor*
Power: 50W
Lumens: 4500lm
Efficiency: 90lm/W
Body colour: White
Material: Plastic+Aluminum
LED driver: Mounted in the body

Sensor

Detection range: 120°
Detection distance: max. 8m m(±2 m)
Ambient light: 50 lux
Detection Motion Speed: 0.6-1.5m/s

LED | neutral WHITE 4000K | 110° | A↑G F

98VEGA50SENSLIM/WH



Type: Floodlight with sensor*
Power: 50W
Lumens: 4500lm
Efficiency: 90lm/W
Body colour: White
Material: Plastic+Aluminum
LED driver: Mounted in the body

Sensor

Detection range: 120°
Detection distance: max. 8m m(±2 m)
Ambient light: 50 lux
Detection Motion Speed: 0.6-1.5m/s

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP65
~230V
LED SMD
20000h
Ra>70
EMC

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



98LYRA15RGB



98LYRA30RGB



98LYRA50RGB

FLOODLIGHTS, IP65

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP65
~230V
LED SMD
20000h
Ra>70

LED | RGB | 120°

98LYRA15RGB



Type: LED Floodlight
Power: 15W
Body colour: Black
Material: Aluminum casting + Tempered glass
LED driver: Mounted in the body
Remote-controlled distance: 6-8m

LED | RGB | 120°


98LYRA30RGB



Type: LED Floodlight
Power: 30W
Body colour: Black
Material: Aluminum casting + Tempered glass
LED driver: Mounted in the body
Remote-controlled distance: 6-8m

LED | RGB | 120°

98LYRA50RGB



Type: LED Floodlight
Power: 50W
Body colour: Black
Material: Aluminum casting + Tempered glass
LED driver: Mounted in the body
Remote-controlled distance: 6-8m

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



31070



31071






31072

TERMINAL BOXES

IP65


31070



Type: Waterproof terminal box
Voltage: 450V
Rated current: 10A
Terminal Blocks: 3p screw type
Metal Part: Plated Brass/Steel Spring
Material: Polypropylene 94-V2 grade
Wiring Capacity: 0.5-2.5mm2

IP44


31071



Type: Waterproof terminal box
Voltage: 450V
Rated current: 6A
Material: PC
Wiring Capacity: 0.5-4.0mm2

IP68

31072



Type: Waterproof cable connector
Rated operational voltage: AC250V
Rated operational Ampere(A): ≤30A
Material: flame retardant/Anti UV nylon(PA66)
Crimping terminals: Nickle-plated brass
Withstand voltage(normal t°):3KV
Operating t°range: -40°C~+105°C
Wiring Capacity: 0.5-2.5mm2

RoHs COMPLAINT
CE

*Options with emergency kit



page 675

ELMARK
The Brand of Electricity



98EOS50/BL



98EOS100/BL

FLOODLIGHTS, IP67

LED | cold WHITE 5700K | 90° | E | INDUSTRIAL

98EOS50/BL



Type: LED Floodlight*
Power: 50W
Lumens: 6000lm
Efficiency: 120lm/W
Surge Protection: 6kV
Body colour: Black & Grey
Material: Aluminum + Engineering plastic cover

LED | cold WHITE 5700K | 90° | E | INDUSTRIAL

98EOS100/BL



Type: LED Floodlight*
Power: 100W
Lumens: 12000lm
Efficiency: 120lm/W
Surge Protection: 10kV
Body colour: Black & Grey
Material: Aluminum + Engineering plastic cover

5 YEARS TOTAL WARRANTY + 3 standard 2 extended

IP67
~230V
SMD 7070
30000h
Ra>70
EMC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Options with emergency kit



page 675

ELMARK
The Brand of Electricity



98EOS150/BL



98EOS200/BL

FLOODLIGHTS, IP67

LED | cold WHITE 5700K | 90° | E | INDUSTRIAL


98EOS150/BL



Type: LED Floodlight
Power: 150W
Lumens: 18000lm
Efficiency: 120lm/W
Surge Protection: 10kV
Body colour: Black & Grey
Material: Aluminum + Engineering plastic cover

LED | cold WHITE 5700K | 90° | E | INDUSTRIAL

98EOS200/BL



Type: LED Floodlight
Power: 200W
Lumens: 25000lm
Efficiency: 125lm/W
Surge Protection: 10kV
Body colour: Black & Grey
Material: Aluminum + Engineering plastic cover

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP67
~230V
SMD 7070
30000h
Ra>70
EMC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Options with emergency kit



page 681

ELMARK
The Brand of Electricity



98ANTARES200/BL



98ANTARES400/BL



98ANTARES600/BL

STADIUM FLOODLIGHTS, IP67

5 YEARS TOTAL WARRANTY + 3 standard 2 extended

IP67
~230V
SMD 7070
30000h
Ra>70
EMC

Scan QR code for 3D models, IES files & price.

98ANTARES200/BL

LED | cold WHITE 5700K | 90° | E | INDUSTRIAL



Type: LED Floodlight*
Power: 200W
Lumens: 26000lm
Efficiency: 130lm/W
Surge Protection: 5kV
Body colour: Black
Material: Aluminum + Engineering plastic

98ANTARES400/BL


LED | cold WHITE 5700K | 90° | E | INDUSTRIAL



Type: LED Floodlight
Power: 400W
Lumens: 52000lm
Efficiency: 130lm/W
Surge Protection: 6kV
Body colour: Black
Material: Aluminum + Engineering plastic

98ANTARES600/BL

LED | cold WHITE 5700K | 90° | E | INDUSTRIAL



Type: LED Floodlight
Power: 600W
Lumens: 78000lm
Efficiency: 130lm/W
Surge Protection: 6kV
Body colour: Black
Material: Aluminum + Engineering plastic

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



98ANTARES800/BL




98ANTARES1000/BL

STADIUM FLOODLIGHTS, IP67

LED | cold WHITE 5700K | 90° | E | INDUSTRIAL


98ANTARES800/BL



Type: LED Floodlight
Power: 800W
Lumens: 104000lm
Efficiency: 130lm/W
Surge Protection: 6kV
Body colour: Black
Material: Aluminum + Engineering plastic

LED | cold WHITE 5700K | 90° | E | INDUSTRIAL

98ANTARES1000/BL



Type: LED Floodlight
Power: 1000W
Lumens: 130000lm
Efficiency: 130lm/W
Surge Protection: 6kV
Body colour: Black
Material: Aluminum + Engineering plastic

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP67
~230V
SMD 7070
30000h
Ra>70
EMC

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



98FLOOD30S
98FLOOD50S





WORK FLOODLIGHTS, IP67

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP65
~230V
LED SMD
30000h
Ra>70

LED | cold WHITE 5500K | 110° | A↑G F

98FLOOD30S



Type: LED Work flood light
Power: 30W
Lumens: 2700lm
Efficiency: 90lm/W
Body colour: Yellow
Material: Aluminum
Two meters 3x1.0mm² rubber cable with plug

LED | cold WHITE 5500K | 110° | A↑G F

98FLOOD50S



Type: LED Work flood light
Power: 50W
Lumens: 4500lm
Efficiency: 90lm/W
Body colour: Yellow
Material: Aluminum
Two meters 3x1.0mm² rubber cable with plug

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

STREET LIGHTS



*Options with emergency kit



page 675



98ROUTE30SMD
98ROUTE50SMD



FRONT



BACK

STREET LIGHTS 100lm/W, IP65

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP65
~230V
SMD 2835
20000h
RoHS

98ROUTE30SMD

LED | cold WHITE 5000-5500K | 90° | A G E



Type: LED Street light*
Power: 30W
Lumens: 3000lm
Efficiency: 100lm/W
Body colour: Black
Material: Aluminum + PC cover
Diameter of the pole: 45mm
Approximate mount. height: 2-4m

98ROUTE50SMD

LED | cold WHITE 5000-5500K | 90° | A G E



Type: LED Street light*
Power: 50W
Lumens: 5000lm
Efficiency: 100lm/W
Body colour: Black
Material: Aluminum + PC cover
Diameter of the pole: 45mm
Approximate mount. height: 3-5m

For individual inquiries and accurate calculations, ELMARK offers to its customers free project preparation.

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Options with emergency kit



page 675



98TIVOLI100SMD



98TIVOLI150SMD




98TIVOLI200SMD

STREET LIGHTS 110lm/W, IP65

LED | cold WHITE 5500K | 135x75° | E


98TIVOLI100SMD



Type: LED Street light*
Power: 100W
Lumens: 11000lm
Efficiency: 110lm/W
Surge Protection: 10kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 50mm
Approximate mount. height: 5-7m

LED | cold WHITE 5500K | 135x75° | E


98TIVOLI150SMD



Type: LED Street light*
Power: 150W
Lumens: 16500lm
Efficiency: 110lm/W
Surge Protection: 10kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Approximate mount. height: 6-8m

LED | cold WHITE 5500K | 135x75° | E

98TIVOLI200SMD



Type: LED Street light*
Power: 200W
Lumens: 22000lm
Efficiency: 110lm/W
Surge Protection: 10kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Approximate mount. height: 9-11m

For individual inquiries and accurate calculations, ELMARK offers to its customers free project preparation.

2 YEARS TOTAL WARRANTY
2 standard + 0 extended

IP65
~230V
SMD 3030
20000h
RoHS

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Options with emergency kit



page 676

ELMARK
The Brand of Electricity



98PRAGUE30/WW
98PRAGUE30/W
98PRAGUE30SMD



98PRAGUE50/WW
98PRAGUE50/W
98PRAGUE50SMD

STREET LIGHTS 130lm/W, IP65

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP65
~230V
SMD 3030
35000h
RoHS

INDUSTRIAL | LED | warm WHITE 3000K | 135x75° | E

98PRAGUE30/WW

Type: LED Street light*
Power: 30W
Lumens: 3900lm
Efficiency: 130lm/W
Surge Protection: 6kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Approximate mounting height: 3-5m



LED | neutral WHITE 4000K | 135x75° | E

98PRAGUE30/W

Type: LED Street light*
Power: 30W
Lumens: 3900lm
Efficiency: 130lm/W
Surge Protection: 6kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Approximate mounting height: 3-5m

LED | cold WHITE 5500K | 135x75° | E

98PRAGUE30SMD

Type: LED Street light*
Power: 30W
Lumens: 3900lm
Efficiency: 130lm/W
Surge Protection: 6kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Approximate mounting height: 3-5m

For individual inquiries and accurate calculations, ELMARK offers to its customers free project preparation.

INDUSTRIAL | LED | warm WHITE 3000K | 135x75° | E

98PRAGUE50/WW

Type: LED Street light*
Power: 50W
Lumens: 6500lm
Efficiency: 130lm/W
Surge Protection: 6kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Approximate mounting height: 4-6m



LED | neutral WHITE 4000K | 135x75° | E

98PRAGUE50/W

Type: LED Street light*
Power: 50W
Lumens: 6500lm
Efficiency: 130lm/W
Surge Protection: 6kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Approximate mounting height: 4-6m

LED | cold WHITE 5500K | 135x75° | E

98PRAGUE50SMD

Type: LED Street light*
Power: 50W
Lumens: 6500lm
Efficiency: 130lm/W
Surge Protection: 6kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Approximate mounting height: 4-6m

For individual inquiries and accurate calculations, ELMARK offers to its customers free project preparation.

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Options with emergency kit



page 676

ELMARK
The Brand of Electricity



98PRAGUE100/WW
98PRAGUE100/W
98PRAGUE100SMD



98PRAGUE150/WW
98PRAGUE150/W
98PRAGUE150SMD

STREET LIGHTS 130lm/W, IP65

INDUSTRIAL | LED | warm WHITE 3000K | 135x75° | E

98PRAGUE100/WW

Type: LED Street light*
Power: 100W
Lumens: 13000lm
Efficiency: 130lm/W
Surge Protection: 6kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Approximate mounting height: 6-8m



LED | neutral WHITE 4000K | 135x75° | E

98PRAGUE100/W

Type: LED Street light*
Power: 100W
Lumens: 13000lm
Efficiency: 130lm/W
Surge Protection: 6kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Approximate mounting height: 6-8m

LED | cold WHITE 5500K | 135x75° | E

98PRAGUE100SMD


Type: LED Street light*
Power: 100W
Lumens: 13000lm
Efficiency: 130lm/W
Surge Protection: 6kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Approximate mounting height: 6-8m

For individual inquiries and accurate calculations, ELMARK offers to its customers free project preparation.

INDUSTRIAL | LED | warm WHITE 3000K | 135x75° | E

98PRAGUE150/WW

Type: LED Street light*
Power: 150W
Lumens: 19500lm
Efficiency: 130lm/W
Surge Protection: 6kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Approximate mounting height: 7-9m



LED | neutral WHITE 4000K | 135x75° | E

98PRAGUE150/W

Type: LED Street light*
Power: 150W
Lumens: 19500lm
Efficiency: 130lm/W
Surge Protection: 6kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Approximate mounting height: 7-9m

LED | cold WHITE 5500K | 135x75° | E

98PRAGUE150SMD

Type: LED Street light*
Power: 150W
Lumens: 19500lm
Efficiency: 130lm/W
Surge Protection: 6kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Approximate mounting height: 7-9m

For individual inquiries and accurate calculations, ELMARK offers to its customers free project preparation.

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP65
~230V
SMD 3030
35000h
RoHS

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Options with emergency kit



page 680

ELMARK
The Brand of Electricity



98PRAGUE200/WW
98PRAGUE200/W
98PRAGUE200SMD



98PRAGUE250/WW
98PRAGUE250/W
98PRAGUE250SMD

STREET LIGHTS 130lm/W, IP65

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP65
~230V
SMD 3030
35000h
RoHS

INDUSTRIAL | LED | warm WHITE 3000K | 135x75° | E

98PRAGUE200/WW

Type: LED Street light*
Power: 200W
Lumens: 26000lm
Efficiency: 130lm/W
Surge Protection: 6kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Approximate mounting height: 10-12m

LED | neutral WHITE 4000K | 135x75° | E


98PRAGUE200/W

Type: LED Street light*
Power: 200W
Lumens: 26000lm
Efficiency: 130lm/W
Surge Protection: 6kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Approximate mounting height: 10-12m

LED | cold WHITE 5500K | 135x75° | E

98PRAGUE200SMD

Type: LED Street light*
Power: 200W
Lumens: 26000lm
Efficiency: 130lm/W
Surge Protection: 6kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Approximate mounting height: 10-12m



For individual inquiries and accurate calculations, ELMARK offers to its customers free project preparation.

INDUSTRIAL | LED | warm WHITE 3000K | 135x75° | E

98PRAGUE250/WW

Type: LED Street light*
Power: 250W
Lumens: 32500lm
Efficiency: 130lm/W
Surge Protection: 6kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Approximate mounting height: 11-13m

LED | neutral WHITE 4000K | 135x75° | E


98PRAGUE250/W

Type: LED Street light*
Power: 250W
Lumens: 32500lm
Efficiency: 130lm/W
Surge Protection: 6kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Approximate mounting height: 11-13m

LED | cold WHITE 5500K | 135x75° | E

98PRAGUE250SMD

Type: LED Street light*
Power: 250W
Lumens: 32500lm
Efficiency: 130lm/W
Surge Protection: 6kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Approximate mounting height: 11-13m



For individual inquiries and accurate calculations, ELMARK offers to its customers free project preparation.

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Options with emergency kit



page 680

ELMARK
The Brand of Electricity



98BERLIN100SMD
98BERLIN150SMD
98BERLIN200SMD



FRONT



BACK

STREET LIGHTS 150lm/W, IP65

LED | cold WHITE 5500K | 70x145° | E | INDUSTRIAL

98BERLIN100SMD



Type: LED Street light*
Power: 100W
Lumens: 15000lm
Efficiency: 150lm/W
Surge Protection: 6kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Approximate mount. height: 7-9m

LED | cold WHITE 5500K | 70x145° | E | INDUSTRIAL

98BERLIN150SMD



Type: LED Street light*
Power: 150W
Lumens: 22500lm
Efficiency: 150lm/W
Surge Protection: 6kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Approximate mount. height: 8-10m

LED | cold WHITE 5500K | 70x145° | E | INDUSTRIAL

98BERLIN200SMD



Type: LED Street light*
Power: 200W
Lumens: 30000lm
Efficiency: 150lm/W
Surge Protection: 6kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Approximate mount. height: 11-13m

*For individual inquiries and accurate calculations, ELMARK offers to its customers free project preparation.

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP65
~230V
SMD 3030
35000h
RoHS

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity




98POLE38
98POLE45



98POLE38P
98POLE45P


STREET POLE

98POLE38




Type: Wall mounting accessory
Diameter: 38mm
Material: Stainless Steel

98POLE38P



Type: Pole mounting accessory
Diameter: 38mm
Material: Stainless Steel

98POLE45



Type: Wall mounting accessory
Diameter: 45 mm
Material: Stainless Steel

98POLE45P



Type: Pole mounting accessory
Diameter: 45 mm
Material: Stainless Steel

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store




98POLE60



98POLE60P


STREET POLE

98POLE60



Type: Wall mounting accessory
Diameter: 60 mm
Material: Stainless Steel

98POLE60P



Type: Pole mounting accessory
Diameter: 60 mm
Material: Stainless Steel

HIGH BAYS



*Options with emergency kit



page 682



98DUBLIN100SMD
98DUBLIN150SMD
98DUBLIN200SMD

HIGH BAYS 100lm/W, IP65

LED | cold WHITE 5500K | 100° | E

98DUBLIN100SMD



Type: LED high bay*
Power: 100W
Lumens: 10000lm
Efficiency: 100lm/W
Surge Protection: 3.5kV
Body colour: Grey
Material: Aluminum + Glass
Approximate mounting height: 3.5 m

LED | cold WHITE 5500K | 100° | E

98DUBLIN150SMD



Type: LED high bay*
Power: 150W
Lumens: 15000lm
Efficiency: 100lm/W
Surge Protection: 3.5kV
Body colour: Grey
Material: Aluminum + Glass
Approximate mounting height: 4.5 m

LED | cold WHITE 5500K | 100° | E

98DUBLIN200SMD



Type: LED high bay*
Power: 200W
Lumens: 20000lm
Efficiency: 100lm/W
Surge Protection: 3.5kV
Body colour: Grey
Material: Aluminum + Glass
Approximate mounting height: 6 m

*For individual inquiries and accurate calculations, ELMARK offers its customers free project preparation.

2 YEARS TOTAL WARRANTY
+ 2 standard 0 extended

IP65
~230V
LED SMD
20000h
RoHS
EMC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Options with emergency kit



page 681

ELMARK
The Brand of Electricity



98LONDON100/W
98LONDON100SMD
98LONDON150/W
98LONDON150SMD


HIGH BAYS 110lm/W, IP65

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP65
~230V
LED SMD
35000h
RoHS
EMC

98LONDON100/W


LED | neutral WHITE 4000K | 90x120° | A G E | INDUSTRIAL



Type: LED high bay*
Power: 100W
Lumens: 11000lm
Efficiency: 110lm/W
Surge Protection: 6kV
Body colour: Black
Material: Aluminum + PC
Approximate mount. height: 4 m

98LONDON100SMD


LED | cold WHITE 5500K | 90x120° | A G E | INDUSTRIAL



Type: LED high bay*
Power: 100W
Lumens: 11000lm
Efficiency: 110lm/W
Surge Protection: 6kV
Body colour: Black
Material: Aluminum + PC
Approximate mount. height: 4 m

98LONDON150/W


LED | neutral WHITE 4000K | 90x120° | A G E | INDUSTRIAL



Type: LED high bay*
Power: 150W
Lumens: 16500lm
Efficiency: 110lm/W
Surge Protection: 6kV
Body colour: Black
Material: Aluminum + PC
Approximate mount. height: 5 m

98LONDON150SMD

LED | cold WHITE 5500K | 90x120° | A G E | INDUSTRIAL



Type: LED high bay*
Power: 150W
Lumens: 16500lm
Efficiency: 110lm/W
Surge Protection: 6kV
Body colour: Black
Material: Aluminum + PC
Approximate mount. height: 5 m

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Options with emergency kit



page 681

ELMARK
The Brand of Electricity




98LONDON200/W
98LONDON200SMD

HIGH BAYS 110lm/W, IP65

LED | neutral WHITE 4000K | 90x120° | A↑G E | INDUSTRIAL


98LONDON200/W



Type: LED high bay*
Power: 200W
Lumens: 22000lm
Efficiency: 110lm/W
Surge Protection: 6kV
Body colour: Black
Material: Aluminum + PC
Approximate mount. height: 7 m

LED | cold WHITE 5500K | 90x120° | A↑G E | INDUSTRIAL

98LONDON200SMD



Type: LED high bay*
Power: 200W
Lumens: 22000lm
Efficiency: 110lm/W
Surge Protection: 6kV
Body colour: Black
Material: Aluminum + PC
Approximate mount. height: 7 m

For individual inquiries and accurate calculations, ELMARK offers its customers free project preparation.

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP65
~230V
LED SMD
35000h
RoHS
EMC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Options with emergency kit



page 682

ELMARK
The Brand of Electricity



98GENEVA100SMD
98GENEVA150SMD
98GENEVA200SMD

HIGH BAYS 140lm/W, IP65

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP65
~230V
SMD 2835
35000h
RoHS
EMC

98GENEVA100SMD

LED | cold WHITE 5500K | 110° | D | INDUSTRIAL



Type: LED high bay
Power: 100W
Lumens: 14000lm
Efficiency: 140lm/W
Surge Protection: 6kV
Body colour: Black
Material: Aluminum
Approximate mount. height: 5 m

98GENEVA150SMD

LED | cold WHITE 5500K | 110° | D | INDUSTRIAL



Type: LED high bay
Power: 150W
Lumens: 21000lm
Efficiency: 140lm/W
Surge Protection: 6kV
Body colour: Black
Material: Aluminum
Approximate mount. height: 6 m

98GENEVA200SMD

LED | cold WHITE 5500K | 110° | D | INDUSTRIAL



Type: LED high bay
Power: 200W
Lumens: 28000lm
Efficiency: 140lm/W
Surge Protection: 6kV
Body colour: Black
Material: Aluminum
Approximate mount. height: 8 m

For individual inquiries and accurate calculations, ELMARK offers its customers free project preparation.

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

EMERGENCY DRIVER 20-100W

89228



IP44

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

EMERGENCY DRIVER FOR INDUSTRIAL LAMP WITH INTERNAL IC DRIVERS

This emergency driver is suitable for all 20-100W LED lamps with internal IC driver (This device CANNOT be used for the LED lights with RC driver). It can be used in public places to ensure LED lights work normally when power fail suddenly because of fire and earthquake and etc. The housing of this emergency driver adopts good-quality steel models with powder coating. It has low weight and being convenient to install, so you can rest assure its safety. It mainly includes housing, PCB and battery etc. Its battery adopts Li-ion battery with long lifespan. Its PCB adopts automatic SMT technology, uses IC control design in charging/discharging and power supply part. PCB uses fully automatic SMT technology, PCB core use 3525 IC chips which is especially for emergency lights and Li-ion battery protections. PCB circuit has the complete protection for over charging/discharging, output Short Circuit, Open Circuit, input/output reverse connection.

Operated principle:

The emergency driver is being charged when AC power works, when fully charged, the circuit will protect the battery from over being-charged, and the emergency is standing by as soon as the battery is fully charged. When AC power is down, emergency driver supplies power to LED fixtures and they up light to the way to escape.

Technical data

- Input voltage: 85-265V AC
- Battery: 18.5V 8800mAh
- Emergency switch time: <5s
- Suitable: for LED lamp with internal driver and power 20-100W
- Emergency time: 60-120min
- Working temperature: from -10 to +50°C
- Size: 290x105x50mm
- IP 44

Recommended:

For all LED road fixtures, high bays, flood lights and lighting fixtures with internal IC driver and power from 20-100W

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity

LED FLOODLIGHTS HELIOS SMD, BLACK WITH EMERGENCY DRIVER 20-100W

2 YEAR TOTAL WARRANTY
2 standard+0 extended

LED | cold WHITE 5000-5500K | 120° | A↑G F

98HELIOS30E



Type: LED Floodlight
Power: 30W
Lumens: 2400lm
Efficiency: 80lm/W
Emergency time: max. 2h
Body colour: Black
Material: Aluminum casting
LED driver: Mounted in the body

LED | cold WHITE 5000-5500K | 120° | A↑G F

98HELIOS50E



Type: LED Floodlight
Power: 50W
Lumens: 4000lm
Efficiency: 80lm/W
Emergency time: max. 1.5h
Body colour: Black
Material: Aluminum casting
LED driver: Mounted in the body

LED | cold WHITE 5000-5500K | 120° | A↑G F

98HELIOS100E



Type: LED Floodlight
Power: 100W
Lumens: 8000lm
Efficiency: 80lm/W
Emergency time: max. 1h
Body colour: Black
Material: Aluminum casting
LED driver: Mounted in the body

LED FLOODLIGHTS HELIOS SENSOR BLACK, WITH EMERGENCY DRIVER 20-100W

2 YEAR TOTAL WARRANTY
2 standard+0 extended

LED | cold WHITE 5000-5500K | 120° | A↑G F

98HELIOS30SENE



Type: Floodlight with sensor
Power: 30W
Lumens: 2400lm
Efficiency: 80lm/W
Emergency time: max. 2h
Material: Aluminum casting
LED driver: Mounted in the body

Sensor

Detection range: 120°
Detection distance: max. 8m (±2 m)
Ambient light: 25±10 lux
Time setting: 140±20 s

LED | cold WHITE 5000-5500K | 120° | A↑G F

98HELIOS50SENE



Type: Floodlight with sensor
Power: 50W
Lumens: 4000lm
Efficiency: 80lm/W
Emergency time: max.1.5h
Material: Aluminum casting
LED driver: Mounted in the body

Sensor

Detection range: 120°
Detection distance: max. 8m (±2 m)
Ambient light: 25±10 lux
Time setting: 140±20 s

~230V
Ra≥80
EMC
IP65

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

LED FLOODLIGHTS HELIOS SMD, WHITE WITH EMERGENCY DRIVER 20-100W

2 YEAR TOTAL WARRANTY
2 standard+0 extended

LED | neutral WHITE 4000K | 120° | A↑G F

98HELIOS30/WHE



Type: LED Floodlight
Power: 30W
Lumens: 2400lm
Efficiency: 80lm/W
Emergency time: max. 2h
Body colour: White
Material: Aluminum casting
LED driver: Mounted in the body

LED | neutral WHITE 4000K | 120° | A↑G F


98HELIOS50/WHE



Type: LED Floodlight
Power: 50W
Lumens: 4000lm
Efficiency: 80lm/W
Emergency time: max.1.5h
Body colour: White
Material: Aluminum casting
LED driver: Mounted in the body

LED | neutral WHITE 4000K | 120° | A↑G F

98HELIOS100/WHE



Type: LED Floodlight
Power: 100W
Lumens: 8000lm
Efficiency: 80lm/W
Emergency time: max. 1h
Body colour: White
Material: Aluminum casting
LED driver: Mounted in the body

LED FLOODLIGHTS VEGA SMD, BLACK WITH EMERGENCY DRIVER 20-100W

5 YEAR TOTAL WARRANTY
3 standard+2 extended

LED | cold WHITE 5500K | 110° | A↑G F


98VEGA30SLIME



Type: LED Floodlight
Power: 30W
Lumens: 2700lm
Efficiency: 90lm/W
Emergency time: max.2h
Body colour: Black
Material: Plastic+Aluminum
LED driver: Mounted in the body

LED | cold WHITE 5500K | 110° | A↑G F

98VEGA50SLIME



Type: LED Floodlight
Power: 50W
Lumens: 4500lm
Efficiency: 90lm/W
Emergency time: max.1.5h
Body colour: Black
Material: Plastic+Aluminum
LED driver: Mounted in the body

~230V
Ra≥80
EMC
IP65


Scan QR code for 3D models, IES files & price.

LED FLOODLIGHTS VEGA SMD, BLACK WITH EMERGENCY DRIVER 20-100W

5 YEAR TOTAL WARRANTY
3 standard+2 extended

LED | cold WHITE 5500K | 110° | F

98VEGA100SLIME



Type: LED Floodlight
Power: 100W
Lumens: 9000lm
Efficiency: 90lm/W
Emergency time: max. 1h
Body colour: Black
Material: Plastic+Aluminum
LED driver: Mounted in the body

LED FLOODLIGHTS VEGA SENSOR, BLACK WITH EMERGENCY DRIVER 20-100W

5 YEAR TOTAL WARRANTY
3 standard+2 extended

LED | cold WHITE 5500K | 110° | F

98VEGA30SSE



Type: Floodlight with sensor
Power: 30W
Lumens: 2700lm
Efficiency: 90lm/W
Emergency time: max.2h
Material: Plastic+Aluminum
LED driver: Mounted in the body

Sensor

Detection range: 110°
Detection distance: max. 8m
Ambient light: 50 lux
Detection Motion Speed: 0.6-1.5m/s

LED | cold WHITE 5500K | 110° | F

98VEGA50SSE



Type: Floodlight with sensor
Power: 50W
Lumens: 4500lm
Efficiency: 90lm/W
Emergency time: max.1.5h
Material: Plastic+Aluminum
LED driver: Mounted in the body

Sensor

Detection range: 110°
Detection distance: max. 8m
Ambient light: 50 lux
Detection Motion Speed: 0.6-1.5m/s

LED FLOODLIGHTS VEGA SMD, WHITE WITH EMERGENCY DRIVER 20-100W

5 YEAR TOTAL WARRANTY
3 standard+2 extended

LED | 110° | F | warm WHITE 3000K | neutral WHITE 4000K


98VEGA30WW/WHE
98VEGA30S/WHE



Type: LED Floodlight
Power: 30W
Lumens: 2700lm
Efficiency: 90lm/W
Emergency time: max.2h
Body colour: White
Material: Plastic+Aluminum
LED driver: Mounted in the body

LED | 110° | F | warm WHITE 3000K | neutral WHITE 4000K

98VEGA50WW/WHE
98VEGA50S/WHE



Type: LED Floodlight
Power: 50W
Lumens: 4500lm
Efficiency: 90lm/W
Emergency time: max.1.5h
Body colour: White
Material: Plastic+Aluminum
LED driver: Mounted in the body

~230V
Ra≥80
EMC
IP65

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

LED FLOODLIGHTS VEGA SMD, WHITE WITH EMERGENCY DRIVER 20-100W

5 YEAR TOTAL WARRANTY
3 standard+2 extended

LED | 110° | A↑G F

warm WHITE 3000K — **98VEGA100WW/WHE**

neutral WHITE 4000K — **98VEGA100S/WHE**



Type: LED Floodlight
Power: 100W
Lumens: 9000lm
Efficiency: 90lm/W
Emergency time: max. 1h
Body colour: White
Material: Plastic+Aluminum
LED driver: Mounted in the body

LED FLOODLIGHTS VEGA SENSOR, BLACK WITH EMERGENCY DRIVER 20-100W

5 YEAR TOTAL WARRANTY
3 standard+2 extended

98VEGA30SWW/WHE

LED | warm WHITE 3000K | 110° | A↑G F



Type: Floodlight with sensor
Power: 30W
Lumens: 2700lm
Efficiency: 90lm/W
Emergency time: max.2h
Material: Plastic+Aluminum
LED driver: Mounted in the body

Sensor

Detection range: 120°
Detection distance: max. 8m
Ambient light: 50 lux
Detection Motion Speed: 0.6-1.5m/s

98VEGA30SS/WHE

LED | neutral WHITE 4000K | 110° | A↑G F



Type: Floodlight with sensor
Power: 30W
Lumens: 2700lm
Efficiency: 90lm/W
Emergency time: max.2h
Material: Plastic+Aluminum
LED driver: Mounted in the body

Sensor

Detection range: 120°
Detection distance: max. 8m
Ambient light: 50 lux
Detection Motion Speed: 0.6-1.5m/s

98VEGA50SWW/WHE

LED | warm WHITE 4000K | 110° | A↑G F



Type: Floodlight with sensor
Power: 50W
Lumens: 4500lm
Efficiency: 90lm/W
Emergency time: max.1.5h
Material: Plastic+Aluminum
LED driver: Mounted in the body

Sensor

Detection range: 120°
Detection distance: max. 8m m(±2 m)
Ambient light: 50 lux
Detection Motion Speed: 0.6-1.5m/s

98VEGA50SS/WHE

LED | neutral WHITE 4000K | 110° | A↑G F



Type: Floodlight with sensor
Power: 50W
Lumens: 4500lm
Efficiency: 90lm/W
Emergency time: max.1.5h
Material: Plastic+Aluminum
LED driver: Mounted in the body

Sensor

Detection range: 120°
Detection distance: max. 8m m(±2 m)
Ambient light: 50 lux
Detection Motion Speed: 0.6-1.5m/s

~230V
Ra≥80
EMC
IP65

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity

LED FLOODLIGHTS EOS WITH EMERGENCY DRIVER 20-100W

5 YEAR TOTAL WARRANTY
3 standard+2 extended

LED | cold WHITE 5700K | 90° | E
IP67 | INDUSTRIAL

98EOS50/BLE



Type: LED Floodlight
Power: 50W
Lumens: 6000lm
Efficiency: 120lm/W
Emergency time: max. 1.5h
Surge Protection: 6kV
Body colour: Black & Grey
Material: Aluminum + Engineering plastic cover

98EOS100/BLE



Type: LED Floodlight
Power: 100W
Lumens: 12000lm
Efficiency: 120lm/W
Emergency time: max. 1h
Surge Protection: 10kV
Body colour: Black & Grey
Material: Aluminum + Engineering plastic cover

LED STREET LIGHTS STELLAR WITH EMERGENCY DRIVER 20-100W

2 YEAR TOTAL WARRANTY
2 standard+0 extended

~230V
Ra≥80
EMC
IP65
IP67

LED | cold WHITE 5000-5500K | 90° | E
IP65

98ROUTE30SMDE



Type: LED Street light
Power: 30W
Lumens: 3000lm
Efficiency: 100lm/W
Emergency time: max.2h
Body colour: Black
Diameter of the pole: 45mm
Material: Aluminum + PC cover
Appr. mounting height: 2-4m


98ROUTE50SMDE



Type: LED Street light
Power: 50W
Lumens: 5000lm
Efficiency: 100lm/W
Emergency time: max.1.5h
Body colour: Black
Diameter of the pole: 45mm
Material: Aluminum + PC cover
Appr. mounting height: 3-5m

LED | cold WHITE 5500K | 135x75° | E
IP65

98TIVOLI100SMDE



Type: LED Street light
Power: 100W
Lumens: 11000lm
Efficiency: 110lm/W
Emergency time: max. 1h
Body colour: Grey
Diameter of the pole: 50mm
Material: Aluminum + PC cover
Surge Protection: 10kV
Appr. mounting height: 5-7m

**For individual inquiries and accurate calculations, ELMARK offers to its customers free project preparation.*

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

LED STREET LIGHTS ELMARK WITH EMERGENCY DRIVER 20-100W

5 YEAR TOTAL WARRANTY
3 standard+2 extended

INDUSTRIAL | LED | warm WHITE 3000K | 135x75° | E

98PRAGUE30/WWE



Type: LED Street light
Power: 30W
Lumens: 3900lm
Efficiency: 130lm/W
Emergency time: max.2h
Surge Protection: 6kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Approximate mounting height: 3-5m

INDUSTRIAL | LED | neutral WHITE 4000K | 135x75° | E

98PRAGUE30/WE

Type: LED Street light
Power: 30W
Lumens: 3900lm
Efficiency: 130lm/W
Emergency time: max.2h
Surge Protection: 6kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Approximate mounting height: 3-5m

INDUSTRIAL | LED | cold WHITE 5500K | 135x75° | E

98PRAGUE30SMDE

Type: LED Street light
Power: 30W
Lumens: 3900lm
Efficiency: 130lm/W
Emergency time: max.2h
Surge Protection: 6kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Approximate mounting height: 3-5m

INDUSTRIAL | LED | warm WHITE 3000K | 135x75° | E

98PRAGUE50/WWE



Type: LED Street light
Power: 50W
Lumens: 6500lm
Efficiency: 130lm/W
Emergency time: max.1.5h
Surge Protection: 6kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Approximate mounting height: 4-6m

INDUSTRIAL | LED | neutral WHITE 4000K | 135x75° | E

98PRAGUE50/WE

Type: LED Street light
Power: 50W
Lumens: 6500lm
Efficiency: 130lm/W
Emergency time: max.1.5h
Surge Protection: 6kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Approximate mounting height: 4-6m

INDUSTRIAL | LED | cold WHITE 5500K | 135x75° | E

98PRAGUE50SMDE

Type: LED Street light
Power: 50W
Lumens: 6500lm
Efficiency: 130lm/W
Emergency time: max.1.5h
Surge Protection: 6kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Approximate mounting height: 4-6m

INDUSTRIAL | LED | warm WHITE 3000K | 135x75° | E

98PRAGUE100/WWE



Type: LED Street light
Power: 100W
Lumens: 13000lm
Efficiency: 130lm/W
Emergency time: max.1h
Surge Protection: 6kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Approximate mounting height: 6-8m

INDUSTRIAL | LED | neutral WHITE 4000K | 135x75° | E

98PRAGUE100/WE

Type: LED Street light
Power: 100W
Lumens: 13000lm
Efficiency: 130lm/W
Emergency time: max.1h
Surge Protection: 6kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Approximate mounting height: 6-8m

INDUSTRIAL | LED | cold WHITE 5500K | 135x75° | E

98PRAGUE100SMDE

Type: LED Street light
Power: 100W
Lumens: 13000lm
Efficiency: 130lm/W
Emergency time: max.1h
Surge Protection: 6kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Approximate mounting height: 6-8m

For individual inquiries and accurate calculations, ELMARK offers to its customers free project preparation.

~230V
Ra≥80
EMC
IP65

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity

LED STREET LIGHTS ELMARK WITH EMERGENCY DRIVER 20-100W

5 YEAR TOTAL WARRANTY
3 standard+2 extended



98BERLIN100SMDE

Type: LED Street light
Power: 100W
Lumens: 15000lm
Efficiency: 150lm/W
Emergency time: max.1h
Surge Protection: 6kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Appr. mounting height: 7-9m

For individual inquiries and accurate calculations, ELMARK offers to its customers free project preparation.

LED HIGH BAY STELLAR WITH EMERGENCY DRIVER 20-100W

2 YEAR TOTAL WARRANTY
2 standard+0 extended



98DUBLIN100SMDE

Type: LED high bay
Power: 100W
Lumens: 10000lm
Efficiency: 100lm/W
Emergency time: max.1h
Surge Protection: 3.5kV
Body colour: Grey
Material: Aluminum + Glass
Appr. mounting height: 3.5 m

For individual inquiries and accurate calculations, ELMARK offers to its customers free project preparation.

LED HIGH BAY ELMARK WITH EMERGENCY DRIVER 20-100W

5 YEAR TOTAL WARRANTY
5 standard+0 extended



98LONDON100/WE

Type: LED high bay
Power: 100W
Lumens: 11000lm
Efficiency: 110lm/W
Emergency time: max.1h
Surge Protection: 6kV
Body colour: Black
Material: Aluminum + PC
Appr. mounting height: 4 m



98LONDON100SMDE

Type: LED high bay
Power: 100W
Lumens: 11000lm
Efficiency: 110lm/W
Emergency time: max.1h
Surge Protection: 6kV
Body colour: Black
Material: Aluminum + PC
Appr. mounting height: 4 m

For individual inquiries and accurate calculations, ELMARK offers to its customers free project preparation.

~230V
Ra≥80
EMC
IP65

Scan QR code for 3D models, IES files & price.

EMERGENCY DRIVER 50-250W

89227

EMERGENCY DRIVER FOR INDUSTRIAL LAMP WITH INTERNAL IC DRIVERS



IP44

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

This emergency driver is suitable for all 50-250W LED lamps with internal IC driver (This device CANNOT be used for the LED lights with RC driver). It can be used in public places to ensure LED lights work normally when power fail suddenly because of fire and earthquake and etc. The housing of this emergency driver adopts good-quality steel models with powder coating. It has low weight and being convenient to install, so you can rest assure its safety. It mainly includes housing, PCB and battery etc. Its battery adopts Li-ion battery with long lifespan. Its PCB adopts automatic SMT technology, uses IC control design in charging/ discharging and power supply part. PCB uses fully automatic SMT technology, PCB core use 3525 IC chips which is especially for emergency lights and Li-ion battery protections. PCB circuit has the complete protection for over charging/discharging,output Short Circuit, Open Circuit,input/output reverse connection.

Operated principle:

The emergency driver is being charged when AC power works, when fully charged, the circuit will protect the battery from over being-charged, and the emergency is standing by as soon as the battery is fully charged. When AC power is down, emergency driver supplies power to LED fixtures and they up light to the way to escape.

Technical data


- Input voltage: 85-265V AC
- Battery: Internal 19.2V 12000mAh
- Max. input power: 300W
- Emergency switch time: <5s
- Suitable: for LED lamp with internal driver and power 50-250W
- Emergency time: 60-250min
- Working temperature: from -10 to +50°C
- Material: Aluminum
- Size: 400x85x70mm
- IP 44

Recommended:

For all LED road fixtures, high bays, flood lights and lighting fixtures with internal IC driver and power from 50-250W.

89227MF

FIXED MOUNTING FITTING FOR EMERGENCY BLOCK 50-250W



Scan QR code for 3D models, IES files & price.


ELMARK
The Brand of Electricity

LED STREET LIGHTS STELLAR WITH EMERGENCY DRIVER 50-250W

2 YEAR TOTAL WARRANTY
2 standard+0 extended

LED | cold WHITE 5500K | 135x75° | E


98TIVOLI150SMDE



Type: LED Street light
Power: 150W
Lumens: 16500lm
Efficiency& 110lm/W
Emergency time: ≥2h
Surge Protection: 10kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Appr. mounting height: 6-8m

LED | cold WHITE 5500K | 135x75° | E

98TIVOLI200SMDE



Type: LED Street light
Power: 200W
Lumens: 22000lm
Efficiency: 110lm/W
Emergency time: max. 1.5h
Surge Protection: 10kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Appr. mounting height: 9-11m

LED STREET LIGHTS ELMARK WITH EMERGENCY DRIVER 50-250W

5 YEAR TOTAL WARRANTY
3 standard+2 extended

~230V
Ra≥80
EMC
IP65

INDUSTRIAL | LED | warm WHITE 3000K | 135x75° | E

98PRAGUE150/WWE



Type: LED Street light
Power: 150W
Lumens: 19500lm
Efficiency: 130lm/W
Emergency time: ≥2h
Surge Protection: 6kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Approximate mounting height: 7-9m

LED | neutral WHITE 4000K | 135x75° | E

98PRAGUE150/WE

Type: LED Street light
Power: 150W
Lumens: 19500lm
Efficiency: 130lm/W
Emergency time: ≥2h
Surge Protection: 6kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Approximate mounting height: 7-9m

LED | cold WHITE 5500K | 135x75° | E

98PRAGUE150SMDE

Type: LED Street light
Power: 150W
Lumens: 19500lm
Efficiency: 130lm/W
Emergency time: ≥2h
Surge Protection: 6kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Approximate mounting height: 7-9m

INDUSTRIAL | LED | warm WHITE 3000K | 135x70° | E

98PRAGUE200/WWE



Type: LED Street light
Power: 200W
Lumens: 26000lm
Efficiency: 130lm/W
Emergency time: max. 1.5h
Surge Protection: 6kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Approximate mounting height: 10-12m

LED | neutral WHITE 4000K | 135x70° | E

98PRAGUE200/WE

Type: LED Street light
Power: 200W
Lumens: 26000lm
Efficiency: 130lm/W
Emergency time: max. 1.5h
Surge Protection: 6kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Approximate mounting height: 10-12m

LED | cold WHITE 5500K | 135x70° | E

98PRAGUE200SMDE

Type: LED Street light
Power: 200W
Lumens: 26000lm
Efficiency: 130lm/W
Emergency time: max. 1.5h
Surge Protection: 6kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Approximate mounting height: 10-12m

For individual inquiries and accurate calculations, ELMARK offers to its customers free project preparation.

Scan QR code for 3D models, IES files & price.


Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

LED STREET LIGHTS ELMARK WITH EMERGENCY DRIVER 50-250W

5 YEAR TOTAL WARRANTY
3 standard+2 extended

INDUSTRIAL | IP65 | LED | warm WHITE 3000K | 135x75° | E

98PRAGUE250/WWE



Type: LED Street light
Power: 250W
Lumens: 30000lm
Efficiency: 120lm/W
Emergency time: max. 1h
Surge Protection: 6kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Approximate mounting height: 11-13m

LED | neutral WHITE 4000K | 135x75° | E

98PRAGUE250/WE

Type: LED Street light
Power: 250W
Lumens: 30000lm
Efficiency: 120lm/W
Emergency time: max. 1h
Surge Protection: 6kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Approximate mounting height: 11-13m


LED | cold WHITE 5500K | 135x75° | E

98PRAGUE250SMDE

Type: LED Street light
Power: 250W
Lumens: 30000lm
Efficiency: 120lm/W
Emergency time: max. 1h
Surge Protection: 6kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Approximate mounting height: 11-13m

LED | cold WHITE 5500K | 70x145° | E | IP65 | INDUSTRIAL


98BERLIN150SMDE



Type: LED Street light
Power: 150W
Lumens: 22500lm
Efficiency: 150lm/W
Emergency time: ≥2h
Surge Protection: 6kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Appr. mounting height: 8-10m

LED | cold WHITE 5500K | 70x145° | E | IP65 | INDUSTRIAL

98BERLIN200SMDE



Type: LED Street light
Power: 200W
Lumens: 30000lm
Efficiency: 150lm/W
Emergency time: max 1.5h
Surge Protection: 6kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Appr. mounting height: 11-13m

**For individual inquiries and accurate calculations, ELMARK offers to its customers free project preparation.*

LED STREET LIGHTS ELMARK WITH EMERGENCY DRIVER 50-250W

5 YEAR TOTAL WARRANTY
3 standard+2 extended

LED | cold WHITE 5700K | 90° | E | IP67 | INDUSTRIAL

98EOS150/BLE



Type: LED Floodlight
Power: 150W
Lumens: 18000lm
Efficiency: 120lm/W
Emergency time: ≥2h
Surge Protection: 10kV
Body colour: Black & Grey
Material: Aluminum + Engineering plastic cover

LED | cold WHITE 5700K | 90° | E | IP67 | INDUSTRIAL

98EOS200/BLE



Type: LED Floodlight
Power: 200W
Lumens: 25000lm
Efficiency: 125 lm/W
Emergency time: max 1.5h
Surge Protection: 10kV
Body colour: Black & Grey
Material: Aluminum + Engineering plastic cover

~230V
Ra≥80
EMC
IP65
IP67

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity

LED STREET LIGHTS ELMARK WITH EMERGENCY DRIVER 50-250W

5 YEAR TOTAL WARRANTY
3 standard+2 extended

98ANTARES200/BLE

LED | cold WHITE 5700K | 90° | D
IP67 | INDUSTRIAL



Type: LED Floodlight
Power: 200W
Lumens: 26000lm
Efficiency: 130lm/W
Emergency time: max 1.5h
Surge Protection: 5kV
Body colour: Black
Material: Aluminum + Engineering plastic


LED HIGH BAY ELMARK WITH EMERGENCY DRIVER 50-250W

5 YEAR TOTAL WARRANTY
5 standard+0 extended

~230V
Ra≥80
EMC
IP65
IP67

98LONDON150/WE


LED | neutral WHITE 4000K | 90x120° | E
IP65 | INDUSTRIAL



Type: LED high bay
Power: 150W
Lumens: 16500lm
Efficiency: 110lm/W
Emergency time: ≥2h
Surge Protection: 6kV
Body colour: Black
Material: Aluminum + PC
Appr. mounting height: 5 m

98LONDON150SMDE


LED | cold WHITE 5500K | 90x120° | E
IP65 | INDUSTRIAL



Type: LED high bay
Power: 150W
Lumens: 16500lm
Efficiency: 110lm/W
Emergency time: ≥2h
Surge Protection: 6kV
Body colour: Black
Material: Aluminum + PC
Appr. mounting height: 5 m

98LONDON200/WE


LED | neutral WHITE 4000K | 90x120° | E
IP65 | INDUSTRIAL



Type: LED high bay
Power: 200W
Lumens: 22000lm
Efficiency: 110lm/W
Emergency time: max 1.5h
Surge Protection: 6kV
Body colour: Black
Material: Aluminum + PC
Appr. mounting height: 7 m

98LONDON200SMDE

LED | cold WHITE 5500K | 90x120° | E
IP65 | INDUSTRIAL



Type: LED high bay
Power: 200W
Lumens: 22000lm
Efficiency: 110lm/W
Emergency time: max 1.5h
Surge Protection: 6kV
Body colour: Black
Material: Aluminum + PC
Appr. mounting height: 7 m

For individual inquiries and accurate calculations, ELMARK offers its customers free project preparation.

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

LED HIGH BAY STELLAR WITH EMERGENCY DRIVER 50-250W

2 YEAR TOTAL WARRANTY
2 standard+0 extended

98DUBLIN150SMDE

LED | cold WHITE 5500K | 100° | E



Type: LED high bay
Power: 150W
Lumens: 15000lm
Efficiency: 100lm/W
Emergency time: ≥2h
Surge Protection: 3.5kV
Body colour: Grey
Material: Aluminum + Glass
Appr. mounting height: 4.5 m

98DUBLIN200SMDE

LED | cold WHITE 5500K | 100° | E



Type: LED high bay
Power: 200W
Lumens: 20000lm
Efficiency: 100lm/W
Emergency time: ≥2h
Surge Protection: 3.5kV
Body colour: Grey
Material: Aluminum + Glass
Appr. mounting height: 6 m

LED HIGH BAY ELMARK WITH EMERGENCY DRIVER 50-250W

5 YEAR TOTAL WARRANTY
5 standard+0 extended

98GENEVA100SMDE

LED | cold WHITE 5500K | D | 110° | INDUSTRIAL



Type: LED high bay
Power: 100W
Lumens: 14000lm
Efficiency: 140lm/W
Emergency time: ≥2h
Surge Protection: 6kV
Body colour: Black
Material: Aluminum
Appr. mounting height: 5 m

98GENEVA150SMDE

LED | cold WHITE 5500K | D | 110° | INDUSTRIAL



Type: High bay
Power: 150W
Lumens: 21000lm
Efficiency: 140lm/W
Emergency time: ≥2h
Surge Protection: 6kV
Body colour: Black
Material: Aluminum
Appr. mounting height: 6 m

98GENEVA200SMDE

LED | cold WHITE 5500K | D | 110° | INDUSTRIAL



Type: High bay
Power: 200W
Lumens: 28000lm
Efficiency: 140lm/W
Emergency time: max 1.5h
Surge Protection: 6kV
Body colour: Black
Material: Aluminum
Appr. mounting height: 8 m

**For individual inquiries and accurate calculations, ELMARK offers its customers free project preparation.*

~230V
Ra≥80
EMC
IP65

Scan QR code for 3D models, IES files & price.

EXPLOSION PROOF LIGHTING



EX ZONES- EUROPEAN DIRECTIVE

ATEX Directive 2014/34/EU is a directive that applies to protective systems against explosions as well as all equipment used in or related to explosive atmospheres, such as electrical and non-electrical equipment, components and safety devices, control and adjustments necessary for the safe operation of this equipment and protective systems.

Devices falling within the scope of the European Directive and responding to the essential requirements for the safety and health are identified by a marking plate on which the logo appears.

LABELING OF EXPLOSION PROOF EQUIPMENT ACCORDING TO ATEX 2014/34/EU

Classification and labelling of hazardous locations

Flammable medium	Hazardous locations Probability of a potentially explosive atmosphere occuring	Classification of hazardous locations	Product classification: Product group	Product category	Equipment protection level (EPL)
Gases, mists, vapours	Continuously, for long periods or frequently	Zone 0	II	1G	Ga
	Likely to occur	Zone 1	II	2G	Gb
	Infrequently and for short periods only	Zone 2	II	3G	Gc
Dusts	Continuously, for long periods or frequently	Zone 20	II	1D	Da
	Likely to occur	Zone 21	II	2D	Db
	Infrequently and for short periods only	Zone 22	II	3D	Dc

Notified bodies

Code number	Notified Body (NB)
0102	PTB (Germany)
0158	EXAM (Germany)

Classification Explosion groups & Temperature classes

Explosion group	Examples depending on - explosion group - temperature class					
IIA	Ammonia Methane Ethane Propane	Ethanol Cyclohe-xene n-Butane	Petrol Diesel fuel Fuel oil n-Hexane	Acetal-de-hyde		
IIB	City gas Acrylic nitrile	Ethylene Ethylene oxide	Ethyl glycol Carbon hydrogen	Ethyl ether		
IIC	Hydrogen	Acetylene				Carbon disulphide

T1 <450 °C
T2 <300 °C
T3 <200 °C
T4 <135 °C
T5 <100 °C
T6 < 85 °C

Attention: this list is only an extract of possible flammable mediums and does not claim to be complete!

Product use depending on temperature class (T1 - T6). The temperature class indicates the max. temperature of the exposed surface of the product. For dust explosion proof, the max. surface temperature is directly shown (e.g. T80°C).

Temperature class

Example:

CE 0158 Ex II 2 G Ex db IIC T6 Gb NB 12 ATEX 1007 X

II 2 D Ex tb IIIc T80°C Db

Protection principle	Type of protection	Code	Symbol	To use in zone	CENELEC
Prevents transmission of the explosion outside	flameproof enclosure	Exd	da db dc	0,1,2 1,2 2	EN 60079-1
Prevents high temperatures and sparks	increased safety	Exe	eb ec	1,2 2	EN 60079-7
Low current/voltage supply	intrinsic safety	Exi	ia ib ic	0,1,2,20,21,22 1,2,21,22 2,22	EN 60079-11
Positive pressure device	pressurised apparatus	Exp	pxb pyb pzc	1,2,21,22 1,2,21,22 2,22	EN 60079-2
Encapsulated	moulding	Exm	ma mb mc	0,1,2,20,21,22 1,2,21,22 2,22	EN 60079-18
Parts immersed in oil to isolate from explosive atmosphere	oil immersion	Exo	ob oc	1,2 2	EN 60079-6
Prevents transmission of explosion outside	powder filling	Exq	qb	1,2	EN 60079-5
As above, but for use in zone 2	protection "n"	Exn	nC nR	2 2	EN 600/9-15
Dust explosion proof	protection by enclosure	Ext	ta tb tc	20,21,22 21,22 22	EN 60079-31

Protection principle – Type of protection – EN 60079-0 General Requirements

Code	Dust classification
IIIA	flammable fibres
IIIB	non conductive dust
IIIC	conductive dust

IP	Protection against solids/dust	Protection against water
8	–	long periods of immersion
7	–	the effects of temporary immersion
6	totally protected against dust	strong jets of water
5	dust - limited ingress	low pressure jets from all directions
4	solids objects > 1 mm	sprays from all directions
3	solids objects > 2,5 mm	direct sprays up to 60° from vertical
2	solids objects > 12,5 mm	direct sprays up to 15° from vertical
1	solids objects > 50 mm	vertical falling drops of water
0	no protection	no protection

Ingress Protection EN 60529

Application	Code
For common use	–
For use under special conditions	X
This part is an Ex component and certified as such and is therefore not suitable for use on its own CE conformity is achieved by incorporation into equipment	U

Further information

ELMARK
The Brand of Electricity



720100




720105

EX-PROOF CEILING & WALL LAMPS, IP67

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

LED | cold WHITE 6500K | EX-PROOF | A F G

720100




Type: Explosion Proof LED Ceiling Lamp
Application: Zone 1, 2, 21, 22
Power: 24W
Lumens: 2400lm
Efficiency: 100lm/W
LED Chip: SAMSUNG
CRI≥80
Lamp Class: I
Temperature operating range: from -40°C to + 45°C
Material: Aluminum & PC
IP Code: 67

II 2G Ex Db mb IIB +H2 T6 Gb
II 2D Ex tb mb IIIC T85°C IP67 Db

** Full range of products from the explosion proof section you can find in ELMARK Electrical Catalogue 2023.*

LED | cold WHITE 6500K | EX-PROOF | A F G

720105



Type: Explosion Proof LED Ceiling / Wall Lamp
Application: Zone 1, 2, 21, 22
Power: 20W
Lumens: 2000lm
Efficiency: 100lm/W
LED Chip: SAMSUNG
CRI≥80
Lamp Class: I
Temperature operating range: from -40°C to + 45°C
Material: Aluminum & PC
IP Code: 67
Width: 55 mm

II 2G Ex Db mb IIB +H2 T6 Gb
II 2D Ex tb mb IIIC T85°C IP67 Db

** Full range of products from the explosion proof section you can find in ELMARK Electrical Catalogue 2023.*


IP67
~230V
50000h

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



720102




720103

EX-PROOF CEILING & WALL LAMPS, IP67

LED | cold WHITE 6500K | EX-PROOF | A G F

720102




Type: Explosion Proof LED Ceiling Lamp
Application: Zone 1, 2, 21, 22
Power: 70W
Lumens: 6300lm
Efficiency: 90lm/W
LED Chip: SAMSUNG
CRI≥80
Lamp Class: I
Temperature operating range: from -40°C to + 45°C
Material: Aluminum & PC
IP Code: 67
Width: 470mm

II 2G Ex Db mb IIB +H2 T6 Gb
II 2D Ex tb mb IIIC T85°C IP67 Db

** Full range of products from the explosion proof section you can find in ELMARK Electrical Catalogue 2023.*

LED | cold WHITE 6500K | EX-PROOF | A G F

720103



Type: Explosion Proof LED Wall Lamp for Pipe 3/4
Application: Zone 1, 2, 21, 22
Power: 70W
Lumens: 6300lm
Efficiency: 90lm/W
LED Chip: SAMSUNG
CRI≥80
Lamp Class: I
Temperature operating range: from -40°C to + 45°C
Material: Aluminum & PC
IP Code: 67
Width: 470mm

II 2G Ex Db mb IIB +H2 T6 Gb
II 2D Ex tb mb IIIC T85°C IP67 Db

** Full range of products from the explosion proof section you can find in ELMARK Electrical Catalogue 2023.*

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP67
~230V
50000h


Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



720104



720101


EX-PROOF HIGH BAY & CEILING/WALL LAMP, IP67

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP67
~230V
50000h

LED | cold WHITE 6500K | EX-PROOF | A↑G F

720104




Type: Explosion Proof LED High Bay
Application: Zone 1, 2, 21, 22
Power: 150W
Lumens: 13000lm
Efficiency: 87lm/W
LED Chip: SAMSUNG
CRI≥80
Lamp Class: I
Temperature operating range: from -40°C to + 40°C
Material: Aluminum & PC
Width: max.280 mm
IP Code: 65

II 2G Ex Db mb IIB +H2 T6 Gb
II 2D Ex tb mb IIIC T85°C IP67 Db

** Full range of products from the explosion proof section you can find in ELMARK Electrical Catalogue 2023.*

LED | cold WHITE 6500K | EX-PROOF | A↑G F

720101




Type: Explosion Proof LED Wall Lamp
Application: Zone 1, 2, 21, 22
Power: 70W
Lumens: 6500lm
Efficiency: 93lm/W
LED Chip: SAMSUNG
CRI≥85
Lamp Class: I
Temperature operating range: from -40°C to + 45°C
Material: Aluminum & PC
IP Code: 67

II 2G Ex Db mb IIB +H2 T6 Gb
II 2D Ex tb mb IIIC T85°C IP67 Db

** Full range of products from the explosion proof section you can find in ELMARK Electrical Catalogue 2023.*

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



720106


EMERGENCY EX-PROOF LAMP, IP67

LED | cold WHITE 6500K | EX-PROOF | F

720106

Type: Explosion Proof LED EXIT Light
Application: Zone 1, 2, 21, 22
Battery: 3,6V, 60mAh, Ni-Cd
Emergency Work Time: 3h
CRI≥80≥6.5cd/m²
Lamp Class: I
Temperature operating range: from -40°C to + 50°C
Material: Aluminum & PC
IP Code: 65

II 2G Ex Db mb IIB +H2 T6 Gb
II 2D Ex tb mb IIIC T85°C IP67 Db



** Full range of products from the explosion proof section you can find in ELMARK Electrical Catalogue 2023.*

3 YEARS TOTAL WARRANTY
+ 3 standard 0 extended

IP67
~230V
50000h

Scan QR code for 3D models, IES files & price.



LAMPS & COMPONENTS

- LED BULLBS
- LED TUBES
- LED STRIPS
- LED DRIVERS
- LAMP HOLDERS
- SENSORS



ELMARK
The Brand of Electricity



99LED772D



99LED754D



99LED769D


LED VINTAGE BULBS

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
~230V
>15000
25000h
RoHs COMPLIANT
EMC
CE

99LED772D


LED | warm WHITE 2800-3200K | 360° | A↑G F | DIMMABLE | E14



Type: LED filament vintage lamp C35
Power: 4W
Lumens: 360lm
Lamp holder: E14
Material: Golden glass

99LED754D


LED | warm WHITE 2800-3200K | 360° | A↑G F | DIMMABLE | E14



Type: LED filament vintage lamp FLAME
Power: 5W
Lumens: 350lm
Lamp holder: E14
Material: Golden glass

99LED769D

LED | warm WHITE 2800-3200K | 360° | A↑G F | DIMMABLE | E27



Type: LED filament vintage lamp ST64
Power: 8W
Lumens: 580lm
Lamp holder: E27
Material: Golden glass

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



99LED773D



99LED975D
99LED770D




99LED771D

LED VINTAGE BULBS

LED | warm WHITE 2800-3200K | 360° | A F G | DIMMABLE | E27


99LED773D



Type: LED filament vintage lamp A60
Power: 8W
Lumens: 580lm
Lamp holder: E27
Material: Golden glass

LED | warm WHITE 2700K | 360° | A F G | DIMMABLE | E27


99LED975D



Type: LED filament vintage lamp G80
Power: 8W
Lumens: 580lm
Lamp holder: E27
Material: Golden glass

LED | warm WHITE 2800-3200K | 360° | A F G | DIMMABLE | E27


99LED770D



Type: LED filament vintage lamp G95
Power: 8W
Lumens: 580lm
Lamp holder: E27
Material: Golden glass

LED | warm WHITE 2800-3200K | 360° | A F G | DIMMABLE | E27

99LED771D



Type: LED filament vintage lamp G125
Power: 8W
Lumens: 580lm
Lamp holder: E27
Material: Golden glass

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
~230V
>15000
25000h
RoHs COMPLAINT
EMC
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



99LED662D



99LED664D



99LED660



99LED665D

LED FILAMENT BULBS MATT

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
~230V
>25000
30000h
Ra≥80
RoHs COMPLAINT
EMC
CE

Scan QR code for 3D models, IES files & price.

99LED662D


LED | warm WHITE 2700K | 360° | A G E | DIMMABLE | E14



Type: LED filament lamp C35
Power: 4W
Lumens: 400lm
Lamp holder: E14
Body colour: Matt

99LED664D

LED | warm WHITE 2700K | 360° | A G E | DIMMABLE | E14



Type: LED filament lamp P45
Power: 4W
Lumens: 400lm
Lamp holder: E14
Body colour: Matt

99LED665D

LED | warm WHITE 2700K | 360° | A G E | DIMMABLE | E27



Type: LED filament lamp G45
Power: 4W
Lumens: 400lm
Lamp holder: E27
Body colour: Matt

99LED660

LED | warm WHITE 2700K | 360° | A G E | E27



Type: LED filament lamp A60
Power: 4W
Lumens: 400lm
Lamp holder: E27
Body colour: Matt

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



99LED828WW
99LED828W



99LED829WW
99LED829W



99LED886WW



99LED830WW
99LED830W

LED FILAMENT BULBS TRANSPARENT

LED | 360° | A E G | warm WHITE 2700K | neutral WHITE 4000K | E14

99LED828WW
99LED828W



Type: LED filament lamp P45
Power: 5W
Lumens: 550lm
Lamp holder: E14
Body colour: Transparent

LED | 360° | A E G | warm WHITE 2700K | neutral WHITE 4000K | E14

99LED829WW
99LED829W



Type: LED filament lamp C35
Power: 5W
Lumens: 550lm
Lamp holder: E14
Body colour: Transparent

LED | 360° | A E G | warm WHITE 2700K | E14 | DIMMABLE

99LED886WW



Type: LED filament lamp FLAME
Power: 5W
Lumens: 450lm
Lamp holder: E14
Body colour: Transparent

LED | 360° | A E G | warm WHITE 2700K | neutral WHITE 4000K | E27

99LED830WW
99LED830W



Type: LED filament lamp A60
Power: 8W
Lumens: 1055lm
Lamp holder: E27
Body colour: Transparent

3 YEARS TOTAL WARRANTY
3 standard
0 extended

IP20
~230V
>25000
30000h
Ra≥80
RoHs COMPLIANT
EMC
CE

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



99LED838WW
99LED838W
99LED839WW
99LED839W



99LED834WW
99LED834W
99LED835WW
99LED835W

MILKY WHITE LED BULBS

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
~230V
>25000
30000h
Ra≥80
RoHs COMPLIANT
EMC
CE

Scan QR code for 3D models, IES files & price.

99LED838WW
99LED838W

LED | 360° | E | E27 | warm WHITE 2700K | neutral WHITE 4000K



Type: LED lamp G95 milky white
Power: 7.2W
Lumens: 806lm
Efficiency: 112lm/W
Lamp holder: E27

99LED839WW
99LED839W

LED | 360° | E | E27 | warm WHITE 2700K | neutral WHITE 4000K



Type: LED lamp G95 milky white
Power: 12W
Lumens: 806lm
Efficiency: 126lm/W
Lamp holder: E27

99LED834WW
99LED834W

LED | 360° | F | E27 | warm WHITE 2700K | neutral WHITE 4000K



Type: LED lamp A60 milky white
Power: 9W
Lumens: 950lm
Efficiency: 105lm/W
Lamp holder: E27

99LED835WW
99LED835W

LED | 360° | E | E27 | warm WHITE 2700K | neutral WHITE 4000K



Type: LED lamp A60 milky white
Power: 11W
Lumens: 1260lm
Efficiency: 115lm/W
Lamp holder: E27

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



99LED840WW
99LED840W



99LED836WW
99LED836W
99LED837WW
99LED837W

MILKY WHITE LED BULBS

LED | 360° | E | warm WHITE 2700K | neutral WHITE 4000K | E14

99LED840WW
99LED840W



Type: LED lamp G45 milky white
Power: 4.5W
Lumens: 500lm
Efficiency: 111lm/W
Lamp holder: E14

LED | 360° | E | warm WHITE 2700K | neutral WHITE 4000K | E27

99LED836WW
99LED836W



Type: LED lamp G45 milky white
Power: 4.5W
Lumens: 500lm
Efficiency: 111lm/W
Lamp holder: E27

LED | 360° | E | warm WHITE 2700K | neutral WHITE 4000K | E27

99LED837WW
99LED837W



Type: LED lamp G45 milky white
Power: 6W
Lumens: 800lm
Efficiency: 133lm/W
Lamp holder: E27

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
~230V
>25000
30000h
Ra≥80
RoHs COMPLIANT
EMC
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



HIGH EFFICIENCY
SAVE ENERGY

99LED917HE
99LED916HE
99LED917CWHE



99LED917
99LED916
99LED917CW

HIGH EFFICIENCY LED CANDLE BULBS

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
~230V
>25000
30000h
Ra≥80
RoHs COMPLIANT
EMC
CE



LED | warm WHITE 2700K | 180° | A G | E | E14

99LED917HE

Type: LED lamp CANDLE C37
high efficiency
Power: 7W
Lumens: 770lm
Efficiency: 110lm/W
Lamp holder: E14

LED | neutral WHITE 4000K | 180° | A G | E | E14

99LED916HE

Type: LED lamp CANDLE C37
high efficiency
Power: 7W
Lumens: 770lm
Efficiency: 110lm/W
Lamp holder: E14

LED | cold WHITE 6500K | 180° | A G | E | E14

99LED917HECW

Type: LED lamp CANDLE C37
high efficiency
Power: 7W
Lumens: 770lm
Efficiency: 110lm/W
Lamp holder: E14



LED | warm WHITE 2700K | 180° | A G | F | E14

99LED917

Type: LED lamp CANDLE C37
Power: 8W
Lumens: 800lm
Efficiency: 100lm/W
Lamp holder: E14

LED | neutral WHITE 4000K | 180° | A G | F | E14

99LED916

Type: LED lamp CANDLE C37
Power: 8W
Lumens: 800lm
Efficiency: 100lm/W
Lamp holder: E14

LED | cold WHITE 6500K | 180° | A G | F | E14

99LED917CW

Type: LED lamp CANDLE C37
Power: 8W
Lumens: 800lm
Efficiency: 100lm/W
Lamp holder: E14

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



99LED754
99LED753
99LED820



99LED855
DIMMABLE

LED FLAME & CANDLE BULBS



LED | warm WHITE 2700K | 220° | F | E14

99LED754

Type: LED lamp FLAME
Power: 6W
Lumens: 500lm
Efficiency: 83lm/W
Lamp holder: E14

LED | neutral WHITE 4000K | 220° | F | E14

99LED753

Type: LED lamp FLAME
Power: 6W
Lumens: 500lm
Efficiency: 83lm/W
Lamp holder: E14

LED | cold WHITE 6500K | 220° | F | E14

99LED820


Type: LED lamp FLAME
Power: 6W
Lumens: 500lm
Efficiency: 83lm/W
Lamp holder: E14

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
~230V
>25000
30000h
Ra≥80
RoHS COMPLIANT
EMC
CE

LED | warm WHITE 3000K | 180° | F | DIMMABLE | E14

99LED855



Type: LED lamp CANDLE C37
Power: 5W
Lumens: 500lm
Efficiency: 100lm/W
Lamp holder: E14

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



99LED915
99LED914

LED CANDLE BULBS

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
~230V
>25000
30000h
Ra≥80
RoHs COMPLIANT
EMC
CE

Scan QR code for 3D models, IES files & price.

99LED915

LED | warm WHITE 2700K | 180° | A G F | E27



Type: LED lamp CANDLE C37
Power: 8W
Lumens: 800lm
Efficiency: 100lm/W
Lamp holder: E27

99LED914

LED | neutral WHITE 4000K | 180° | A G F | E27



Type: LED lamp CANDLE C37
Power: 8W
Lumens: 800lm
Efficiency: 100lm/W
Lamp holder: E27

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



HIGH EFFICIENCY
SAVE ENERGY

99LED913HE
99LED912HE
99LED925HE

HIGH EFFICIENCY LED GLOBE BULBS



LED | warm WHITE 2700K | 240° | A G E | E14

99LED913HE

Type: LED lamp GLOBE P45
high efficiency
Power: 7W
Lumens: 840lm
Efficiency: 120lm/W
Lamp holder: E14

LED | neutral WHITE 4000K | 240° | A G E | E14

99LED912HE

Type: LED lamp GLOBE P45
high efficiency
Power: 7W
Lumens: 840lm
Efficiency: 120lm/W
Lamp holder: E14

LED | cold WHITE 6500K | 240° | A G E | E14

99LED925HE

Type: LED lamp GLOBE P45
high efficiency
Power: 7W
Lumens: 840lm
Efficiency: 120lm/W
Lamp holder: E14

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
~230V
>25000
30000h
RoHs COMPLAINT
EMC
CE

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



99LED747
99LED746
99LED800



99LED913
99LED912
99LED925

LED GLOBE BULBS

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
~230V
>25000
30000h
Ra≥80
RoHs COMPLIANT
EMC
CE



LED | warm WHITE 2700K | 240° | F | E14

99LED747

Type: LED lamp GLOBE P45
Power: 6W
Lumens: 540lm
Lamp holder: E14

LED | neutral WHITE 4000K | 240° | F | E14

99LED746

Type: LED lamp GLOBE P45
Power: 6W
Lumens: 540lm
Lamp holder: E14

LED | cold WHITE 6500K | 240° | F | E14

99LED800

Type: LED lamp GLOBE P45
Power: 6W
Lumens: 540lm
Lamp holder: E14



LED | warm WHITE 2700K | 180° | F | E14

99LED913

Type: LED lamp GLOBE P45
Power: 8W
Lumens: 800lm
Lamp holder: E14

LED | neutral WHITE 4000K | 180° | F | E14

99LED912

Type: LED lamp GLOBE P45
Power: 8W
Lumens: 800lm
Lamp holder: E14

LED | cold WHITE 6500K | 180° | F | E14

99LED925

Type: LED lamp GLOBE P45
Power: 8W
Lumens: 800lm
Lamp holder: E14

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store




99LED745
99LED744
99LED801



99LED911
99LED910
99LED911CW

LED GLOBE BULBS



LED | warm WHITE 2700K | 240° | A↑G F | E27

99LED745

Type: LED lamp GLOBE G45
Power: 6W
Lumens: 540lm
Efficiency: 90lm
Lamp holder: E27

LED | neutral WHITE 4000K | 240° | A↑G F | E27

99LED744

Type: LED lamp GLOBE G45
Power: 6W
Lumens: 540lm
Efficiency: 90lm
Lamp holder: E27

LED | cold WHITE 6500K | 240° | A↑G F | E27

99LED801

Type: LED lamp GLOBE G45
Power: 6W
Lumens: 540lm
Efficiency: 90lm
Lamp holder: E27



LED | warm WHITE 2700K | 180° | A↑G F | E27

99LED911

Type: LED lamp GLOBE G45
Power: 8W
Lumens: 800lm
Efficiency: 100lm
Lamp holder: E27

LED | neutral WHITE 4000K | 180° | A↑G F | E27

99LED910

Type: LED lamp GLOBE G45
Power: 8W
Lumens: 800lm
Efficiency: 100lm
Lamp holder: E27

LED | cold WHITE 6500K | 180° | A↑G F | E27

99LED911CW

Type: LED lamp GLOBE G45
Power: 8W
Lumens: 800lm
Efficiency: 100lm
Lamp holder: E27

3 YEARS TOTAL WARRANTY
3 standard
0 extended

IP20
~230V
>25000
30000h
RoHs COMPLIANT
EMC
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store


ELMARK
The Brand of Electricity



SMART BULB

B05-B-A60

WI-FI SMART LED BULB A60



Smartphone Control | GET IT ON Google Play | Download on the App Store | IP20



B05-B-A60

Type: Smart LED bulb A60
- Input voltage: 220-240V AC
- Power: 9W
- Lumen: 806lm
- Colour Temp. : CCT 2700-6500K
- CRI: ≥Ra80
- For Lampholder: E27
- Wireless Standard: IEEE 802.11 b/g/n
- Material: PC V0

Control: via smart device

Functions:
- Remote Control: 16 million colors will make you feel relaxed and energized. Control it via your phone anywhere.
- Pick a Scene: 8 build-in modes, pick one according to your mood.
- Smart Scene: Customize scenes for your smart life, make the light ready when you open the door
- Voice Control: Free your hands with Alexa/Google Assistant, just say out what you want.

Download EWeLink Application.

Remote Control | Voice Control | Timing Schedule | Smart Scene | Share Control | Power on State

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
~230V
>25000
30000h
Ra≥80
RoHs COMPLIANT
EMC
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



99XLED585
99XLED586
99XLED795



99XLED587
99XLED588
99XLED821

LED PEAR BULBS



LED | warm WHITE 2700K | 240° | A↑G G | E27

99XLED585

Type: LED lamp PEAR A60 Stellar
Power: 10W
Lumens: 720lm
Lamp holder: E27

LED | neutral WHITE 4000K | 240° | A↑G G | E27

99XLED586

Type: LED lamp PEAR A60 Stellar
Power: 10W
Lumens: 720lm
Lamp holder: E27

LED | cold WHITE 6500K | 240° | A↑G G | E27

99XLED795

Type: LED lamp PEAR A60 Stellar
Power: 10W
Lumens: 720lm
Lamp holder: E27



LED | warm WHITE 2700K | 240° | A↑G G | E27

99XLED587

Type: LED lamp PEAR A60 Stellar
Power: 12W
Lumens: 860lm
Lamp holder: E27

LED | neutral WHITE 4000K | 240° | A↑G G | E27

99XLED588

Type: LED lamp PEAR A60 Stellar
Power: 12W
Lumens: 860lm
Lamp holder: E27

LED | cold WHITE 6500K | 240° | A↑G G | E27

99XLED821

Type: LED lamp PEAR A60 Stellar
Power: 12W
Lumens: 860lm
Lamp holder: E27

2 YEARS TOTAL WARRANTY
2 standard
0 extended

IP20
~230V
>15000
20000h
RoHs COMPLIANT
EMC
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store




99LED743
99LED742
99LED743CW

LED PEAR BULBS

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended


IP20
~230V
>15000
20000h
Ra≥80
RoHs COMPLIANT
EMC
CE






99LED743

Type: LED lamp PEAR A60 Stellar
Power: 15W
Lumens: 1080lm
Efficiency: 72lm/W
Lamp holder: E27



99LED742

Type: LED lamp PEAR A60 Stellar
Power: 15W
Lumens: 1080lm
Efficiency: 72lm/W
Lamp holder: E27



99LED743CW

Type: LED lamp PEAR A60 Stellar
Power: 15W
Lumens: 1080lm
Efficiency: 72lm/W
Lamp holder: E27

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



99LED585
99LED586
99LED795



99LED852

LED PEAR BULBS



LED | warm WHITE 2700K | 240° | A↑G F | E27

99LED585

Type: LED lamp PEAR A60
Power: 10W
Lumens: 900lm
Efficiency: 90lm/W
Lamp holder: E27

LED | neutral WHITE 4000K | 240° | A↑G F | E27

99LED586

Type: LED lamp PEAR A60
Power: 10W
Lumens: 900lm
Efficiency: 90lm/W
Lamp holder: E27

LED | cold WHITE 6500K | 240° | A↑G F | E27

99LED795

Type: LED lamp PEAR A60
Power: 10W
Lumens: 900lm
Efficiency: 90lm/W
Lamp holder: E27

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP20
~230V
>20000
30000h
RoHs COMPLIANT
EMC
CE

LED | neutral WHITE 4000K | 240° | A↑G G | E27

99LED852



Type: LED lamp PEAR A60
with radar sensor
Power: 10W
Lumens: 900lm
Efficiency: 90lm/W
Lamp holder: E27

Sensor

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



99LED588
99LED587
99LED821



99LED581
99LED582

LED PEAR BULBS

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
>25000
30000h
Ra≥80
RoHs COMPLIANT
EMC
CE



LED | warm WHITE 2700K | 240° | A G F | E27

99LED587

Type: LED lamp PEAR A60
Power: 12W
Lumens: 1080lm
Efficiency: 90lm/W
Lamp holder: E27

LED | neutral WHITE 4000K | 240° | A G F | E27

99LED588

Type: LED lamp PEAR A60
Power: 12W
Lumens: 1080lm
Efficiency: 90lm/W
Lamp holder: E27

LED | cold WHITE 6500K | 240° | A G F | E27

99LED821

Type: LED lamp PEAR A60
Power: 12W
Lumens: 1080lm
Efficiency: 90lm/W
Lamp holder: E27

LED | warm WHITE 2700K | 180° | A G F | DIMMABLE | E27

99LED581



Type: LED lamp PEAR A60
Power: 12W
Lumens: 1080lm
Efficiency: 90lm/W
Lamp holder: E27

LED | neutral WHITE 4000K | 180° | A G F | DIMMABLE | E27

99LED582



Type: LED lamp PEAR A60
Power: 12W
Lumens: 1080lm
Efficiency: 90lm/W
Lamp holder: E27

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



99LED819
99LED818
99LED797



99LED850WW
99LED850W
99LED850CW

LED PEAR BULBS



LED | warm WHITE 2700K | 180° | E | E27

99LED819

Type: LED lamp PEAR A60
Power: 15W
Lumens: 1500lm
Efficiency: 100lm/W
Lamp holder: E27

LED | neutral WHITE 4000K | 180° | E | E27

99LED818

Type: LED lamp PEAR A60
Power: 15W
Lumens: 1500lm
Efficiency: 100lm/W
Lamp holder: E27

LED | cold WHITE 6500K | 180° | E | E27

99LED797

Type: LED lamp PEAR A60
Power: 15W
Lumens: 1500lm
Efficiency: 100lm/W
Lamp holder: E27



LED | warm WHITE 2700K | 180° | E | E27

99LED850WW

Type: LED lamp PEAR A65
Power: 18W
Lumens: 1700lm
Efficiency: 95lm/W
Lamp holder: E27

LED | neutral WHITE 4000K | 180° | E | E27

99LED850W

Type: LED lamp PEAR A65
Power: 18W
Lumens: 1700lm
Efficiency: 95lm/W
Lamp holder: E27

LED | cold WHITE 6500K | 180° | E | E27

99LED850CW

Type: LED lamp PEAR A65
Power: 18W
Lumens: 1700lm
Efficiency: 95lm/W
Lamp holder: E27

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP20
~230V
>25000
30000h
RoHs COMPLIANT
EMC
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



HIGH EFFICIENCY
SAVE ENERGY

99LED583HE
99LED584HE
99LED794HE
99LED585HE
99LED586HE
99LED795HE

HIGH EFFICIENCY LED PEAR BULBS

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
>25000
30000h
Ra≥80
RoHs COMPLIANT
EMC
CE



LED warm WHITE 2700K 240° A G E E27

99LED583HE

Type: LED lamp PEAR A60 high efficiency
Power: 8W
Lumens: 960lm
Efficiency: 120lm/W
Lamp holder: E27

LED neutral WHITE 4000K 240° A G E E27

99LED584HE

Type: LED lamp PEAR A60 high efficiency
Power: 8W
Lumens: 960lm
Efficiency: 120lm/W
Lamp holder: E27

LED cold WHITE 6500K 240° A G E E27

99LED794HE

Type: LED lamp PEAR A60 high efficiency
Power: 8W
Lumens: 960lm
Efficiency: 120lm/W
Lamp holder: E27



LED warm WHITE 2700K 240° A G E E27

99LED585HE

Type: LED lamp PEAR A60 high efficiency
Power: 10W
Lumens: 1200lm
Lamp holder: E27

LED neutral WHITE 4000K 240° A G E E27

99LED586HE

Type: LED lamp PEAR A60 high efficiency
Power: 10W
Lumens: 1200lm
Lamp holder: E27

LED cold WHITE 6500K 240° A G E E27

99LED795HE

Type: LED lamp PEAR A60 high efficiency
Power: 10W
Lumens: 1200lm
Lamp holder: E27

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



HIGH EFFICIENCY
SAVE ENERGY

99LED587HE
99LED588HE
99LED821HE
99LED819HE
99LED818HE
99LED797HE

HIGH EFFICIENCY LED PEAR BULBS



LED | warm WHITE 2700K | 240° | E27

99LED587HE

Type: LED lamp PEAR A60 high efficiency
Power:12W
Lumens: 1440lm
Efficiency: 120lm/W
Lamp holder: E27

LED | neutral WHITE 4000K | 240° | E27

99LED588HE

Type: LED lamp PEAR A60 high efficiency
Power:12W
Lumens: 1440lm
Efficiency: 120lm/W
Lamp holder: E27

LED | cold WHITE 6500K | 240° | E27

99LED821HE

Type: LED lamp PEAR A60 high efficiency
Power:12W
Lumens: 1440lm
Efficiency: 120lm/W
Lamp holder: E27



LED | warm WHITE 2700K | 240° | E27

99LED819HE

Type: LED lamp PEAR A60 high efficiency
Power:14W
Lumens: 1680lm
Efficiency: 120lm/W
Lamp holder: E27

LED | neutral WHITE 4000K | 240° | E27

99LED818HE

Type: LED lamp PEAR A60 high efficiency
Power:14W
Lumens: 1680lm
Efficiency: 120lm/W
Lamp holder: E27

LED | cold WHITE 6500K | 240° | E27

99LED797HE

Type: LED lamp PEAR A60 high efficiency
Power:14W
Lumens: 1680lm
Efficiency: 120lm/W
Lamp holder: E27

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP20
~230V
>25000
30000h
Ra≥80
RoHs COMPLIANT
EMC
CE

Scan QR code for 3D models, IES files & price.


ELMARK
The Brand of Electricity



Settable Colour Temperature

99LED898CCT
99LED899CCT


LED PEAR BULBS WITH ADJUSTABLE COLOUR TEMPERATURE



99LED898CCT



Type: LED lamp with settable colour temperature
Power: 9W
Lumens: 810lm
Efficiency: 90lm/W
Lamp holder: E27



99LED899CCT



Type: LED lamp with settable colour temperature
Power: 11W
Lumens: 1100lm
Efficiency: 110lm/W
Lamp holder: E27

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
>20000
30000h
Ra≥80
RoHs COMPLAINT
EMC
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Compatible with DALI

page 801

ELMARK
The Brand of Electricity



12-48V

99LED842WW
99LED842W
99LED842CW
99LED843WW
99LED843W
99LED843CW

LOW VOLTAGE LED PEAR BULBS

3 YEARS TOTAL WARRANTY
3 standard
0 extended

IP20
12-48V
>25000
30000h
Ra≥80
RoHs COMPLIANT
EMC
CE



LED | warm WHITE 2700K | 240° | G | DALI DIMMABLE | E27

99LED842WW

Type: LED lamp PEAR A60
Rated voltage: 12-48V
Power: 10W
Lumens: 800lm
Efficiency: 80lm/W
Lamp holder: E27
DALI dimmable

LED | neutral WHITE 4000K | 240° | G | DALI DIMMABLE | E27

99LED842W

Type: LED lamp PEAR A60
Rated voltage: 12-48V
Power: 10W
Lumens: 800lm
Efficiency: 80lm/W
Lamp holder: E27
DALI dimmable

LED | cold WHITE 6500K | 240° | G | DALI DIMMABLE | E27

99LED842CW

Type: LED lamp PEAR A60
Rated voltage: 12-48V
Power: 10W
Lumens: 800lm
Efficiency: 80lm/W
Lamp holder: E27
DALI dimmable



LED | warm WHITE 2700K | 180° | G | DALI DIMMABLE | E27

99LED843WW

Type: LED lamp PEAR A60
Rared voltage: 12-48V
Power: 13W
Lumens: 1050lm
Efficiency: 80lm/W
Lamp holder: E27
DALI dimmable

LED | neutral WHITE 4000K | 180° | G | DALI DIMMABLE | E27

99LED843W

Type: LED lamp PEAR A60
Rared voltage: 12-48V
Power: 13W
Lumens: 1050lm
Efficiency: 80lm/W
Lamp holder: E27
DALI dimmable

LED | cold WHITE 6500K | 180° | G | DALI DIMMABLE | E27

99LED843CW

Type: LED lamp PEAR A60
Rared voltage: 12-48V
Power: 13W
Lumens: 1050lm
Efficiency: 80lm/W
Lamp holder: E27
DALI dimmable

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



99LED851



99LED976

LED CORN BULB &LED BULB WITH FLAME EFFECT

LED | warm WHITE 1500-1800K | 360° | G | E27

99LED851



Type: LED lamp with flame effect
Power: 1.5-5W
Lumens: 200lm
Efficiency: 90lm/W
Lamp holder: E27

LED | neutral WHITE 4000K | 360° | G | DIMMABLE | E14

99LED976



Type: LED dimmable corn bulb
Power: 7W
Lumens: 420lm
Efficiency: 60lm/W
Lamp holder: E14



3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
~230V
>20000
30000h
RoHs COMPLAINT
EMC
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store




99LED695
99LED694



99LED749
99LED748


LED GLOBE BULBS



99LED695




Type: LED lamp GLOBE G95
Power: 15W
Lumens: 1350lm
Efficiency: 90 lm/W
Lamp holder: E27



99LED694




Type: LED lamp GLOBE G95
Power: 15W
Lumens: 1350lm
Efficiency: 90 lm/W
Lamp holder: E27



99LED749



Type: LED lamp GLOBE G120
Power: 20W
Lumens: 1650lm
Efficiency: 83 lm/W
Lamp holder: E27



99LED748



Type: LED lamp GLOBE G120
Power: 20W
Lumens: 1650lm
Efficiency: 83 lm/W
Lamp holder: E27

3 YEARS TOTAL WARRANTY
3 standard
0 extended

IP20
~230V
>25000
30000h
RoHs COMPLAINT
EMC
CE

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



99LED439
99LED440
99LED827W
99LED827CW



99LED8M



99LED6KM

LED R50 / R80 / MOSQUITO LAMPS

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
~230V
>25000
30000h
Ra≥80
RoHs COMPLIANT
EMC
CE

Scan QR code for 3D models, IES files & price.

99LED440
99LED439

LED | 180° | G | warm WHITE 2700K | neutral WHITE 4000K | E14



Type: LED lamp R50
Power: 5.5W
Lumens: 500lm
Efficiency: 91 lm/W
Lamp holder: E14

99LED827W
99LED827CW

LED | 180° | F | neutral WHITE 4000K | cold WHITE 6400K | E27



Type: LED lamp R80
Power: 11W
Lumens: 950lm
Efficiency: 91 lm/W
Lamp holder: E27

99LED8M

LED | warm WHITE 3500K | 180° | F | DIMMABLE | E27



Type: Mosquito repellent LED lamp
Power: 8W
Lumens: 780lm
Efficiency: 97.5 lm/W
Lamp holder: E27
No smell | No noise | No flicker | No UV | Friendly to eyes

99LED6KM

LED | neutral WHITE 4000K | 200° | G | DIMMABLE | E27



Type: Mosquito killer LED lamp
Power: 6W
Lumens: 400lm
Lamp holder: E27
Efficiency: 66.7 lm/W
No smell | No noise | No flicker | No UV | Friendly to eyes

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



99LED901
99LED900
99LED901CW
99LED902CCT



Settable Colour Temperature

99LED902CCT

LED STICK BULBS & LED STICK WITH ADJUSTABLE COLOUR TEMPERATURE



LED | warm WHITE 2700K | 180° | F | E27

99LED901

Type: LED lamp STICK
Power: 15W
Lumens: 1350lm
Efficiency: 90lm/W
Lamp holder: E27

LED | neutral WHITE 4000K | 180° | F | E27

99LED900

Type: LED lamp STICK
Power: 15W
Lumens: 1350lm
Efficiency: 90lm/W
Lamp holder: E27


LED | cold WHITE 6500K | 180° | F | E27

99LED901CW

Type: LED lamp STICK
Power: 15W
Lumens: 1350lm
Efficiency: 90lm/W
Lamp holder: E27

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | F | 180° | E27

99LED902CCT



Type: LED lamp with settable colour temperature
Power: 9W
Lumens: 810lm
Efficiency: 90lm/W
Lamp holder: E27

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
~230V
>25000
30000h
RoHs COMPLIANT
EMC
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



HIGH POWER

99LED736
99LED736CW
99LED737
99LED737CW
99LED812
99LED812CW

HIGH POWER LED LAMPS

LED | 200° | A F G | E27 | neutral WHITE 4000K | cold WHITE 6000K

99LED736
99LED736CW



Type: LED lamp SMD
Power: 30W
Lumens: 2700lm
Efficiency: 90lm/W
Lamp holder: E27

LED | 200° | A F G | E27 | neutral WHITE 4000K | cold WHITE 6400K

99LED737
99LED737CW



Type: LED lamp SMD
Power: 40W
Lumens: 3600lm
Efficiency: 90lm/W
Lamp holder: E27

LED | 200° | A F G | E27 | neutral WHITE 4000K | cold WHITE 6400K

99LED812
99LED812CW



Type: LED lamp SMD
Power: 50W
Lumens: 4500lm
Efficiency: 90lm/W
Lamp holder: E27

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
~230V
>25000
30000h
Ra≥80
RoHs COMPLAINT
EMC
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



HIGH POWER

99LED853
99LED853CW



HIGH POWER

99LED854
99LED854CW

HIGH POWER LED LAMPS

LED | neutral WHITE 4000K | 360° | F | E27

99LED853



Type: High power LED lamp
Power: 40W
Lumens: 3600lm
Efficiency: 90lm/W
Lamp holder: E27
Material: Thermal conductive plastic and aluminum + PC milky white cover

LED | cold WHITE 6500K | 360° | F | E27

99LED853CW



Type: High power LED lamp
Power: 40W
Lumens: 3600lm
Efficiency: 90lm/W
Lamp holder: E27
Material: Thermal conductive plastic and aluminum + PC milky white cover

LED | neutral WHITE 4000K | 360° | F | E27

99LED854



Type: High power LED lamp
Power: 60W
Lumens: 5400lm
Efficiency: 90lm/W
Lamp holder: E27
Material: Thermal conductive plastic and aluminum + PC milky white cover

LED | cold WHITE 6500K | 360° | F | E27

99LED854CW




Type: High power LED lamp
Power: 60W
Lumens: 5400lm
Efficiency: 90lm/W
Lamp holder: E27
Material: Thermal conductive plastic and aluminum + PC milky white cover

3 YEARS TOTAL WARRANTY
3 standard
0 extended


IP20
~230V
>25000
30000h
RoHs COMPLIANT
EMC
CE

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



99LED791
99LED766



99LED792
99LED767



99LED793
99LED768

LED MOULD FOR CELLING LAMP


3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
~230V
>25000
30000h
Ra≥80
RoHs COMPLIANT
EMC
CE

LED | 120° | A T G E

warm WHITE 2700K
neutral WHITE 4000K

99LED791
99LED766




Type: LED mould for ceiling lamp
Rated voltage: 230V AC
Power: 9W
Lumens: 900lm
Efficiency: 100lm/W
Material: Epoxy board + PC

LED | 120° | A T G E

warm WHITE 2700K
neutral WHITE 4000K

99LED792
99LED767




Type: LED mould for ceiling lamp
Rated voltage: 230V AC
Power: 18W
Lumens: 1800lm
Efficiency: 100lm/W
Material: Epoxy board + PC

LED | 120° | A T G E

warm WHITE 2700K
neutral WHITE 4000K

99LED793
99LED768



Type: LED mould for ceiling lamp
Rated voltage: 230V AC
Power: 22W
Lumens: 2200lm
Efficiency: 100lm/W
Material: Epoxy board + PC

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



12V DC

99LED766T




12V DC

99LED767T

LED MOULD FOR CELLING LAMP

LED | neutral WHITE 4000K | 120° | A↑G E


99LED766T



Type: LED mould for ceiling lamp
Rated voltage: 12V DC
Power: 9W
Lumens: 900lm
Efficiency: 100lm/W
Material: Epoxy board + PC

LED | neutral WHITE 4000K | 120° | A↑G E

99LED767T



Type: LED mould for ceiling lamp
Rated voltage: 12V DC
Power: 18W
Lumens: 1800lm
Efficiency: 100lm/W
Material: Epoxy board + PC

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
12V DC
>25000
30000h
RoHs COMPLIANT
EMC
CE

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



99LED825



99LED826



99LED822



99LED823



99LED824

LED COLOUR LAMPS

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
~230V
>15000
20000h
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.



LED | RED | 360° | E27

99LED825

Type: LED colour lamp
Power: 3W
Colour light: Red
Lamp holder: E27

LED | YELLOW | 360° | E27

99LED826

Type: LED colour lamp
Power: 3W
Colour light: Yellow
Lamp holder: E27

LED | BLUE | 360° | E27

99LED822

Type: LED colour lamp
Power: 3W
Colour light: Blue
Lamp holder: E27



LED | GREEN | 360° | E27

99LED823

Type: LED colour lamp
Power: 3W
Colour light: Green
Lamp holder: E27

LED | WHITE | 360° | E27 | G

99LED824

Type: LED colour lamp
Power: 3W
Colour light: White
Lamp holder: E27

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



99LED446
99LED445



99LED905
99LED904



99LED936WW
99LED936W
99LED936CW

LED T25 / AR111 / PAR30

LED | 180° | A F G | warm WHITE 2700K | neutral WHITE 4000K | E14


99LED446
99LED445



Type: LED lamp T25
Power: 2W
Lumens: 170lm
Efficiency: 85lm/W
Lamp holder: E14

LED | 36° | A F G | warm WHITE 2700K | neutral WHITE 4000K | DIMMABLE | G53

99LED905
99LED904



Type: High power LED lamp AR111
Power: 11W
Lumens: 990lm
Efficiency: 85lm/W
Lamp holder: G53

LED | warm WHITE 2700K | 38° | A G E | E27

99LED936WW



Type: LED lamp PAR30
Power: 15W
Lumens: 1350lm
Efficiency: 90lm/W
Lamp holder: E27

LED | neutral WHITE 4000K | 38° | A G E | E27

99LED936W

Type: LED lamp PAR30
Power: 15W
Lumens: 1350lm
Efficiency: 90lm/W
Lamp holder: E27

LED | cold WHITE 6500K | 38° | A G E | E27

99LED936CW

Type: LED lamp PAR30
Power: 15W
Lumens: 1350lm
Efficiency: 90lm/W
Lamp holder: E27

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
~230V
>25000
30000h
Ra≥80
RoHs COMPLAINT
EMC
CE

Scan QR code for 3D models, IES files & price.



99XLED728
99XLED727
99XLED731
99XLED730
99XLED729
99XLED796

LED GU10

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP20
~230V
>25000
15000h
RoHs COMPLIANT
EMC
CE



LED | warm WHITE 2700K | 120° | A G | G | GU10

99XLED728

Type: LED lamp SMD
Power: 3.5W
Lumens: 250lm
Efficiency: 71.5lm/W
Lamp holder: GU10

LED | neutral WHITE 4000K | 120° | A G | G | GU10

99XLED727

Type: LED lamp SMD
Power: 3.5W
Lumens: 250lm
Efficiency: 71.5lm/W
Lamp holder: GU10

LED | cold WHITE 6500K | 120° | A G | G | GU10

99XLED731

Type: LED lamp SMD
Power: 3.5W
Lumens: 250lm
Efficiency: 71.5lm/W
Lamp holder: GU10



LED | warm WHITE 2700K | 120° | A G | G | GU10

99XLED730

Type: LED lamp SMD
Power: 7W
Lumens: 500lm
Efficiency: 71.5lm/W
Lamp holder: GU10

LED | neutral WHITE 4000K | 120° | A G | G | GU10

99XLED729

Type: LED lamp SMD
Power: 7W
Lumens: 500lm
Efficiency: 71.5lm/W
Lamp holder: GU10

LED | cold WHITE 6500K | 120° | A G | G | GU10

99XLED796

Type: LED lamp SMD
Power: 7W
Lumens: 500lm
Efficiency: 71.5lm/W
Lamp holder: GU10

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



99LED728
99LED727
99LED732
99LED731
99LED730
99LED729
99LED796

LED GU10

LED | 120° | A F G | warm WHITE 2700K | neutral WHITE 4000K | GU10

99LED728 / 99LED727



Type: LED lamp SMD
Power: 3W
Lumens: 270lm
Efficiency: 90lm/W
Lamp holder: GU10

LED | 120° | A F G | warm WHITE 2700K | neutral WHITE 4000K | DIMMABLE | GU10

99LED732 / 99LED731



Type: LED lamp SMD
Power: 6.5W
Lumens: 585lm
Efficiency: 90lm/W
Lamp holder: GU10

LED | warm WHITE 2700K | 120° | A F G | GU10

99LED730



Type: LED lamp SMD
Power: 6.5W
Lumens: 585lm
Efficiency: 90lm/W
Lamp holder: GU10

LED | neutral WHITE 4000K | 120° | A F G | GU10

99LED729

Type: LED lamp SMD
Power: 6.5W
Lumens: 585lm
Efficiency: 90lm/W
Lamp holder: GU10

LED | cold WHITE 6400K | 120° | A F G | GU10

99LED796

Type: LED lamp SMD
Power: 6.5W
Lumens: 585lm
Efficiency: 90lm/W
Lamp holder: GU10

3 YEARS TOTAL WARRANTY
3 standard
0 extended

IP20
~230V
>25000
30000h
Ra≥80
RoHs COMPLIANT
EMC
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



38° BEAM ANGLE

99LED832WW
99LED832W
99LED832CW



99LED831WW
99LED831W
99LED831CW

LED GU10

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
~230V
>25000
30000h
Ra≥80
RoHs COMPLIANT
EMC
CE



LED | warm WHITE 2700K | 38° | A G | F | GU10

99LED832WW

Type: LED lamp SMD
Power: 7W
Lumens: 540lm
Efficiency: 77 lm/W
Lamp holder: GU10

LED | neutral WHITE 4000K | 38° | A G | F | GU10

99LED832W

Type: LED lamp SMD
Power: 7W
Lumens: 540lm
Efficiency: 77 lm/W
Lamp holder: GU10

LED | cold WHITE 6500K | 38° | A G | F | GU10

99LED832CW

Type: LED lamp SMD
Power: 7W
Lumens: 540lm
Efficiency: 77 lm/W
Lamp holder: GU10



LED | warm WHITE 2700K | 120° | A G | G | GU10

99LED831WW

Type: LED lamp SMD
Power: 8W
Lumens: 720lm
Efficiency: 90lm/W
Lamp holder: GU10

LED | neutral WHITE 4000K | 120° | A G | G | GU10

99LED831W

Type: LED lamp SMD
Power: 8W
Lumens: 720lm
Efficiency: 90lm/W
Lamp holder: GU10

LED | cold WHITE 6400K | 120° | A G | G | GU10

99LED831CW

Type: LED lamp SMD
Power: 8W
Lumens: 720lm
Efficiency: 90lm/W
Lamp holder: GU10

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



HIGH EFFICIENCY
SAVE ENERGY

99LED831HEWW
99LED831HEW
99LED831HECW



Settable Colour Temperature

99LED459CCT

HIGH EFFICIENCY LED GU10 & LED GU10 WITH ADJUSTABLE COLOUR TEMPERATURE



LED | warm WHITE 2700K | 120° | F | GU10

99LED831HEWW

Type: LED lamp SMD
Power: 7W
Lumens: 700lm
Efficiency: 100 lm/W
Lamp holder: GU10

LED | neutral WHITE 4000K | 120° | F | GU10

99LED831HEW

Type: LED lamp SMD
Power: 7W
Lumens: 700lm
Efficiency: 100 lm/W
Lamp holder: GU10

LED | cold WHITE 6400K | 120° | F | GU10

99LED831HECW

Type: LED lamp SMD
Power: 7W
Lumens: 700lm
Efficiency: 100 lm/W
Lamp holder: GU10

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | G | 60° | GU10

99LED459CCT



Type: LED lamp with settable colour temperature
Power: 7W
Lumens: 560lm
Efficiency: 80lm/W
Lamp holder: GU10

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP20
~230V
>25000
30000h
Ra≥80
RoHs COMPLAINT
EMC
CE

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



HIGH EFFICIENCY
HIGH POWER
SAVE ENERGY

99LED832HEWW
99LED832HEW
99LED832HECW
99LED833HEWW
99LED833HEW
99LED833HECW

HIGH EFFICIENCY LED GU10

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP20
~230V
>25000
30000h
Ra≥80
RoHs COMPLIANT
EMC
CE



LED | warm WHITE 2700K | 38° | A↑G E | GU10

99LED832HEWW

Type: LED lamp SMD
Power: 9W
Lumens: 1000lm
Efficiency: 110lm/W
Lamp holder: GU10

LED | neutral WHITE 4000K | 38° | A↑G E | GU10

99LED832HEW

Type: LED lamp SMD
Power: 9W
Lumens: 1000lm
Efficiency: 110lm/W
Lamp holder: GU10

LED | cold WHITE 6500K | 38° | A↑G E | GU10

99LED832HECW

Type: LED lamp SMD
Power: 9W
Lumens: 1000lm
Efficiency: 110lm/W
Lamp holder: GU10



LED | warm WHITE 2700K | 38° | A↑G F | GU10

99LED833HEWW

Type: LED lamp SMD
Power: 11W
Lumens: 1200lm
Efficiency: 109lm/W
Lamp holder: GU10

LED | neutral WHITE 4000K | 38° | A↑G F | GU10

99LED833HEW

Type: LED lamp SMD
Power: 11W
Lumens: 1200lm
Efficiency: 109lm/W
Lamp holder: GU10

LED | cold WHITE 6500K | 38° | A↑G F | GU10

99LED833HECW

Type: LED lamp SMD
Power: 11W
Lumens: 1200lm
Efficiency: 109lm/W
Lamp holder: GU10

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



12V DC

99LED841WW
99LED841W
99LED841CW



12V DC

99LED880WW
99LED880

LOW VOLTAGE LED LAMPS GU10 & GU5.3



LED | warm WHITE 2700K | 120° | G | DALI DIMMABLE | GU10

99LED841WW

Type: LED lamp SMD
Rated voltage: 12V DC
Power: 7W
Lumens: 490lm
Efficiency: 70lm/W
Lamp holder: GU10

LED | neutral WHITE 4000K | 120° | G | DALI DIMMABLE | GU10

99LED841W

Type: LED lamp SMD
Rated voltage: 12V DC
Power: 7W
Lumens: 490lm
Efficiency: 70lm/W
Lamp holder: GU10

LED | cold WHITE 6400K | 120° | G | DALI DIMMABLE | GU10

99LED841CW

Type: LED lamp SMD
Rated voltage: 12V DC
Power: 7W
Lumens: 490lm
Efficiency: 70lm/W
Lamp holder: GU10

LED | 120° | F | GU5.3 | warm WHITE 2700K | neutral WHITE 4000K

99LED880WW

99LED880



Type: LED lamp SMD
Rated voltage: 12V DC
Power: 6W
Lumens: 480lm
Efficiency: 80lm/W
Lamp holder: GU5.3

3 YEARS TOTAL WARRANTY
3 standard
0 extended

IP20
12V DC
>25000
30000h
Ra≥80
RoHs COMPLAINT
EMC
CE

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



99LED815
99LED816
99LED817





99LED933
99LED933W
99LED933CW

LED G9

3 YEARS TOTAL WARRANTY
3 standard + 0 extended


IP20
~230V
>25000
30000h
Ra≥80
RoHS COMPLIANT
EMC
CE






99LED815

Type: LED lamp SMD
Power: 4W
Lumens: 350lm
Efficiency: 87.5lm/W
Lamp holder: G9




99LED816


Type: LED lamp SMD
Power: 4W
Lumens: 350lm
Efficiency: 87.5lm/W
Lamp holder: G9



99LED817


Type: LED lamp SMD
Power: 4W
Lumens: 350lm
Efficiency: 87.5lm/W
Lamp holder: G9






99LED933

Type: LED lamp SMD
Power: 7W
Lumens: 630lm
Efficiency: 90lm/W
Lamp holder: G9



99LED933W

Type: LED lamp SMD
Power: 7W
Lumens: 630lm
Efficiency: 90lm/W
Lamp holder: G9



99LED933CW

Type: LED lamp SMD
Power: 7W
Lumens: 630lm
Efficiency: 90lm/W
Lamp holder: G9

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store




99LED918WW
99LED918W
99LED918CW



99LED813

LED G9 / G4



LED | warm WHITE 2700K | 300° | F | DIMMABLE | G9

99LED918WW

Type: LED lamp SMD
Power: 7W
Rated voltage: 220V AC
Lumens: 700lm
Efficiency: 100lm/W
Lamp holder: G9

LED | neutral WHITE 4000K | 300° | F | DIMMABLE | G9

99LED918W

Type: LED lamp SMD
Power: 7W
Rated voltage: 220V AC
Lumens: 700lm
Efficiency: 100lm/W
Lamp holder: G9

LED | cold WHITE 6500K | 300° | F | DIMMABLE | G9

99LED918CW


Type: LED lamp SMD
Power: 7W
Rated voltage: 220V AC
Lumens: 700lm
Efficiency: 100lm/W
Lamp holder: G9

3 YEARS TOTAL WARRANTY
3 standard
0 extended

IP20
>25000
30000h
RoHs COMPLIANT
EMC
CE

LED | warm WHITE 3000K | 300° | F | G4

99LED813



Type: LED lamp SMD
Rated voltage: 12V DC
Power: 1.2W
Lumens: 100lm
Lamp holder: G4

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



Settable Colour Temperature

99LED443/CCT



Settable Colour Temperature

99LED445/CCT



Settable Colour Temperature

99LED444/CCT



Settable Colour Temperature

99LED446/CCT

LED R7s / LED GX53

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
~230V
>20000
30000h
Ra≥80
RoHs COMPLAINT
EMC
CE

Scan QR code for 3D models, IES files & price.

99LED443/CCT

LED | warm WHITE 2700K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | 360° | A↑G E | R7s



Type: LED lamp with settable colour temperature
Power: 3.2W
Lumens: 400lm
Efficiency: 125lm/W
Lamp holder: R7s

99LED444/CCT


LED | warm WHITE 2700K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | 360° | A↑G E | R7s



Type: LED lamp with settable colour temperature
Power: 7.5W
Lumens: 850lm
Efficiency: 113lm/W
Lamp holder: R7s

99LED445/CCT


LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | 112° | A↑G E



Type: LED lamp with settable colour temperature
Power: 3W
Lumens: 410lm
Efficiency: 136lm/W
Lamp holder: GX53

99LED446/CCT

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | 112° | A↑G E




Type: LED lamp with settable colour temperature
Power: 10W
Lumens: 1200lm
Efficiency: 120lm/W
Lamp holder: GX53

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



99LED930

LED PLL



99LED930



Type: LED PLL lamp
Power: 20W
Lumens: 2000lm
Efficiency: 100lm/W
Lamp holder: 2G11

3 YEARS TOTAL WARRANTY
3 standard
0 extended

IP20
~230V
>20000
30000h
RoHs COMPLAINT
EMC
CE

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity




FRESH LIGHT LED TUBE T8 FOR MEAT & FRUITS

3 YEARS TOTAL WARRANTY
3 standard
0 extended


IP20
~230V
SMD 4014
>25000
30000h
Ra≥80
RoHs COMPLAINT
EMC
CE

99LED960M




Type: LED tube T8 for meat
Power: 9W
Lumens: 585lm
Efficiency: 65lm/W
Lamp holder: G13
Red LED tube with spacial purpose used for meat in supermarkets.

99LED962M




Type: LED tube T8 for meat
Power: 18W
Lumens: 1170lm
Lamp holder: G13
Efficiency: 65lm/W
Red LED tube with spacial purpose used for meat in supermarkets.

99LED963F



Type: LED tube T8 for fruits and vegetables
Power: 9W
Lumens: 720lm
Efficiency: 80lm/W
Lamp holder: G13
Green LED tube with spacial purpose used for fruits and vegetables in supermarkets.

99LED965F



Type: LED tube T8 for fruits and vegetables
Power: 18W
Lumens: 1440lm
Efficiency: 80lm/W
Lamp holder: G13
Green LED tube with spacial purpose used for fruits and vegetables in supermarkets.

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity




99LED966B
99LED968B

FRESH LIGHT LED TUBE T8 FOR BREAD


LED | warm WHITE 3000K | 300° | F | G13

99LED966B



Type: LED tube T8 for bread
Power: 9W
Lumens: 810lm
Efficiency: 90lm/W
Lamp holder: G13
LED tube with spacial purpose used for bread in supermarkets.

99LED968B



Type: LED tube T8 for bread
Power: 18W
Lumens: 1620lm
Efficiency: 90lm/W
Lamp holder: G13
LED tube with spacial purpose used for bread in supermarkets.

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
~230V
SMD 4014
>25000
30000h
Ra≥80
RoHs COMPLIANT
EMC
CE

Through the colour mixing technology to achieve unparalleled lighting effect and effectively improve the fresh food area to attract customer different occasions, green for vegetable and fruit departament. Red in generally used for meat lighting to show the delicios meat and you could always find the lighting that you need. Application- supermarket, shelves, freezer stores, departament stores counters.



99LED960M
99LED962M



99LED963F
99LED965F



99LED966B
99LED968B

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

stellar



LED TUBES T8, STELLAR


ROTATING

2 YEARS TOTAL WARRANTY
+ 2 standard 0 extended

IP20
~230V
SMD 4014
>20000
15000h
Ra≥80
RoHs COMPLAINT
EMC
CE

99XLED352 / 99XLED351N


LED | 270° | G | G13 | neutral WHITE 4000K | cold WHITE 6400K



Type: LED tube T8 Stellar
Power: 9W
Lumens: 720lm
Efficiency: 80lm/W
Lamp holder: G13

99XLED355 / 99XLED354


LED | 270° | G | G13 | neutral WHITE 4000K | cold WHITE 6400K



Type: LED tube T8 Stellar
Power: 18W
Lumens: 1440lm
Efficiency: 80lm/W
Lamp holder: G13

99XLED448 / 99XLED447

LED | 270° | G | G13 | neutral WHITE 4000K | cold WHITE 6400K



Type: LED tube T8 Stellar
Power: 24W
Lumens: 1920lm
Efficiency: 80lm/W
Lamp holder: G13

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



99LED352
99LED351



99LED355
99LED354




99LED448
99LED447

ROTATING LED TUBES T8, ELMARK


LED | 300° | A F G | F | neutral WHITE 4000K | cold WHITE 6400K | G13

99LED352M
99LED351M




Type: LED tube T8 ELMARK
Power: 10W
Lumens: 900lm
Efficiency: 90lm/W
Lamp holder: G13

99LED355M
99LED354M



Type: LED tube T8 ELMARK
Power: 18W
Lumens: 1850lm
Efficiency: 103lm/W
Lamp holder: G13

99LED448M
99LED447M



Type: LED tube T8 ELMARK
Power: 24W
Lumens: 2400lm
Efficiency: 100lm/W
Lamp holder: G13

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
~230V
SMD 4014
>25000
30000h
Ra≥80
RoHs COMPLIANT
EMC
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity




ROTATING HIGH EFFICIENCY LED TUBES T8, ELMARK

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
SMD 4014
>25000
30000h
Ra≥80
RoHs COMPLAINT
EMC
CE

99LED352MHE
99LED351MHE


LED | 270° | D | G13 | neutral WHITE 4000K | cold WHITE 6400K



Type: High efficiency LED tube T8 ELMARK
Power: 9W
Lumens: 1350lm
Efficiency: 150lm/W
Lamp holder: G13

99LED355MHE
99LED354MHE

LED | 270° | D | G13 | neutral WHITE 4000K | cold WHITE 6400K



Type: High efficiency LED tube T8 ELMARK
Power: 18W
Lumens: 2700lm
Efficiency: 150lm/W
Lamp holder: G13

99LED448MHE
99LED447MHE


LED | 270° | D | G13 | neutral WHITE 4000K | cold WHITE 6400K



Type: High efficiency LED tube T8 ELMARK
Power: 24W
Lumens: 3600lm
Efficiency: 150lm/W
Lamp holder: G13

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



99LED928
99LED926

99LED929
99LED927

LED TUBES T5, ELMARK

ROTATING

LED | 300° | A F G | F | neutral WHITE 4000K | **99LED928**


G5 | cold WHITE 6400K | **99LED926**



Type: LED tube T5 ELMARK
Power: 10W
Lumens: 1100lm
Efficiency: 110lm/W
Lamp holder: G5

LED | 300° | A F G | F | neutral WHITE 4000K | **99LED929**

G5 | cold WHITE 6400K | **99LED927**



Type: LED tube T5 ELMARK
Power: 20W
Lumens: 2200lm
Efficiency: 110lm/W
Lamp holder: G5

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
~230V
SMD 4014
>20000
30000h
Ra≥80
RoHs COMPLIANT
EMC
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



99XLED311
99XLED316



99XLED306
99XLED305



99XLED313
99XLED312

LED STRIPS LED 150 RGB & LED 300 12V DC

2 YEARS TOTAL WARRANTY
2 standard + 0 extended

12V DC
SMD 5050
15000h
REEL 5m
RoHs COMPLIANT
CE

99XLED311

LED | RGB | 120°



IP20

Type: LED 150 RGB
Power: 7.2 W/m
LEDs quantity: 30 pc/m
LED chip: 5050
Width: 10 mm
Flex white FCB, double layer, mark cut.

99XLED316

LED | RGB | 120°



IP65

Type: LED 150 RGB
Power: 7.2 W/m
LEDs quantity: 30 pc/m
LED chip: 5050
Width: 10 mm
Flex white FCB, double layer, mark cut, with mount. brackets.

99XLED306 / 99XLED305

LED | 120° | A G | G | warm WHITE 2700-3000K | cold WHITE 6000-6500K



IP20

Type: LED 300
Power: 4.8 W/m
Luminous efficiency: 3-4 lm/LED
LEDs quantity: 60 pc/m
LED chip: 2835
Width: 8 mm
Flex white PCB, single layer, mark cut.

99XLED313 / 99XLED312

LED | 120° | A G | G | warm WHITE 2700-3000K | cold WHITE 6000-6500K



IP65

Type: LED 300
Power: 4.8 W/m
Luminous efficiency: 3-4 lm/LED
LEDs quantity: 60 pc/m
LED chip: 2835
Width: 8 mm
Flex white PCB, single layer, mark cut, with mount. brackets.

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



99XLED310
99XLED322
99XLED309



99XLED318
99XLED319
99XLED317

LED STRIPS LED 300 12V DC



IP20

Flex white FCB, double layer, mark cut

99XLED310

LED | warm WHITE 2700-3000K | 120° | G

Type: LED 300
Power: 14.4 W/m
LEDs quantity: 60 pc/m
LED chip: 5050
Width: 10 mm

99XLED322

LED | neutral WHITE 4000-4300K | 120° | G

Type: LED 300
Power: 14.4 W/m
LEDs quantity: 60 pc/m
LED chip: 5050
Width: 10 mm

99XLED309

LED | cold WHITE 6000-6500K | 120° | G

Type: LED 300
Power: 14.4 W/m
LEDs quantity: 60 pc/m
LED chip: 5050
Width: 10 mm



IP65

Flex white FCB, double layer, mark cut, with mount. brackets.

99XLED318

LED | warm WHITE 2700-3000K | 120° | G

Type: LED 300
Power: 14.4 W/m
LEDs quantity: 60 pc/m
LED chip: 5050
Width: 10 mm

99XLED319

LED | neutral WHITE 4000-4300K | 120° | G

Type: LED 300
Power: 14.4 W/m
LEDs quantity: 60 pc/m
LED chip: 5050
Width: 10 mm

99XLED317

LED | cold WHITE 6000-6500K | 120° | G

Type: LED 300
Power: 14.4 W/m
LEDs quantity: 60 pc/m
LED chip: 5050
Width: 10 mm

2 YEARS TOTAL WARRANTY
2 standard + 0 extended

12V DC
SMD 5050
15000h
REEL 5m
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Compatible with DALI

page 801

ELMARK
The Brand of Electricity



99LED676
99LED670
99LED671



99LED683
99LED677
99LED678

LED STRIPS LED 300 12V DC

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

12V DC
SMD 5050
30000h
REEL 5m
RoHs COMPLAINT
CE

99LED676

LED | RGB | 120°



IP20

Type: LED 300 RGB
Power: 14.4 W/m
LEDs quantity: 60 pc/m
LED chip: 5050
Width: 10 mm
Flex white PCB, with 3M adhere attached, mark cut.
**DALI dimmable*

99LED683

LED | RGB | 120°



IP65

Type: LED 300 RGB
Power: 14.4 W/m
LEDs quantity: 60 pc/m
LED chip: 5050
Width: 10 mm
Flex white PCB, mark cut, with mount. brackets.
**DALI dimmable*

99LED670 / 99LED671

LED | 120° | A F G | F | warm WHITE 2700-3000K | cold WHITE 6200-6500K



IP20

Type: LED 300
Power: 14.4 W/m
LEDs quantity: 60 pc/m
LED chip: 5050
Width: 10 mm
Flex white PCB, with 3M adhere attached, mark cut.
**DALI dimmable*

99LED677 / 99LED678

LED | 120° | A F G | F | warm WHITE 2700-3000K | cold WHITE 6200-6500K



IP65

Type: LED 300
Power: 14.4 W/m
LEDs quantity: 60 pc/m
LED chip: 5050
Width: 10 mm
Flex white PCB, mark cut, with mount. brackets.
**DALI dimmable*

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Compatible with DALI

page 801

ELMARK
The Brand of Electricity



99LED672
99LED673
99LED674
99LED675



99LED679
99LED680
99LED681
99LED682

COLOUR LED STRIPS LED 300 12V DC

LED 120°



IP20

99LED672
YELLOW 587-592K

Type: LED strip ELMARK
Power: 14.4 W/m
LEDs quantity: 60 pc/m
LED Chip: 5050
Width: 10 mm
DALI dimmable

99LED673
GREEN 520-525K

Type: LED strip ELMARK
Power: 14.4 W/m
LEDs quantity: 60 pc/m
LED Chip: 5050
Width: 10 mm
DALI dimmable

99LED674
BLUE 465-470K

Type: LED strip ELMARK
Power: 14.4 W/m
LEDs quantity: 60 pc/m
LED Chip: 5050
Width: 10 mm
DALI dimmable

99LED675
RED 620-630K

Type: LED strip ELMARK
Power: 14.4 W/m
LEDs quantity: 60 pc/m
LED Chip: 5050
Width: 10 mm
DALI dimmable

Flex white PCB, with 3m adhere attached, mark cut

LED 120°



IP65

99LED679
YELLOW 587-592K

Type: LED strip ELMARK
Power: 14.4 W/m
LEDs quantity: 60 pc/m
LED Chip: 5050
Width: 10 mm
DALI dimmable

99LED680
GREEN 520-525K

Type: LED strip ELMARK
Power: 14.4 W/m
LEDs quantity: 60 pc/m
LED Chip: 5050
Width: 10 mm
DALI dimmable

99LED681
BLUE 465-470K

Type: LED strip ELMARK
Power: 14.4 W/m
LEDs quantity: 60 pc/m
LED Chip: 5050
Width: 10 mm
DALI dimmable

99LED682
RED 620-630K

Type: LED strip ELMARK
Power: 14.4 W/m
LEDs quantity: 60 pc/m
LED Chip: 5050
Width: 10 mm
DALI dimmable

Flex white PCB, mark cut, with mount. brackets.

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

12V DC
SMD 5050
30000h
REEL 5m
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



99XLED308
99XLED321
99XLED307



99XLED315
99XLED320
99XLED314

LED STRIPS LED 600 12V DC

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

12V DC
SMD 5050
15000h
REEL 5m
RoHs COMPLAINT
CE



IP20

LED warm WHITE 2700-3000K 120° A G G

99XLED308

Type: LED 600
Power: 9.6 W/m
LEDs quantity: 120 pc/m
LED chip: 2835
Width: 8 mm

LED neutral WHITE 4000-4300K 120° A G G

99XLED321

Type: LED 600
Power: 9.6 W/m
LEDs quantity: 120 pc/m
LED chip: 2835
Width: 8 mm

LED cold WHITE 6000-6500K 120° A G G

99XLED307

Type: LED 600
Power: 9.6 W/m
LEDs quantity: 120 pc/m
LED chip: 2835
Width: 8 mm

Flex white FCB, double layer, mark cut.



IP65

LED warm WHITE 2700-3000K 120° A G G

99XLED315

Type: LED 600
Power: 9.6 W/m
LEDs quantity: 120 pc/m
LED chip: 2835
Width: 8 mm

LED neutral WHITE 4000-4300K 120° A G G

99XLED320

Type: LED 600
Power: 9.6 W/m
LEDs quantity: 120 pc/m
LED chip: 2835
Width: 8 mm

LED cold WHITE 6000-6500K 120° A G G

99XLED314

Type: LED 600
Power: 9.6 W/m
LEDs quantity: 120 pc/m
LED chip: 2835
Width: 8 mm

Flex white FCB, double layer, mark cut, with mount. brackets.

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Compatible with DALI

page 801

ELMARK
The Brand of Electricity



99LED666
99LED667



99LED668
99LED669

LED STRIPS LED 600 12V DC

LED | 120° | A F G | F

warm WHITE 2700-3000K — **99LED666**

cold WHITE 6200-6500K — **99LED667**



Type: LED strip 600 ELMARK
Power: 9.6 W/m
LEDs quantity: 120 pc/m
LED Chip: 2835
Width: 8 mm
Flex white PCB, with 3m adhere attached, mark cut.
**DALI dimmable*

IP20

LED | 120° | A F G | F

warm WHITE 2700-3000K — **99LED668**

cold WHITE 6200-6500K — **99LED669**



Type: LED strip 600 ELMARK
Power: 9.6 W/m
LEDs quantity: 120 pc/m
LED Chip: 2835
Width: 8 mm
Flex white FCB, double layer, mark cut, with mount. brackets.
**DALI dimmable*

IP65

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

12V DC
SMD 2835
30000h
REEL 5m
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Compatible with DALI

page 801

ELMARK
The Brand of Electricity



99LED688
99LED689



99LED691
99LED692



99LED684
99LED685



99LED686
99LED687

LED STRIPS LED 600 & LED 1200 12V DC

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

12V DC
30000h
REEL 5m
RoHS COMPLIANT
CE

LED | 120° | A T G F

warm WHITE 2700-3000K
cold WHITE 6000-6500K

99LED688
99LED689

Type: LED 600
Power: 29 W/m
LEDs quantity: 2X60 pc/m
LED chip: 5050
Width: 12 mm
Flex white PCB, with 3M adhere attached, mark cut.
**DALI dimmable*



IP20

99LED691
99LED692

Type: LED 600
Power: 29 W/m
LEDs quantity: 2X60 pc/m
LED chip: 5050
Width: 12 mm
Flex white PCB hollow tube waterproof IP65, mark cut, with mount. brackets.
**DALI dimmable*



IP65

99LED684
99LED685

Type: LED 1200
Power: 20 W/m
LEDs quantity: 2X120 pc/m
LED chip: 5050
Width: 12 mm
Flex white PCB, with 3M adhere attached, mark cut.
**DALI dimmable*



IP20

99LED686
99LED687

Type: LED 1200
Power: 20 W/m
LEDs quantity: 2X120 pc/m
LED chip: 5050
Width: 12 mm
Flex white PCB hollow tube waterproof IP65, mark cut, with mount. brackets.
**DALI dimmable*



IP65

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Compatible with DALI

page 801

ELMARK
The Brand of Electricity



99LED690



99LED693



99LED884

RGB + WHITE

LED STRIPS LED 600 & LED 300 RGB+W 12V DC

LED | RGB | 120°

99LED690

Type: LED 600 RGB
Power: 29 W/m
LEDs quantity: 2X60 pc/m
LED chip: 5050
Width: 12 mm
Flex white PCB, with 3M adhere attached, mark cut.
**DALI dimmable*



IP20

LED | RGB | 120°

99LED693

Type: LED 600 RGB
Power: 29 W/m
LEDs quantity: 2X60 pc/m
LED chip: 5050
Width: 12 mm
Flex white PCB hollow tube waterproof IP65, mark cut, with mount. brackets.
**DALI dimmable*



IP65

LED | RGB+WHITE | 120°

99LED884

Type: LED 300 RGB+WHITE
Power: 14.4 W/m
LEDs quantity: 60 pc/m
LED chip: 5050
Width: 10 mm
Flex white PCB, with 3M adhere attached, mark cut.
**DALI dimmable*



IP20





5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

12V DC
SMD 5050
30000h
REEL 5m
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Compatible with DALI

page 801

ELMARK
The Brand of Electricity



99LED866
99LED867



99LED874
99LED875



99LED864
99LED865



99LED872
99LED873

LED STRIPS LED 300 & LED 600 24V DC

LED | 120° | F | warm WHITE 2700-3000K | cold WHITE 6200-6500K

99LED866
99LED867



IP20

Type: LED 300
Power: 14.4 W/m
LEDs quantity: 60 pc/m
LED chip: 5050
Width: 10 mm
Flex white PCB, with 3m adhere attached, mark cut
**DALI dimmable*

LED | 120° | F | warm WHITE 2700-3000K | cold WHITE 6200-6500K

99LED874
99LED875



IP65

Type: LED 300
Power: 14.4 W/m
LEDs quantity: 60 pc/m
LED chip: 5050
Width: 10 mm
Flex white PCB hollow tube waterproof IP65, mark cut, with mount. brackets.
**DALI dimmable*

LED | 120° | F | warm WHITE 2700-3000K | cold WHITE 6000-6500K

99LED864
99LED865



IP20

Type: LED 600
Power: 9.6W/m
LEDs quantity: 120 pc/m
LED chip: 2835
Width: 8 mm
Flex white PCB, with 3M adhere attached, mark cut
**DALI dimmable*

LED | 120° | F | warm WHITE 2700-3000K | cold WHITE 6000-6500K

99LED872
99LED873



IP65

Type: LED 600
Power: 9.6 W/m
LEDs quantity: 120 pc/m
LED chip: 2835
Width: 10 mm
Flex white PCB hollow tube waterproof IP65, mark cut, with mount. brackets.
**DALI dimmable*

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

24V DC
30000h
REEL 5m
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Compatible with DALI

page 801

ELMARK
The Brand of Electricity



99LED868
99LED869
99LED870
99LED871



99LED876
99LED877
99LED878
99LED879

COLOUR LED STRIPS LED 600 24V DC

LED 120°



IP20

99LED868
YELLOW 587-592K

Type: LED strip
Power: 9.6 W/m
LEDs quantity: 120 pc/m
LED chip: 2835
Width: 8 mm
DALI dimmable

99LED869
GREEN 520-525K

Type: LED strip
Power: 9.6 W/m
LEDs quantity: 120 pc/m
LED chip: 2835
Width: 8 mm
DALI dimmable

99LED870
BLUE 465-470K

Type: LED strip
Power: 9.6 W/m
LEDs quantity: 120 pc/m
LED chip: 2835
Width: 8 mm
DALI dimmable

99LED871
RED 620-630K

Type: LED strip
Power: 9.6 W/m
LEDs quantity: 120 pc/m
LED chip: 2835
Width: 8 mm
DALI dimmable

Flex white PCB, with 3m adhere attached, mark cut

LED 120°



IP65

99LED876
YELLOW 587-592K

Type: LED stripPower: 9.6 W/m
LEDs quantity: 120 pc/m
LED chip: 2835
Width: 8 mm
DALI dimmable

99LED877
GREEN 520-525K

Type: LED strip
Power: 9.6 W/m
LEDs quantity: 120 pc/m
LED chip: 2835
Width: 8 mm
DALI dimmable

99LED878
BLUE 465-470K

Type: LED strip
Power: 9.6 W/m
LEDs quantity: 120 pc/m
LED chip: 2835
Width: 8 mm
DALI dimmable

99LED879
RED 620-630K

Type: LED strip
Power: 9.6 W/m
LEDs quantity: 120 pc/m
LED chip: 2835
Width: 8 mm
DALI dimmable

Flex white PCB hollow tube waterproof IP65, mark cut, with mount. brackets.

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

24V DC
SMD 2835
30000h
REEL 5m
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Compatible with DALI

page 801

ELMARK
The Brand of Electricity



99LED891WWIP20
99LED891WIP20
99LED891CWIP20



99LED891WWIP65
99LED891WIP65
99LED891CWIP65

LED STRIPS LED 300 24V DC

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

24V DC
SMD 5050
30000h
REEL 5m
RoHs COMPLAINT
CE

LED warm WHITE 2700-3000K | 120° | A↑G F

99LED891WWIP20

Type: LED strip 300
Power: 6W/m
Luminous efficiency: 500lm/W
LEDs quantity: 60 pc/m
Width: 8 mm
DALI dimmable

LED neutral WHITE 4000-4300K | 120° | A↑G F

99LED891WIP20

Type: LED strip 300
Power: 6W/m
Luminous efficiency: 500lm/W
LEDs quantity: 60 pc/m
Width: 8 mm
DALI dimmable

LED cold WHITE 6000-6500K | 120° | A↑G F

99LED891CWIP20

Type: LED strip 300
Power: 6W/m
Luminous efficiency: 500lm/W
LEDs quantity: 60 pc/m
Width: 8 mm
DALI dimmable



IP20

Flex white FCB, double layer, mark cut

LED warm WHITE 2700-3000K | 120° | A↑G F

99LED891WWIP65

Type: LED strip 300
Power: 6W/m
Luminous efficiency: 500lm/W
LEDs quantity: 60 pc/m
Width: 8 mm

LED neutral WHITE 4000-4300K | 120° | A↑G F

99LED891WIP65

Type: LED strip 300
Power: 6W/m
Luminous efficiency: 500lm/W
LEDs quantity: 60 pc/m
Width: 8 mm
DALI dimmable

LED cold WHITE 6000-6500K | 120° | A↑G F

99LED891CWIP65

Type: LED strip 300
Power: 6W/m
Luminous efficiency: 500lm/W
LEDs quantity: 60 pc/m
Width: 8 mm
DALI dimmable



IP65

DALI dimmable

Flex white PCB hollow tube waterproof IP65, mark cut, with mount. brackets.

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



99XLED892WWIP20
99XLED892WIP20
99XLED892CWIP20



99XLED892WWIP65
99XLED892WIP65
99XLED892CWIP65

LED STRIPS LED 1200 24V DC

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

24V DC
SMD 5050
30000h
REEL 5m
RoHs COMPLIANT
CE



IP20

LED warm WHITE 3000K 120° A↑G F

99XLED892WWIP20

Type: LED strip 1200
Power: 18W/m
Luminous efficiency: 1800lm/W
LEDs quantity: 240 pc/m
Width: 10 mm

LED neutral WHITE 4000K 120° A↑G F

99XLED892WIP20

Type: LED strip 1200
Power: 18W/m
Luminous efficiency: 1800lm/W
LEDs quantity: 240 pc/m
Width: 10 mm

LED cold WHITE 6500K 120° A↑G F

99XLED892CWIP20

Type: LED strip 1200
Power: 18W/m
Luminous efficiency: 1800lm/W
LEDs quantity: 240 pc/m
Width: 10 mm

Flex white FCB, double layer, mark cut



IP65

LED warm WHITE 3000K 120° A↑G F

99XLED892WWIP65

Type: LED strip 1200
Power: 18W/m
Luminous efficiency: 1800lm/W
LEDs quantity: 240 pc/m
Width: 10 mm

LED neutral WHITE 4000K 120° A↑G F

99XLED892WIP65

Type: LED strip 1200
Power: 18W/m
Luminous efficiency: 1800lm/W
LEDs quantity: 240 pc/m
Width: 10 mm

LED cold WHITE 6500K 120° A↑G F

99XLED892CWIP65

Type: LED strip 1200
Power: 18W/m
Luminous efficiency: 1800lm/W
LEDs quantity: 240 pc/m
Width: 10 mm

Flex white PCB hollow tube waterproof IP65, mark cut, with mount. brackets.

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Compatible with DALI

page 801

ELMARK
The Brand of Electricity



99LED892WWIP20
99LED892WIP20
99LED892CWIP20



99LED892WWIP65
99LED892WIP65
99LED892CWIP65

LED STRIPS LED 1200 24V DC

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

24V DC
SMD 5050
30000h
REEL 5m
RoHs COMPLAINT
CE



IP20

LED | warm WHITE 3000K | 120° | A↑G F

99LED892WWIP20

Type: LED strip 1200
Power: 18W/m
Luminous efficiency: 1800lm/W
LEDs quantity: 240 pc/m
Width: 10 mm
**DALI dimmable*

LED | neutral WHITE 4000K | 120° | A↑G F

99LED892WIP20

Type: LED strip 1200
Power: 18W/m
Luminous efficiency: 1800lm/W
LEDs quantity: 240 pc/m
Width: 10 mm

**DALI dimmable*

LED | cold WHITE 6500K | 120° | A↑G F

99LED892CWIP20

Type: LED strip 1200
Power: 18W/m
Luminous efficiency: 1800lm/W
LEDs quantity: 240 pc/m
Width: 10 mm
**DALI dimmable*

Flex white FCB, double layer, mark cut.



IP65

LED | warm WHITE 3000K | 120° | A↑G F

99LED892WWIP65

Type: LED strip 1200
Power: 18W/m
Luminous efficiency: 1800lm/W
LEDs quantity: 240 pc/m
Width: 10 mm
**DALI dimmable*

LED | neutral WHITE 4000K | 120° | A↑G F

99LED892WIP65

Type: LED strip 1200
Power: 18W/m
Luminous efficiency: 1800lm/W
LEDs quantity: 240 pc/m
Width: 10 mm
**DALI dimmable*

LED | cold WHITE 6500K | 120° | A↑G F

99LED892CWIP65

Type: LED strip 1200
Power: 18W/m
Luminous efficiency: 1800lm/W
LEDs quantity: 240 pc/m
Width: 10 mm
**DALI dimmable*

Flex white PCB hollow tube waterproof IP65, mark cut, with mount. brackets.

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Compatible with DALI

page 801

ELMARK
The Brand of Electricity



Ra | >90

99LED895WWIP20
99LED895WIP20
99LED895CWIP20



99LED893RGBIP20



RGB + WHITE

99LED894RGBW20



99LED893RGBIP65

LED STRIPS LED 600 24V DC Ra>90 & LED STRIPS LED 300 RGB 24V DC

LED | warm WHITE 3000K | 120° | A F G

99LED895WWIP20



IP20

Type: LED strip 600
Power: 11W/m
Luminous efficiency: 900lm/W
LEDs quantity: 120 pc/m
Width: 8 mm
Ra>90
*DALI dimmable

Flex white FCB, double layer, mark cut.

LED | neutral WHITE 4000K | 120° | A F G

99LED895WIP20

Type: LED strip 600
Power: 11W/m
Luminous efficiency: 900lm/W
LEDs quantity: 120 pc/m
Width: 8 mm
Ra>90
*DALI dimmable

LED | cold WHITE 6500K | 120° | A F G

99LED895CWIP20

Type: LED strip 600
Power: 11W/m
Luminous efficiency: 900lm/W
LEDs quantity: 120 pc/m
Width: 8 mm
Ra>90
*DALI dimmable

LED | 120°

RGB
RGB+WHITE

99LED893RGBIP20
99LED894RGBW20



IP20

Type: LED strip 300 RGB/ RGBW
Power: 12W/m
LEDs quantity: 60 pc/m
Width: 10 mm
Flex white FCB, double layer, mark cut.
*DALI dimmable

LED | RGB | 120°

99LED893RGBIP65



IP65

Type: LED strip 300 RGB
Power: 12W/m
LEDs quantity: 60 pc/m
Width: 10 mm
Flex white PCB hollow tube water-proof IP65, mark cut, with mount. brackets.
*DALI dimmable

5 YEARS TOTAL WARRANTY
4 standard + 1 extended

24V DC
SMD 5050
30000h
REEL 5m
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Compatible with DALI

DALI page 801

ELMARK
The Brand of Electricity



HIGH EFFICIENCY

99LED982WW
99LED982
99LED982CW



99LED983WW
99LED983
99LED983CW

LED STRIPS HIGH EFFICIENCY & S-TYPE BENDABLE LED STRIP 24V DC

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

24V DC
SMD 5630
30000h
REEL 5m
RoHs COMPLAINT
CE



IP20

LED warm WHITE 3000K 120° A↑G E

99LED982WW

Type: High efficiency LED strip
Power: 9.6 W/m
LEDs quantity: 72pc/m
LED chip: 5630
Width: 8 mm
DALI dimmable

LED neutral WHITE 4000K 120° A↑G E

99LED982

Type: High efficiency LED strip
Power: 9.6 W/m
LEDs quantity: 72pc/m
LED chip: 5630
Width: 8 mm
DALI dimmable

LED cold WHITE 6500K 120° A↑G E

99LED982CW

Type: High efficiency LED strip
Power: 9.6 W/m
LEDs quantity: 72pc/m
LED chip: 5630
Width: 8 mm
DALI dimmable

Self adhesive, mark cut.



IP20

LED warm WHITE 3000K 120° A↑G G

99LED983WW

Type: S-type bendable LED strip
Power: 12 W/m
Luminous efficiency: 700 lm/LED
LED chip: 5630
Width: 6 mm
DALI dimmable

LED neutral WHITE 4000K 120° A↑G G

99LED983

Type: S-type bendable LED strip
Power: 12 W/m
Luminous efficiency: 700 lm/LED
LED chip: 5630
Width: 6 mm
DALI dimmable

LED cold WHITE 6500K 120° A↑G G

99LED983CW

Type: S-type bendable LED strip
Power: 12 W/m
Luminous efficiency: 700 lm/LED
LED chip: 5630
Width: 6 mm
DALI dimmable

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Compatible with DALI

page 801

ELMARK
The Brand of Electricity



99LED980WW
99LED980
99LED980CW
99LED981CW
99LED981BL

COB LED STRIP 24V DC

3 YEARS TOTAL WARRANTY
+ 3 standard 0 extended

24V DC
SMD 5050
30000h
REEL 5m
RoHs COMPLIANT
CE

99LED980WW

LED | warm WHITE 3000K | 120° | A↑G F



Type: LED COB strip
Power: 10W/m
Lumens: 1000lm/m
Width: 8 mm
DALI dimmable

IP20

Self adhesive, mark cut.

99LED980

LED | neutral WHITE 4000K | 120° | A↑G F

Type: LED COB strip
Power: 10W/m
Lumens: 1000lm/m
Width: 8 mm
DALI dimmable

99LED980CW

LED | cold WHITE 6500K | 120° | A↑G F

Type: LED COB strip
Power: 10W/m
Lumens: 1000lm/m
Width: 8 mm
DALI dimmable

99LED980BL

LED | BLUE | 120°



Type: LED COB strip
Power: 10W/m
Lumens: 1000lm/m
Width: 8 mm
DALI dimmable

IP20

Self adhesive, mark cut.

99LED981CW

LED | cold WHITE 6500K | 120° | A↑G F



Type: LED COB strip
Power: 10W/m
Lumens: 1000lm/m
Width: 8 mm
DALI dimmable

IP67

5 YEARS TOTAL WARRANTY
+ 4 standard 1 extended

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Compatible with DALI

page 801

ELMARK
The Brand of Electricity



99LED896WWIP68
99LED896WIP68
99LED896CWIP68



99LED897WWIP68
99LED897WIP68
99LED897CWIP68

LED COB 24V DC, IP68

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP68
24V DC
SMD 5050
30000h
REEL 5m
RoHs COMPLAINT
CE



LED warm WHITE 3000K | 120° | A↑G | F

99LED896WWIP68

Type: LED COB strip
Power: 6W/m
Luminous efficiency: 360lm/W
LEDs quantity: 320 pc/m
Width: 10 mm
DALI dimmable

LED neutral WHITE 4000K | 120° | A↑G | F

99LED896WIP68

Type: LED COB strip
Power: 6W/m
Luminous efficiency: 360lm/W
LEDs quantity: 320 pc/m
Width: 10 mm
DALI dimmable

LED cold WHITE 6500K | 120° | A↑G | F

99LED896CWIP68

Type: LED COB strip
Power: 6W/m
Luminous efficiency: 360lm/W
LEDs quantity: 320 pc/m
Width: 10 mm
DALI dimmable



LED warm WHITE 3000K | 120° | A↑G | F

99LED897WWIP68

Type: LED COB strip
Power: 9W/m
Luminous efficiency: 540lm/W
LEDs quantity: 480 pc/m
Width: 10 mm
DALI dimmable

LED neutral WHITE 4000K | 120° | A↑G | F

99LED897WIP68

Type: LED COB strip
Power: 9W/m
Luminous efficiency: 540lm/W
LEDs quantity: 480 pc/m
Width: 10 mm
DALI dimmable

LED cold WHITE 6500K | 120° | A↑G | F

99LED897CWIP68

Type: LED COB strip
Power: 9W/m
Luminous efficiency: 540lm/W
LEDs quantity: 480 pc/m
Width: 10 mm
DALI dimmable

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



99LED986S

BLUETOOTH 5V TV LED STRIP, SET

LED RGB

Bluetooth | IP20



99LED986S

Type: Bluetooth 5V TV LED strip, set
Input voltage: 5V
Output current: 5A
LED strip length: 3

Control: via remote control or via Smartphone Bluetooth
DIY mode: adjustable speed and brightness
Brightness: Adjustable

Remote Control | Smart Scene | Bluetooth

Set Included:

- 3 meters USB Bluetooth TV strip with 90LEDS
- 24 keys remote control
- USB cable
- Bluetooth controller

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
5V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



99LED985S



99LED987S

SMART RGB LED STRIP WITH MUSIC CONTROL, SET

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

LED RGB



Smartphone Control | GET IT ON Google Play | Download on the App Store | IP20

99LED985S

Type: Smart RGB strip with music control, set
Input voltage: 5-24V DC
Output current: 5A
LEDs quantity: 48 pc
LED strip length: 4x22 cm

Control: via smartphone app or remote control
DIY mode: 16 million colours, adjustable speed and brightness
Microphone: Built-in high sensitivity microphone
Music sensitivity: Adjustable

Set Included:
- USB connector
- Car Charger
- 20 keys remote control
- Bluetooth controller
- 4 strip lights with 12 LED,s and length 220mm

Remote Control | Smart Scene | Bluetooth | Music Sync

RoHs COMPLIANT
CE

LED RGB



Smartphone Control | GET IT ON Google Play | Download on the App Store | IP65

99LED987S

Type: Smart RGB strip with music control, set
Input voltage:100-240V DC
Output current: 12V/6A
LEDs quantity: 300 pc
LED strip length: 2x5 m

Control: via smartphone app or remote control
DIY mode: 16 million colours, adjustable speed and brightness

Microphone: Built-in high sensitivity microphone
Music sensitivity: Adjustable
Set Included:
- 2 rolls-10 meters with 300LEDs strip
- 40 keys remote control
- Adapter 100-240V to 12V/6A
- Bluetooth controller

Remote Control | Smart Scene | Bluetooth | Music Sync

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



L1 LITE-5M-EU

SMART LED STRIP, SET

LED RGB

Smartphone Control | GET IT ON Google Play | Download on the App Store | IP20



L1 LITE-5M-EU

Type: Smart RGB strip, set
Input voltage: 12V DC
Adapter Input voltage: 100-240V AC
Controller Input voltage: 5-24 DC
Output current: 5A
Lumens: 300lm
LEDs quantity: 30 pc/m
LED strip length: 5 m

Control: From Anywhere via smart device

Functions:

- Magicians of Light: More than 16 million colors. You can capture colors from anything to better match the surroundings.
- Diverse Modes: Music Visualizer mode can display a perfect fusion of music and lights. 11 build-in modes, set what you want.
- Voice Control: Speak to your voice assistant (Alexa/Google Assistant), change L1 Lite as you prefer.
- On/Off On Schedule: Free your hands, set your daily routine.
- Note: L1 lite is not water-proof. If you want to extend it, you can use the group feature to control multiple light strips.

Set Included:

- LED Strip- 5m
- Wi-Fi Controller- 1pc
- Power Adapter- 1p

Download EWeLink Application.

Remote Control | Voice Control | Timing Schedule | Smart Scene | Share Control | Power on State

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



99LEDMOD1230




99LEDMOD2430

LED MODULES EPISTAR

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

~230V
IP20
30000h
RoHs COMPLAINT
CE



LED | warm WHITE 3000K | 160° | A F G

99LEDMOD1230

Type: LED module
Power: 12W
Lumens: 1140lm

LED | neutral WHITE 4000K | 160° | A F G

99LEDMOD1240

Type: LED module
Power: 12W
Lumens: 1140lm


LED | cold WHITE 6000K | 160° | A F G

99LEDMOD1260

Type: LED module
Power: 12W
Lumens: 1140lm

Mounting: With magnet, for the lamps with iron plates, the modules have magnets that can be attached to the installation. For the plastic lamps, the modules have double-sided conductive adhesive tape, which can be pasted and installed.

Application: Suitable for ceiling lamp, wall lamp ,Bulkhead light etc.



LED | warm WHITE 3000K | 160° | A F G

99LEDMOD2430

Type: LED module
Power: 24W
Lumens: 2280lm

LED | neutral WHITE 4000K | 160° | A F G

99LEDMOD2440

Type: LED module
Power: 24W
Lumens: 2280lm

LED | cold WHITE 6000K | 160° | A F G

99LEDMOD2460

Type: LED module
Power: 24W
Lumens: 2280lm

Mounting: With magnet, for the lamps with iron plates, the modules have magnets that can be attached to the installation. For the plastic lamps, the modules have double-sided conductive adhesive tape, which can be pasted and installed.

Application: Suitable for ceiling lamp, wall lamp ,Bulkhead light etc.

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Christmas lights

ELMARK
The Brand of Electricity



99CRL001CW
99CRL001WW
99CRL001RGB

REGULAR STRAIGHT STRING LIGHT

LED cold WHITE 6000-6500K

99CRL001CW



Type: Regular straight String Light
Power: 3.6W
LED QTY: 300pcs
Total Length: 22.43m
LED Distance: 7.5cm
Cable Length: 5m
Input Voltage: 100-240V AC
* 8 Function

LED warm WHITE 2700-3000K

99CRL001WW



Type: Regular straight String Light
Power: 3.6W
LED QTY: 300pcs
Total Length: 22.43m
LED Distance: 7.5cm
Cable Length: 5m
Input Voltage: 100-240V AC
* 8 Function

LED RGB

99CRL001RGB



Type: Regular straight String Light
Power: 3.6W
LED QTY: 300pcs
Total Length: 22.43m
LED Distance: 7.5cm
Cable Length: 5m
Input Voltage: 100-240V AC
* 8 Function



2 YEARS TOTAL WARRANTY
2 standard + 0 extended

IP44
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Christmas lights

ELMARK
The Brand of Electricity



99CRL009CW
99CRL009WW
99CRL010RGB

REGULAR STRAIGHT STRING LIGHT

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP44
~230V
RoHs COMPLIANT
CE

LED cold WHITE 6000-6500K

99CRL009CW



Type: Regular straight String Light
Power: 7.2W
LED QTY: 920pcs
Total Length: 22.98m
LED Distance: 2.5cm
Cable Length: 5m
Input Voltage: 100-240V AC
* 8 Function

LED warm WHITE 2700-3000K

99CRL009WW



Type: Regular straight String Light
Power: 7.2W
LED QTY: 920pcs
Total Length: 22.98m
LED Distance: 2.5cm
Cable Length: 5m
Input Voltage: 100-240V AC
* 8 Function

LED RGB

99CRL010RGB



Type: Regular straight String Light
Power: 7.2W
LED QTY: 920pcs
Total Length: 22.98m
LED Distance: 2.5cm
Cable Length: 5m
Input Voltage: 100-240V AC
* 8 Function



Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Christmas lights

ELMARK
The Brand of Electricity



99CRL006CW
99CRL006WW



99CRL007RGB

STRAIGHT STRING LIGHT

LED cold WHITE 6000-6500K

99CRL006CW



Type: String Light
Power: 3.6W
LED QTY: 160pcs
Total Length: 2x1.5m
Cable Length: 5m
Input Voltage: 100-240V AC
* 8 Function

LED warm WHITE 2700-3000K

99CRL006WW



Type: String Light
Power: 3.6W
LED QTY: 160pcs
Total Length: 2x1.5m
Cable Length: 5m
Input Voltage: 100-240V AC
* 8 Function

LED RGB

99CRL007RGB



Type: String Light
Power: 3.6W
LED QTY: 120pcs
Total Length: 9m
LED Distance: 7.5cm
Cable Length: 5m
Input Voltage: 100-240V AC
* 8 Function



2 YEARS TOTAL WARRANTY
2 standard + 0 extended

IP44
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Christmas lights

ELMARK
The Brand of Electricity



99CRL002CW
99CRL008WW
99CRL008RGB

ICICLE STRAIGHT LIGHT WITH BATTERY

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP44
~230V
RoHs COMPLAINT
CE

LED cold WHITE 6000-6500K

99CRL002CW



Type: String Light
Power: 3.6W
LED ICE QTY: 10pcs per string
Connecting wire: 30 cm
Cable Length: 5m
Input Voltage: 100-240V AC
* Function: Running

LED warm WHITE 2700-3000K


99CRL008WW



Type: Icicle Straight String Light with Battery
LED ICE QTY: 10pcs
LED Distance: 18.3cm
Cable Length: 0.3m
Input Voltage: 100-240V AC
* SET's without battery

LED RGB

99CRL008RGB



Type: Icicle Straight String Light with Battery
LED ICE QTY: 10pcs
LED Distance: 18.3cm
Cable Length: 0.3m
Input Voltage: 100-240V AC
* SET's without battery



Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

Christmas lights

ELMARK
The Brand of Electricity



99CRL003



99CRL004



99CRL005

GARDEN LED PROJECTOR

LED



99CRL003

Type: 6 in 1 Garden LED Projector
Power: 6x1W
LED Type: 2835 SMD
Material: ABS
Projection Distance: 8-12m
(10-30m²)
Input Voltage: 100-240V AC

LED



99CRL004

Type: Garden LED Projector
Power: 5W
Colours: 6
Material: ABS
Projection Distance: 8-12m
(10-30m²)
Input Voltage: 100-240V AC

LED



99CRL005

Type: Red & Green 6 in 1 Garden LED Projector
Colours: 6
Lighting Source: Red 650NM 100MW+ Green 532NM 30MW
Classification: Class 2
Material: ABS
Projection Distance: 20x20m²
Input Voltage: 100-240V AC




2 YEARS TOTAL WARRANTY
2 standard + 0 extended

IP44
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



99LED940WW

LED NEON FLEX IP68 & ACCESSORIES

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP68
12V DC
SMD 2835
30000h
REEL 5m
RoHS COMPLAINT
CE

LED | 150° | A F G | warm WHITE 3000K

99LED940WW



Type: LED neon flex
Power: 4.8 W/m
Luminous efficiency: 160lm/m
Width: 8mm
Height: 16mm

Mark cut 1m.

LED | 150° | A F G | neutral WHITE 4000K

99LED940W



Type: LED neon flex
Power: 4.8 W/m
Luminous efficiency: 160lm/m
Width: 8mm
Height: 16mm

Mark cut 1m.

Scan QR code for 3D models, IES files & price.

99ACC81

Type: End cap for neon 12V DC 4.8W/m



99ACC82

Type: Power cable for neon 12V DC 4.8W/m



99ACC83

Type: Connector for neon 12V DC 4.8W/m



99ACC84

Type: Clip for neon 12V DC 4.8W/m




Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Compatible with DALI

page 801

ELMARK
The Brand of Electricity



99LED950
99LED951

LED NEON FLEX 12W/M, IP65

LED | 150° | A T G F | warm WHITE 2700-3000K | cold WHITE 6000-6500K

99LED950
99LED951



Type: LED neon flex
Power: 12 W/m
Luminous efficiency: 18-22lm/LED
Width: 10mm
Height: 16mm
DALI dimmable
Mark cut 1m.

LED | RGB | 150°

99LED958



Type: LED neon flex
Power: 12 W/m
Luminous efficiency: 18-22lm/LED
Width: 10mm
Height: 19.5mm
DALI dimmable
Mark cut 1m.

LED | PINK | 150°

99LED952



Type: LED neon flex
Power: 12 W/m
Luminous efficiency: 18-22lm/LED
Width: 10mm
Height: 16mm
DALI dimmable
Mark cut 1m.

LED | VIOLET 380-440K | 150°

99LED953



Type: LED neon flex
Power: 12 W/m
Luminous efficiency: 18-22lm/LED
Width: 10mm
Height: 16mm
DALI dimmable
Mark cut 1m.

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP65
24V DC
SMD 3528
30000h
REEL 10m
RoHs COMPLIANT
CE


Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

*Compatible with DALI

page 801

ELMARK
The Brand of Electricity



99LED950

LED NEON FLEX 12W/M, IP65


3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP65
24V DC
SMD 3528
30000h
REEL 10m
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

99LED954

LED GREEN 520-525K 150°



Type: LED neon flex
Power: 12 W/m
Luminous efficiency: 18-22lm/LED
Width: 10mm
Height: 16mm

Mark cut 1m.

99LED955

LED BLUE 465-470K 150°



Type: LED neon flex
Power: 12 W/m
Luminous efficiency: 18-22lm/LED
Width: 10mm
Height: 16mm

**DALI dimmable*
Mark cut 1m.

99LED956

LED RED 620-630K 150°



Type: LED neon flex
Power: 12 W/m
Luminous efficiency: 18-22lm/LED
Width: 10mm
Height: 16mm

**DALI dimmable*
Mark cut 1m.

99LED957

LED YELLOW 587-592K 150°



Type: LED neon flex
Power: 12 W/m
Luminous efficiency: 18-22lm/LED
Width: 10mm
Height: 16mm

**DALI dimmable*
Mark cut 1m.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store




99ACC72



99ACC73



99ACC74



99ACC75



99ACC76



99ACC77

ACCESSORIES FOR LED NEON FLEX 12W/M

99ACC72

Type: Fixing bracket for Led Neon Flex



99ACC73

Type: Caps for Led Neon Flex




99ACC74

Type: Connector for single color Led Neon Flex



99ACC75

Type: Connector for RGB color Led Neon Flex



99ACC76

Type: Power cable for Led Neon Flex



99ACC77

Type: Power cable for Led RGB Neon Flex



IP20

RoHs COMPLIANT

CE

Scan QR code for 3D models and ULD-DIALux files

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



99ACC07FL




99ACC07S

FLEXIBLE ALUMINUM PROFILE FOR LED STRIPS & ACCESSORIES

99ACC07FL

Type: Flexible aluminum profile for LED strip
Dimensions: 13.8x19x5mm
Length: 2m



99ACC78

Type: Fixing bracket



99ACC51

Type: Suspension wire without console



IP20
RoHs COMPLAINT
CE

99ACC07S

Type: Flexible silicone tube for LED strip
Dimensions: 20x20mm
Length: 1m
* LED Strip not included



99ACC80

Type: Fixing bracket



99ACC79

Type: End cap



Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



99ACC61



99ACC62



99ACC63



99ACC64





99ACC65

LED PROFILES FOR DRYWALL MOUNTING

99ACC61


Type: Inside corner aluminum LED profile for recessed mounting in drywall
Dimensions AxBxC: 9.7x12.7x10mm
Length: 2m






99ACC62

Type: Outside corner aluminum LED profile for recessed mounting in drywall
Dimensions AxC: 9.7x10mm
Length: 2m



99ACC63


Type: Aluminum LED profile for recessed mounting in drywall
Dimensions AxBxC: 19.04x27.76x12.2mm
Length: 2m




Frosted PC cover with high light transparency | Aluminum Extrusion 2mm with Acid Sand Oxidation treatment on the surface | No mechanical line

99ACC65

Type: Aluminum LED profile for recessed mounting in drywall
Dimensions AxBxC: 28.58x36.91x12.2mm
Length: 2m





99ACC64

Type: Connectors for aluminum LED profiles DP63 and DP65
Set of 2 pieces



Frosted PC cover with high light transparency | Aluminum Extrusion 2mm with Acid Sand Oxidation treatment on the surface | No mechanical line

IP20
RoHs COMPLAINT
CE

ELMARK
The Brand of Electricity



99ACC91




99ACC92

STAIRCASE PROFILES FOR RECESSED MOUNTING



99ACC91

Type: Staircase Profile for Recessed Mounting
Material: Aluminum
Diffuser: Opal PC
Dimensions AxBxC: 31.2x13.2x12.2mm
Length: 2m
* With End Caps



99ACC92

Type: Staircase Profile for Recessed Mounting
Material: Aluminum
Diffuser: Opal PC
Dimensions AxBxC: 68x12.5x38mm
Length: 2m
* With End Caps





IP20
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.


Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



99ACC94

SKIRT PROFILE FOR RECESSED MOUNTING





99ACC94

Type: Skirt Profile for Recessed Mounting
Material: Aluminum
Diffuser: Opal PC
Dimensions AxBxC: 60x10.6x15.4mm
Length: 2m
* With End Caps



IP20
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.



99ACC14
99ACC15



99ACC23

PROFILES AND ACCESSORIES FOR LED STRIP

99ACC14

Type: Aluminum profile for LED strip with matt PVC cover - 1m
Width: 15 mm
Height: 6 mm
Length: 1 m



99ACC15

Type: Aluminum profile for LED strip with matt PVC cover - 2m
Width: 15 mm
Height: 6 mm
Length: 2 m



99ACC16

Type: PVC end cap for profile 99ACC14 & 99ACC15
Set of 2 pc



99ACC17

Type: Fixing bracket for profile 99ACC14 & 99ACC15
Set of 2 pc



99ACC23

Type: Aluminum profile for LED strip with matt PVC cover - 1m
Width: 23.8 mm
Height: 6 mm
Length: 1 m



99ACC24

Type: PVC end cap for profile 99ACC23



99ACC25

Type: Fixing bracket for profile 99ACC23



IP20
RoHs COMPLIANT
CE

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



99ACC07
99ACC08



99ACC11
99ACC12

PROFILES AND ACCESSORIES FOR LED STRIP

99ACC07

Type: Aluminum profile for LED strip with matt PVC cover - 1m
Width: 15 mm
Height: 6 mm
Length: 1 m



99ACC08

Type: Aluminum profile for LED strip with matt PVC cover - 2m
Width: 15 mm
Height: 6 mm
Length: 2 m



99ACC09

Type: PVC end cap for profile 99ACC07 & 99ACC08



99ACC10

Type: Fixing bracket for profile 99ACC07 & 99ACC08



99ACC11

Type: Aluminum profile for LED strip with matt PVC cover-1m
Width: 15 mm
Height: 6 mm
Length: 1 m



99ACC12

Type: Aluminum profile for LED strip with matt PVC cover - 2m
Width: 15 mm
Height: 6 mm
Length: 2 m



99ACC13

Type: PVC end cap for profile 99ACC11 & 99ACC12



IP20
RoHs COMPLIANT
CE

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store


ELMARK
The Brand of Electricity



99ACC26



99ACC31



99ACC28

PROFILES AND ACCESSORIES FOR LED STRIP

99ACC26

Type: Aluminum profile for LED strip with matt PVC cover - 1m
Width: 23.8 mm
Height: 6 mm
Length: 1 m



99ACC27

Type: PVC end cap for profile 99ACC26



99ACC31

Type: Aluminum profile for LED strip with matt PVC cover - 1m
Width: 49.2 mm
Height: 6 mm
Length: 1 m



99ACC32

Type: PVC end cap for profile 99ACC31



IP20
RoHs COMPLAINT
CE

99ACC28

Type: Aluminum profile for LED strip with matt PVC cover-1m
Width: 56.6 mm
Height: 6 mm
Length: 1 m



99ACC29

Type: PVC end cap for profile 99ACC28



99ACC30

Fixing bracket for profile 99ACC28




Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ACCESSORIES FOR LED STRIP


99ACC02

Type: One colour LED strip connector, 150mm cable



99ACC021

Type: Connector for 8mm one colour LED strip,150mm cable



99ACC03

Type: One colour LED strip connector, 150mm cable



99ACC01

Type: Silicone clips for LED strip



99ACC05

Type: One colour LED strip connector



99ACC051

Type: Connector for 8mm one colour LED strip



99ACC06

Type: RGB LED strip connector



99ACC19

Type: Female connector with cable 15cm, white D-5.5



99ACC20

Type: 4pin connector with cable 20cm, white



99LED450

Type: Front caps for LED strip SMD3528 IP65

99LED452

Type: Front caps for LED strip SMD5050 IP65

99LED454

Type: Front caps for RGB LED strip SMD5050 IP65



99LED451

Type: End caps for LED strip SMD3528 IP65

99LED453

Type: End caps for LED strip SMD5050 IP65

99LED455

Type: End caps for RGB LED strip SMD5050 IP65

IP20
RoHs COMPLIANT
CE

ELMARK
The Brand of Electricity



99LEDDIMMER3




99LEDDIMMER4



99AMPLIFIER1

SINGLE COLOUR CONTROLLERS FOR LED STRIP

99LEDDIMMER3



Type: Mini single colour controller 72W
Current: 6A
Voltage: 12V
Height: 6 mm

99LEDDIMMER4



Type: Single colour controller 216-432W
Current: 18A
Voltage: 12-24V
Height: 33mm

99AMPLIFIER1



Type: Single colour amplifier
Current: 6A
Voltage: 12-24V
Height: 20 mm

IP20
RoHs COMPLIANT
CE

Scan QR code for 3D models and ULD-DIALux files

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



99RGBCONTROL2



99RGBCONTROL3

INFRARED CONTROLLERS FOR RGB STRIPS

99RGBCONTROL2



Type: RGB controller 20 stationary colour and 6 dynamic modes with regulation and RGB mixer mode
Current: 2A (each channel)
Voltage: 12V DC
Height: 25 mm

99RGBCONTROL3



Type: Mini RGB controller 3x24W
Current: 2A (each channel)
Voltage: 12V

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
RoHS
EMC
CE

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



99RGBCONTROL4



99RGBAMPLIFIER2



99RGBAMPLIFIER3

RGB CONTROLLERS

3 YEARS TOTAL WARRANTY
3 standard + 0 extended


IP20
RoHS
EMC
CE

99RGBCONTROL4




Type: RGB controller
3x80/160W
Current: 6.5A (each channel)
Voltage: 12-24V
Height: 25 mm

99RGBAMPLIFIER2



Type: RGB amplifier
3x144W/288W
Current: 4A (each channel)
Voltage: 12-24V
Height: 25 mm

99RGBAMPLIFIER3




Type: Mini RGB amplifier
3x72W/144W
Current: 2A (each channel)
Voltage: 12-24V
Height: 20 mm

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



99RGB4W



99RGBWAMPLIFIER3


RGB + WHITE CONTROLLERS

99RGB4W



Type: RGB+White controller
4x72/144W
Current: 6A (each channel)
Voltage: 12-24V
Height: 23 mm

99RGBWAMPLIFIER3



Type: RGB+White amplifier
4x288/576W
Current: 6A (each channel)
Voltage: 12-24V
Height: 24 mm

3 YEARS TOTAL WARRANTY
3 standard
0 extended

IP20
RoHS
EMC
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



99SETDC12PVC
99SETDC24PVC

12V DC ADAPTERS

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
12V DC
RoHS
EMC
CE

99SETDC12PVC



Type: Adapter 12V DC
Power: 12W
Input Voltage: 230V AC/ 50-60Hz
Output voltage: 12V DC
Output Current: 1A
Height: 34 mm

99SETDC24PVC



Type: Adapter 12V DC
Power: 24W
Input Voltage: 230V AC/ 50-60Hz
Output voltage: 12V DC
Output Current: 2A
Height: 34 mm

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



9XSETDC60IP20




9XSETDC120IP20
9XSETDC150IP20

CONSTANT VOLTAGE DRIVER 12V DC FOR LED STRIPS

12V DC

9XSETDC60IP20



Type: 12V DC Driver Slim Series
Power: 60W
Input Voltage: 176-264V AC/ 50-60Hz
Output voltage: 12V DC
Output Current: 5A
Height: 40 mm

12V DC

9XSETDC120IP20



Type: 12V DC Driver Slim Series
Power: 120W
Input Voltage: 176-264V AC/ 50-60Hz
Output voltage: 12V DC
Output Current: 10A
Height: 36 mm

12V DC

9XSETDC150IP20



Type: 12V DC Driver Slim Series
Power: 150W
Input Voltage: 176-264V AC/ 50-60Hz
Output voltage: 12V DC
Output Current: 12.5A
Height: 39 mm

2 YEARS TOTAL WARRANTY
2 standard
0 extended

IP20
12V DC
RoHS
EMC
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



9XSETDC200IP20
9XSETDC250IP20



9XSETDC360IP20

CONSTANT VOLTAGE DRIVER 12V DC FOR LED STRIPS

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP20
12V DC
RoHS
EMC
CE

12V DC

9XSETDC200IP20



Type: 12V DC Driver Slim Series
Power: 200W
Input Voltage: 176-264V AC/ 50-60Hz
Output voltage: 12V DC
Output Current: 16.66A
Height: 40 mm

12V DC

9XSETDC250IP20



Type: 12V DC Driver Slim Series
Power: 250W
Input Voltage: 176-264V AC/ 50-60Hz
Output voltage: 12V DC
Output Current: 20.83A
Height: 40 mm

12V DC

9XSETDC360IP20



Type: 12V DC Driver Slim Series
Power: 360W
Input Voltage: 176-264V AC/ 50-60Hz
Output voltage: 12V DC
Output Current: 30A
Height: 40mm

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



99SETDC60IP20S



99SETDC120IP20S



99SETDC150IP20S

CONSTANT VOLTAGE DRIVER 12V DC FOR LED STRIPS

12V DC

99SETDC60IP20S



Type: 12V DC Driver Slim Series
Power: 60W
Input Voltage: 176-264V AC/ 50-60Hz
Output voltage: 12V DC
Output Current: 5A
Height: 30 mm

12V DC

99SETDC120IP20S



Type: 12V DC Driver Slim Series
Power: 120W
Input Voltage: 176-264V AC/ 50-60Hz
Output voltage: 12V DC
Output Current: 10A
Height: 32 mm

12V DC

99SETDC150IP20S



Type: 12V DC Driver Slim Series
Power: 150W
Input Voltage: 176-264V AC/ 50-60Hz
Output voltage: 12V DC
Output Current: 12.5A
Height: 35 mm

3 YEARS TOTAL WARRANTY
3 standard
0 extended

IP20
12V DC
RoHS
EMC
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



99SETDC200IP20S



99SETDC250IP20S



99SETDC360IP20S


CONSTANT VOLTAGE DRIVER 12V DC FOR LED STRIPS

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
12V DC
RoHS
EMC
CE

12V DC


99SETDC200IP20S



Type: 12V DC Driver Slim Series
Power: 200W
Input Voltage: 176-264V AC/ 50-60Hz
Output voltage: 12V DC
Output Current: 16.66A
Height: 40 mm

12V DC


99SETDC250IP20S



Type: 12V DC Driver Slim Series
Power: 250W
Input Voltage: 176-264V AC/ 50-60Hz
Output voltage: 12V DC
Output Current: 20.83A
Height: 40 mm

12V DC

99SETDC360IP20S



Type: 12V DC Driver Slim Series
Power: 360W
Input Voltage: 176-264V AC/ 50-60Hz
Output voltage: 12V DC
Output Current: 30A
Height: 40mm

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



9XSETDC30IP67



9XSETDC60IP67




9XSETDC120IP67

CONSTANT VOLTAGE DRIVER 12V DC FOR LED STRIPS, IP67

12V DC


9XSETDC30IP67



Type: 12V DC Driver Slim Series
Power: 30W
Input Voltage: 90-264V AC/ 50-60Hz
Output voltage: 12V DC
Output Current: 2.5A
Height: 20 mm

12V DC


9XSETDC60IP67



Type: 12V DC Driver Slim Series
Power: 60W
Input Voltage: 176-264V AC/ 50-60Hz
Output voltage: 12V DC
Output Current: 5A
Height: 22mm

12V DC

9XSETDC120IP67



Type: 12V DC Driver Slim Series
Power: 120W
Input Voltage: 176-264V AC/ 50-60Hz
Output voltage: 12V DC
Output Current: 10A
Height: 22mm

2 YEARS TOTAL WARRANTY
2 standard + 0 extended

IP67
12V DC
RoHS
EMC
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



9XSETDC150IP67



9XSETDC200IP67

CONSTANT VOLTAGE DRIVER 12V DC FOR LED STRIPS, IP67


2 YEARS TOTAL WARRANTY
2 standard + 0 extended

IP67
12V DC
RoHS
EMC
CE

Scan QR code for 3D models, IES files & price.

12V DC

9XSETDC150IP67



Type: 12V DC Driver Slim Series
Power: 150W
Input Voltage: 176-264V AC/ 50-60Hz
Output voltage: 12V DC
Output Current: 12.5A
Height: 40 mm

12V DC

9XSETDC200IP67



Type: 12V DC Driver Slim Series
Power: 200W
Input Voltage: 176-264V AC/ 50-60Hz
Output voltage: 12V DC
Output Current: 16.66A
Height: 40 mm

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



99SETDC30IP67S



99SETDC1248TIP67



99SETDC60IP67S



99SETDC120IP67S

CONSTANT VOLTAGE DRIVER SLIM SERIES 12V DC FOR LED STRIPS, IP67

12V DC

99SETDC30IP67S



Type: 12V DC Driver Slim Series
Power: 30W
Input Voltage: 90-264V AC/ 50-60Hz
Output voltage: 12V DC
Output Current: 2.5A
Height: 20 mm

12V DC

99SETDC1248TIP67



Type:12V DC Driver Sli Series
Power: 48W
Input voltage: 180-240V AC/ 50-60Hz
Output voltage: 12V DC
Output Current: 4A
Height: 22 mm

12V DC


99SETDC60IP67S



Type: 12V DC Driver Slim Series
Power: 60W
Input Voltage: 90-264V AC/ 50-60Hz
Output voltage: 12V DC
Output Current: 5A
Height: 22mm

12V DC

99SETDC120IP67S



Type: 12V DC Driver Slim Series
Power: 120W
Input Voltage: 90-264V AC/ 50-60Hz
Output voltage: 12V DC
Output Current: 10A
Height: 22mm

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP67
12V DC
RoHS
EMC
CE

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



99SETDC150IP67S
99SETDC200IP67S

CONSTANT VOLTAGE DRIVER 12V DC FOR LED STRIPS, IP67

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP67
12V DC
RoHS
EMC
CE

12V DC


99SETDC150IP67S



Type: 12V DC Driver Slim Series
Power: 150W
Input Voltage: 90-264V AC/ 50-60HzOutput voltage: 12V DC
Output Current: 12.5A
Height: 22 mm

12V DC

99SETDC200IP67S



Type: 12V DC Driver Slim Series
Power: 200W
Input Voltage: 90-264V AC/ 50-60Hz
Output voltage: 12V DC
Output Current: 16.5A
Height: 33 mm

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



99SETDC60IP20SD



99SETDC120IP20SD




99SETDC200IP20SD

CONSTANT VOLTAGE DIMMABLE DRIVER 12V DC FOR LED STRIPS

DIMMABLE | DIMMABLE 0-10V | 12V DC

99SETDC60IP20SD




Type: 12V DC Dimmable Driver
Slim Series
Power: 60W
Input Voltage: 176-264V AC/ 50-60Hz
Output Volatge: 12V DC
Output Current: 5A
Height: 30mm

** 0-10V signal Dimming & AC Thyristor Dimming*

DIMMABLE | DIMMABLE 0-10V | 12V DC

99SETDC120IP20SD




Type: 12V DC Dimmable Driver
Slim Series
Power: 120W
Input Voltage: 176-264V AC/ 50-60Hz
Output Volatge: 12V DC
Output Current: 10A
Height: 30mm

** 0-10V signal Dimming & AC Thyristor Dimming*

DIMMABLE | DIMMABLE 0-10V | 12V DC

99SETDC200IP20SD



Type: 12V DC Dimmable Driver
Slim Series
Power: 200W
Input Voltage: 176-264V AC/ 50-60Hz
Output Volatge: 12V DC
Output Current: 16.7A
Height: 30mm

** 0-10V signal Dimming & AC Thyristor Dimming*

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
12V DC
RoHS
EMC
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



99XSETDC6024IP20



99XSETDC10024IP20
99XSETDC15024IP20


CONSTANT VOLTAGE DRIVER 24V DC FOR LED STRIPS

2 YEARS TOTAL WARRANTY
2 standard + 0 extended

IP20
24V DC
RoHS
EMC
CE

24V DC

99XSETDC6024IP20



Type: 24V DC Driver Slim Series
Power: 60W
Input Voltage: 180-240V AC/ 50-60Hz
Output voltage: 24V DC
Output Current: 2.5A
Height: 33 mm

24V DC

99XSETDC10024IP20



Type: 24V DC Driver Slim Series
Power: 100W
Input Voltage: 180-240V AC/ 50-60Hz
Output voltage: 24V DC
Output Current: 4.2A
Height: 36 mm

24V DC

99XSETDC15024IP20



Type: 24V DC Driver Slim Series
Power: 150W
Input Voltage: 180-240V AC/ 50-60Hz
Output voltage: 24V DC
Output Current: 6.25A
Height: 39 mm

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



99XSETDC20024IP20
99XSETDC25024IP20



99XSETDC36024IP20

CONSTANT VOLTAGE DRIVER 24V DC FOR LED STRIPS

24V DC

99XSETDC20024IP20



Type: 24V DC Driver Slim Series
Power: 200W
Input Voltage: 176-264V AC/ 50-60Hz
Output voltage: 24V DC
Output Current: 8.33A
Height: 40 mm

24V DC

99XSETDC25024IP20



Type: 24V DC Driver Slim Series
Power: 250W
Input Voltage: 176-264V AC/ 50-60Hz
Output voltage: 24V DC
Output Current: 10.42A
Height: 40 mm

24V DC

99XSETDC36024IP20



Type: 24V DC Driver Slim Series
Power: 360W
Input Voltage: 176-264V AC/ 50-60Hz
Output voltage: 24V DC
Output Current: 15A
Height: 40mm

2 YEARS TOTAL WARRANTY
2 standard
0 extended

IP20
24V DC
RoHS
EMC
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



99SET6024IP20S



99SET12024IP20S



99SET15024IP20S


CONSTANT VOLTAGE DRIVER 24V DC FOR LED STRIPS

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
24V DC
RoHS
EMC
CE

24V DC

99SET6024IP20S



Type: 24V DC Driver Slim Series
Power: 60W
Input Voltage: 176-264V AC/ 50-60Hz
Output voltage: 24V DC
Output Current: 2.5A
Height: 30 mm

24V DC

99SET12024IP20S



Type: 24V DC Driver Slim Series
Power: 120W
Input Voltage: 176-264V AC/ 50-60Hz
Output voltage: 24V DC
Output Current: 5A
Height: 32 mm

24V DC

99SET15024IP20S



Type: 24V DC Driver Slim Series
Power: 150W
Input Voltage: 176-264V AC/ 50-60Hz
Output voltage: 24V DC
Output Current: 6.25A
Height: 35 mm

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



99SETDC20024IP20S



99SET25024IP20S




99SET36024IP20S

CONSTANT VOLTAGE DRIVER 24V DC FOR LED STRIPS

24V DC


99SET20024IP20S



Type: 24V DC Driver Slim Series
Power: 200W
Input Voltage: 176-264V AC/ 50-60Hz
Output voltage: 24V DC
Output Current: 8.3A
Height: 40 mm

24V DC


99SET25024IP20S



Type: 24V DC Driver Slim Series
Power: 250W
Input Voltage: 176-264V AC/ 50-60Hz
Output voltage: 24V DC
Output Current: 10.4A
Height: 40 mm

24V DC

99SET36024IP20S



Type: 24V DC Driver Slim Series
Power: 360W
Input Voltage: 176-264V AC/ 50-60Hz
Output voltage: 24V DC
Output Current: 15A
Height: 40mm

3 YEARS TOTAL WARRANTY
3 standard
0 extended

IP20
24V DC
RoHS
EMC
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



99SET3024IP67S



99SETDC2448TIP67



99SET6024IP67S



99SET12024IP67S


CONSTANT VOLTAGE DRIVER 24V DC FOR LED STRIPS, IP67

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP67
24V DC
RoHS
EMC
CE

24V DC

99SET3024IP67S



Type: 24V DC Driver Slim Series
Power: 30W
Input Voltage: 90-264V AC/ 50-60Hz
Output voltage: 24V DC
Output Current: 1.25A
Height: 20 mm

24V DC

99SETDC2448TIP67



Type: 24V DC Driver Slim Series
Power: 48W
Input voltage: 180-240V AC/ 50-60Hz
Output voltage: 24V DC
Output Current: 2.2A
Height: 22 mm

24V DC

99SET6024IP67S



Type: 24V DC Driver Slim Series
Power: 60W
Input Voltage: 90-264V AC/ 50-60Hz
Output voltage: 24V DC
Output Current: 2.5A
Height: 22mm

24V DC

99SET12024IP67S



Type: 24V DC Driver Slim Series
Power: 120W
Input Voltage: 90-264V AC/ 50-60Hz
Output voltage: 24V DC
Output Current: 5A
Height: 22mm

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



99SET15024IP67S
99SET20024IP67S

CONSTANT VOLTAGE DRIVER 24V DC FOR LED STRIPS, IP67

24V DC

99SET15024IP67S



Type: 24V DC Driver Slim Series
Power: 150W
Input Voltage: 90-264V AC/ 50-60Hz
Output voltage: 24V DC
Output Current: 6.25A
Height: 22 mm

24V DC

99SET20024IP67S



Type: 24V DC Driver Slim Series
Power: 200W
Input Voltage: 90-264V AC/ 50-60Hz
Output voltage: 24V DC
Output Current: 8.25A
Height: 33 mm

3 YEARS TOTAL WARRANTY
3 standard
0 extended

IP67
24V DC
RoHS
EMC
CE

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



99SETDC6024IP20SD



99SETDC12024IP20SD



99SETDC20024IP20SD


CONSTANT VOLTAGE DIMMABLE DRIVER 24V DC FOR LED STRIPS

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
24V DC
RoHS
EMC
CE

DIMMABLE | DIMMABLE 0-10V | 24V DC

99SETDC6024IP20SD




Type: 24V DC Dimmable Driver
Slim Series
Power: 60W
Input Voltage: 176-264V AC/
50-60Hz
Output Voltage: 24V DC
Output Current: 2.5A
Height: 30mm

** 0-10V signal Dimming & AC Thyristor Dimming*

DIMMABLE | DIMMABLE 0-10V | 24V DC

99SETDC12024IP20SD




Type: 24V DC Dimmable Driver
Slim Series
Power: 120W
Input Voltage: 176-264V AC/
50-60Hz
Output Voltage: 24V DC
Output Current: 5A
Height: 30mm

** 0-10V signal Dimming & AC Thyristor Dimming*

DIMMABLE | DIMMABLE 0-10V | 24V DC

99SETDC20024IP20SD



Type: 12V DC Dimmable Driver
Slim Series
Power: 200W
Input Voltage: 176-264V AC/
50-60Hz
Output Voltage: 12V DC
Output Current: 8.3A
Height: 30mm

** 0-10V signal Dimming & AC Thyristor Dimming*

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



99SETDC5048IP20



99SETDC10048IP20



99SETDC15048IP20




99SETDC20048IP20

CONSTANT VOLTAGE DRIVER SLIM SERIES 48V DC FOR MAGNETIC TRACK LIGHTS

48V DC


99SETDC5048IP20



Type: 48V constant voltage driver for magnet track light
Power: 50W
Voltage Uin/Uout: 176-240V AC/48V DC
Height: 40 mm

48V DC


99SETDC10048IP20



Type: 48V constant voltage driver for magnet track light
Power: 100W
Voltage Uin/Uout: 176-240V AC/48V DC
Height: 40 mm

48V DC


99SETDC15048IP20



Type: 48V constant voltage driver for magnet track light
Power: 150W
Voltage Uin/Uout: 176-240V AC/48V DC
Height: 45 mm

48V DC

99SETDC20048IP20



Type: 48V constant voltage driver for magnet track light
Power: 200W
Voltage Uin/Uout: 176-240V AC/48V DC
Height: 60 mm

3 YEARS TOTAL WARRANTY
3 standard
0 extended

IP20
48V DC
RoHS
EMC
CE

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



0-10V 99SETDC12D010



0-10V 99SETDC21D010



0-10V 99SETDC32D010

CONSTANT CURRENT DIMMABLE DRIVER 0-10V FOR LED FIXTURES

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
0-10V
RoHS
EMC
CE

DIMMABLE DIMMABLE 0-10V


99SETDC12D010



Type: Constant Current LED Dimmable Driver 0-10V
Power: 12W
Input Voltage: 220-240V AC
Output Voltage: 9-42V
Output Current: from 150 till 400mA via DIP Switch in Steps of 50mA
Height: 21 mm
Application: for Decorative, Indoor, Commercial, Residential Lighting

DIMMABLE DIMMABLE 0-10V


99SETDC21D010



Type: Constant Current LED Dimmable Driver 0-10V
Power: 21W
Input Voltage: 220-240V AC
Output Voltage: 9-42V
Output Current: from 250 till 500mA via DIP Switch in Steps of 50mA
Height: 23mm
Application: for Decorative, Indoor, Commercial, Residential Lighting

DIMMABLE DIMMABLE 0-10V

99SETDC32D010



Type: Constant Current LED Dimmable Driver 0-10V
Power: 31.5W
Input Voltage: 198-264V AC
Output Voltage: 9-42V
Output Current: from 400 till 750mA via DIP Switch in Steps of 50mA
Height: 23mm
Application: for Decorative, Indoor, Commercial, Residential Lighting

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



0-10V

99SETDC40D010




0-10V

99SETDC50D010

CONSTANT CURRENT DIMMABLE DRIVER 0-10V FOR LED FIXTURES

DIMMABLE | DIMMABLE 0-10V


99SETDC40D010



Type: Constant Current LED Dimmable Driver 0-10V
Power: 40W
Input Voltage: 220-240V AC
Output Voltage: 9-42V
Output Current: from 550 till 1050mA via DIP Switch in Steps of 50mA
Height: 27.5mm
Application: for Decorative, Indoor, Commercial, Residential Lighting

DIMMABLE | DIMMABLE 0-10V

99SETDC50D010



Type: Constant Current LED Dimmable Driver 0-10V
Power: 50W
Input Voltage: 220-240V AC
Output Voltage: 9-42V
Output Current: from 1100 till 1500mA via DIP Switch in Steps of 50mA
Height: 27.5mm
Application: for Decorative, Indoor, Commercial, Residential Lighting

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
0-10V
RoHS
EMC
CE

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



99DALI12012DC



99DALI15024DC


DALI CONSTANT VOLTAGE DIMMABLE DRIVER FOR LED STRIPS

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
12/24V DC
RoHS
EMC
CE

DALI DIMMABLE 12V DC


99DALI12012DC



Type: DALI T6 Constant Voltage Driver
Power: 120W
Input Voltage: 198-264V AC/ 50-60Hz
Output Volatge: 12V DC
Output Current: 0 - 10A
Dimming Depth: 0.1%
Application: for LED Strips; Light Box
Height: 30.3mm
** DALI + Push Dimming Functions*

DALI DIMMABLE 24V DC

99DALI15024DC



Type: DALI T6 Constant Voltage Driver
Power: 150W
Input voltage: 220-240V AC/ 50-60Hz
Output voltage: 24V DC
Output Current: 0 - 6.25A
Dimming Depth: 0.1%
Application: for LED Strips; Light Box
Height: 30.3mm
** DALI + Push Dimming Functions*

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



99DALI1240042
99DALI2050042



99DALI40105042
99DALI60150042

DALI CONSTANT CURRENT LED DRIVER FOR LED FIXTURES WITH EXTERNAL DRIVERS

99DALI1240042



Type: DALI Constant Current LED Driver
Power: 12W
Input voltage: 198-264V AC
Output voltage: 9-42V
Output current: from 150 till 400mA via DIP Switch in Steps of 50mA
Dimming Depth: 0.1%
Application: for Decorative, Indoor, Commercial, Residential Lighting
Height: 25mm

** DALI + Push Dimming Functions*


99DALI2050042



Type: DALI Constant Current LED Driver
Power: 20W
Input voltage: 198-264V AC
Output voltage: 9-42V
Output current: from 250 till 500mA via DIP Switch in Steps of 50mA
Dimming Depth: 0.1%
Application: for Decorative, Indoor, Commercial, Residential Lighting
Height: 25mm

** DALI + Push Dimming Functions*


99DALI40105042



Type: DALI Constant Current LED Driver
Power: 40W
Input voltage: 198-264V AC
Output voltage: 25-42V
Output current: from 250 till 1050mA via DIP Switch in Steps of 50mA
Dimming Depth: 0.1%
Application: for Decorative, Indoor, Commercial, Residential Lighting
Height: 31.2mm

** 5in1: Support DALI, Push, 0-10, PWM & Rx Dimming*

99DALI60150042



Type: DALI Constant Current LED Driver
Power: 60W
Input voltage: 198-264V AC
Output voltage: 25-42V
Output current: from 1100 till 1500mA via DIP Switch in Steps of 50mA
Dimming Depth: 0.1%
Application: for Decorative, Indoor, Commercial, Residential Lighting
Height: 31.2mm

* 5in1: Support DALI, Push, 0-10, PWM & RxDimming

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
220V AC
RoHS
EMC
CE

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



99DALI80200042



99DALIBPS


DALI CONSTANT CURRENT LED DRIVER FOR LED FIXTURES WITH EXTERNAL DRIVERS

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
220V AC
RoHS
EMC
CE

99DALI80200042

DALI DIMMABLE



Type: DALI Constant Current LED Driver
Power: 80W
Input voltage: 198-264V AC
Output voltage: 25-42V
Output Current: from 1550 till 2000mA via DIP Switch in Steps of 50mA
Dimming Depth: 0.1%
Application: for Decorative, Indoor, Commercial, Residential Lighting
Height: 21mm

** DALI + Push Dimming Functions*

99DALIBPS

DALI DIMMABLE



Type: DALI Bus Power Supply
Input voltage: 100-240V AC
Output voltage: 14-18V
Output Current: 230 ± 10mA
Devices: Drive 64 Devices with DALI Addresses
Communication Frequency: 1200bps
Mounting: DIN-Rail or Screw Fixation

** Output Short Circuit Protection; LED Indicator*

Scan QR code for 3D models, IES files & price.


Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



99DRIVERPN6
99DRIVERPN12
99DRIVERPN18

DRIVERS FOR LED PANELS ELMARK

99DRIVERPN6



Type: Driver for LED panel
Power: 6W
Input voltage: 220-240V
Output voltage: 12-25V DC
Output current: 300mA
Height: 22 mm

99DRIVERPN12



Type: Driver for LED panel
Power: 12W
Input voltage: 220-240V
Output voltage: 24-50V DC
Output current: 300mA
Height: 22 mm

99DRIVERPN18



Type: Driver for LED panel
Power: 18W
Input voltage: 220-240V
Output voltage: 36-75V DC
Output current: 300mA
Height: 22 mm

3 YEARS TOTAL WARRANTY
2 standard + 1 extended

IP20
~230V
RoHS
EMC
CE

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



99DRIVERPN24
99DRIVERPN40
99DRIVERPN48

DRIVERS FOR LED PANELS ELMARK

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
~230V
RoHS
EMC
CE

99DRIVERPN24



Type: Driver for LED panel
Power: 24W
Input voltage: 220-240V
Output voltage: 50-84V DC
Output current: 300mA
Height: 22 mm

99DRIVERPN40



Type: Driver for LED panel
Power: 40W
Input voltage: 220-240V
Output voltage: 30-42V DC
Output current: 1000mA
Height: 22 mm

99DRIVERPN48



Type: Driver for LED panel
Power: 48W
Input voltage: 220-240V
Output voltage: 27-42V DC
Output current: 1200mA
Height: 22 mm

Scan QR code for 3D models, IES files & price.


Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



99DRIVER12
99DRIVER18
99DRIVER24
99DRIVER36

DRIVERS FOR LED BULBS 12V DC

99DRIVER12



Type: Driver for LED bulb
12V DC
Power: 12W
Current: 1A
Input voltage: 230V AC
Output voltage: 12V DC
Height: 22 mm

99DRIVER18



Type: Driver for lED bulb
12V DC
Power: 18W
Current: 1.5A
Input voltage: 230V AC
Output voltage: 12V DC
Height: 28 mm

99DRIVER24



Type: Driver for LED bulb
12V DC
Power: 24W
Current: 2A
Input voltage: 230V AC
Output voltage: 12V DC
Height: 28 mm

99DRIVER36



Type: Driver for LED bulb
12V DC
Power: 36W
Current: 2A
Input voltage: 230V AC
Output voltage: 12V DC
Height: 28 mm

3 YEARS TOTAL WARRANTY
2 standard + 1 extended

IP67
12V DC
RoHS
EMC
CE

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity

CERAMIC LAMP HOLDERS & LAMP BASES

99292



Type: Lamp holder
Base: GU10
Length of the cable: 140 mm
Material: Ceramic
Diameter: 27 mm
Height: 16 mm

99293



Type: Lamp holder
Base: G 4 / G 5.3 / GY 6.35
Length of the cable: 90 mm
Material: Ceramic
Diameter: 16 mm
Height: 10 mm

99296



Type: Lamp holder
Base: E14
Material: Ceramic
Diameter: 33 mm
Height: 20 mm
Length: 44 mm

99294



Type: Lamp holder
Base: E27
Material: Ceramic
Diameter: 42 mm
Length: 48 mm

99295



Type: Lamp holder
Base: E27
Material: Ceramic
Length: 48 mm

99298



Type: Lamp holder
Base: E40
Material: Ceramic
Diameter: 56 mm
Height: 23 mm
Length: 48 mm

99199



Type: Straight lamp base
Base: E27
Rated current: 4A
Material: PET
Diameter: 63 mm
Length: 40 mm
Cable section: 0.5-2.5mm^2

99200



Type: Oblique lamp base
Base: E27
Rated current: 4A
Material: PET
Diameter: 78 mm
Length: 38 mm
Cable section: 0.5-2.5mm^2

IP20
~230V
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

HANGING LAMP HOLDERS & LAMP ADAPTERS

99198



Type: Twin socket lamp holder
Base: E27-2xE27
Rated current: 4A
Material: Iron + PBT
Diameter: 76 mm
Length: 74 mm
Cable section: 0.5-2.5mm²

192168



Type: Adapter E40/E27
Base: E27
Rated current: 4A
Material: iron + plastic
Diameter: 78 mm
Length: 45 mm
Cable section: 0.5-2.5mm²

192169



Type: Adapter G24/E27
Base: E27
Rated current: 4A
Material: iPBT+ copper
Diameter: 78 mm
Length: 50 mm
Cable sections: 0.5-2.5mm²

99194



Type: Screwless hanging lamp holder
Base: E14
Material: Plastic
Diameter: 44 mm
Length: 56.3 mm
Cable section: 0.5-2.5mm²

99195



Type: Screwless hanging lamp holder
Base: E27
Material: Plastic
Diameter: 55 mm
Length: 62.5 mm
Cable section: 0.5-2.5mm²

99197



Type: Screw hanging lamp holder
Base: E27
Material: Bakelite
Diameter: 38.5 mm
Length: 55 mm
Cable section: 0.5-2.5mm²

99196



Type: Screw hanging lamp holder
Base: E27
Material: Bakelite
Diameter: 38.5 mm
Length: 55 mm
Cable section: 0.5-2.5mm²

IP20
RoHS
CE

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



99DS100



99DS104



99DS103


INFRARED MOTION SENSORS

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP40
~230V

Scan QR code for 3D models, IES files & price.

99DS100



Type: Infrared motion sensor ST02A
Detection range: 160°
Rated load: ESL/LED-100W, IL-500W
Detection distance: max. 9m
Colour body: White
Installation height: 1-1.8m
Cut size: 48.5 mm
Height: 24.7 mm
Time-Delay: 10sec ± 3sec to 7min ± 2min (adjustable)
Ambient light: <3 - 2000lux (adjustable)
Detection motion speed: 0.6-1.5m/s

99DS104



Type: Infrared motion sensor ST42
Detection range: 360°
Rated load: ESL/LED-300W, IL-1200W
Detection distance: max. 6m
Colour body: White
Installation height: 2.2 - 4m
Cut size: 76 mm
Height: 75.6 mm
Time-Delay: 10sec ± 3sec to 7min ± 2min (adjustable)
Ambient light: <3 - 2000lux (adjustable)
Detection motion speed: 0.6-1.5m/s

99DS103



Type: Infrared motion sensor ST41
Detection range: 360°
Rated load: ESL/LED-300W, IL-1200W
Detection distance: max. 6m
Colour body: White
Installation height: 2.2 - 4m
Cut size: 61.5 mm
Height: 75.6 mm
Time-Delay: 10sec ± 3sec to 7min ± 2min (adjustable)
Ambient light: <3 - 2000lux (adjustable)
Detection motion speed: 0.6-1.5m/s

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



99DS402



99DS403

INFRARED MOTION SENSORS

99DS402



Type: Infrared motion sensor ST40
Detection range: 360°
Rated load: 800W (110-130V/AC);
1200W (220-240V/AC)
Detection distance: max. 6m
Colour body: White
Cut size: 40 mm
Height: 66.5 mm
Time-Delay: 10sec ± 3sec to 7min ± 2min (adjustable)
Ambient light: <3 - 2000lux (adjustable)
Detection motion speed: 0.6-1.5m/s

99DS403



Type: Infrared motion sensor ST11
Detection range: 180°
Rated load: 500W (110-130V/AC)
800W (220-240V/AC)
Detection distance: max. 12m
Colour body: White
Cut size: 40 mm
Width: 80.2 mm
Time-Delay: 10sec ± 3sec to 7min ± 2min (adjustable)
Ambient light: <3 - 2000lux (adjustable)
Detection motion speed: 0.6-1.5m/s

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP40
~230V

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



99DS115



99DS123



99DS122

TOUCHING AND MOVING HAND SENSOR

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP40
~230V
F
CE

99DS115

Type: Touching sensor
Rated load: ESL/LED - 200W, IL - 500W
Height: 16.8 mm




99DS122

Type: Moving hand sensor
Rated load: ESL/LED - 500W
Detection range: 5-6 cm
Height: 20.6 mm



99DS123

Type: Moving hand sensor
Rated load: ESL/LED - 500W
Detection range: 5-6 cm
Height: 36.6 mm



Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



99DS400



99DS303

MICROWAVE SENSORS

IP40

99DS400



Type: Microwave sensor ST701F
Detection range: 360°
Rated load: ESL/LED - 200W, IL - 1200W
Detection distance: 1-8m (radius), adjustable
Installation hight: 1.5-3.5m
Height: 25mm
Time-Delay: 10sec ± 3sec to 12min ±1 min (adjustable)
Ambient light: <3 - 2000LUX
HF System: 5.8GHz CW radar, ISM band

IP65

99DS303



Type: Microwave sensor ST757
Detection range: 180°
Rated load: ESL/LED - 200W, IL - 1200W
Detection distance: 15m & 10m
Detection motion speed: 0.6-1.5m/s
Installation hight: 1.5-3.5m
Height: 24 mm
Time-Delay: 5s, 90s, 3min & 20min
Ambient light: <3 - 2000LUX
HF System: 5.8GHz CW radar, ISM band

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

~230V

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



99DS101



99DS102



99DS110



99DS109

INFRARED MOTION SENSORS

3 YEARS TOTAL WARRANTY
3 standard + 0 extended


IP40
~230V
F
CE

99DS101



Type: Infrared motion sensor ST07
Detection range: 360°
Rated load: ESL/LED - 300W, IL - 1200W
Detection distance: max. 6m
Time delay: 10s to 7min
Ambient light: 10 - 2000LUX
Detection motion speed: 0.6-1.5m/s
Body colour: White
Height: 58 mm

99DS102



Type: Infrared motion sensor ST07
Detection range: 360°
Rated load: ESL/LED - 300W, IL - 1200W
Detection distance: max. 6m
Time delay: 10s to 7min
Ambient light: 10 - 2000LUX
Detection motion speed: 0.6-1.5m/s
Body colour: Black
Diameter: 115 mm

99DS110



Type: Infrared motion sensor ST05CA
Detection range: 360°
Rated load: ESL/LED - 300W, IL - 800W
Detection distance: max. 6m
Time delay: 10s to 15min
Ambient light: 10 - 2000LUX
Detection motion speed: 0.6-1.5m/s
Height: 24.3 mm

99DS109



Type: Infrared motion sensor ST24
Detection range: 120°/360°
Rated load: ESL/LED - 200W, IL - 800W
Detection distance: max. 6m
Time delay: 5s, 30s, 1,3,5,8min
Ambient light: 10 - 2000LUX
Detection motion speed: 0.6-1.5m/s
Height: 25.5 mm

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



99DS108



99DS107




99DS304

INFRARED MOTION SENSORS ST10A / ST15 / ST29

IP40

99DS108



Type: Infrared motion sensor ST10A
Detection range: 180°
Rated load: ESL/LED - 300W, IL - 1200W
Detection distance: 5-12m
Time delay: 10sec ± 3sec to 7min ± 2min (adjustable)
Ambient light: <3 - 2000lux (adjustable)
Detection motion speed: 0.6 - 1.5m/s
Installation height: 2.2 - 4m

IP40

99DS107



Type: Infrared motion sensor ST15
Detection range: 180°
Rated load: ESL/LED - 300W, IL - 1200W
Detection distance max.12m
Time delay: 10sec ± 3sec to 7min ± 2min (adjustable)
Ambient light: <3 - 2000lux (adjustable)
Detection motion speed: 0.6 - 1.5m/s
Width: 119.5 mm
Installation height: 2.2 - 4m

IP65

99DS304



Type: Infrared motion sensor ST29
Detection range: 360°
Rated load: ESL/LED - 300W, IL - 1200W
Detection distance: 10m
Time delay: 10sec ± 3sec to 7min ± 2min (adjustable)
Ambient light: <3 - 2000lux (adjustable)
Detection motion speed: 0.6 - 1.5m/s
Width: 33.2 mm
Installation height: 2.2 - 4m

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

~230V

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store

ELMARK
The Brand of Electricity



99DS404



99DS300



99DS405



99DS301

LIGHT-CONTROL SENSORS

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP44
~230V
F
CE

99DS404

Type: Light control sensor ST300
Rated current: 10A
Ambient light: 3-500LUX (adjustable)
* Timer Built-in from 1-9 hours



99DS300

Type: Light control sensor ST303
Rated current: 25A
Ambient light: <5 - 50lux (adjustable)



99DS301

Type: Light control sensor ST302
Rated current: 10A
Ambient light: <5 - 50lux (adjustable)



99DS405

Type: Light control sensor ST302
Rated current: 6A
Ambient light: <5 - 50lux (adjustable)



Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store



99DS302



99DS307



99DS305



99DS306

LIGHT-CONTROL SENSORS

IP65

99DS302

Type: Light control sensor ST308
Rated current: 20A
Ambient light: <2 - 100lux (adjustable)
Width: 66 mm



IP44

99DS307


Type: Light control sensor ST314
Rated current: 10A
Ambient light: <10lux



IP66

99DS305

Type: Light control sensor ST305-3
Rated current: 10A
Ambient light: <5- 15lux



IP44

99DS306

Type: Base for 99DS305
Rated current: 10A




3 YEARS TOTAL WARRANTY
3 standard
0 extended

~230V

Scan QR code for 3D models, IES files & price.

Download ELMARK BUSINESS APP from www.elmarkholding.eu or for mobile from Google Play or App Store





DIGITAL SOLUTIONS

Digitization is the way to a successful business.

We have created digital solutions to make it easier for our customers. With the help of the applications, you can choose a product quickly and easily and order it directly from your mobile smartphone.

ELMARK Mobile Apps for users on the GO!

FOR END CUSTOMERS

/Retail, B2C/

- Shopping without registration
- Discounts with registration
- Order quick and easy
- Option for free shipping

*Visit **elmarkstore.eu** or download ELMARK Store from:*

GET IT ON Google Play | Download on the App Store

FOR BUSINESS PARTNERS & DISTRIBUTORS

/Wholesale, B2B/

- Great business discounts
- Interactive catalog with all products
- Product availability, exact delivery date, and status
- Competent feedback

*Visit **elmarkholding.eu** or download ELMARK BUSINESS from:*

GET IT ON Google Play | Download on the App Store

IN-STORE DISPLAY WORKSTATION

All ELMARK products in one place

3 EASY STEPS

check prices, quantities, and product info

- Find the product in ELMARK interactive cataloge
- Take the barcode scanner and point it to the product
- Scan the QR code and the product information will be displayed





Availability

Delivery terms

Add to basket

Marketing promotions