LIGHTING
CATALOGUE

ELMARK®
The Brand of Electricity







2025

CONTENT

DECOR LIGHTING | page 7

LUXURY DECOR LIGHTING | page 7


CORONA | page 7


PEARL | page 32


CORINA | page 52


ALISON | page 63


ATOM | page 79

CRYSTAL LIGHTING | CLASSIC LIGHTING | page 120


AVELINO | page 120


MATEO | page 127


CHARLES | page 199


MAGNUM | page 219


URCHIN | page 308

SPOT LIGHTING | TABLE AND FLOOR LAMPS | page 387


AMBIX | page 387


SHEEN | page 395


VOX | page 400


LEIA | page 429


OSLO | page 462

FABRIC TRACK LIGHT | page 482


LINEAR | page 482


HONEYCOMB | page 484


SPHERE | page 489


COB SPOT | page 490


ACCESSORIES | page 493

CONTENT

INDOOR LIGHTING

LED PANELS | CEILING AND WALL LED FIXTURES | page 497



HIGH EFFICIENCY LED PANEL
page 497


SURFACE MOUNTING SLIM LED PANELS | page 503

CEILING LAMP WITH SENSOR
page 544


WALL LAMP WITH DOUBLE LIGHTS | page 549


WALL LAMPS | page 556

LED PROFILES | DOWNLIGHTS | page 571


ACOUSTIC LED FIXTURES
page 571


LED PROFILE FOR SURFACE MOUNTING | page 571


ANTI-GLARE DOWNLIGHT
page 605


RECESSED DEEP SQUARE DOWNLIGHT | page 639


SURFACE DOWN LIGHT
page 649

CABINET FURNITURE LIGHTING | MAGNETIC TRACK LIGHT SYSTEMS | page 660


WARDROBE RAIL ALUMINUM PROFILE | page 660


SHOWCASE SPOTLIGHT
page 678


ULTRA SLIM MAGNETIC LED LIGHTS | page 699


ULTRA SLIM FOLDING LIGHT
page 703


FOUR POLES MAGNETIC LED LIGHTS | page 710

TRACK LIGHT SYSTEMS | EMERGENCY LIGHT | page 731


TWO LINES TRACK LIGHT
page 733


TWO & FOUR LINES TRACK LIGHT | page 741


TWO LINES TRACK LIGHT
page 749



EMERGENCY LIGHTS, XL SERIES | page 768


EMERGENCY DRIVER 3-50W
page 774

CONTENT

OUTDOOR LIGHTING | page 778

GARDEN LIGHTS | page 778


PENDANT LANTERN
page 778


WALL LANTERN
page 789


LED PATHWAY LIGHT
page 816


RECESSED WALL LAMP
page 849


WALL LAMP WITH SENSOR
page 865

FACADE & GROUND LIGHTS | page 870


LED FACADE FIXTURE
page 870


WALL & CEILING LAMP
page 882


WATERPROOF LED FIXTURES
page 898


SPIKE GROUND FIXTURES
page 909


GROUND RECESSED FIXTURE
page 912

SOLAR LIGHTS | page 936


SOLAR PATHWAY LAMP
page 944


7 IN 1 SOLAR WALL LAMP
page 953


SOLAR TABLE LAMP
page 960


SOLAR WALL LAMP
page 5


SOLAR STREET LAMP
page 967

INDUSTRIAL LIGHTS | page 970


LED FLOODLIGHT
page 970


INDUSTRIAL LED
FLOODLIGHT | page 984


LED STREET LAMPS
page 993


INDUSTRIAL LED HIGH BAYS
page 999


INDUSTRIAL LINEAR LED
HIGH BAYS | page 1003

CONTENT

LAMPS AND COMPONENTS | page 1014

LED BULBS | page 1014



LED FILAMENT BULB
page 1017



LED PEAR BULBS
page 1023



LED BULB LED R50
page 1034



LED BULB GU**10**
page 1043



LED TUBE T8
page 1054

LED STRIPS & NEON | page 1058



LED STRIP 300 12V DC
page 1058



LED STRIP600 24V DC, IP65
page 1066



COB LED STRIP 24V DC
page 1073



LED MODULE WITH OPTIC LENS | page 1089



ROUND LED NEON, IP65
page 1090

PROFILES FOR LED STRIPS | page 1094



FLEXIBLE ALUMINUM PROFILE | page 1094



PROFILES FOR DRYWALL MOUNTING | page 1095



ALUMINIUM CEILING PROFILE
page 1096



ALUMINIUM CEILING PROFILE BLACK SERIES | page 1097



HANGING ROUND PROFILE
page 1098

ACCESSORIES | page 1113



TUYA SMART CONTROLLERS
page 1113



TRIAC DIMMERS | page 1116



CONSTANT VOLTAGE DRIVER
page 1151



DALI CONSTANT CURRENT LED DRIVER | page 1163



MOTION SENSORS
page 1169

DECORATIVE LIGHTING

- LED Decor Lighting
- Crystal Lighting
- Decor Classic Lighting
- Spot Lights
- Table & Floor Lamps





955CORONA1330WGD



955CORONA2230TGD

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP40
220V
Ra≥80
EMC
RoHs COMPLIANT
CE

LED warm WHITE 3000K G



955CORONA1330WGD
Type: LED Wall lamp
Model: CORONA
Power: 13W
Lumens: 1040lm
Efficiency: 80lm/W
LED chip: Samsung SMD2835
Body colour: Satin gold
Material: Metal + Crystal

LED warm WHITE 3000K G



955CORONA2230TGD
Type: LED Table lamp
Model: CORONA
Power: 22W
Lumens: 1760lm
Efficiency: 80lm/W
LED chip: Samsung SMD2835
Body colour: Satin gold
Material: Metal + Crystal

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955CORONA3430CGD



955CORONA2030PGD

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP40
220V
Ra≥80
EMC
RoHs COMPLIANT
CE

LED | warm WHITE 3000K | A B C D E F G



955CORONA3430CGD
Type: LED Ceiling lamp
Model: CORONA
Power: 34W
Lumens: 2720lm
Efficiency: 80lm/W
LED chip: Samsung SMD2835
Body colour: Satin gold
Material: Metal + Crystal

LED | warm WHITE 3000K | A B C D E F G



955CORONA2030PGD
Type: LED Pendant
Model: CORONA
Power: 20W
Lumens: 1560lm
Efficiency: 78lm/W
LED chip: Samsung SMD2835
Body colour: Satin gold
Material: Metal + Crystal

Scan QR code for 3D models, IES files & price.

i Scan each QR code to see the price and availability of the product.



955CORONA3430PGD

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP40
220V
Ra≥80
EMC
RoHs COMPLIANT
CE

LED | warm WHITE 3000K | A G | G



955CORONA3430PGD
Type: LED Pendant
Model: CORONA
Power: 34W
Lumens: 2720lm
Efficiency: 80lm/W
LED chip: Samsung SMD2835
Body colour: Satin gold
Material: Metal + Crystal

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity









955CORONA10430PGD

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP40
220V
Ra≥80
EMC
RoHs COMPLIANT
CE

LED | warm WHITE 3000K | G



955CORONA10430PGD
Type: LED Pendant
Model: CORONA
Power: 104W
Lumens: 8320lm
Efficiency: 80lm/W
LED chip: Samsung SMD2835
Body colour: Satin gold
Material: Metal + Crystal

955CORONA10430PGD can be adjusted on installation to create various designs. See above.

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



PRESTIGE SERIES

LEATHER CINCTURE

A sophisticated collection of internally and
externally leather bound formed Aluminium Hoops

ELMARK
The Brand of Electricity



955PRESTIGE4930BO



955PRESTIGE7330BO

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP40
220V
Ra>90
EMC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

LED | warm WHITE 3000K | G | Ra≥90



955PRESTIGE4930BO

Type: LED Pendant
Model: PRESTIGE
Power: 49W
Lumens: 3920lm
Efficiency: 80lm/W
Body colour: Brown + Orange
Material: Metal + Leather

LED | warm WHITE 3000K | G | Ra≥90



955PRESTIGE7330BO

Type: LED Pendant
Model: PRESTIGE
Power: 73.6W
Lumens: 5888lm
Efficiency: 65lm/W
Body colour: Brown + Orange
Material: Metal + Leather

i Scan each QR code to see the price and availability of the product.



955PRESTIGE14830MC

LED | warm WHITE 3000K | G | Ra≥90



955PRESTIGE14830MC

Type: LED Pendant
Model: PRESTIGE
Power: 148W
Lumens: 11840lm
Efficiency: 80lm/W
Body colour: Brown + Black + Orange
Material: Metal + Leather

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP40
220V
Ra>90
EMC
RoHs
CE

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955PRESTIGE39030MC

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP40
220V
Ra>90
EMC
RoHs COMPLIANT
CE

LED | warm WHITE 3000K | A G | G | Ra≥90



955PRESTIGE39030MC

Type: LED Pendant
Model: PRESTIGE
Power: 390W
Lumens: 31200lm
Efficiency: 80lm/W
Body colour: Brown + Black + Blue + Orange
Material: Metal + Leather

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



955PRESTIGE29630MC

LED | warm WHITE 3000K | G | Ra≥90

DIMMABLE



955PRESTIGE29630MC

Type: LED Pendant
Model: PRESTIGE
Power: 296W
Lumens: 23680lm
Efficiency: 80lm/W
Body colour: Brown + Black + Blue + Orange
Material: Metal + Leather

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP40
220V
Ra>90
EMC
RoHs COMPLIANT
CE

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955PRESTIGE32730MC

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP40
220V
Ra>90
EMC
RoHs COMPLIANT
CE

LED | warm WHITE 3000K | A G | G | Ra≥90

DIMMABLE



955PRESTIGE32730MC
Type: LED Ceiling/ Wall lamp
Model: PRESTIGE
Power: 327W
Lumens: 26160lm
Efficiency: 80lm/W
Body colour: Brown + Black + Blue + Orange
Material: Metal + Leather
Height: 240mm

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



955PRESTIGE45830MC

LED | warm WHITE 3000K | G | Ra≥90 | DIMMABLE



955PRESTIGE45830MC

Type: LED Pendant
Model: PRESTIGE
Power: 458W
Lumens: 36640m
Efficiency: 80lm/W
Body colour: Brown + Black + Blue + Orange
Material: Metal + Leather

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP40
220V
Ra>90
EMC
RoHs COMPLIANT
CE

Scan each QR code to see the price and availability of the product.



DIAMOND SERIES

BEAUTIFUL GLOW

The unique way in which we form the crystal aspect globe in shape, angle and pattern creates stunning refractions in every facet.



955DIAMOND430WGD



955DIAMOND230TGD

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP40
220V
Ra>90
EMC
RoHs COMPLIANT
CE

LED | warm WHITE 3000K | F | Ra≥90
DIMMABLE



955DIAMOND230TGD
Type: LED Table lamp
Model: DIAMOND
Power: 2W
Lumens: 180lm
Efficiency: 90lm/W
Body colour: Gold
Material: Metal + Aluminium + Acrylic
* Three-step touch dimmable sensor

LED | warm WHITE 3000K | G | Ra≥90



955DIAMOND430WGD
Type: LED Wall lamp
Model: DIAMOND
Power: 4.2W
Lumens: 336lm
Efficiency: 80lm/W
Body colour: Gold
Material: Metal + Aluminium + Acrylic

i Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955DIAMOND530PCH



955DIAMOND530PGD

3 YEARS TOTAL WARRANTY
+ 3 standard 0 extended

IP40
220V
Ra>90
EMC
RoHs COMPLIANT
CE

LED | warm WHITE 3000K | E | Ra≥90



955DIAMOND530PCH

Type: LED Pendant
Model: DIAMOND
Power: 5W
Lumens: 600lm
Efficiency: 120lm/W
Body colour: Chrome
Material: Metal + Aluminium + Acrylic

LED | warm WHITE 3000K | E | Ra≥90



955DIAMOND530PGD

Type: LED Pendant
Model: DIAMOND
Power: 5W
Lumens: 600lm
Efficiency: 120lm/W
Body colour: Gold
Material: Metal + Aluminium + Acrylic

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



955DIAMOND3230CBCH



955DIAMOND3230CBGD

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP40
220V
Ra>90
EMC
RoHs COMPLIANT
CE

LED | warm WHITE 3000K | E | Ra≥90

955DIAMOND3230CBCH

Type: LED Ceiling lamp
Model: DIAMOND
Power: 32W
Lumens: 4440lm
Efficiency: 138lm/W
Body colour: Black + Chrome
Material: Metal + Aluminium + Acrylic



LED | warm WHITE 3000K | E | Ra≥90

955DIAMOND3230CBGD

Type: LED Ceiling lamp
Model: DIAMOND
Power: 32W
Lumens: 4440lm
Efficiency: 138lm/W
Body colour: Black + Gold
Material: Metal + Aluminium + Acrylic



Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955DIAMOND2830PCH



955DIAMOND2830PGD

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP40
220V
Ra>90
EMC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

LED | warm WHITE 3000K | A G | G | Ra≥90



955DIAMOND2830PCH
Type: LED Pendant
Model: DIAMOND
Power: 28W
Lumens: 2240lm
Efficiency: 80lm/W
Body colour: Chrome
Material: Metal + Aluminium + Acrylic

LED | warm WHITE 3000K | A G | G | Ra≥90



955DIAMOND2830PGD
Type: LED Pendant
Model: DIAMOND
Power: 28W
Lumens: 2240lm
Efficiency: 80lm/W
Body colour: Gold
Material: Metal + Aluminium + Acrylic

i Scan each QR code to see the price and availability of the product.



955DIAMOND430PGD



955DIAMOND1230PGD

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP40
220V
Ra>90
EMC
RoHs COMPLIANT
CE

LED | warm WHITE 3000K | G | Ra≥90



955DIAMOND430PGD
Type: LED Pendant
Model: DIAMOND
Power: 4.2W
Lumens: 336lm
Efficiency: 80lm/W
Body colour: Gold
Material: Metal + Aluminium + Acrylic

LED | warm WHITE 3000K | G | Ra≥90



955DIAMOND1230PGD
Type: LED Pendant
Model: DIAMOND
Power: 12.6W
Lumens: 1008lm
Efficiency: 80lm/W
Body colour: Gold
Material: Metal + Aluminium + Acrylic

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955DIAMOND2130PGD

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP40
220V
Ra>90
EMC
RoHs COMPLIANT
CE

LED | warm WHITE 3000K | G | Ra≥90



955DIAMOND2130PGD

Type: LED Pendant
Model: DIAMOND
Power: 21W
Lumens: 1680lm
Efficiency: 80lm/W
Body colour: Gold
Material: Metal + Aluminium + Acrylic

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



GOLDENEGG SERIES

A contemporary collection complete with organic bubbles infused within pressed glass, dual light source and finished in chrome with clear or gold with champagne bubble glass.

ELMARK
The Brand of Electricity



955GOLDENEGG530WGD



955GOLDEGG530PGD

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP40
220V
Ra≥80
EMC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.



LED warm WHITE 3000K A T G G

955GOLDENEGG530WGD

Type: LED Wall lamp
Model: GOLDEN EGG
Power: 4.8W
Lumens: 300lm
Efficiency: 62.5lm/W
Body colour: Gold
Material: Metal + Glass



LED warm WHITE 3000K A T G G

955GOLDEGG530PGD

Type: LED Pendant
Model: GOLDEN EGG
Power: 4.8W
Lumens: 300lm
Efficiency: 62.5lm/W
Body colour: Gold
Material: Metal + Glass

Scan each QR code to see the price and availability of the product.



955GOLDEGG1430PGD



955GOLDEGG1430PGD

Type: LED Pendant
Model: GOLDEN EGG
Power: 14.4W
Lumens: 800lm
Efficiency: 55.5lm/W
Body colour: Gold
Material: Metal + Glass

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP40
220V
Ra≥80
EMC
RoHs
CE

Scan each QR code to see the price and availability of the product.



PEARL SERIES

TENDERNESS AND ELEGANCE

Collection inspired by the finest and most natural jewels from the ocean. Pearl transforms the way we think of lighting. Innovation is about transforming the familiar into the extra ordinary.



955PEARL930P3GD



955PEARL930P3GD
Type: LED Dimmable Pendant
Model: PEARL
Power: 9W
Lumens: 765lm
Efficiency: 85lm/W
Body colour: Gold
Material: Metal + Glass

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP40
220V
Ra≥80
EMC
RoHs
CE

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955PEARL6630P1GD

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP40
220V
Ra≥80
EMC
RoHS
CE



955PEARL6630P1GD

Type: LED Dimmable Pendant
Model: PEARL
Power: 66W
Lumens: 5610lm
Efficiency: 85lm/W
Body colour: Gold
Material: Metal + Glass

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



955PEARL6630P2GD

LED | warm WHITE 3000K | F | DIMMABLE

955PEARL6630P2GD

Type: LED Dimmable Pendant
Model: PEARL
Power: 66W
Lumens: 5610lm
Efficiency: 85lm/W
Body colour: Gold
Material: Metal + Glass



3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP40
220V
Ra≥80
EMC
RoHs
CE

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955PEARL35CCTCO

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP40
220V
Ra≥80
EMC
RoHs COMPLIANT
CE



955PEARL35CCTCO

Type: LED Pendant
Model: PEARL
Power: 35W
Lumens: 2730lm
Efficiency: 78lm/W
Body colour: Cooper
Material: Metal + Acrylic
*with remote control

Scan QR code for 3D models, IES files & price.

i Scan each QR code to see the price and availability of the product.



955PEARL55CCTCO

3 YEARS TOTAL WARRANTY
3 standard
0 extended

IP40
220V
Ra≥80
EMC
RoHs
CE

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6400K | SETTABLE | G



955PEARL55CCTCO

Type: LED Pendant
Model: PEARL
Power: 55W
Lumens: 4290lm
Efficiency: 78lm/W
Body colour: Cooper
Material: Metal + Acrylic
*with remote control

Scan each QR code to see the price and availability of the product.

MODULAR SERIES

INFINITE POSSIBILITIES

Revolutionary modular systems where we put the power of flexibility and creativity in the hands of any lighting designer. The modular system allows limitless combinations.



The push lock mechanisms open up a world of options to create limitless combinations with minimum effort. A satisfyingly snug fit connects all modules that can then be locked in place with the grub screw.



955MODULAR2430PGD

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP40
220V
Ra>90
EMC
RoHs
CE

LED | warm WHITE 3000K | G | Ra≥90 | DIMMABLE



955MODULAR2430PGD

Type: LED Pendant
Model: MODULAR
Power: 24W
Light source QTY: 10
Lumens: 1920lm
Efficiency: 80lm/W
Body colour: Matt black + Gold
Material: Metal + Aluminium + PC

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955MODULAR4830PGD

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP40
220V
Ra>90
EMC
RoHs COMPLIANT
CE



955MODULAR4830PGD

Type: LED Pendant
Model: MODULAR
Power: 48W
Light source QTY: 20
Lumens: 3840lm
Efficiency: 80lm/W
Body colour: Matt black + Gold
Material: Metal + Aluminium + PC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



955MODULAR7230PGD



955MODULAR7230PGD

Type: LED Pendant
Model: MODULAR
Power: 72W
Light source QTY: 20
Lumens: 5760lm
Efficiency: 80lm/W
Body colour: Matt black + Gold
Material: Metal + Aluminium + PC

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP40
220V
Ra>90
EMC
RoHs
CE

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955SPLENDOR630BC



955SPLENDOR630BSG

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP40
220V
Ra>90
EMC
RoHs COMPLIANT
CE

LED | warm WHITE 3000K | G | Ra≥90



955SPLENDOR630BC

Type: LED Pendant
Model: SPLENDOR
Power: 6W
Lumens: 480lm
Efficiency: 80lm/W
Body colour: Brass + Cognac glass
Material: Metal + Glass

LED | warm WHITE 3000K | G | Ra≥90



955SPLENDOR630BSG

Type: LED Pendant
Model: SPLENDOR
Power: 6W
Lumens: 480lm
Efficiency: 80lm/W
Body colour: Brass + Smoky grey glass
Material: Metal + Glass

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



955SPLENDOR930BC



955SPLENDOR930BSG

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP40
220V
Ra>90
EMC
RoHs COMPLIANT
CE

LED | warm WHITE 3000K | G | Ra≥90



955SPLENDOR930BC

Type: LED Pendant
Model: SPLENDOR
Power: 9W
Lumens: 720lm
Efficiency: 80lm/W
Body colour: Brass + Cognac glass
Material: Metal + Glass

LED | warm WHITE 3000K | G | Ra≥90



955SPLENDOR930BSG

Type: LED Pendant
Model: SPLENDOR
Power: 9W
Lumens: 720lm
Efficiency: 80lm/W
Body colour: Brass + Smoky grey glass
Material: Metal + Glass

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955SPLENDOR1830BC

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP40
220V
Ra>90
EMC
RoHs COMPLIANT
CE

LED | warm WHITE 3000K | G | Ra≥90



955SPLENDOR1830BC

Type: LED Pendant
Model: SPLENDOR
Power: 18W
Lumens: 1440lm
Efficiency: 80lm/W
Body colour: Brass + Cognac glass
Material: Metal + Glass

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



955SPLENDOR1830BSG

LED | warm WHITE 3000K | G | Ra≥90



955SPLENDOR1830BSG

Type: LED Pendant
Model: SPLENDOR
Power: 18W
Lumens: 1440lm
Efficiency: 80lm/W
Body colour: Brass + Smoky grey glass
Material: Metal + Glass

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP40
220V
Ra>90
EMC
RoHs COMPLIANT
CE

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955DINA4040WH



955DIANA4040BL

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP40
220V
Ra≥80
EMC
RoHs
CE

Scan QR code for 3D models, IES files & price.

LED | neutral WHITE 4000K | G



955DINA4040WH

Type: LED Pendant
Model: DINA
Power: 40W
Lumens: 3120lm
Efficiency: 78lm/W
Body colour: White
Material: Metal + Aluminium

LED | neutral WHITE 4000K | G



955DIANA4040BL

Type: LED Pendant
Model: DIANA
Power: 40W
Lumens: 3120lm
Efficiency: 78lm/W
Body colour: Black
Material: Metal + Aluminium

Scan each QR code to see the price and availability of the product.



955TINA4230FGD



955TINA4230FGD

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP40
220V
Ra≥80
EMC
RoHs
CE

LED | warm WHITE 3000K | G



955TINA4230FGD

Type: LED Pendant
Model: TINA
Power: 42W
Lumens: 3276lm
Efficiency: 78lm/W
Body colour: French gold
Material: Metal + Aluminium

LED | warm WHITE 3000K | G



955TINA3330FGD

Type: LED Pendant
Model: TINA
Power: 33W
Lumens: 2574lm
Efficiency: 78lm/W
Body colour: French gold
Material: Metal + Aluminium

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955TINA2830FGD



955TINA3530FGD

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP40
220V
Ra≥80
EMC
RoHs
CE

Scan QR code for 3D models, IES files & price.



955TINA2830FGD

Type: LED Pendant
Model: TINA
Power: 28W
Lumens: 2184lm
Efficiency: 78lm/W
Body colour: French gold
Material: Metal + Aluminium



955TINA3530FGD

Type: LED Pendant
Model: TINA
Power: 35W
Lumens: 2730lm
Efficiency: 78lm/W
Body colour: French gold
Material: Metal + Aluminium

Scan each QR code to see the price and availability of the product.



955GIRO35CCTGD



955ELISA90CCTGD

3 YEARS TOTAL WARRANTY
3 standard
0 extended

IP40
220V
Ra≥80
EMC
RoHs
CE

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6400K | SETTABLE | G



955GIRO35CCTGD

Type: LED Pendant
Model: GIRO
Power: 35W
Lumens: 2730lm
Efficiency: 78lm/W
Body colour: Gold
Material: Metal + Aluminium
*with remote control

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6400K | SETTABLE | G



955ELISA90CCTGD

Type: LED Pendant
Model: ELISA
Power: 90W
Lumens: 7020lm
Efficiency: 78lm/W
Body colour: Gold
Material: Metal + Aluminium
*with remote control

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955RIMA1230CO



955RIMA1430CO

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP40
220V
Ra≥80
EMC
RoHs
CE

Scan QR code for 3D models, IES files & price.

LED | warm WHITE 3000K | G



955RIMA1230CO

Type: LED Wall lamp
Model: RIMA
Power: 12W
Lumens: 936lm
Efficiency: 78lm/W
Body colour: Cooper
Material: Metal + Acrylic

LED | warm WHITE 3000K | G



955RIMA1430CO

Type: LED Wall lamp
Model: RIMA
Power: 14W
Lumens: 1092lm
Efficiency: 78lm/W
Body colour: Cooper
Material: Metal + Acrylic

Scan each QR code to see the price and availability of the product.



955ELZA40CCTGD

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP40
220V
Ra≥80
EMC
RoHs
CE

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6400K | SETTABLE | G

955ELZA40CCTGD

Type: LED Pendant
Model: ELZA
Power: 40W
Lumens: 3120lm
Efficiency: 78lm/W
Body colour: Gold
Material: Metal + Aluminium
*with remote control



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



002177-016663



002177-016659

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
220-240V
Ra≥80
EMC
CE

Scan QR code for 3D models, IES files & price.

LED | warm WHITE 3000K | E



002177-016663

Type: LED pendant
Model: CIRCLE
Power: 70W
Lumens: 7820lm
Efficiency: 111lm/W
Body colour: Black
Material: Metal + Plastic

LED | warm WHITE 3000K | E



002177-016659

Type: LED pendant
Model: CIRCLE
Power: 70W
Lumens: 7820lm
Efficiency: 111lm/W
Body colour: White
Material: Metal + Plastic

Scan each QR code to see the price and availability of the product.



003064-021963



003064-021960

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
220-240V
Ra≥80
EMC
CE





003064-021960

Type: LED pendant
Model: CARLO
Power: 38W
Lumens: 2280lm
Efficiency: 60lm/W
Body colour: Black
Material: Steel





003064-021963

Type: LED pendant
Model: CARLO
Power: 38W
Lumens: 2280lm
Efficiency: 60lm/W
Body colour: Gold
Material: Steel

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



003064-026651



003064-026647

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
220-240V
Ra≥80
EMC
CE

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6000K | SETTABLE | G



003064-026651

Type: LED pendant
Model: BRENO
Power: 36W
Lumens: 1700lm
Efficiency: 47lm/W
Body colour: Black
Material: Metal + Aluminium

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6000K | SETTABLE | G



003064-026647

Type: LED pendant
Model: BRENO
Power: 60W
Lumens: 2500lm
Efficiency: 42lm/W
Body colour: Black
Material: Metal + Aluminium

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



003064-026648



003064-026652

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
220-240V
Ra≥80
EMC
CE

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6000K | SETTABLE | G



003064-026652

Type: LED pendant
Model: BRENO
Power: 36W
Lumens: 2100lm
Efficiency: 58lm/W
Body colour: Gold
Material: Metal + Aluminium

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6000K | SETTABLE | G



003064-026648

Type: LED pendant
Model: BRENO
Power: 60W
Lumens: 3200lm
Efficiency: 53lm/W
Body colour: Gold
Material: Metal + Aluminium

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP40

220V

Ra≥80

EMC

RoHs

CE



955CORINA26CCTCO

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6400K | SETTABLE | G



955CORINA26CCTCO

Type: LED Pendant
Model: CORINA
Power: 26W
Lumens: 2028lm
Efficiency: 78lm/W
Body colour: Cooper
Material: Metal + Aluminium
*with remote control

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



955CORINA78CCTCO

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6400K | SETTABLE | G



955CORINA78CCTCO

Type: LED Pendant
Model: CORINA
Power: 78W
Lumens: 6084lm
Efficiency: 78lm/W
Body colour: Cooper
Material: Metal + Aluminium
*with remote control



3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP40
220V
Ra≥80
EMC
RoHs
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955ERICA6330BL



955ERICA3930BL

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP40
220V
Ra≥90
EMC
RoHs
CE

Scan QR code for 3D models, IES files & price.

LED | warm WHITE 3000K | D | Ra≥90



955ERICA3930BL

Type: LED Pendant
Model: ERICA
Power: 39W
Lumens: 5450lm
Efficiency: 139lm/W
LED chip: OSRAM
Input voltage: AC100~277V
Body colour: Black
Material: Metal + Aluminium + Silicone

LED | warm WHITE 3000K | D | Ra≥90



955ERICA6330BL

Type: LED Pendant
Model: ERICA
Power: 63W
Lumens: 8800lm
Efficiency: 139lm/W
LED chip: OSRAM
Input voltage: AC100~277V
Body colour: Black
Material: Metal + Aluminium + Silicone

Scan each QR code to see the price and availability of the product.



955ERICA12030BL

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP40
220V
Ra≥90
EMC
RoHs
CE

LED | warm WHITE 3000K | D

Ra≥90



955ERICA12030BL

Type: LED Pendant
Model: ERICA
Power: 120W
Lumens: 16800lm
Efficiency: 140lm/W
LED chip: OSRAM
Input voltage: AC100~277V
Body colour: Black
Material: Metal + Aluminium + Silicone

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955CALISTA10040WH



955CALISTA3240WH

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP40
220V
Ra≥90
EMC
RoHs
CE

Scan QR code for 3D models, IES files & price.

LED | neutral WHITE 4000K | D | Ra≥90



955CALISTA3240WH

Type: LED Ceiling lamp
Model: CALISTA
Power: 32W
Lumens: 4450lm
Efficiency: 139lm/W
LED chip: OSRAM
Driver: Lifud
Input voltage: AC100~277V
Body colour: White
Material: Metal + Aluminium + Silicone

LED | neutral WHITE 4000K | D | Ra≥90



955CALISTA10040WH

Type: LED Pendant
Model: CALISTA
Power: 100W
Lumens: 14000lm
Efficiency: 140lm/W
LED chip: OSRAM
Driver: Lifud
Input voltage: AC100~277V
Body colour: White
Material: Metal + Aluminium + Silicone
Height: 1500mm

Scan each QR code to see the price and availability of the product.



955CALISTA1540WH



955CASSIA7540WH

3 YEARS TOTAL WARRANTY
3 standard
0 extended

IP40
220V
Ra≥90
EMC
RoHs
CE

LED | neutral WHITE 4000K | D

Ra≥90



955CALISTA1540WH

Type: LED Pendant
Model: CALISTA
Power: 15W
Lumens: 4200lm
Efficiency: 140lm/W
LED chip: OSRAM
Driver: Lifud
Input voltage: AC100~277V
Body colour: White
Material: Metal + Aluminium + Silicone

LED | neutral WHITE 4000K | D

Ra≥90



955CASSIA7540WH

Type: LED Pendant
Model: CASSIA
Power: 75W
Lumens: 9800lm
Efficiency: 130lm/W
LED chip: OSRAM
Driver: Lifud
Input voltage: AC100~277V
Body colour: White
Material: Metal + Aluminium + Silicone

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP40
220V
Ra≥80
EMC
RoHs
CE



003064-028428



003064-028098

LED warm WHITE 3000K E



003064-028428

Type: LED ceiling lamp
Model: GETAFE
Power: 27W
Lumens: 3100lm
Efficiency: 114lm/W
Body colour: Black + Chrome
Material: Metal + Plastic

LED warm WHITE 3000K E



003064-028098

Type: LED pendant
Model: GETAFE
Power: 34W
Lumens: 4000lm
Efficiency: 117lm/W
Body colour: Black + Chrome
Material: Metal + Plastic

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



003064-028097

3 YEARS TOTAL WARRANTY
3 standard
0 extended

IP40
220V
Ra≥80
EMC
RoHs
CE

LED | warm WHITE 3000K | E



003064-028097

Type: LED pendant
Model: GETAFE
Power: 57W
Lumens: 6700lm
Efficiency: 117lm/W
Body colour: Black + Chrome
Material: Metal + Plastic



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



003064-027929

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
220-240V
Ra≥80
EMC
CE

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6000K | SETTABLE | G

003064-027929

Type: LED ceiling lamp
Model: REGI
Power: 70W
Lumens: 4014lm
Efficiency: 57lm/W
Body colour: Black
Material: Metal + Plastic





Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



003064-027932



003064-027932

Type: LED pendant
Model: REGI
Power: 47W
Lumens: 2448lm
Efficiency: 52lm/W
Body colour: Black
Material: Metal + Plastic

Scan each QR code to see the price and availability of the product.

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
220-240V
Ra≥80
EMC
CE

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



955ALISON630BL



955ALISON1230BL

3 YEARS TOTAL WARRANTY
+ 3 standard 0 extended

IP40
220V
Ra≥90
EMC
RoHs
CE

Scan QR code for 3D models, IES files & price.

LED | warm WHITE 3000K | D
Ra≥90



955ALISON630BL

Type: LED Table lamp
Model: ALISON
Power: 6W
Lumens: 840lm
Efficiency: 140lm/W
LED chip: OSRAM
Driver: Lifud
Input voltage: AC100~277V
Body colour: Transparent + Black
Material: Metal + Aluminium + Acrylic

LED | warm WHITE 3000K | E
Ra≥90



955ALISON1230BL

Type: LED Wall/Ceiling lamp
Model: ALISON
Power: 12W
Lumens: 1500lm
Efficiency: 125lm/W
LED chip: OSRAM
Driver: Lifud
Input voltage: AC100~277V
Body colour: Transparent + Black
Material: Metal + Aluminium + Acrylic

Scan each QR code to see the price and availability of the product.



955ALISON1830BL

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP40
220V
Ra≥90
EMC
RoHs
CE

LED | warm WHITE 3000K | D

Ra≥90



955ALISON1830BL

Type: LED Pendant
Model: ALISON
Power: 18W
Lumens: 2500lm
Efficiency: 138lm/W
LED chip: OSRAM
Driver: Lifud
Input voltage: AC100~277V
Body colour: Transparent + Black
Material: Metal + Aluminium + Acrylic

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP40
220V
Ra≥90
EMC
RoHs
CE



955ALISON2730BL

LED | warm WHITE 3000K | D

Ra≥90



955ALISON2730BL

Type: LED Pendant
Model: ALISON
Power: 27W
Lumens: 3750lm
Efficiency: 138lm/W
LED chip: OSRAM
Driver: Lifud
Input voltage: AC100~277V
Body colour: Transparent + Black
Material: Metal + Aluminium + Acrylic

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



955JULIO3840BL

3 YEARS TOTAL WARRANTY
3 standard
0 extended

IP40
220V
Ra≥90
EMC
RoHs
CE

LED | neutral WHITE 4000K | D

Ra≥90



955JULIO3840BL

Type: LED Pendant
Model: JULIO
Power: 38W
Lumens: 5300lm
Efficiency: 139lm/W
LED chip: OSRAM
Input voltage: AC100~277V
Body colour: Black
Material: Metal + Acrylic



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



955JULIO3540BL

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP40
220V
Ra≥90
EMC
RoHs
CE

LED | neutral WHITE 4000K | D

Ra≥90



955JULIO3540BL

Type: LED Pendant
Model: JULIO
Power: 35W
Lumens: 4900lm
Efficiency: 140lm/W
LED chip: OSRAM
Input voltage: AC100~277V
Body colour: Black
Material: Metal + Acrylic



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



955ANDRE640ABL



955ANDRE640CBL

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP40
220V
Ra≥90
EMC
RoHs
CE

LED | neutral WHITE 4000K | D | Ra≥90



955ANDRE640ABL

Type: LED Wall lamp
Model: ANDRE
Power: 6W
Lumens: 840lm
Efficiency: 140lm/W
LED chip: OSRAM
Input voltage: AC100~277V
Body colour: Transparent + Black
Material: Metal + Silicone

LED | neutral WHITE 4000K | D | Ra≥90



955ANDRE640CBL

Type: LED Wall lamp
Model: ANDRE
Power: 6W
Lumens: 840lm
Efficiency: 140lm/W
LED chip: OSRAM
Input voltage: AC100~277V
Body colour: Transparent + Black
Material: Metal + Silicone

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955ANDRE1440BL



955ANDRE2140BL

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP40
220V
Ra≥80
EMC
RoHs
CE

Scan QR code for 3D models, IES files & price.



955ANDRE1440BL

Type: LED lamp
Model: ANDRE
Power: 14W
Lumens: 1900lm
Efficiency: 135lm/W
LED chip: OSRAM
Input voltage: AC100~277V
Body colour: Transparent + Black
Material: Metal + Silicone



955ANDRE2140BL

Type: LED lamp
Model: ANDRE
Power: 21W
Lumens: 2900lm
Efficiency: 138lm/W
LED chip: OSRAM
Input voltage: AC100~277V
Body colour: Transparent + Black
Material: Metal + Silicone

Scan each QR code to see the price and availability of the product.



955MATIAS3030BL



955MILTON4030BL

LED | warm WHITE 3000K | G

955MATIAS3030BL

Type: LED Wall lamp
Model: MATIAS
Power: 30W
Lumens: 900lm
Efficiency: 30lm/W
Body colour: Black
Material: Metal + Silicon



LED | warm WHITE 3000K | G

955MILTON4030BL

Type: LED Pendant
Model: MILTON
Power: 40W
Lumens: 3120lm
Efficiency: 78lm/W
Body colour: Black
Material: Metal + Silicon



3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP40
220V
Ra≥80
EMC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955FELIPE2030CO



955FELIPE4530CO

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP40
220V
Ra≥80
EMC
RoHs
CE

Scan QR code for 3D models, IES files & price.

LED | warm WHITE 3000K | G



955FELIPE2030CO

Type: LED Wall/Ceiling lamp
Model: FELIPE
Power: 20W
Lumens: 1560lm
Efficiency: 78lm/W
Body colour: Cooper
Material: Metal + Silicone

LED | warm WHITE 3000K | G



955FELIPE4530CO

Type: LED Floor lamp
Model: FELIPE
Power: 45W
Lumens: 3510lm
Efficiency: 78lm/W
Body colour: Cooper
Material: Metal + Silicone

Scan each QR code to see the price and availability of the product.



955FELIPE6530CO



955LARA1230CO

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP40
220V
Ra≥80
EMC
RoHs
CE

LED | warm WHITE 3000K | G



955FELIPE6530CO

Type: LED Pendant
Model: FELIPE
Power: 65W
Lumens: 5070lm
Efficiency: 78lm/W
Body colour: Cooper
Material: Metal + Silicone

LED | warm WHITE 3000K | G



955LARA1230CO

Type: LED Pendant
Model: LARA
Power: 12W
Lumens: 936lm
Efficiency: 78lm/W
Body colour: Gold
Material: Metal + Acrylic

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



003064-026629



003064-026627

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
220-240V
Ra≥80
EMC
CE

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6000K | SETTABLE | F

003064-026629

Type: LED wall lamp
Model: BALBO
Power: 14W
Lumens: 1400lm
Efficiency: 100lm/W
Body colour: Gold
Material: Aluminium + Silicone
Depth: 80mm



LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6000K | SETTABLE | G

003064-026627

Type: LED pendant
Model: BALBO
Power: 58W
Lumens: 4700lm
Efficiency: 81lm/W
Body colour: Gold
Material: Aluminium + Silicone



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



003064-026625

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
220-240V
Ra≥80
EMC
CE

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6000K | SETTABLE | G



003064-026625

Type: LED pendant
Model: BALBO
Power: 45W
Lumens: 3500lm
Efficiency: 77lm/W
Body colour: Gold
Material: Aluminium + Silicone



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955TOULON540BL



955TOULON1540BL

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP40
220V
Ra≥80
EMC
RoHs
CE

Scan QR code for 3D models, IES files & price.

LED | neutral WHITE 4000K | G



955TOULON540BL

Type: LED Wall lamp
Model: TOULON
Power: 5W
Lumens: 390lm
Efficiency: 78lm/W
Body colour: Black
Material: Metal + Acrylic

LED | neutral WHITE 4000K | D | Ra≥90



955TOULON1540BL

Type: LED Pendant
Model: TOULON
Power: 15W
Lumens: 2100lm
Efficiency: 140lm/W
LED chip: OSRAM
Input voltage: AC100~277V
Body colour: Transparent + Black
Material: Metal + Acrylic

Scan each QR code to see the price and availability of the product.



955TOULON3040BL



003064-026653

LED | neutral WHITE 4000K | D | Ra≥90



955TOULON3040BL

Type: LED Pendant
Model: TOULON
Power: 30W
Lumens: 4200lm
Efficiency: 140lm/W
LED chip: OSRAM
Input voltage: AC100~277V
Body colour: Transparent + Black
Material: Metal + Acrylic

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6000K | SETTABLE | G



003064-026653

Type: LED pendant
Model: RIKE
Power: 40W
Lumens: 2500lm
Efficiency: 62lm/W
Body colour: Black
Material: Aluminium + Metal

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
220-240V
Ra≥80
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



003064-028418



003064-028419

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
220-240V
Ra≥80
EMC
CE

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6000K | SETTABLE | E



003064-028418

Type: LED wall lamp
Model: CALLY
Power: 15W
Lumens: 1700lm
Efficiency: 113lm/W
Body colour: Gold
Material: Metal + Glass
Depth: 71mm

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6000K | SETTABLE | E



003064-028419

Type: LED pendant
Model: CALLY
Power: 8W
Lumens: 900lm
Efficiency: 112lm/W
Body colour: Gold + Black
Material: Metal + Glass

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



003064-028420



003064-028420

Type: LED pendant
Model: CALLY
Power: 3x8W
Lumens: 2800lm
Efficiency: 112lm/W
Body colour: Gold + Black
Material: Metal + Glass



3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
220-240V
Ra≥80
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955AURUM4530GD

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP40
220V
Ra≥90
EMC
RoHs
CE



955AURUM4530GD

Type: LED Pendant
Model: AURUM
Power: 45W
Lumens: 4500lm
Efficiency: 100lm/W
LED chip: OSRAM
Input voltage: AC100~277V
Body colour: Gold
Material: Metal + Acrylic



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



955ATOM7530BL

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP40
220V
Ra≥90
EMC
RoHs
CE

LED | warm WHITE 3000K | F

Ra≥90



955ATOM7530BL

Type: LED Pendant
Model: ATOM
Power: 75W
Lumens: 7500lm
Efficiency: 100lm/W
LED chip: OSRAM
Driver: Meanwell
Input voltage: AC100~277V
Body colour: Black
Material: Metal + Aluminium + Silicone

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



ATOM
955ATOM15030BL

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP40
220V
Ra≥90
EMC
RoHs
CE

LED | warm WHITE 3000K | F

Ra≥90



955ATOM15030BL

Type: LED Pendant
Model: ATOM
Power: 150W
Lumens: 15000lm
Efficiency: 100lm/W
LED chip: OSRAM
Driver: Meanwell
Input voltage: AC100~277V
Body colour: Black
Material: Metal + Aluminium + Silicone



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



ATOM
955ATOM20030BL

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP40
220V
Ra≥90
EMC
RoHs COMPLIANT
CE

LED | warm WHITE 3000K | F

Ra≥90



955ATOM20030BL

Type: LED Pendant
Model: ATOM
Power: 200W
Lumens: 20000lm
Efficiency: 100lm/W
LED chip: OSRAM
Driver: Meanwell
Input voltage: AC100~277V
Body colour: Black
Material: Metal + Aluminium + Silicone

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



003064-026726

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
220-240V
Ra≥80
EMC
CE

LED | warm WHITE 3000K | A-G E



003064-026726

Type: LED pendant
Model: CHOLET
Power: 34W
Lumens: 4000lm
Efficiency: 117lm/W
Body colour: Gold
Material: Aluminium + Metal + PVC



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



955SOFIA1430GD

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
220-240V
Ra≥80
EMC
CE

LED | warm WHITE 3000K | G



955SOFIA1430GD

Type: LED Wall lamp
Model: SOFIA
Power: 14W
Lumens: 1092lm
Efficiency: 78lm/W
Body colour: Gold
Material: Metal + Glass



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



93TL291L10WW/WH
93TL291L10W/WH



93TL291L10WW/BL
93TL291L10W/BL

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
SMD 2835
Ra≥80
EMC

LED | 24° | F | neutral WHITE 4000K | warm WHITE 2700K

93TL291L10W/WH

93TL291L10WW/WH

Type: Pendant lamp
Power: 10W
Lumens: 800lm
Body colour: White
Material: Aluminum



LED | 24° | F | neutral WHITE 4000K | warm WHITE 2700K

93TL291L10W/BL

93TL291L10WW/BL

Type: Pendant lamp
Power: 10W
Lumens: 800lm
Body colour: Black
Material: Aluminum



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



93TL291L15WW/WH
93TL291L15W/WH



93TL291L15WW/BL
93TL291L15W/BL

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP40
~230V
SMD 2835
Ra≥80
EMC

LED | 24° | F | neutral WHITE 4000K

93TL291L15W/WH

warm WHITE 2700K

93TL291L15WW/WH

Type: Pendant lamp
Power: 15W
Lumens: 1500lm
Body colour: White
Material: Aluminum



LED | 24° | F | neutral WHITE 4000K

93TL291L15W/BL

warm WHITE 2700K

93TL291L15WW/BL

Type: Pendant lamp
Power: 15W
Lumens: 1500lm
Body colour: Black
Material: Aluminum



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



GU10

page 1043

ELMARK
The Brand of Electricity



93TL2921GU10/WH



93TL291LGU10/BL

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 1xGU10



93TL2921GU10/WH

Type: Pendant lamp
Body colour: White
Material: Aluminum
Max.: 35W

Lamps Not Included 1xGU10



93TL291LGU10/BL

Type: Pendant lamp
Body colour: Black
Material: Aluminum
Max.: 35W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



003064-003493



003064-012858

3 YEARS TOTAL WARRANTY
3 standard
0 extended

IP20
220-240V
Ra≥80
EMC
CE

LED | warm WHITE 3000K | F



003064-003493

Type: LED pendant
Model: LOYA
Power: 5W
Lumens: 450lm
Efficiency: 90lm/W
Body colour: Pearl black
Material: Metal

LED | warm WHITE 3000K | F



003064-012858

Type: LED pendant
Model: LOYA
Power: 5W
Lumens: 450lm
Efficiency: 90lm/W
Body colour: Metal matt black
Material: Metal

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



003064-003489



003064-003490

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
220-240V
Ra≥80
EMC
CE

Scan QR code for 3D models, IES files & price.

LED | warm WHITE 3000K | F



003064-003489

Type: LED pendant
Model: LOYA
Power: 5W
Lumens: 450lm
Efficiency: 90lm/W
Body colour: Chrome
Material: Metal

LED | warm WHITE 3000K | F



003064-003490

Type: LED pendant
Model: LOYA
Power: 5W
Lumens: 450lm
Efficiency: 90lm/W
Body colour: French metal gold
Material: Metal

Scan each QR code to see the price and availability of the product.



003064-008383



003064-008383

Type: LED pendant
Model: LOYA
Power: 5W
Lumens: 450lm
Efficiency: 90lm/W
Body colour: Shining metal gold
Material: Metal

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
220-240V
Ra≥80
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
220-240V
Ra≥80
EMC
CE



003064-024748

LED | warm WHITE 3000K | F



003064-024748

Type: LED pendant
Model: LOYA
Power: 9x5W
Lumens: 4050lm
Efficiency: 90lm/W
Body colour: Black
Material: Metal

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



003064-003496

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
220-240V
Ra≥80
EMC
CE

LED | warm WHITE 3000K | F



003064-003496

Type: LED pendant
Model: LOYA
Power: 11x5W
Lumens: 4950lm
Efficiency: 90lm/W
Body colour: Copper + Chrome + Gold
Material: Metal
Height: 1400mm



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



003064-009120



003064-009123

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
220-240V
Ra≥80
EMC
CE

Scan QR code for 3D models, IES files & price.

LED | warm WHITE 3000K | F



003064-009120

Type: LED pendant
Model: ONE
Power: 5W
Lumens: 450lm
Efficiency: 90lm/W
Body colour: French metal gold with bubbles
Material: Metal + Acrylic

LED | warm WHITE 3000K | F



003064-009123

Type: LED pendant
Model: ONE
Power: 9x5W
Lumens: 4050lm
Efficiency: 90lm/W
Body colour: French metal gold with bubbles
Material: Metal + Acrylic

Scan each QR code to see the price and availability of the product.



003064-009126

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
220-240V
Ra≥80
EMC
CE

LED | warm WHITE 3000K | F



003064-009126

Type: LED pendant
Model: ONE
Power: 11x5W
Lumens: 4950lm
Efficiency: 90lm/W
Body colour: Gold
Material: Metal + Plastic



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



003064-019910



003064-021941

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
220-240V
Ra≥80
EMC
CE

Scan QR code for 3D models, IES files & price.

LED | warm WHITE 3000K | F



003064-019910

Type: LED pendant
Model: ONE
Power: 5W
Lumens: 450lm
Efficiency: 90lm/W
Body colour: Metal matt black with bubbles
Material: Metal + Acrylic

LED | warm WHITE 3000K | F



003064-021941

Type: LED pendant
Model: ONE
Power: 9x5W
Lumens: 4050lm
Efficiency: 90lm/W
Body colour: Black + Gold
Material: Metal + Plastic

Scan each QR code to see the price and availability of the product.



003064-026735



003064-026736

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
220-240V
Ra≥80
EMC
CE

LED warm WHITE 3000K E



003064-026736

Type: LED wall lamp
Model: ELIOT
Power: 11W
Lumens: 1300lm
Efficiency: 116lm/W
Body colour: Black + Wood
Material: Metal + Aluminium + Wood

LED warm WHITE 3000K F



003064-026735

Type: LED ceiling lamp
Model: ELIOT
Power: 26W
Lumens: 3000lm
Efficiency: 115lm/W
Body colour: Black + Wood
Material: Metal + Aluminium + Wood
Depth: 67mm

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



003064-026734

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
220-240V
Ra≥80
EMC
CE

LED | warm WHITE 3000K | E



003064-026734

Type: LED pendant
Model: ELIOT
Power: 25W
Lumens: 2900lm
Efficiency: 116lm/W
Body colour: Black + Wood
Material: Metal + Aluminium + Wood



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



003064-026737



003064-026737

Type: LED floor lamp
Model: ELIOT
Power: 21W
Lumens: 2350lm
Efficiency: 111lm/W
Body colour: Black + Wood
Material: Metal + Aluminium + Wood



3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
220-240V
Ra≥80
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955FRANCIS120/30



955FRANCIS42/14

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
SMD 2835
>15000
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

LED | neutral WHITE 4000K | D



955FRANCIS120/30

Type: Chandelier
Power: 35W
Lumens: 700lm
Body colour: Matt Black
Material: Metal + Acrylic
Pine QTY: 30

LED | neutral WHITE 4000K | F



955FRANCIS42/14

Type: Chandelier
Power: 16W
Lumens: 380lm
Body colour: Matt Black
Material: Metal + Acrylic
Pine QTY: 14

Scan each QR code to see the price and availability of the product.



955MARLON36/12



955MONACO12W

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
SMD 2835
>15000
Ra≥80
EMC

LED | neutral WHITE 4000K | F



955MARLON36/12

Type: Chandelier
Power: 10W
Lumens: 250lm
Body colour: Copper
Material: Metal + Acrylic
Pine QTY: 12

LED | warm WHITE 2700K | neutral WHITE 4000K | cold WHITE 6400K | SETTABLE | G



955MONACO12W

Type: Wall lamp
Power: 12W
Lumens: 380lm
Body colour: Gold
Material: Metal + Glass

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



G9

page 1048

ELMARK
The Brand of Electricity



10108-E



10109

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20

~230V

RoHS

CE

Lamps Not Included

1xG9



10108-E

Type: Chandelier
Model: PIANO
Body colour: Brown
Material: Metal + Plastic
Max.: 1x8W

Lamps Not Included

3xG9



10109

Type: Chandelier
Model: PIANO
Body colour: Brown
Material: Metal + Plastic
Max.: 3x8W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



10110-E



10111

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
10xG9



10110-E

Type: Chandelier
Model: PIANO
Body colour: Brown
Material: Metal + Plastic
Max.: 10x8W

Lamps Not Included
12xG9



10111

Type: Chandelier
Model: PIANO
Body colour: Brown
Material: Metal + Plastic
Max.: 12x8W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



G9

page 1048

ELMARK
The Brand of Electricity



10116-E



10117

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Lamps Not Included 1xG9



10116-E

Type: Chandelier
Model: PIANO
Body colour: Black + Gold
Material: Metal + Plastic
Max.: 1x8W

Lamps Not Included 3xG9



10117

Type: Chandelier
Model: PIANO
Body colour: Black + Gold
Material: Metal + Plastic
Max.: 3x8W

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



10118



10119

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
10xG9



10118

Type: Chandelier
Model: PIANO
Body colour: Black + Gold
Material: Metal + Plastic
Max.: 10x8W

Lamps Not Included
12xG9



10119

Type: Chandelier
Model: PIANO
Body colour: Black + Gold
Material: Metal + Plastic
Max.: 12x8W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



003064-028136



003064-028134

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
220-240V
Ra≥80
EMC
CE

Scan QR code for 3D models, IES files & price.

LED warm WHITE 3000K F



003064-028136

Type: LED wall lamp
Model: ENCELADUS
Power: 5W
Lumens: 500lm
Efficiency: 100lm/W
Body colour: Chrome
Material: Metal + Glass
Depth: 257mm

LED warm WHITE 3000K F



003064-028134

Type: LED pendant
Model: ENCELADUS
Power: 3x5W
Lumens: 1500lm
Efficiency: 100lm/W
Body colour: Chrome
Material: Metal + Glass

Scan each QR code to see the price and availability of the product.



003064-028130



003064-028132

3 YEARS TOTAL WARRANTY
3 standard
0 extended

IP20
220-240V
Ra≥80
EMC
CE

LED | warm WHITE 3000K | F



003064-028130

Type: LED pendant
Model: ENCELADUS
Power: 5W
Lumens: 500lm
Efficiency: 100lm/W
Body colour: Chrome
Material: Metal + Glass

LED | warm WHITE 3000K | F



003064-028132

Type: LED pendant
Model: ENCELADUS
Power: 3x5W
Lumens: 1500lm
Efficiency: 100lm/W
Body colour: Chrome
Material: Metal + Glass

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



003064-028137



003064-028135

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
220-240V
Ra≥80
EMC
CE

Scan QR code for 3D models, IES files & price.

LED | warm WHITE 3000K | F



003064-028137

Type: LED wall lamp
Model: ENCELADUS
Power: 5W
Lumens: 500lm
Efficiency: 100lm/W
Body colour: Gold
Material: Metal + Glass
Depth: 257mm

LED | warm WHITE 3000K | F



003064-028135

Type: LED pendant
Model: ENCELADUS
Power: 3x5W
Lumens: 1500lm
Efficiency: 100lm/W
Body colour: Gold
Material: Metal + Glass

Scan each QR code to see the price and availability of the product.



003064-028133

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
220-240V
Ra≥80
EMC
CE

LED warm WHITE 3000K F



003064-028133

Type: LED pendant
Model: ENCELADUS
Power: 3x5W
Lumens: 1500lm
Efficiency: 100lm/W
Body colour: Gold
Material: Metal + Glass

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955AMARO1230GD



955AMARO1530GD

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP40
220V
Ra≥80
EMC
RoHs
CE

Scan QR code for 3D models, IES files & price.



955AMARO1230GD

Type: LED Pendant
Model: AMARO
Power: 12W
Lumens: 936lm
Efficiency: 78lm/W
Body colour: Gold
Material: Metal + AcrylicW



955AMARO1530GD

Type: LED Pendant
Model: AMARO
Power: 15W
Lumens: 1170lm
Efficiency: 78lm/W
Body colour: Gold
Material: Metal + Acrylic

Scan each QR code to see the price and availability of the product.



955AMARO1830GD



955AMARO2430GD

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP40
220V
Ra≥80
EMC
RoHs
CE

955AMARO1830GD

LED | warm WHITE 3000K | G



Type: LED Pendant
Model: AMARO
Power: 18W
Lumens: 1404lm
Efficiency: 78lm/W
Body colour: Gold
Material: Metal + Acrylic

955AMARO2430GD

LED | warm WHITE 3000K | G



Type: LED Pendant
Model: AMARO
Power: 24W
Lumens: 1872lm
Efficiency: 78lm/W
Body colour: Gold
Material: Metal + Acrylic

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955COLIN108/18



955COLIN72/12

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
SMD 2835
>15000
Ra≥80
EMC

LED | warm WHITE 2700K | F

955COLIN108/18

Type: Chandelier
Power: 63W
Lumens: 6100lm
Body colour: Gold
Material: Metal + Glass



LED | warm WHITE 2700K | F

955COLIN72/12

Type: Chandelier
Power: 52W
Lumens: 5000lm
Body colour: Gold
Material: Metal + Glass



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



955COLIN16



955COLIN12

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP40
~230V
SMD 2835
>15000
Ra≥80
EMC

LED warm WHITE 2700K F

955COLIN16

Type: Chandelier
Power: 65W
Lumens: 6000lm
Body colour: Gold
Material: Metal + Glass



LED warm WHITE 2700K F

955COLIN12

Type: Chandelier
Power: 52W
Lumens: 5300lm
Body colour: Gold
Material: Metal + Glass



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955SILVIO330WCO



955SILVIO330PCO

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP40
220V
Ra≥80
EMC
RoHs
CE

LED warm WHITE 3000K G



955SILVIO330WCO

Type: LED Wall lamp
Model: SILVIO
Power: 3W
Lumens: 234lm
Efficiency: 78lm/W
Body colour: Cooper
Material: Metal + Glass

LED warm WHITE 3000K G



955SILVIO330PCO

Type: LED Pendant
Model: SILVIO
Power: 3W
Lumens: 234lm
Efficiency: 78lm/W
Body colour: Cooper
Material: Metal + Glass

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



955SILVIO330TCO



955SILVIO330FCO

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP40
220V
Ra≥80
EMC
RoHs
CE

LED | warm WHITE 3000K | G



955SILVIO330TCO

Type: LED Table lamp
Model: SILVIO
Power: 3W
Lumens: 234lm
Efficiency: 78lm/W
Body colour: Cooper
Material: Metal + Glass

LED | warm WHITE 3000K | G



955SILVIO330FCO

Type: LED Floor lamp
Model: SILVIO
Power: 3W
Lumens: 234lm
Efficiency: 78lm/W
Body colour: Cooper
Material: Metal + Glass

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955HENDRIX1P



955HENDRIX1T

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
SMD 2835
>15000
Ra≥80
EMC

LIMITED STOCK

LED | warm WHITE 2800-3200K | G



955HENDRIX1P

Type: Pendant lamp
Power: 21W
Lumens: 1470lm
Body colour: White & Black
Material: Aluminum + Iron + PC

LIMITED STOCK

LED | warm WHITE 2800-3200K | G



955HENDRIX1T

Type: Table lamp
Power: 11W
Lumens: 770lm
Body colour: White & Black
Material: Aluminum + Iron + PC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



003064-026348



003064-026349

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
220-240V
Ra≥80
EMC
CE

LED | neutral WHITE 4000K | F

003064-026348

Type: LED ceiling/wall lamp
Model: CONSTELLATION
Power: 12W
Lumens: 1200lm
Efficiency: 100lm/W
Body colour: White + Gold + Black
Material: Metal



LED | neutral WHITE 4000K | F

003064-026349

Type: LED ceiling/wall lamp
Model: CONSTELLATION
Power: 15W
Lumens: 1500lm
Efficiency: 100lm/W
Body colour: White + Gold + Black
Material: Metal



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955ATENA1240WB



955NUBIA530BL

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP40
220V
Ra≥80
EMC
RoHs
CE

Scan QR code for 3D models, IES files & price.

LED | neutral WHITE 4000K | G



955ATENA1240WB

Type: LED Pendant
Model: ATENA
Power: 12W
Lumens: 936lm
Efficiency: 78lm/W
Body colour: White + Black
Material: Metal

LED | warm WHITE 3000K | G



955NUBIA530BL

Type: LED Wall lamp
Model: NUBIA
Power: 5W
Lumens: 390lm
Efficiency: 78lm/W
Body colour: Black + Gold
Material: Metal + Marble

Scan each QR code to see the price and availability of the product.



955TALIS630GD



955LEIA530SM

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP40
220V
Ra≥80
EMC
RoHs
CE

LED warm WHITE 3000K G



955TALIS630GD

Type: LED Table lamp
Model: TALIS
Power: 6W
Lumens: 468lm
Efficiency: 78lm/W
Body colour: Gold
Material: Metal

LED warm WHITE 3000K G



955LEIA530SM

Type: LED Table lamp
Model: LEIA
Power: 5W
Lumens: 390lm
Efficiency: 78lm/W
Body colour: Copper + Smoky grey
Material: Metal + Glass

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



99CANDLE3R



99CANDLE1001



99CANDLE1501

99CANDLE2001

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP20

Scan QR code for 3D models, IES files & price.

99CANDLE3R

LED warm WHITE 3000K

Type: Decorative candles SET + remote control
Material: Paraffin + ABS
Battery: 2xAA for each candle (excluded)
SET content: 1 x 100mm + 1 x 125mm + 1 x 150mm + 1 x remote control
Candle diameter: 75mm
3D swing head



99CANDLE1001

LED warm WHITE 3000K

Type: Decorative candle
Material: Paraffin
Battery: 3xAA (excluded)
Size: 75x100mm
3D swing head



99CANDLE1501

LED warm WHITE 3000K

Type: Decorative candle
Material: Paraffin
Battery: 3xAA (excluded)
Size: 75x150mm
3D swing head



99CANDLE2001

LED warm WHITE 3000K

Type: Decorative candle
Material: Paraffin
Battery: 3xAA (excluded)
Size: 75x200mm
3D swing head



Scan each QR code to see the price and availability of the product.

CRYSTAL LIGHTING



Recommended bulb



G9

page 1048

ELMARK
The Brand of Electricity



955AVELINO6CO

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20

~230V

RoHS

CE

Lamps Not Included





955AVELINO6CO

Type: Pendant
Model: AVELINO
Body colour: Cooper
Material: Metal + Crystal
Max.: 6x9W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955AVELINO8CO

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
8xG9



955AVELINO8CO

Type: Pendant
Model: AVELINO
Body colour: Cooper
Material: Metal + Crystal
Max.: 8x9W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



G9

page 1048

ELMARK
The Brand of Electricity



955OSCAR3GD

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20

~230V

RoHS

CE

Lamps Not Included



955OSCAR3GD

Type: Wall lamp
Model: OSCAR
Body colour: Gold
Material: Metal + Crystal
Max.: 3x9W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



955OSCAR25CCTGD

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP40
220V
Ra≥80
EMC
RoHs
CE

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6400K | SETTABLE | G



955OSCAR25CCTGD

Type: LED Pendant
Model: OSCAR
Power: 25W
Lumens: 1950lm
Efficiency: 78lm/W
Body colour: Gold
Material: Metal + Crystal
* With remote control

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955OSCAR42CCTGD

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP40
220V
Ra≥80
EMC
RoHs
CE

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6400K | SETTABLE | G



955OSCAR42CCTGD

Type: LED Pendant
Model: OSCAR
Power: 42W
Lumens: 3276lm
Efficiency: 78lm/W
Body colour: Gold
Material: Metal + Crystal
* With remote control

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



955OSCAR60CCTGD

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6400K | SETTABLE | G



955OSCAR60CCTGD

Type: LED Pendant
Model: OSCAR
Power: 60W
Lumens: 4680lm
Efficiency: 78lm/W
Body colour: Gold
Material: Metal + Crystal
* With remote control

Scan each QR code to see the price and availability of the product.

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP40
220V
Ra≥80
EMC
RoHs
CE

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



955MATEO15CCTCO

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP40
220V
Ra≥80
EMC
RoHs
CE

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6400K | SETTABLE | G



955MATEO15CCTCO

Type: LED Pendant
Model: MATEO
Power: 15W
Lumens: 1170lm
Efficiency: 78lm/W
Body colour: Cooper
Material: Metal + Crystal
* With remote control

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



955MATEO34CCTCO

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP40
220V
Ra≥80
EMC
RoHs
CE

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6400K | SETTABLE | G



955MATEO34CCTCO

Type: LED Pendant
Model: MATEO
Power: 34W
Lumens: 2652lm
Efficiency: 78lm/W
Body colour: Cooper
Material: Metal + Crystal
* With remote control

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



003064-028413

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
220-240V
Ra≥80
EMC
CE

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6000K | SETTABLE | E



003064-028413

Type: LED pendant
Model: ATHESA
Power: 26W
Lumens: 3000lm
Efficiency: 115lm/W
Body colour: Gold
Material: Metal + Crystal

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



003064-028412

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6000K | SETTABLE | E



003064-028412

Type: LED pendant
Model: ATHESA
Power: 38W
Lumens: 4400lm
Efficiency: 115lm/W
Body colour: Gold
Material: Metal + Crystal

Scan each QR code to see the price and availability of the product.

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
220-240V
Ra≥80
EMC
CE

Scan QR code for 3D models, IES files & price.

Recommended bulb



E14

page 1017

ELMARK
The Brand of Electricity



003064-026671



003064-027678

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included





003064-026671

Type: Pendant
Model: CROWN
Body colour: Gold
Material: Metal + Glass
Max.: 6x40W

Lamps Not Included





003064-027678

Type: Ceiling lamp
Model: TIFANNY
Body colour: Gold
Material: Metal + Cristal
Max.: 4x40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E14

page 1017

ELMARK
The Brand of Electricity



003064-026666

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
10xE14



003064-026666

Type: Pendant
Model: PARIS
Body colour: Gold
Material: Metal + Glass
Max.: 10x40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



G9

page 1048



E14

page 1017

ELMARK
The Brand of Electricity



003064-026057



003064-024601

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE14



003064-026057

Type: Pendant
Model: ALEXANDRIA
Body colour: Gold
Material: Metal + Glass
Max.: 1x40W

Lamps Not Included
2xG9



003064-024601

Type: Wall lamp
Model: ALEXANDRIA
Body colour: Gold
Material: Metal + Glass
Depth: 110mm
Max.: 2x8W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



003064-024599



003064-024600

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
6xG9



003064-024599

Type: Pendant
Model: ALEXANDRIA
Body colour: Gold
Material: Metal + Glass
Max.: 6x8W

Lamps Not Included
6xG9



003064-024600

Type: Pendant
Model: ALEXANDRIA
Body colour: Gold
Material: Metal + Glass
Max.: 6x8W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E14

page 1017

ELMARK
The Brand of Electricity



955DALISS13



955DALISS5

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Lamps Not Included 13xE14



955DALISS13

Type: Chandelier
Body colour: Gold
Crystal index: K9
Material: Metal + Crystal
Max.: 13x40W

Lamps Not Included 5xE14



955DALISS5

Type: Chandelier
Body colour: Gold
Crystal index: K9
Material: Metal + Crystal
Max.: 5x40W

Scan each QR code to see the price and availability of the product.

Recommended bulb



E14

page 1017

ELMARK
The Brand of Electricity



955BLESSY18



955BLESSY10

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
18xE14



955BLESSY18

Type: Chandelier
Body colour: Chrome
Crystal index: K9
Material: Metal + Crystal
Max.: 18x40W

Lamps Not Included
10xE14



955BLESSY10

Type: Chandelier
Body colour: Chrome
Crystal index: K9
Material: Metal + Crystal
Max.: 10x40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E14

page 1017

ELMARK
The Brand of Electricity



955BLESSY19



955BLESSY44

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included



955BLESSY19

Type: Chandelier 5 sections
Body colour: Chrome
Crystal index: K9
Material: Metal + Crystal
Max.: 19x40W



Lamps Not Included



955BLESSY44

Type: Chandelier 8 sections
Body colour: Chrome
Crystal index: K9
Material: Metal + Crystal
Max.: 44x40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E14

page 1017

ELMARK
The Brand of Electricity



955BLESSY77

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
77xE14



955BLESSY77

Type: Chandelier 14 sections
Body colour: Chrome
Crystal index: K9
Material: Metal + Crystal
Max.: 77x40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E14

page 1017

ELMARK
The Brand of Electricity



955WILLIAMLUX2



955WILLIAMLUX8

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

LIMITED STOCK

Lamps Not Included



955WILLIAMLUX2

Type: Wall lamp
Body colour: Antique brass
Material: Metal + Crystal
Max.: 2x40W



LIMITED STOCK

Lamps Not Included



955WILLIAMLUX8

Type: Chandelier
Body colour: Antique brass
Material: Metal + Crystal
Max.: 8x40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E14

page 1017

ELMARK
The Brand of Electricity



955WILLIAMLUX12

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

LIMITED STOCK

Lamps Not Included

12xE14



955WILLIAMLUX12

Type: Chandelier
Body colour: Antique brass
Material: Metal + Crystal
Max.: 12x40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E14

page 1017

ELMARK
The Brand of Electricity



955WILLIAM2



955WILLIAM8

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Lamps Not Included — 2xE14

955WILLIAM2

Type: Wall lamp
Body colour: Gold
Material: Metal + Crystal
Max.: 2x40W



Lamps Not Included — 8xE14

955WILLIAM8

Type: Chandelier
Body colour: Gold
Material: Metal + Crystal
Max.: 8x40W



i Scan each QR code to see the price and availability of the product.

Recommended bulb



E14

page 1017

ELMARK
The Brand of Electricity



955WILLIAM12

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
12xE14



955WILLIAM12

Type: Chandelier
Body colour: Gold
Material: Metal + Crystal
Max.: 12x40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E14

page 1017

ELMARK
The Brand of Electricity



955ALBERT13



955ALBERT6

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Lamps Not Included | 13xE14



955ALBERT13

Type: Chandelier
Body colour: Chrome
Crystal index: K9
Material: Metal + Crystal
Max.: 13x40W

Lamps Not Included | 6xE14



955ALBERT6

Type: Chandelier
Body colour: Chrome
Crystal index: K9
Material: Metal + Crystal
Max.: 6x40W

Scan each QR code to see the price and availability of the product.

Recommended bulb



E14

page 1017

ELMARK
The Brand of Electricity



955VERA9

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20

~230V

RoHS

CE

Lamps Not Included

9xE14



955VERA9

Type: Chandelier
Body colour: Gold
Crystal index: K9
Material: Metal + Crystal
Max.: 9x40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E14

page 1017

ELMARK
The Brand of Electricity



955MISHELLE8

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included



955MISHELLE8

Type: Ceiling lamp
Body colour: Chrome
Material: Metal + Crystal
Max.: 8x40W





Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E14

page 1017

ELMARK
The Brand of Electricity



955INNA2W/CH



955INNA2W/GD

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
2xE14

955INNA2W/CH

Type: Wall lamp
Body colour: Chrome
Material: Metal + Crystal
Max.: 2x40W



Lamps Not Included
2xE14

955INNA2W/GD

Type: Wall lamp
Body colour: Gold
Material: Metal + Crystal
Max.: 2x40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



G9

page 1048

ELMARK
The Brand of Electricity



003064-028101



003064-028103

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

Scan QR code for 3D models, IES files & price.

Lamps Not Included 2xG9



003064-028103

Type: Wall lamp
Model: CONSTANTINOPLE
Body colour: Antique Gold
Material: Metal + Crystal
Depth: 240mm
Max.: 2x8W

Lamps Not Included 8xG9



003064-028101

Type: Ceiling lamp
Model: CONSTANTINOPLE
Body colour: Antique Gold
Material: Metal + Crystal
Max.: 8x8W

Scan each QR code to see the price and availability of the product.

Recommended bulb



G9

page 1048

ELMARK
The Brand of Electricity



003064-028102

Lamps Not Included





003064-028102

Type: Pendant
Model: CONSTANTINOPLE
Body colour: Antique Gold
Material: Metal + Crystal
Max.: 8x8W



5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



G9

page 1048

ELMARK
The Brand of Electricity



003064-026058



003064-026060

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

Lamps Not Included





003064-026060

Type: Wall lamp
Model: CONSTANTINOPLE
Body colour: Brass
Material: Metal + Crystal
Depth: 200mm
Max.: 2x8W

Lamps Not Included





003064-026058

Type: Pendant
Model: CONSTANTINOPLE
Body colour: Gold
Material: Metal + Glass
Max.: 12x8W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



003064-026657

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

Lamps Not Included
6xE14



003064-026657

Type: Pendant
Model: ROTTA
Body colour: Black + Gold
Material: Metal + Glass
Max.: 6x40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



G9

page 1048

ELMARK
The Brand of Electricity



003064-026351



003064-026350

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20

~230V

RoHS

CE

Scan QR code for 3D models, IES files & price.

Lamps Not Included





003064-026351

Type: Pendant
Model: DAVI
Body colour: Chrome
Material: Metal + Glass
Max.: 5x8W

Lamps Not Included





003064-026350

Type: Ceiling lamp
Model: DAVI
Body colour: Chrome
Material: Metal + Glass
Max.: 5x8W

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



003064-026670

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
6xE14



003064-026670

Type: Pendant
Model: TIARA
Body colour: Gold
Material: Metal + Glass
Max.: 6x40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



G9

page 1048

ELMARK
The Brand of Electricity



003064-020099



003064-020101

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Lamps Not Included 1xG9



003064-020101

Type: Wall lamp
Model: PALACE
Body colour: Gold
Material: Metal + Glass
Depth: 125mm
Max.: 1x8W

Lamps Not Included 4xG9



003064-020099

Type: Ceiling lamp
Model: PALACE
Body colour: Gold
Material: Metal + Glass
Depth: 125mm
Max.: 4x8W

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



003064-020100

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
8xG9



003064-020100

Type: Pendant
Model: PALACE
Body colour: Gold
Material: Metal + Glass
Max.: 8x8W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



G9

page 1048

ELMARK
The Brand of Electricity



955ANTONIO8



955ANTONIO12

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20

~230V

RoHS

CE

Lamps Not Included



955ANTONIO12

Type: Chandelier
Body colour: Gold
Material: Aluminum
+Crystals
Max.: 12x11W



Lamps Not Included



955ANTONIO8

Type: Chandelier
Body colour: Gold
Material: Aluminum
+Crystals
Max.: 10x11W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955KAROL10



955KAROL12

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 12xG9

955KAROL12

Type: Chandelier
Body colour: Gold
Material: Aluminum + Crystals
Max.: 12x11W



Lamps Not Included 10xG9

955KAROL10

Type: Chandelier
Body colour: Gold
Material: Aluminum + Crystals
Max.: 10x11W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



G9

page 1048

ELMARK
The Brand of Electricity



955KAROL8MC



955JOSEPH6

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Lamps Not Included 8xG9



955KAROL8MC

Type: Chandelier
Body colour: Gold & Multi Colored Crystals
Material: Aluminum + Crystals
Max.: 8x11W

Lamps Not Included 6xG9



955JOSEPH6

Type: Chandelier
Body colour: Gold
Material: Aluminum + Crystals
Max.: 6x11W

Scan each QR code to see the price and availability of the product.

Recommended bulb



G9

page 1048

ELMARK
The Brand of Electricity



955ANDREW13



955CARLOS10

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 10xG9



955CARLOS10

Type: Chandelier
Body colour: Gold
Material: Aluminum + Crystals
Max.: 10x11W

Lamps Not Included 13xG9



955ANDREW13

Type: Chandelier
Body colour: Gold
Material: Aluminum + Crystals
Max.: 13x11W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



G9

page 1048

ELMARK
The Brand of Electricity



955LOUIS18



955JOAN22

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Lamps Not Included





955LOUIS18

Type: Chandelier
Body colour: Gold
Material: Aluminum + Crystals
Max.:18x11W

Lamps Not Included





955JOAN22

Type: Chandelier
Body colour: Gold
Material: Aluminum + Crystals
Max.: 22x11W

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955ROMAN10



955EDUARD7

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 7xG9

955EDUARD7

Type: Ceiling lamp
Body colour: Gold
Material: Aluminum + Crystals
Max.: 7x11W



Lamps Not Included 11xG9

955ROMAN10

Type: Ceiling lamp
Body colour: Gold
Material: Aluminum + Crystals
Max.: 11x11W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



G9

page 1048

ELMARK
The Brand of Electricity



955SMITH6



955HUGO13

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
13xG9



955HUGO13

Type: Chandelier
Body colour: Gold
Material: Aluminum + Crystals
Max.: 13x11W

Lamps Not Included
6xG9



955SMITH6

Type: Chandelier
Body colour: Gold
Material: Aluminum + Crystals
Max.: 6x11W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955AUSTIN3W



955AUSTIN10

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
10xG9



955AUSTIN10

Type: Ceiling lamp
Body colour: Gold
Material: Aluminum + Crystals
Max.: 10x11W

Lamps Not Included
3xG9



955AUSTIN3W

Type: Wall lamp
Body colour: Gold
Material: Aluminum + Crystals
Max.: 3x11W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



G9

page 1048

ELMARK
The Brand of Electricity



003064-026706



003064-026705

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Lamps Not Included





003064-026705

Type: Pendant
Model: CINDY
Body colour: Chrome
Material: Metal + Aluminum
Max.: 10x8W

Lamps Not Included





003064-026706

Type: Pendant
Model: CINDY
Body colour: Gold
Material: Metal + Aluminum
Max.: 10x8W

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



003064-028088

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
8xG9



003064-028088

Type: Pendant
Model: DIJON
Body colour: Gold
Material: Metal + Crystal
Max.: 8x8W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E14

page 1020

ELMARK
The Brand of Electricity



003064-011591



003064-011590

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20

~230V

RoHS

CE

Scan QR code for 3D models, IES files & price.

Lamps Not Included





003064-011591

Type: Ceiling lamp
Model: PARDO
Body colour: Chrome
Material: Metal + Glass
Max.: 5x40W

Lamps Not Included





003064-011590

Type: Ceiling lamp
Model: PARDO
Body colour: Chrome
Material: Metal + Glass
Max.: 8x40W

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



003064-016650

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
5xG9



003064-016650

Type: Ceiling lamp
Model: GRESSA
Body colour: Chrome
Material: Metal + Glass + Crystal
Max.: 5x8W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E14

page 1015



G9

page 1048

ELMARK
The Brand of Electricity



955RALPH15

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20

~230V

RoHS

CE

LIMITED STOCK

Lamps Not Included

15xE14



955RALPH15

Type: Chandelier
Body colour: Brass & White
Material: Full brass + Crystals + Fabric
Max.: 15x40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E14

page 1015

ELMARK
The Brand of Electricity



955FREDERICK3



955DARIAN6

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
3xE14



955FREDERICK3

Type: Chandelier
Body colour: Brass
Material: Full brass + Crystals
Max.: 3x40W

LIMITED STOCK

Lamps Not Included
6xE14



955DARIAN6

Type: Chandelier
Body colour: Brass
Material: Full brass + Crystals
Max.: 6x40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E14

page 1020

ELMARK
The Brand of Electricity



955WINDSOR9



955GEORGE9

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

LIMITED STOCK

Lamps Not Included

9xE14



955WINDSOR9

Type: Chandelier
Body colour: Brass
Material: Full brass + Crystals
Max.: 9x40W

LIMITED STOCK

Lamps Not Included

9xE14



955GEORGE9

Type: Chandelier
Body colour: Brass
Material: Full brass + Crystals
Max.: 9x40W

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955HERALD15

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

LIMITED STOCK

Lamps Not Included
15xE14



955HERALD15

Type: Chandelier
Body colour: Brass
Material: Full brass + Crystals
Max.: 15x40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E14

page 1015

ELMARK
The Brand of Electricity



955RICHARD8



955EDWARD8

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

LIMITED STOCK

Lamps Not Included

8xE14



955RICHARD8

Type: Chandelier
Body colour: Brass
Material: Full Brass & Crystals
Max.: 8x40W

LIMITED STOCK

Lamps Not Included

8xE14



955EDWARD8

Type: Chandelier
Body colour: Brass
Material: Full Brass & Jade
Max.: 8x40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



003064-026669

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
15xE14



003064-026669

Type: Pendant
Model: CHATEAU
Body colour: Silver + Smoky glass
Material: Metal + Glass
Max.: 15x40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E14

page 1015

ELMARK
The Brand of Electricity



955MADLEN1W



955MADLEN3

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 1xE14

955MADLEN1W

Type: Wall lamp
Body colour: Transparent
Material: Metal + Crystal
Max.: 40W



Lamps Not Included 3xE14

955MADLEN3

Type: Chandelier
Body colour: Transparent
Material: Metal + Crystal
Max.: 3x40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955MADLEN5

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
5xE14



955MADLEN5

Type: Chandelier
Body colour: Transparent
Material: Metal + Crystal
Max.: 5x40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E14

page 1017

ELMARK
The Brand of Electricity



003064-028125



003064-028129

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE14



003064-028129

Type: Wall lamp
Model: BACH
Body colour: Gold
Material: Metal + Glass
Depth: 120mm
Max.: 1x40W

Lamps Not Included
5xE14



003064-028125

Type: Ceiling lamp
Model: BACH
Body colour: Gold
Material: Metal + Glass
Max.: 5x40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



003064-028126



003064-028127

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE14



003064-028126

Type: Pendant
Model: BACH
Body colour: Gold
Material: Metal + Glass
Max.: 1x40W

Lamps Not Included
5xE14



003064-028127

Type: Pendant
Model: BACH
Body colour: Gold
Material: Metal + Glass
Max.: 5x40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E14

page 1017

ELMARK
The Brand of Electricity



003064-028128

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20

~230V

RoHS

CE

Lamps Not Included

6xE14



003064-028128

Type: Pendant
Model: BACH
Body colour: Gold
Material: Metal + Glass
Max.: 6x40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E14

page 1017



G9

page 1048

ELMARK
The Brand of Electricity



SERGIO
003064-026356



SERGIO
003064-026357

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included | 1xE14



003064-026356

Type: Wall lamp
Model: SERGIO
Body colour: Black
Material: Metal + Glass
Depth: 195mm
Max.: 1x60W

Lamps Not Included | 2xG9



003064-026357

Type: Wall lamp
Model: SERGIO
Body colour: Black
Material: Metal + Glass
Depth: 107mm
Max.: 2x8W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E14

page 1017

ELMARK
The Brand of Electricity



003064-026353



003064-026352

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20

~230V

RoHS

CE

Lamps Not Included





003064-026352

Type: Ceiling lamp
Model: SERGIO
Body colour: Black
Material: Metal + Glass
Max.: 5x60W

Lamps Not Included





003064-026353

Type: Ceiling lamp
Model: SERGIO
Body colour: Black
Material: Metal + Glass
Max.: 6x60W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



003064-026354



003064-026355

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE14



003064-026354

Type: Pendant
Model: SERGIO
Body colour: Black
Material: Metal + Glass
Max.: 1x60W

Lamps Not Included
6xE14



003064-026355

Type: Pendant
Model: SERGIO
Body colour: Black
Material: Metal + Glass
Max.: 6x60W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E14

page 1017



G9

page 1048

ELMARK
The Brand of Electricity



003064-016826



003064-016783

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20

~230V

RoHS

CE

Scan QR code for 3D models, IES files & price.

Lamps Not Included





003064-016826

Type: Wall lamp
Model: SERGIO
Body colour: Gold
Material: Metal + Glass
Depth: 195mm
Max.: 1x60W

Lamps Not Included





003064-016783

Type: Wall lamp
Model: SERGIO
Body colour: Gold
Material: Metal + Glass
Depth: 90mm
Max.: 1x60W

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



003064-016828

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
2xG9



003064-016828

Type: Wall lamp
Model: SERGIO
Body colour: Gold
Material: Metal + Glass
Depth: 107mm
Max.: 2x8W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E14

page 1017

ELMARK
The Brand of Electricity



003064-016820



003064-024606

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20

~230V

RoHS

CE

Lamps Not Included



003064-016820

Type: Ceiling lamp
Model: SERGIO
Body colour: Gold
Material: Metal + Glass
Max.: 5x60W



Lamps Not Included



003064-024606

Type: Ceiling lamp
Model: SERGIO
Body colour: Gold
Material: Metal + Glass
Max.: 6x60W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E14

page 1017

ELMARK
The Brand of Electricity



003064-016822



003064-016824

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included | 1xE14



003064-016822

Type: Pendant
Model: SERGIO
Body colour: Gold
Material: Metal + Glass
Max.: 1x60W

Lamps Not Included | 6xE14



003064-016824

Type: Pendant
Model: SERGIO
Body colour: Gold
Material: Metal + Glass
Max.: 6x60W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E14

page 1017

ELMARK
The Brand of Electricity



955LIZA1W/AB



955LIZA1T/AB

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Lamps Not Included 1xE14

955LIZA1W/AB

Type: Wall lamp
Body colour: Antique brass
Material: Metal + Crystal
Max.: 40W



Lamps Not Included 1xE14

955LIZA1T/AB

Type: Table lamp
Body colour: Antique brass
Material: Metal + Crystal
Max.: 40W



Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955LIZA3/AB



955LIZA5/AB

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
3xE14

955LIZA3/AB

Type: Chandelier
Body colour: Antique brass
Material: Metal + Crystal
Max.: 3x40W



Lamps Not Included
5xE14

955LIZA5/AB

Type: Chandelier
Body colour: Antique brass
Material: Metal + Crystal
Max.: 5x40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E14

page 1017

ELMARK
The Brand of Electricity



955LIZA1W/CH



955LIZA1T/CH

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 1xE14

955LIZA1W/CH

Type: Wall lamp
Body colour: Chrome
Material: Metal + Crystal
Max.: 40W



Lamps Not Included 1xE14

955LIZA1T/CH

Type: Table lamp
Body colour: Chrome
Material: Metal + Crystal
Max.: 40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955LIZA3/CH



955LIZA5/CH

Lamps Not Included 5xE14

955LIZA5/CH

Type: Chandelier
Body colour: Chrome
Material: Metal + Crystal
Max.: 5x40W



Lamps Not Included 3xE14

955LIZA3/CH

Type: Chandelier
Body colour: Chrome
Material: Metal + Crystal
Max.: 3x40W



5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E14

page 1017

ELMARK
The Brand of Electricity



955PERCY3W/GD



955PERCY3W/BL

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 3xE14



955PERCY3W/GD

Type: Wall lamp
Body colour: Gold
Material: Stainless Steel
+ Crystals
Max.: 3x40W

Lamps Not Included 3xE14



955PERCY3W/BL

Type: Wall lamp
Body colour: Black
Material: Stainless Steel
+ Crystals
Max.: 3x40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955PERCY2W/GD



955PERCY2W/BL

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
2xE14



955PERCY2W/GD

Type: Wall lamp
Body colour: Gold
Material: Stainless Steel
+ Crystals
Max.: 2x40W

Lamps Not Included
2xE14



955PERCY2W/BL

Type: Wall lamp
Body colour: Black
Material: Stainless Steel
+ Crystals
Max.: 2x40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E14

page 1017

ELMARK
The Brand of Electricity



955GILLIS2W/GD



955GILLIS2W/BL

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Lamps Not Included 2xE14



955GILLIS2W/GD

Type: Wall lamp
Body colour: Titanium gold
Material: Stainless Steel + Crystals
Max.: 2x40W

Lamps Not Included 2xE14



955GILLIS2W/BL

Type: Wall lamp
Body colour: Titanium black
Material: Stainless Steel + Crystals
Max.: 2x40W

Scan each QR code to see the price and availability of the product.

Recommended bulb



E14

page 1017



G4

page 1049

ELMARK
The Brand of Electricity



955BRIX7W/GD



955ELDER2W/GD

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
2xE14



955ELDER2W/GD

Type: Wall lamp
Body colour: Gold
Material: Metal + Crystals
Max.: 2x40W

Lamps Not Included
7xG4



955BRIX7W/GD

Type: Wall lamp
Body colour: Titanium Gold
Material: Stainless Steel & Crystals
Max.: 7x11W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E14

page 1017

ELMARK
The Brand of Electricity



955BRETON2W/BL



955BRETON2W/WH

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
2xE14



955BRETON2W/BL

Type: Wall lamp
Body colour: Gold & Black
Material: Stainless Steel + PC Fabric
Max.: 2x40W

Lamps Not Included
2xE14



955BRETON2W/WH

Type: Wall lamp
Body colour: Gold & White
Material: Stainless Steel + PC Fabric
Max.: 2x40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955HARRIS2W/CU



955HARRIS2W/BL

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
2xE14



955HARRIS2W/CU

Type: Wall lamp
Body colour: Copper
Material: Stainless Steel
+ Crystals
Max.: 2x40W

Lamps Not Included
2xE14



955HARRIS2W/BL

Type: Wall lamp
Body colour: Matt black
Material: Stainless Steel
+ Crystals
Max.: 2x40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



G9

page 1048

ELMARK
The Brand of Electricity



955FRANZ2W/GD



955GUSTAV2W/GD

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Lamps Not Included 2xG9



955FRANZ2W/GD

Type: Wall lamp
Body colour: Gold
Material: Stainless Steel + Crystals
Max.: 2x11W

Lamps Not Included 2xG9



955GUSTAV2W/GD

Type: Wall lamp
Body colour: Gold
Material: Stainless Steel + Crystals
Max.: 2x11W

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955THEODORE3/GD



955MARGARET2/GD

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 3xG9



955THEODORE3/GD

Type: Wall lamp
Body colour: Gold
Material: Metal + Crystals
Max.: 3x11W

Lamps Not Included 2xG9



955MARGARET2/GD

Type: Wall lamp
Body colour: Gold
Material: Stainless Steel & Crystals
Max.: 2x11W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



G9

page 1048

ELMARK
The Brand of Electricity



003064-026347

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included



003064-026347

Type: Wall lamp
Model: ICICLE
Body colour: Silver
Material: Metal + Akryl
Depth: 110mm
Max.: 2x8W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

DECOR CLASSIC LIGHTING



Recommended bulb



E14

page 1014

ELMARK
The Brand of Electricity



955PHILIP8



955JULIAN8

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20

~230V

RoHS

CE

LIMITED STOCK

Lamps Not Included

10xE14



955JULIAN8

Type: Chandelier
Body colour: Brass
Material: Full Brass + Ceramic
Max.: 10x40W

LIMITED STOCK

Lamps Not Included

8xE14



955PHILIP8

Type: Chandelier
Body colour: Brass
Material: Full brass
Max.: 8x40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E14

page 1014

ELMARK
The Brand of Electricity



955ALEXANDER12



955CHARLES19

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP20
~230V
RoHS
CE

LIMITED STOCK

Lamps Not Included | 12xE14



955ALEXANDER12

Type: Chandelier
Body colour: Brass
Material: Full Brass + Glass
Max.: 12x40W

LIMITED STOCK

Lamps Not Included | 16xE14 | 3xG9



955CHARLES19

Type: Chandelier
Body colour: Brass
Material: Full Brass & Jade
Max.: 16x40W+3x11W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E14

page 1021

ELMARK
The Brand of Electricity



955ANGELA1W



955ANGELA3

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE14

955ANGELA1W

Type: Wall lamp
Body colour: Black
Material: Metal
Max.: 40W



Lamps Not Included
3xE14

955ANGELA3

Type: Chandelier
Body colour: Black
Material: Metal
Max.: 3x40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955ANGELA5



955ANGELA8

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
5xE14



955ANGELA5

Type: Chandelier
Body colour: Black
Material: Metal
Max.: 5x40W

Lamps Not Included
8xE14



955ANGELA8

Type: Chandelier
Body colour: Black
Material: Metal
Max.: 8x40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E14

page 1021

ELMARK
The Brand of Electricity



955ANGELA1W/WH



955ANGELA3/WH

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 1xE14

955ANGELA1W/WH

Type: Wall lamp
Body colour: White
Material: Metal
Max.: 40W



Lamps Not Included 3xE14

955ANGELA3/WH

Type: Chandelier
Body colour: White
Material: Metal
Max.: 3x40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955ANGELA5/WH



955ANGELA8/WH

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
5xE14



955ANGELA5/WH

Type: Chandelier
Body colour: White
Material: Metal
Max.: 5x40W

Lamps Not Included
8xE14



955ANGELA8/WH

Type: Chandelier
Body colour: White
Material: Metal
Max.: 8x40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E14

page 1020

ELMARK
The Brand of Electricity



955REBECCA1W



955REBECCA3

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 1xE14

955REBECCA1W

Type: Wall lamp
Body colour: Gold
Material: Iron + Fabric
Max.: 3x40W



Lamps Not Included 3xE14

955REBECCA3

Type: Pendant lamp
Body colour: Gold
Material: Iron + Fabric
Max.: 3x40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955REBECCA5

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
5xE14



955REBECCA5

Type: Pendant lamp
Body colour: Gold
Material: Iron + Fabric
Max.: 5x40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E14

page 1020

ELMARK
The Brand of Electricity



955JONAS3



955JONAS1W

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 1xE14

955JONAS1W

Type: Wall lamp
Body colour: Gold & Beige
Material: Iron + Fabric + Wood
Max.: 40W



Lamps Not Included 3xE14

955JONAS3

Type: Ceiling lamp
Body colour: Gold & Beige
Material: Iron + Fabric + Wood
Max.: 3x40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955JONAS5

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
5xE14

955JONAS5

Type: Ceiling lamp
Body colour: Gold & Beige
Material: Iron + Fabric + Wood
Max.: 5x40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1027

ELMARK
The Brand of Electricity



955ERIN1W



955ERIN3

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20

~230V

RoHS

CE

Lamps Not Included





955ERIN1W

Type: Wall lamp
Body colour: Sand nickel
Material: Metal and glass shade
Max.: 40W

Lamps Not Included





955ERIN3

Type: Chandelier
Body colour: Sand nickel
Material: Metal and glass shade
Max.: 3x40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955ERIN5

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
5xE27



955ERIN5

Type: Chandelier
Body colour: Sand nickel
Material: Metal and glass shade
Max.: 5x40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1027

ELMARK
The Brand of Electricity



955ERIN9

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20

~230V

RoHS

CE

Lamps Not Included





955ERIN9

Type: Chandelier
Body colour: Sand nickel
Material: Metal and glass shade
Max.: 9x40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955SOPHIA5



955SOPHIA1W

Lamps Not Included 5xE14

955SOPHIA5

Type: Ceiling lamp
Body colour: Chrome & Cream white
Material: Metal + fabric
Max.: 5x40W



Lamps Not Included 1xE14

955SOPHIA1W

Type: Wall lamp
Body colour: Chrome & Cream white
Material: Metal + fabric
Max.: 1x40W



5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1027

ELMARK
The Brand of Electricity



955KRISTA1W



955KRISTA1T

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20

~230V

RoHS

CE

Lamps Not Included



955KRISTA1W

Type: Wall lamp
Body colour: Golden copper brass & Beige
Material: Metal + Glass
Max.: 40W



Lamps Not Included



955KRISTA1T

Type: Table lamp
Body colour: Golden copper brass & Beige
Material: Metal + Glass
Max.: 40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955KRISTA5



955KRISTA3

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
5xE27



955KRISTA3

Type: Chandelier
Body colour: Golden copper brass & Beige
Material: Metal + Glass
Max.: 5x40W

Lamps Not Included
3xE27



955KRISTA5

Type: Chandelier
Body colour: Golden copper brass & Beige
Material: Metal + Glass
Max.: 3x40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1027

ELMARK
The Brand of Electricity



955MELODY3



955MELODY1

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Lamps Not Included | 1xE27

955MELODY1

Type: Wall lamp
Body colour: Chrome & White
Material: Metal
Max.: 40W



Lamps Not Included | 3xE27

955MELODY3

Type: Chandelier
Body colour: Chrome & White
Material: Metal
Max.: 3x40W



Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955MELODY5

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
5xE27



955MELODY5

Type: Chandelier
Body colour: Chrome & White
Material: Metal
Max.: 5x40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E14

page 1020

ELMARK
The Brand of Electricity



955BARBARA1W



955BARBARA1T

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE14



955BARBARA1W

Type: Wall lamp
Body colour: Chrome & White
Material: Iron + Fabric + Crystal
Max.: 40W

Lamps Not Included
1xE14



955BARBARA1T

Type: Table lamp
Body colour: Chrome & White
Material: Iron + Fabric + Crystal
Max.: 40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E14

page 1020

ELMARK
The Brand of Electricity



955BARBARA3



955BARBARA6

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included | 3xE14



955BARBARA3

Type: Pendant lamp
Body colour: Chrome & White
Material: Iron + Fabric + Crystal
Max.: 3x40W

Lamps Not Included | 6xE14



955BARBARA6

Type: Pendant lamp
Body colour: Chrome & White
Material: Iron + Fabric + Crystal
Max.: 6x40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E14

page 1020

ELMARK
The Brand of Electricity



133867-025745



133867-025749

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE14



133867-025745

Type: Wall lamp
Model: MAGNUM
Body colour: Gold
Material: Metal + Glass
Depth: 100mm
Max.: 1x40W

Lamps Not Included
5xE14



133867-025749

Type: Pendant
Model: MAGNUM
Body colour: Gold
Material: Metal + Glass
Max.: 5x40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E14

page 1020

ELMARK
The Brand of Electricity



133867-025751

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
10xE14



133867-025751

Type: Pendant
Model: MAGNUM
Body colour: Gold
Material: Metal + Glass
Max.: 10x40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1027

ELMARK
The Brand of Electricity



955MAYA1F



955MAYA1WLED

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE27



955MAYA1F

Type: Floor lamp
Body colour: Chrome
Material: Metal + Fabric shade
Max.: 40W

Lamps Not Included
Included
1xE27
+ 1W LED



955MAYA1WLED

Type: Wall lamp
Body colour: Chrome
Material: Metal + Fabric shade
Max.: 40W

LED lamp colour temp.: 4000K
LED lamp power: 1W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955MERY1F/CH



955MERY1WLED/CH

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE27



955MERY1F/CH

Type: Floor lamp
Body colour: Chrome
Material: Metal + Crystal + Fabric shade
Max.: 40W

Lamps Not Included
Included
1xE27
+ 1W LED



955MERY1WLED/CH

Type: Wall lamp
Body colour: Chrome
Material: Metal + Crystal + Fabric shade
Max.: 40W
LED lamp colour temp.: 4000K
LED lamp power: 1W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1027

ELMARK
The Brand of Electricity



955ROSA1CH



955ROSA1FGR

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE27



955ROSA1CH

Type: Wall lamp
Model: ROSA
Body colour: Chrome
Material: Metal + Fabric
Max.: 1x40W

Lamps Not Included
1xE27



955ROSA1FGR

Type: Wall lamp
Model: ROSA
Body colour: French gold
Material: Metal + Fabric
Max.: 1x40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955ROSA340CH



955ROSA330FGR

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE27
LED
warm WHITE
4000K
G



955ROSA340CH

Type: Table lamp
Model: ROSA
Power: 3W
Lumens: 234lm
Efficiency: 78lm/W
Body colour: Chrome
Material: Metal + Fabric
Max.: 1x40W

Lamps Not Included
1xE27
LED
warm WHITE
3000K
G



955ROSA330FGR

Type: Table lamp
Model: ROSA
Power: 3W
Lumens: 234lm
Efficiency: 78lm/W
Body colour: French gold
Material: Metal + Fabric
Max.: 1x40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1017

ELMARK
The Brand of Electricity



1884



10203

USB CHARGER



2936

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 1xE27

1884

Type: Wall lamp
Model: MAJA
Body colour: Black
Material: Metal + Plastic + Fabric
Max.: 1x15W



Lamps Not Included 1xE27

10203

Type: Wall lamp with USB
Model: MAJA USB
Body colour: Black
Material: Metal + Plastic + Fabric
Max.: 1x15W + 1x9W



Lamps Not Included 1xE27

2936

Type: Table lamp
Model: MAJA
Body colour: Black
Material: Metal + Plastic + Fabric
Max.: 1x15W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1017

ELMARK
The Brand of Electricity



1885



2920

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included





1885

Type: Pendant
Model: MAJA
Body colour: Black
Material: Metal + Plastic + Fabric
Max.: 1x15W

Lamps Not Included





2920

Type: Floor lamp
Model: MAJA
Body colour: Black
Material: Metal + Plastic + Fabric
Max.: 1x15W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1027

ELMARK
The Brand of Electricity



955TOMY1WLED



955TOMY1T

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20

~230V

RoHS

CE

Lamps Not Included
Included

1xE27
+ LED



955TOMY1WLED

Type: Wall lamp
Body colour: Dark Grey
Material: Metal+ Fabric
Max.: 40W

LED lamp colour temp.: 4000K
Two keys on the base

Lamps Not Included

1xE27



955TOMY1T

Type: Table lamp
Body colour: Dark Grey
Material: Metal + Fabric
Max.: 40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955TOMY1F

Lamps Not Included
1xE27



955TOMY1F

Type: Floor lamp
Body colour: Dark Grey
Material: Metal+ Fabric
Max.: 40W

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E14

page 1017

ELMARK
The Brand of Electricity



955PARIS1P/BL



955PARIS31P/BL

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 1xE14



955PARIS1P/BL

Type: Pendant lamp
Body colour: Black
Material: Metal + PVC
Max.: 40W

Lamps Not Included 3xE14



955PARIS31P/BL

Type: Pendant lamp
Body colour: Black
Material: Metal + PVC
Max.: 3x40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955PARIS3P/BL

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
3xE14



955PARIS3P/BL

Type: Pendant lamp
Body colour: Black
Material: Metal + PVC
Max.: 3x40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E14

page 1017

ELMARK
The Brand of Electricity



955PARIS1F/BL



955PARIS1T/BL

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Lamps Not Included 1xE14



955PARIS1F/BL

Type: Floor lamp
Body colour: Black
Material: Metal + PVC
Max.: 40W

Lamps Not Included 1xE14



955PARIS1T/BL

Type: Table lamp
Body colour: Black
Material: Metal + PVC
Max.: 40W

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



10085



5959

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE27



10085

Type: Pendant
Model: ZING
Body colour: Black
Material: Metal
Max.: 1x40W

Lamps Not Included
1xE27



5959

Type: Floor lamp
Model: ZING
Body colour: Black
Material: Metal
Max.: 1x40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1016

ELMARK
The Brand of Electricity



10011



6629

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20

~230V

RoHS

CE

Scan QR code for 3D models, IES files & price.

Lamps Not Included





10011

Type: Pendant
Model: CONO
Body colour: White
Material: Metal + Plastic
Max.: 3x15W

Lamps Not Included





6629

Type: Pendant
Model: CONO
Body colour: Black
Material: Metal + Plastic
Max.: 3x15W

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1016

ELMARK
The Brand of Electricity



6633-E



10041



16009

Lamps Not Included | 3xE27



6633-E

Type: Pendant
Model: CONO
Body colour: Multicolour
Material: Metal + Plastic
Max.: 3x15W

Lamps Not Included | 1xE27



10041

Type: Wall lamp
Model: CONO
Body colour: Black
Material: Metal + Plastic
Max.: 1x15W

Lamps Not Included | 1xE27



16009

Type: Table lamp
Model: CONO
Body colour: Black
Material: Metal + Plastic
Max.: 1x15W

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1017

ELMARK
The Brand of Electricity



1811



1831

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20

~230V

RoHS

CE

Lamps Not Included

1xE27



1811

Type: Pendant
Model: JUMP
Body colour: Black
Material: Metal + Plastic
Max.: 1x15W

Lamps Not Included

1xE27



1831

Type: Pendant
Model: JUMP
Body colour: Black
Material: Metal + Plastic
Max.: 1x15W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



5864



6638-E

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE27



5864

Type: Floor lamp
Model: JUMP
Body colour: Black
Material: Metal
Max.: 1x15W

Lamps Not Included
1xE27



6638-E

Type: Wall lamp
Model: JUMP
Body colour: Black
Material: Metal + Plastic
Max.: 1x15W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1027

ELMARK
The Brand of Electricity



4814



5960

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20

~230V

RoHS

CE

Scan QR code for 3D models, IES files & price.

Lamps Not Included





4814

Type: Wall lamp
Model: PULSE
Body colour: Light brown
Material: Metal + Plastic + Wood
Max.: 1x15W

Lamps Not Included





5960

Type: Floor lamp
Model: PULSE
Body colour: Light brown
Material: Metal + Plastic + Wood
Max.: 3x15W

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



4815

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
5xE27

4815

Type: Chandelier
Model: PULSE
Body colour: Light brown
Material: Metal + Plastic + Wood
Max.: 5x15W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



G9

page 1048

ELMARK
The Brand of Electricity



955ALBERTO1T



955ALBERTO3F

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included



1xG9



955ALBERTO1T

Type: Table lamp
Body colour: Black & Smoky
Material: Metal + Glass
Max.: 7W

Lamps Not Included



3xG9



955ALBERTO3F

Type: Floor lamp
Body colour: Black & Smoky
Material: Metal + Glass
Max.: 3x7W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955ALBERTO6

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
6xG9



955ALBERTO6

Type: Chandelier
Body colour: Black & Smoky
Material: Metal + Glass
Max.: 6x7W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



G9

page 1048

ELMARK
The Brand of Electricity



955OLENA1W/BL



955OLENA5V/BL

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20

~230V

RoHS

CE

Lamps Not Included



955OLENA1W/BL

Type: Wall lamp
Body colour: Black
Glass colour: Smoke Gray
Material: Iron + Glass
Max.: 11W



Lamps Not Included



955OLENA5V/BL

Type: Chandelier
Body colour: Black
Glass colour: Smoke Gray
Material: Iron + Glass
Max.: 5x11W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955OLENA5H/BL

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
5xG9



955OLENA5H/BL

Type: Chandelier
Body colour: Black
Glass colour: Smoke Gray
Material: Iron + Glass
Max.: 5x11W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



G9

page 1048

ELMARK
The Brand of Electricity



955OLENA1W/GD



955OLENA5V/GD

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included



955OLENA1W/GD

Type: Wall lamp
Body colour: Gold
Glass colour: Amber
Material: Iron + Glass
Max.: 11W



Lamps Not Included



955OLENA5V/GD

Type: Chandelier
Body colour: Gold
Glass colour: Amber
Material: Iron + Glass
Max.: 5x11W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955OLENA5H/GD

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
5xG9



955OLENA5H/GD

Type: Chandelier
Body colour: Gold
Glass colour: Amber
Material: Iron + Glass
Max.: 5x11W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E14

page 1017

ELMARK
The Brand of Electricity



955BUBBLES16



955BUBBLES8

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included | 8xE14



955BUBBLES8

Type: Chandelier
Body colour: Black & Bronze
Glass colour: Amber
Material: Metal + Glass
Max.: 8x40W

Lamps Not Included | 16xE14



955BUBBLES16

Type: Chandelier
Body colour: Black & Bronze
Glass colour: Amber
Material: Metal + Glass
Max.: 16x40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



ESTER
4340

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
9xG9



4340

Type: Chandelier
Model: ESTER
Body colour: Brown
Material: Metal + Plastic + Glass
Max.: 9x8W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1019

ELMARK
The Brand of Electricity



955RITA1W/WHBL



955LINA1W/WHBL

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE27



955LINA1W/WHBL

Type: Wall lamp
Body colour: Black & White glass
Material: Metal + Glass
Max.: 40W

Lamps Not Included
1xE27



955RITA1W/WHBL

Type: Wall lamp
Body colour: Black & White glass
Material: Metal + Glass
Max.: 40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955JULIET8

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
8xE27

955JULIET8

Type: Chandelier
Body colour: Gold & Black & White
Material: Metal + Glass
Max.: 8x40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



G9

page 1048

ELMARK
The Brand of Electricity



FAIRY
10070

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included



10070

Type: Ceiling lamp
Model: FAIRY
Body colour: Gold
Material: Metal + Glass
Max.: 4x8W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



003064-028110

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
4xG9



003064-028110

Type: Pendant
Model: ARCTURUS
Body colour: Black + Gold + Smoky glass
Material: Metal + Glass
Max.: 4x8W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



G9

page 1048

ELMARK
The Brand of Electricity



003064-028113

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20

~230V

RoHS

CE

Lamps Not Included



7xG9



003064-028113

Type: Pendant
Model: ARCTURUS
Body colour: Black + Gold + Smoky glass
Material: Metal + Glass
Max.: 7x8W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



G9

page 1048

ELMARK
The Brand of Electricity



003064-028111



003064-028112

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included





003064-028111

Type: Pendant
Model: ARCTURUS
Body colour: Gold
Material: Metal + Glass
Max.: 5x8W

Lamps Not Included





003064-028112

Type: Pendant
Model: ARCTURUS
Body colour: Gold
Material: Metal + Glass
Max.: 7x8W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



G9

page 1048

ELMARK
The Brand of Electricity



ESTERA
6148

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20

~230V

RoHS

CE

Lamps Not Included





6148

Type: Chandelier
Model: ESTERA
Body colour: Black
Material: Metal + Plastic
Max.: 9x8W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



G9

page 1048

ELMARK
The Brand of Electricity



ANABELLE
6844

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included





6844

Type: Chandelier
Model: ANABELLE
Body colour: Black
Material: Metal + Plastic
Max.: 8x8W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E14

page 1017



E27

page 1017

ELMARK
The Brand of Electricity



955ERMINA6



955ERMINA1W

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20

~230V

RoHS

CE

Scan QR code for 3D models, IES files & price.

Lamps Not Included

1xE27

955ERMINA1W

Type: Wall lamp
Body colour: Chrome & Smoked glass
Material: Metal + Glass
Max.: 40W



Lamps Not Included

6xE14

955ERMINA6

Type: Chandelier
Body colour: Chrome & Smoked glass
Material: Metal + Glass
Max.: 6x40W



Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955ERMINA8

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
8xE14

955ERMINA8

Type: Chandelier
Body colour: Chrome & Smoked glass
Material: Metal + Glass
Max.: 8x40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1017

ELMARK
The Brand of Electricity



955ELLARIA5



955ELLARIA3

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20

~230V

RoHS

CE

Lamps Not Included



955ELLARIA3

Type: Chandelier
Body colour: Wood & Grey
Material: Iron + Glass
Max.: 3x40W



Lamps Not Included



955ELLARIA5

Type: Chandelier
Body colour: Wood & Grey
Material: Iron + Glass
Max.: 5x40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955BILL4



955BILL1W

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE14



955BILL1W

Type: Wall lamp
Body colour: Matt black & Bronze
Glass colour: Smoky Grey
Material: Metal + Glass
Max.: 40W

Lamps Not Included
4xE14



955BILL4

Type: Ceiling lamp
Body colour: Matt black & Bronze
Glass colour: Smoky Grey
Material: Metal + Glass
Max.: 4X40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1017

ELMARK
The Brand of Electricity



955JAY4



955JAY1W

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included | 1xE27

955JAY1W

Type: Wall lamp
Body colour: Sand black & Bronze
Glass colour: Cognac
Material: Metal + Glass
Max.: 60W



Lamps Not Included | 4xE27

955JAY4

Type: Ceiling lamp
Body colour: Sand black & Bronze
Glass colour: Cognac
Material: Metal + Glass
Max.: 4x60W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955JAY8



955JAY6

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included | 6xE27



955JAY6

Type: Ceiling lamp
Body colour: Sand black & Bronze
Glass colour: Cognac
Material: Metal + Glass
Max.: 6x60W

Lamps Not Included | 8xE27



955JAY8

Type: Ceiling lamp
Body colour: Sand black & Bronze
Glass colour: Cognac
Material: Metal + Glass
Max.: 8x60W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1017

ELMARK
The Brand of Electricity



955RICK3



955RICK1W

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Lamps Not Included | 1xE27



955RICK1W

Type: Wall lamp
Body colour: Matt black & Bronze
Glass colour: Cognac
Material: Metal + Glass
Max.: 60W

Lamps Not Included | 3xE27



955RICK3

Type: Ceiling lamp
Body colour: Matt black & Bronze
Glass colour: Cognac
Material: Metal + Glass
Max.: 3x60W

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955RICK6

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
6xE27

955RICK6

Type: Ceiling lamp
Body colour: Matt black & Bronze
Glass colour: Cognac
Material: Metal + Glass
Max.: 6x60W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



G9

page 1048

ELMARK
The Brand of Electricity



5905



6799

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20

~230V

RoHS

CE

Lamps Not Included 7xG9



5905

Type: Chandelier
Model: ESTERA
Body colour: White + Wood
Material: Metal + Plastic + Wood + Glass
Max.: 7x8W

Lamps Not Included 3xG9



6799

Type: Pendant
Model: ESTERA
Body colour: Light Brown
Material: Metal + Plastic + Wood
Max.: 3x8W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



5809

Lamps Not Included
3xG9



5809

Type: Floor lamp
Model: ESTERA
Body colour: Light Brown
Material: Metal + Plastic + Wood
Max.: 3x8W

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



G9

page 1048

ELMARK
The Brand of Electricity



003064-024509



003064-024510

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Lamps Not Included





003064-024509

Type: Ceiling lamp
Model: ALI
Body colour: Black + Gold + White glass
Material: Metal + Glass
Max.: 7x8W

Lamps Not Included





003064-024510

Type: Ceiling lamp
Model: ALI
Body colour: Black + Gold + White glass
Material: Metal + Glass
Max.: 5x8W

Scan each QR code to see the price and availability of the product.

Recommended bulb



G9

page 1048

ELMARK
The Brand of Electricity



003064-024511

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included

5xG9



003064-024511

Type: Floor lamp
Model: ALI
Body colour: Black + Gold + White glass
Material: Metal + Glass
Max.: 5x8W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



G9

page 1048

ELMARK
The Brand of Electricity



003064-024502

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20

~230V

RoHS

CE

Lamps Not Included





003064-024502

Type: Pendant
Model: ALI
Body colour: Black + Gold + White glass
Material: Metal + Glass
Max.: 5x8W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



G9

page 1048

ELMARK
The Brand of Electricity



003064-024503

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included





003064-024503

Type: Pendant
Model: ALI
Body colour: Black + Gold + White glass
Material: Metal + Glass
Max.: 5x8W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



G9

page 1048

ELMARK
The Brand of Electricity



003064-026364



003064-028104

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Lamps Not Included
3xG9



003064-028104

Type: Wall lamp
Model: MOLECULE
Body colour: Gold
Material: Metal + Glass
Depth: 199mm
Max.: 3x8W

Lamps Not Included
6xG9



003064-026364

Type: Ceiling lamp
Model: MOLECULE
Body colour: Gold
Material: Metal + Glass
Max.: 6x8W

Scan each QR code to see the price and availability of the product.

Recommended bulb



G9

page 1048

ELMARK
The Brand of Electricity



003064-026345

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included





003064-026345

Type: Pendant
Model: BOBO
Body colour: Gold
Material: Metal + Glass
Max.: 20x8W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E14

page 1023

ELMARK
The Brand of Electricity



002177-026887



002177-026886

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 2xE14



002177-026886

Type: Wall lamp
Model: HELIX
Body colour: Black
Material: Metal + Glass
Depth: 230mm
Max.: 2x40W

Lamps Not Included 4xE14



002177-026887

Type: Pendant
Model: HELIX
Body colour: Black
Material: Metal + Glass
Max.: 4x40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1027



E14

page 1023

ELMARK
The Brand of Electricity



002177-026161



002177-026167

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 1xE27

002177-026161

Type: Wall lamp
Model: ORBIT
Body colour: Black
Material: Metal + Glass
Depth: 180mm
Max.: 1x40W



Lamps Not Included 3xE27 3xE14

002177-026167

Type: Pendant
Model: ORBIT
Body colour: Black
Material: Metal + Glass
Max.: 6x40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1027

ELMARK
The Brand of Electricity



002177-026165

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included





002177-026165

Type: Pendant
Model: PLANT
Body colour: Black
Material: Metal + Glass
Max.: 3x40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



002177-026888

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
4xE14

002177-026888

Type: Pendant
Model: WAVE
Body colour: Black
Material: Metal + Glass
Max.: 4x40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



G9

page 1048

ELMARK
The Brand of Electricity



133867-027990



133867-028002

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Lamps Not Included 3xG9



133867-027990

Type: Wall lamp
Model: OMI
Body colour: Black
Material: Metal + Glass
Depth: 160mm
Max.: 3x9W

Lamps Not Included 4xG9



133867-028002

Type: Floor lamp
Model: OMI
Body colour: Black
Material: Metal + Glass
Max.: 4x9W

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



133867-027980

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE27



133867-027980

Type: Pendant
Model: OMI
Body colour: Black
Material: Metal + Glass
Max.: 1x40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



G9

page 1048

ELMARK
The Brand of Electricity



133867-027982

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included



8xG9



133867-027982

Type: Pendant
Model: OMI
Body colour: Black
Material: Metal + Glass
Max.: 8x9W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



133867-027991



133867-028003

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 3xG9



133867-027991

Type: Wall lamp
Model: OMI
Body colour: Gold
Material: Metal + Glass
Depth: 160mm
Max.: 3x9W

Lamps Not Included 4xG9



133867-028003

Type: Floor lamp
Model: OMI
Body colour: Gold
Material: Metal + Glass
Max.: 4x9W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E14

page 1023

ELMARK
The Brand of Electricity



133867-027981

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included





133867-027981

Type: Pendant
Model: OMI
Body colour: Gold
Material: Metal + Glass
Max.: 1x40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



133867-027983

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
8xG9



133867-027983

Type: Pendant
Model: OMI
Body colour: Black
Material: Metal + Glass
Max.: 8x9W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1017

ELMARK
The Brand of Electricity



5974

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included





5974

Type: Pendant
Model: ELIO
Body colour: Black
Material: Metal + Glass
Max.: 6x15W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



5972



5973

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
3xE27



5972

Type: Pendant
Model: ELIO
Body colour: Black
Material: Metal + Glass
Max.: 3x15W

Lamps Not Included
3xE27



5973

Type: Pendant
Model: ELIO
Body colour: Black
Material: Metal + Glass
Max.: 3x15W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



G9

page 1048

ELMARK
The Brand of Electricity



003064-010944



003064-011265

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Lamps Not Included





003064-010944

Type: Wall lamp
Model: ROCK
Body colour: Gold + Black
Material: Metal + Glass
Depth: 190mm
Max.: 1x8W

Lamps Not Included





003064-011265

Type: Wall lamp
Model: ROCK
Body colour: Gold
Material: Metal + Glass
Depth: 190mm
Max.: 1x8W

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



003064-011263



003064-009276

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xG9



003064-011263

Type: Pendant
Model: ROCK
Body colour: Gold
Material: Metal + Glass
Max.: 1x8W

Lamps Not Included
1xG9



003064-009276

Type: Pendant
Model: ROCK
Body colour: Chrome
Material: Metal + Glass
Max.: 1x8W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



G9

page 1048

ELMARK
The Brand of Electricity



955ROCK6

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
Included

6xG9
4x5W LED



955ROCK6

Type: Chandelier
Body colour: Black & Amber
Material: Metal + Glass
Max.: 6x11W

LED lamps power: 4x5W
LED lamps lumens: 1400lm
LED lamps colour temp.: 2700K/400K/6400K - settable



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



003064-011297



003064-010939

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 1xG9



003064-011297

Type: Ceiling lamp
Model: GEM
Body colour: Black
Material: Metal + Glass
Max.: 1x8W

Lamps Not Included 1xG9



003064-010939

Type: Ceiling lamp
Model: GEM
Body colour: Antique bronze
Material: Metal + Glass
Max.: 1x8W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



G9

page 1048

ELMARK
The Brand of Electricity



003064-010938



003064-011270

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

LED | warm WHITE 3000K | A G



003064-011270

Type: LED wall lamp
Model: GEM
Power: 5W
Lumens: 450lm
Efficiency: 50lm/W
Body colour: Chrome
Material: Metal + Glass
Depth: 148mm

Lamps Not Included | 1xG9



003064-010938

Type: Ceiling lamp
Model: GEM
Body colour: Silver
Material: Metal + Glass
Max.: 1x8W

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



003064-009272



003064-009231

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
3xG9



003064-009272

Type: Pendant
Model: GEM
Body colour: Antique bronze
Material: Metal + Glass
Max.: 3x8W

Lamps Not Included
3xG9



003064-009231

Type: Pendant
Model: GEM
Body colour: Silver
Material: Metal + Glass
Max.: 3x8W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955BRILLIANCE1

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

LED Lamp Included
1xGU10



955BRILLIANCE1

Type: Pendant lamp
Power: 3W
Lumens: 330lm
Colour temp.: 2700K
Body colour: Cooper
Material: Iron + Glass



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



4609



4608

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xG9



4609

Type: Pendant
Model: CADIX
Body colour: Gold
Material: Metal + Plastic + Glass
Max.: 1x8W

Lamps Not Included
7xG9



4608

Type: Pendant
Model: CADIX
Body colour: Gold
Material: Metal + Plastic + Glass
Max.: 7x8W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1017

ELMARK
The Brand of Electricity



955HELEN1/BL



955HELEN1/AM

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE27



955HELEN1/BL

Type: Pendant lamp
Body colour: Blue
Material: Iron + Glass
Max.: 1x40W

Lamps Not Included
1xE27



955HELEN1/AM

Type: Pendant lamp
Body colour: Amber
Material: Iron + Glass
Max.: 1x50W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955HELEN1/SM

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE27



955HELEN1/SM

Type: Pendant lamp
Body colour: Smoky
Material: Iron + Glass
Max.: 1x40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1017

ELMARK
The Brand of Electricity



003064-011110



003064-011109

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20

~230V

RoHS

CE

Scan QR code for 3D models, IES files & price.

Lamps Not Included





003064-011110

Type: Pendant
Model: BRESSO
Body colour: Chrome + Smoky glass
Material: Metal + Glass
Max.: 1x60W

Lamps Not Included





003064-011109

Type: Pendant
Model: BRESSO
Body colour: Chrome + Smoky glass
Material: Metal + Glass
Max.: 1x60W

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



003064-011108

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE27



003064-011108

Type: Pendant
Model: BRESSO
Body colour: Chrome + Smoky glass
Material: Metal + Glass
Max.: 1x60W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1017

ELMARK
The Brand of Electricity



955MARSEL1/GD



955MARSEL1/BL

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

LIMITED STOCK

Lamps Not Included





955MARSEL1/GD

Type: Pendant lamp
Body colour: Gold
Material: Metal
Max.: 40W

LIMITED STOCK

Lamps Not Included





955MARSEL1/BL

Type: Pendant lamp
Body colour: Black & Gold
Material: Metal
Max.: 40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955MARSEL1F/BL



955MARSEL1F2/BL

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

LIMITED STOCK

Lamps Not Included
1xE27



955MARSEL1F/BL

Type: Floor lamp
Body colour: Antique Brass + Blue
Material: Metal + Fabric
Max.: 40W

LIMITED STOCK

Lamps Not Included
1xE27



955MARSEL1F2/BL

Type: Floor lamp
Body colour: Black
Material: Metal + Fabric
Max.: 40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1017

ELMARK
The Brand of Electricity



955CRISTINA1/GD



955CRISTINA1/BL

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20

~230V

RoHS

CE

LIMITED STOCK

Lamps Not Included

1xE27



955CRISTINA1/GD

Type: Pendant lamp
Body colour: Gold
Material: Metal
Max.: 40W

LIMITED STOCK

Lamps Not Included

1xE27



955CRISTINA1/BL

Type: Pendant lamp
Body colour: Black & Gold
Material: Metal
Max.: 40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955UNION1



955GALAXY1/BL

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE27



955UNION1

Type: Pendant lamp
Body colour: Matt black
Material: Metal
Max.: 40W

LIMITED STOCK

Lamps Not Included
1xE27



955GALAXY1/BL

Type: Pendant lamp
Body colour: Black & Gold
Material: Iron
Max.: 40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1017

ELMARK
The Brand of Electricity



10168



10173

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20

~230V

RoHS

CE

Lamps Not Included

1xE27



10168

Type: Pendant
Model: ZOE
Body colour: Black
Material: Metal + Plastic
Max.: 1x15W

Lamps Not Included

1xE27



10173

Type: Pendant
Model: ZOE
Body colour: Beige
Material: Metal + Plastic
Max.: 1x15W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



10171



10175

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE27



10171

Type: Pendant
Model: ZOE
Body colour: Brown
Material: Metal + Plastic
Max.: 1x15W

Lamps Not Included
1xE27



10175

Type: Pendant
Model: ZOE
Body colour: Tile red
Material: Metal + Plastic
Max.: 1x15W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1017

ELMARK
The Brand of Electricity



10169

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
3xE27



10169

Type: Pendant
Model: ZOE
Body colour: Black
Material: Metal + Plastic
Max.: 3x15W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955BLOOM8

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
8xE27



955BLOOM8

Type: Chandelier
Body colour: Black
Material: Metal
Max.: 8x40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1027

ELMARK
The Brand of Electricity



955CINEMA1

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20

~230V

RoHS

CE

Lamps Not Included



955CINEMA1

Type: Ceiling lamp
Body colour: Black
Material: Metal
Max.: 40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955CINEMA6

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
6xE27



955CINEMA6

Type: Chandelier
Body colour: Black
Material: Metal
Max.: 6x40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1032

ELMARK
The Brand of Electricity



955ROXIE6/GD



955ROXIE3/GD

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
3xE27

955ROXIE3/GD

Type: Chandelier
Body colour: Gold
Material: Metal
Max.: 3x40W



Lamps Not Included
6xE27

955ROXIE6/GD

Type: Chandelier
Body colour: Gold
Material: Metal
Max.: 6x40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955ROXIE12/GD

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
12xE27

955ROXIE12/GD

Type: Chandelier
Body colour: Gold
Material: Metal
Max.: 12x40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1015



E27

page 1016

ELMARK
The Brand of Electricity



955SALLY6/BL



955ARTE4/BL

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
4xE27

955ARTE4/BL

Type: Chandelier
Body colour: Black
Material: Metal
Max.: 4x40W



Lamps Not Included
6xE27

955SALLY6/BL

Type: Chandelier
Body colour: Black
Material: Metal
Max.: 6x25W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955JACKSON18

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
18xE27



955JACKSON18

Type: Chandelier
Body colour: Black
Material: Metal
Max.: 18x40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



G9

page 1048

ELMARK
The Brand of Electricity



003064-026344



003064-026346

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Lamps Not Included 6xG9

003064-026344

Type: Ceiling lamp
Model: URCHIN
Body colour: Gold + Black
Material: Metal + Glass
Max.: 6x8W



Lamps Not Included 9xG9

003064-026346

Type: Pendant
Model: URCHIN
Body colour: Gold + Black
Material: Metal + Glass
Max.: 9x8W



Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



003064-011260



003064-011261

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 6xG9

003064-011260

Type: Ceiling lamp
Model: URCHIN
Body colour: Gold
Material: Metal + Glass
Max.: 6x8W



Lamps Not Included 9xG9

003064-011261

Type: Pendant
Model: URCHIN
Body colour: Gold
Material: Metal + Glass
Max.: 9x8W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



G9

page 1048

ELMARK
The Brand of Electricity



003064-011262

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included



9xG9



003064-011262

Type: Pendant
Model: URCHIN
Body colour: Gold
Material: Metal + Glass
Max.: 9x8W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1032



G9

page 1048

ELMARK
The Brand of Electricity



955NEVES1GD



955ROBBY1/BL

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xG9



955NEVES1GD

Type: Wall lamp
Model: NEVES
Body colour: Gold
Material: Metal + Glass
Max.: 1x9W

LIMITED STOCK

Lamps Not Included
1xE27



955ROBBY1/BL

Type: Pendant lamp
Body colour: Black & White
Material: Metal + PP
Max.: 25W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1017

ELMARK
The Brand of Electricity



133867-025755

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included

4xE27



133867-025755

Type: Pendant
Model: VENTO
Body colour: Black
Material: Metal
Max.: 4x40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



133867-025756



133867-025758

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
4xE27



133867-025756

Type: Pendant
Model: VENTO
Body colour: White
Material: Metal
Max.: 4x40W

Lamps Not Included
4xE27



133867-025758

Type: Pendant
Model: VENTO
Body colour: Anthracite
Material: Metal
Max.: 4x40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1027

ELMARK
The Brand of Electricity



955TWEED1



955LUNA1

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Lamps Not Included 1xE27



955TWEED1

Type: Pendant lamp
Body colour: White
Material: Plastic
Max.: 40W

Lamps Not Included 1xE27



955LUNA1

Type: Pendant lamp
Body colour: White
Material: Plastic
Max.: 40W

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955KERRY3WL/AL



955KERRY3P/AL

LIMITED STOCK

Lamps Not Included

3xE27

955KERRY3WL/AL

Type: Ceiling lamp
Body colour: Aluminum
Material: Aluminum
Max.: 3x40W



LIMITED STOCK

Lamps Not Included

3xE27

955KERRY3P/AL

Type: Pendant lamp
Body colour: Aluminum
Material: Aluminum
Max.: 3x40W



5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1032

ELMARK
The Brand of Electricity



955LIV1/BL



955LIV1/AL

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20

~230V

RoHS

CE

Lamps Not Included





955LIV1/BL

Type: Pendant lamp
Body colour: Chrome & Black
Material: Aluminum
Max.: 40W

Lamps Not Included





955LIV1/AL

Type: Pendant lamp
Body colour: Chrome & Aluminum
Material: Aluminum
Max.: 40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1032

ELMARK
The Brand of Electricity



955LIV1/C

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included

1xE27



955LIV1/C

Type: Pendant lamp
Body colour: Chrome & Coffee
Material: Aluminum
Max.: 40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1032

ELMARK
The Brand of Electricity



955HELIX3/BK



955HELIX3/WH

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20

~230V

RoHS

CE

Lamps Not Included

3xE27



955HELIX3/BK

Type: Pendant lamp
Body colour: Matt black
Material: Metal
Max.: 3x40W

Lamps Not Included

3xE27



955HELIX3/WH

Type: Pendant lamp
Body colour: White
Material: Metal
Max.: 3x40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955CHESTER1/BL



955CHESTER1/WH

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

LIMITED STOCK

Lamps Not Included
1xE27



955CHESTER1/BL

Type: Pendant lamp
Body colour: Black
Material: Iron
Max.: 40W

LIMITED STOCK

Lamps Not Included
1xE27



955CHESTER1/WH

Type: Pendant lamp
Body colour: White
Material: Iron
Max.: 40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1027

ELMARK
The Brand of Electricity



955JANIS1A



955JANIS1C

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20

~230V

RoHS

CE

Lamps Not Included





955JANIS1A

Type: Pendant lamp
Body colour: Black
Material: Metal
Max.: 40W

Lamps Not Included





955JANIS1C

Type: Pendant lamp
Body colour: Black
Material: Metal
Max.: 40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955JANIS1B

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE27



955JANIS1B

Type: Pendant lamp
Body colour: White
Material: Metal
Max.: 40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



G9

page 1048

ELMARK
The Brand of Electricity



955KEN1



955KEN3

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
3xE27



955KEN3

Type: Pendant lamp
Body colour: Matt black
Material: Metal
Max.: 3x40W

Lamps Not Included
1xE27



955KEN1

Type: Pendant lamp
Body colour: Matt black
Material: Metal
Max.: 40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955SALVA1/BL



955IDA1/BL

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE27



955SALVA1/BL

Type: Pendant lamp
Body colour: Black
Material: Metal
Max.: 40W

Lamps Not Included
1xE27



955IDA1/BL

Type: Pendant lamp
Body colour: Black
Material: Metal
Max.: 40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1017

ELMARK
The Brand of Electricity



955ADRIA3/BL



955ADRIA1/BL

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 3xE27



955ADRIA3/BL

Type: Pendant lamp
Body colour: Black
Material: Metal
Max.: 3x40W

Lamps Not Included 1xE27



955ADRIA1/BL

Type: Pendant lamp
Body colour: Black
Material: Metal
Max.: 40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1015



E27

page 1017

ELMARK
The Brand of Electricity



955HEIDI3/BL



955HEIDI1/BL

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 3xE27



955HEIDI3/BL

Type: Pendant lamp
Body colour: Black
Material: Metal+Plastic
Max.: 3x40W

Lamps Not Included 1xE27



955HEIDI1/BL

Type: Pendant lamp
Body colour: Black
Material: Metal+Plastic
Max.: 40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1015

ELMARK
The Brand of Electricity



955HOLLYWL/BL



955TARA1/BL

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE27

955HOLLYWL/BL

Type: Wall lamp
Body colour: Black
Material: Metal
Max.: 40W



Lamps Not Included
1xE27

955TARA1/BL

Type: Pendant lamp
Body colour: Black
Material: Metal
Max.: 40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955JILL1/BL



955POLLY4/BL

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE27



955JILL1/BL

Type: Pendant lamp
Body colour: Black
Material: Metal
Max.: 40W

Lamps Not Included
4xE27



955POLLY4/BL

Type: Chandelier
Body colour: Black
Material: Metal
Max.: 4x40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1032

ELMARK
The Brand of Electricity



955TERI1/BL



955QUINN5/BL

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20

~230V

RoHS

CE

Lamps Not Included

1xE27



955TERI1/BL

Type: Pendant lamp
Body colour: Black
Material: Metal
Max.: 40W

Lamps Not Included

5xE27



955QUINN5/BL

Type: Pendant lamp
Body colour: Black
Material: Metal
Max.: 5x40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955CAGE1/BL



955IZABEL3/BL

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

LIMITED STOCK

Lamps Not Included
1xE27



955CAGE1/BL

Type: Pendant lamp
Body colour: Black
Material: Metal
Max.: 40W

LIMITED STOCK

Lamps Not Included
3xE27



955IZABEL3/BL

Type: Pendant lamp
Body colour: Matt black & Gold
Material: Metal
Max.: 3x40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1017

ELMARK
The Brand of Electricity



955BRADLEY1



955BRADLEY3

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

LIMITED STOCK

Lamps Not Included

1xE27



955BRADLEY1

Type: Pendant lamp
Body colour: Wood & Grey
Material: Iron + Glass
Max.: 40W

LIMITED STOCK

Lamps Not Included

3xE27



955BRADLEY3

Type: Pendant lamp
Body colour: Wood & Grey
Material: Iron + Glass
Max.: 3x40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955RONNY1



955RONNY3

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE27



955RONNY1

Type: Pendant lamp
Body colour: Black & Wood
Material: Metal + Wood
Max.: 25W

Lamps Not Included
3xE27



955RONNY3

Type: Pendant lamp
Body colour: Black & Wood
Material: Metal + Wood
Max.: 3x25W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



GU10

page 1043

for DUKE



E27

page 1015

for FIONA

ELMARK
The Brand of Electricity



955DUKE1/BK



955FIONA3

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xGU10



955DUKE1/BK

Type: Pendant lamp
Body colour: Black
Material: Metal
Max.: 35W

Lamps Not Included
3xE27



955FIONA3

Type: Pendant lamp
Body colour: Wood
Material: Metal + Wood
Max.: 3x25W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



4523



4524

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 2xG9

4523

Type: Wall/Celing lamp
Model: NOBLE
Body colour: Light brown
Material: Metal + Plastic + Wood
Max.: 2x8W



Lamps Not Included 4xG9

4524

Type: Wall/Celing lamp
Model: NOBLE
Body colour: Light brown
Material: Metal + Plastic + Wood
Max.: 4x8W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1015

ELMARK
The Brand of Electricity



955PHIL3/BL



955PHIL1WL/BL

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20

~230V

RoHS

CE

Lamps Not Included 1xE27

955PHIL1WL/BL

Type: Wall lamp
Body colour: Black & Wood
Material: Metal + Wood
Max.: 1x25W



Lamps Not Included 3xE27

955PHIL3/BL

Type: Chandelier
Body colour: Black & Wood
Material: Metal + Wood
Max.: 3x25W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955PHIL5/BL

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
5xE27

955PHIL5/BL

Type: Chandelier
Body colour: Black & Wood
Material: Metal + Wood
Max.: 5x25W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1015

ELMARK
The Brand of Electricity



955TIM1A



955TIM1C

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE27



955TIM1A

Type: Pendant lamp
Body colour: Black & Gold
Material: Aluminum
Max.: 40W

Lamps Not Included
1xE27



955TIM1C

Type: Pendant lamp
Body colour: Black & Gold
Material: Aluminum
Max.: 40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955TIM1B

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE27



955TIM1B

Type: Pendant lamp
Body colour: Black & Gold
Material: Aluminum
Max.: 40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1032

ELMARK
The Brand of Electricity



955MATT1/WH



955MATT1/BK

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE27



955MATT1/WH

Type: Pendant lamp
Body colour: Matt white & Gold
Material: Metal
Max.: 40W

Lamps Not Included
1xE27



955MATT1/BK

Type: Pendant lamp
Body colour: Matt black & Gold
Material: Metal
Max.: 40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955JEMMA3

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
3xE27



955JEMMA3

Type: Pendant lamp
Body colour: Black & Gold
Material: Iron
Max.: 3x40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1027

ELMARK
The Brand of Electricity



955JASON1/BK



955JASON1/WH

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20

~230V

RoHS

CE

Lamps Not Included

1xE27



955JASON1/BK

Type: Pendant lamp
Body colour: Sand black & Copper
Material: Metal
Max.: 40W

Lamps Not Included

1xE27



955JASON1/WH

Type: Pendant lamp
Body colour: Sand white & Satin nickel
Material: Metal
Max.: 40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955JASON1/GR

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE27



955JASON1/GR

Type: Pendant lamp
Body colour: Sand grey & Copper
Material: Metal
Max.: 40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1015

ELMARK
The Brand of Electricity



955DAMON3P



955DAMON1P/BL

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20

~230V

RoHS

CE

Lamps Not Included





955DAMON3P

Type: Pendant lamp
Body colour: Black
Material: Metal
Max.: 3x40W

Lamps Not Included





955DAMON1P/BL

Type: Pendant lamp
Body colour: Black
Material: Metal
Max.: 40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955DAMON1P/AB



955DAMON1W

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 1xE27

955DAMON1P/AB

Type: Pendant lamp
Body colour: Antique brass
Material: Metal
Max.: 40W



Lamps Not Included 1xE27

955DAMON1W

Type: Wall lamp
Body colour: Black
Material: Metal
Max.: 40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1015

ELMARK
The Brand of Electricity



955EMMA5P/BL



955EMMA3P/BL

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20

~230V

RoHS

CE

Lamps Not Included





955EMMA5P/BL

Type: Pendant lamp
Body colour: Matt black & White
Material: Metal
Max.: 5x40W

Lamps Not Included





955EMMA3P/BL

Type: Pendant lamp
Body colour: Matt black & White
Material: Metal
Max.: 3x40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955SANTA3/NI



955EMMA3C/BL

Lamps Not Included 3xE27

955EMMA3C/BL

Type: Ceiling lamp
Body colour: Matt black & White
Material: Metal
Max.: 3x40W



Lamps Not Included 3xE27

955SANTA3/NI

Type: Ceiling lamp
Body colour: Satin nickel
Material: Metal + Glass
Max.: 3x40W



5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1015

ELMARK
The Brand of Electricity



955ELIA1



955TINO4

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 1xE27



955ELIA1

Type: Pendant lamp
Body colour: Matt black
Material: Metal + Wood + Glass
Max.: 40W

Lamps Not Included 4xE14



955TINO4

Type: Pendant lamp
Body colour: Matt black
Material: Metal + Wood
Max.: 4x40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955VICTOR1W

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

LIMITED STOCK

Lamps Not Included
1xE27

955VICTOR1W

Type: Wall lamp
Body colour: Matt black & Black mahogany
Material: Metal + Wood
Max.: 40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1015

ELMARK
The Brand of Electricity



955PAOLA2W/BL



955PAOLA1W/BL

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 1xE27



955PAOLA1W/BL

Type: Wall lamp
Body colour: Matt black & Wood
Material: Metal + Wood + Glass
Max.: 40W

Lamps Not Included 2xE27



955PAOLA2W/BL

Type: Wall lamp
Body colour: Matt black & Wood
Material: Metal + Wood + Glass
Max.: 2x40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955PAOLA3W/BL

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
3xE27

955PAOLA3W/BL

Type: Wall lamp
Body colour: Matt black & Wood
Material: Metal + Wood + Glass
Max.: 3x40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1015

ELMARK
The Brand of Electricity



955BIANCA2W/BL



955BIANCA1W/BL

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

LIMITED STOCK

Lamps Not Included



955BIANCA1W/BL

Type: Wall lamp
Body colour: Matt black & Wood
Material: Metal + Wood
Max.: 40W



LIMITED STOCK

Lamps Not Included



955BIANCA2W/BL

Type: Wall lamp
Body colour: Matt black & Wood
Material: Metal + Wood
Max.: 2x40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1015

ELMARK
The Brand of Electricity



955BIANCA3/BL



955PIERA3/BL

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP20
~230V
RoHS
CE

LIMITED STOCK

Lamps Not Included

3xE27



955BIANCA3/BL

Type: Ceiling lamp
Body colour: Matt black & Wood
Material: Metal + Wood
Max.: 3x40W

LIMITED STOCK

Lamps Not Included

3xE27



955PIERA3/BL

Type: Pendant lamp
Body colour: Matt black & Wood
Material: Metal + Wood
Max.: 3x40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1015

ELMARK
The Brand of Electricity



955SILVIA2W/BL



955SILVIA1W/BL

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 1xE27

955SILVIA1W/BL

Type: Wall lamp
Body colour: Matt black & Wood
Material: Metal + Wood
Max.: 40W



Lamps Not Included 2xE27

955SILVIA2W/BL

Type: Wall lamp
Body colour: Matt black & Wood
Material: Metal + Wood
Max.: 2x40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955SILVIA4W/BL



955SILVIA3W/BL

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
3xE27

955SILVIA3W/BL

Type: Wall lamp
Body colour: Matt black & Wood
Material: Metal + Wood
Max.: 3x40W



Lamps Not Included
4xE27

955SILVIA4W/BL

Type: Wall lamp
Body colour: Matt black & Wood
Material: Metal + Wood
Max.: 4x40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1015

ELMARK
The Brand of Electricity



OSLO
6279



OSLO
4508

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE27



6279

Type: Wall lamp
Model: OSLO
Body colour: Brown
Material: Metal + Wood
Max.: 1x15W

Lamps Not Included
1xE27



4508

Type: Chandelier
Model: OSLO
Body colour: Brown
Material: Metal + Wood
Max.: 1x15W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



OSLO
4507



OSLO
6299

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
2xE27



4507

Type: Chandelier
Model: OSLO
Body colour: Brown
Material: Metal + Wood
Max.: 2x15W

Lamps Not Included
3xE27



6299

Type: Chandelier
Model: OSLO
Body colour: Brown
Material: Metal + Wood
Max.: 3x15W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1015

ELMARK
The Brand of Electricity



6319



5788

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE27



6319

Type: Floor lamp
Model: OSLO
Body colour: Brown
Material: Metal + Wood
Max.: 1x15W

Lamps Not Included
1xE27



5788

Type: Chandelier
Model: OSLO
Body colour: Brown
Material: Metal + Wood
Max.: 1x15W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955ALEGRA1W



955ALEGRA1T

Lamps Not Included 1xE14

955ALEGRA1W

Type: Wall lamp
Body colour: Black & Wood
Material: Metal + Wood
Max.: 40W



Lamps Not Included 1xE14

955ALEGRA1T

Type: Table lamp
Body colour: Black & Wood
Material: Metal + Wood
Max.: 40W



5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1015

ELMARK
The Brand of Electricity



955PAIL1



955APIS1

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE27



955PAIL1

Type: Pendant lamp
Body colour: Black & Wood
Material: Metal + Wood
Max.: 40W

Lamps Not Included
1xE27



955APIS1

Type: Pendant lamp
Body colour: Black & Silver
Material: Metal
Max.: 40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955BRYAN1W

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE27

955BRYAN1W

Type: Wall lamp
Body colour: Antique brass
Material: Metal + Glass
Max.: 40W





Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1017

ELMARK
The Brand of Electricity



955WOODY/3



955WOODY/R

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE27



955WOODY/3

Type: Pendant lamp
Body colour: Chrome & Wood
Material: Metal + Wood
Max.: 40W

Lamps Not Included
1xE27



955WOODY/R

Type: Pendant lamp
Body colour: Black & Wood
Material: Metal + Wood rings
Max.: 40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955WOODY/D



955WOODY/4

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE27



955WOODY/D

Type: Pendant lamp
Body colour: Black & Rattan
Material: Metal + Rattan
Max.: 40W

LIMITED STOCK

Lamps Not Included
1xE27



955WOODY/4

Type: Pendant lamp
Body colour: Black & Wood
Material: Metal + Wood
Max.: 40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1017

ELMARK
The Brand of Electricity



955WOODY/1



955WOODY/2

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20

~230V

RoHS

CE

Lamps Not Included

1xE27



955WOODY/1

Type: Pendant lamp
Body colour: Wood & Rattan
Material: Metal + Rattan
Max.: 40W

Lamps Not Included

1xE27



955WOODY/2

Type: Pendant lamp
Body colour: Wood & Rattan
Material: Metal + Rattan
Max.: 40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955WOODY/H



955BAMBOO1

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE27



955WOODY/H

Type: Pendant lamp
Body colour: Black & Rattan
Material: Metal + Rattan
Max.: 40W

Lamps Not Included
1xE27



955BAMBOO1

Type: Pendant lamp
Body colour: Wood
Material: Metal + Wood
Max.: 25W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1015

ELMARK
The Brand of Electricity



955ROPE1P



955ROPE2W



955ROPE1W

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Lamps Not Included



955ROPE1W

Type: Wall lamp
Body colour: Black
Material: Metal + Rust
Max.: 40W



Lamps Not Included



955ROPE1P

Type: Pendant lamp
Body colour: Black
Material: Metal + Rust
Max.: 40W



Lamps Not Included



955ROPE2W

Type: Wall lamp
Body colour: Black
Material: Metal + Rust
Max.: 2x40W



Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1015

ELMARK
The Brand of Electricity



955SAILOR17



955SAILOR1AB



955SAILOR11/G



955SAILOR12/G

Lamps Not Included | 1xE27



955SAILOR17

Type: Pendant lamp
Body colour: Black
Material: Metal + Rust
Max.: 40W

Lamps Not Included | 1xE27



955SAILOR1AB

Type: Pendant lamp
Body colour: Antique brass & Black
Material: Metal
Max.: 40W

LIMITED STOCK

Lamps Not Included | 1xE27



955SAILOR11/G

Type: Pendant lamp
Body colour: Gold
Material: Metal
Max.: 40W

LIMITED STOCK

Lamps Not Included | 1xE27



955SAILOR12/G

Type: Pendant lamp
Body colour: Gold
Material: Metal
Max.: 40W

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1015

ELMARK
The Brand of Electricity



955SAILOR13/S



955SAILOR14/AB



955SAILOR15/RAB



9527100

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

LIMITED STOCK

Lamps Not Included

1xE27



955SAILOR13/S

Type: Pendant lamp
Body colour: Silver
Material: Metal
Max.: 40W

LIMITED STOCK

Lamps Not Included

1xE27



955SAILOR14/AB

Type: Pendant lamp
Body colour: Antique brass
Material: Metal
Max.: 40W

Lamps Not Included

1xE27



955SAILOR15/RAB

Type: Pendant lamp with switch
Body colour: Red antique brass
Material: Metal
Max.: 40W

LIMITED STOCK

Lamps Not Included

1xE27



9527100

Type: Pendant lamp
Body colour: Chrome
Material: Metal
Max.: 40W

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955SAILOR16/BL



955SAILOR16/WH



955SAILOR16/R

Lamps Not Included | 1xE27



955SAILOR16/WH

Type: Pendant lamp
Body colour: White
Material: Silicon
Max.: 40W

Lamps Not Included | 1xE27



955SAILOR16/BL

Type: Pendant lamp
Body colour: Black
Material: Silicon
Max.: 40W

Lamps Not Included | 1xE27



955SAILOR16/R

Type: Pendant lamp
Body colour: Red
Material: Silicon
Max.: 40W

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1015

ELMARK
The Brand of Electricity



955SAILOR16/BR



955SAILOR16/Y

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20

~230V

RoHS

CE

Lamps Not Included 1xE27



955SAILOR16/BR

Type: Pendant lamp
Body colour: Brown
Material: Silicon
Max.: 40W

Lamps Not Included 1xE27



955SAILOR16/Y

Type: Pendant lamp
Body colour: Yellow
Material: Silicon
Max.: 40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity

003064-001646

003064-001645

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 2xE27

003064-001645

Type: Ceiling lamp
Model: INEZ
Body colour: White
Material: Metal + Glass
Max.: 2x40W



Lamps Not Included 3xE27

003064-001646

Type: Ceiling lamp
Model: INEZ
Body colour: White
Material: Metal + Glass
Max.: 3x40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1027

ELMARK
The Brand of Electricity



955PETRA4L/BR



955PETRA3M/BR



955PETRA3S/BR

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Lamps Not Included 2xE27

955PETRA3M/BR

Type: Ceiling lamp
Body colour: Bronze
Material: Metal + Glass
Max.: 2x40W



Lamps Not Included 2xE27

955PETRA3S/BR

Type: Ceiling lamp
Body colour: Bronze
Material: Metal + Glass
Max.: 2x40W



Lamps Not Included 3xE27

955PETRA4L/BR

Type: Ceiling lamp
Body colour: Bronze
Material: Metal + Glass
Max.: 3x40W



Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955PETRA4L/BL



955PETRA3M/BL



955PETRA3S/BL

Lamps Not Included 2xE27

955PETRA3M/BL

Type: Ceiling lamp
Body colour: Black
Material: Metal + Glass
Max.: 2x40W



Lamps Not Included 2xE27

955PETRA3S/BL

Type: Ceiling lamp
Body colour: Black
Material: Metal + Glass
Max.: 2x40W



Lamps Not Included 3xE27

955PETRA4L/BL

Type: Ceiling lamp
Body colour: Black
Material: Metal + Glass
Max.: 3x40W



5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



G9

page 1048

ELMARK
The Brand of Electricity



6013



5911

6009



6454

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 2xG9

6009 5910
6012 6453

Type: Wall lamp
Model: LUNA
Body colour: White, Black, Beige, Brown
Material: Metal
Height: 45mm
Max.: 2x8W



Lamps Not Included 3xG9

6010 5911
6013 6454

Type: Wall lamp
Model: LUNA
Body colour: White, Black, Beige, Brown
Material: Metal
Height: 45mm
Max.: 3x8W







Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



G9

page 1048

ELMARK
The Brand of Electricity

6011



5910



6012



6455

Lamps Not Included



6011 5912
6014 6455

Type: Wall lamp
Model: LUNA
Body colour: White, Black, Beige, Brown
Material: Metal
Height: 45mm
Max.: 4x8W





5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP20
~230V
RoHS
CE





Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

CHILDREN’S ROOM LIGHTING



ELMARK
The Brand of Electricity



3228



3231

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
4xE27



3228

Type: Ceiling lamp
Model: RONDO KIDS
Body colour: Pink
Material: Metal + Plastic
+ Fabric
Max.: 4x15W

Lamps Not Included
1xE27



3231

Type: Pendant
Model: RONDO KIDS
Body colour: Pink
Material: Metal + Plastic
+ Fabric
Max.: 1x15W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1019

ELMARK
The Brand of Electricity



3230



3233

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included | 4xE27

3230

Type: Ceiling lamp
Model: RONDO KIDS
Body colour: Green
Material: Metal + Plastic + Fabric
Max.: 4x15W



Lamps Not Included | 1xE27

3233

Type: Pendant
Model: RONDO KIDS
Body colour: Blue
Material: Metal + Plastic + Fabric
Max.: 1x15W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



3229



3232

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 4xE27



3229

Type: Ceiling lamp
Model: RONDO KIDS
Body colour: Blue
Material: Metal + Plastic + Fabric
Max.: 4x15W

Lamps Not Included 1xE27



3232

Type: Pendant
Model: RONDO KIDS
Body colour: Blue
Material: Metal + Plastic + Fabric
Max.: 1x15W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1019

ELMARK
The Brand of Electricity



955MICKEY1W/WH



955MICKEY1T/WH

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 1xE27

955MICKEY1W/WH

Type: Wall lamp
Body colour: White
Material: Metal
Max.: 40W



Lamps Not Included 1xE27

955MICKEY1T/WH

Type: Table lamp
Body colour: White
Material: Metal
Max.: 40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1019

ELMARK
The Brand of Electricity



955MICKEY3/WH

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20

~230V

RoHS

CE

Lamps Not Included

3xE27



955MICKEY3/WH

Type: Pendant lamp
Body colour: White
Material: Metal
Max.: 3x40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1019

ELMARK
The Brand of Electricity



955MICKEY1W/P



955MICKEY1T/P

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE27

955MICKEY1W/P

Type: Wall lamp
Body colour: Pink
Material: Metal
Max.: 40W



Lamps Not Included
1xE27

955MICKEY1T/P

Type: Table lamp
Body colour: Pink
Material: Metal
Max.: 40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb

E27

page 1019

ELMARK
The Brand of Electricity



955MICKEY3/P

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
3xE27



955MICKEY3/P

Type: Pendant lamp
Body colour: Pink
Material: Metal
Max.: 3x40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1019

ELMARK
The Brand of Electricity



955MICKEY1W/B



955MICKEY1T/B

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Lamps Not Included 1xE27

955MICKEY1W/B

Type: Wall lamp
Body colour: Blue
Material: Metal
Max.: 40W



Lamps Not Included 1xE27

955MICKEY1T/B

Type: Table lamp
Body colour: Blue
Material: Metal
Max.: 40W



Scan each QR code to see the price and availability of the product.

Recommended bulb

E27

page 1019

ELMARK
The Brand of Electricity



955MICKEY3/B

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
3xE27



955MICKEY3/B

Type: Pendant lamp
Body colour: Blue
Material: Metal
Max.: 3x40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



003064-027759



003064-027758

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

LED | neutral WHITE 4000K | G



003064-027758

Type: LED table lamp
Model: SHEEP
Power: 3W
Lumens: 93lm
Efficiency: 31lm/W
Body colour: Grey
Material: ABS + PP

LED | neutral WHITE 4000K | G



003064-027759

Type: LED table lamp
Model: SHEEP
Power: 3W
Lumens: 93lm
Efficiency: 31lm/W
Body colour: Pink
Material: ABS + PP

Scan each QR code to see the price and availability of the product.



003064-027766



003064-027767

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
~230V
RoHS
CE

LED | neutral WHITE 4000K | G



003064-027766

Type: LED table lamp
Model: BUNNY
Power: 3W
Lumens: 80lm
Efficiency: 26lm/W
Body colour: White
Material: ABS + PP

LED | neutral WHITE 4000K | G



003064-027767

Type: LED table lamp
Model: BEAR
Power: 3W
Lumens: 80lm
Efficiency: 26lm/W
Body colour: Pink
Material: ABS + PP

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

SPOT LIGHTING



ELMARK
The Brand of Electricity



955AMBIX1W



955AMBIX2



955AMBIX3

Lamps Not Included | 3xE14

955AMBIX3

Type: Ceiling spot lamp
Body colour: Black & Copper
Material: Metal
Max.: 3x40W



Lamps Not Included | 1xE14

955AMBIX1W

Type: Wall spot lamp
Body colour: Black & Copper
Material: Metal
Max.: 40W



Lamps Not Included | 2xE14

955AMBIX2

Type: Ceiling spot lamp
Body colour: Black & Copper
Material: Metal
Max.: 2x40W



5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E14

page 1017

ELMARK
The Brand of Electricity



955AMBIX5



955AMBIX3R

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20

~230V

RoHS

CE

Lamps Not Included 5xE14

955AMBIX5

Type: Ceiling lamp
Body colour: Black & Copper
Material: Metal
Max.: 5x40W



Lamps Not Included 3xE14

955AMBIX3R

Type: Ceiling lamp
Body colour: Black & Copper
Material: Metal
Max.: 3x40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955AMBIX6



955AMBIX4

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 4xE14

955AMBIX4

Type: Ceiling spot lamp
Body colour: Black & Copper
Material: Metal
Max.: 4x40W



Lamps Not Included 6xE14

955AMBIX6

Type: Ceiling spot lamp
Body colour: Black & Copper
Material: Metal
Max.: 6x40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E14

page 1017

ELMARK
The Brand of Electricity



955JULIE1W



955JULIE2

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 1xE14

955JULIE1W

Type: Wall spot lamp
Body colour: Satin nickel & Aluminum
Material: Metal
Max.: 40W



Lamps Not Included 2xE14

955JULIE2

Type: Ceiling spot lamp
Body colour: Satin nickel & Aluminum
Material: Metal
Max.: 2x40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955JULIE3



955JULIE4

Lamps Not Included 3xE14

955JULIE3

Type: Ceiling spot lamp
Body colour: Satin nickel & Aluminum
Material: Metal
Max.: 3x40W



Lamps Not Included 4xE14

955JULIE4

Type: Ceiling spot lamp
Body colour: Satin nickel & Aluminum
Material: Metal
Max.: 4x40W



5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E14

page 1017

ELMARK
The Brand of Electricity



955JULIE3R



955JULIE5

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20

~230V

RoHS

CE

Lamps Not Included



955JULIE3R

Type: Ceiling lamp
Body colour: Satin nickel & Aluminum
Material: Metal
Max.: 3x40W



Lamps Not Included



955JULIE5

Type: Ceiling lamp
Body colour: Satin nickel & Aluminum
Material: Metal
Max.: 5x40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955JULIE6

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
6xE14

955JULIE6

Type: Ceiling spot lamp
Body colour: Satin nickel & Aluminum
Material: Metal
Max.: 6x40W





Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E14

page 1017

ELMARK
The Brand of Electricity



955SHEEN1W/SN



955SHEEN2/SN

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included | 1xE14

955SHEEN1W/SN

Type: Wall spot lamp
Body colour: Satin nickel & Chrome & frame with clear glass
Material: Metal + Glass
Max.: 40W



Lamps Not Included | 2xE14

955SHEEN2/SN

Type: Ceiling spot lamp
Body colour: Satin nickel & Chrome & frame with clear glass
Material: Metal + Glass
Max.: 2x40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955SHEEN3/SN



955SHEEN4/SN

Lamps Not Included
3xE14

955SHEEN3/SN

Type: Ceiling spot lamp
Body colour: Satin nickel & Chrome & frame with clear glass
Material: Metal + Glass
Max.: 3x40W



Lamps Not Included
4xE14

955SHEEN4/SN

Type: Ceiling spot lamp
Body colour: Satin nickel & Chrome & frame with clear glass
Material: Metal + Glass
Max.: 4x40W



5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E14

page 1017

ELMARK
The Brand of Electricity



955SHEEN31/SN



955SHEEN5/SN

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included | 3xE14

955SHEEN31/SN

Type: Ceiling spot lamp
Body colour: Satin nickel & Chrome & frame with clear glass
Material: Metal + Glass
Max.: 3x40W



Lamps Not Included | 5xE14

955SHEEN5/SN

Type: Ceiling spot lamp
Body colour: Satin nickel & Chrome & frame with clear glass
Material: Metal + Glass
Max.: 5x40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955TWIST5/BL



955TWIST3/BL

LIMITED STOCK

Lamps Not Included

5xE27

955TWIST5/BL

Type: Chandelier
Body colour: Black
Material: Metal
Max.: 5x40W



LIMITED STOCK

Lamps Not Included

3xE27

955TWIST3/BL

Type: Chandelier
Body colour: Black
Material: Metal
Max.: 3x40W



5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E14

page 1017

ELMARK
The Brand of Electricity



955EDDY1W/BL



955EDDY2/BL

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 2xE14

955EDDY2/BL

Type: Ceiling spot lamp
Body colour: Black & White
Material: Metal + Glass
Max.: 2x40W



Lamps Not Included 1xE14

955EDDY1W/BL

Type: Wall spot lamp
Body colour: Black & White
Material: Metal + Glass
Max.: 40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955EDDY3/BL



955EDDY4/BL

Lamps Not Included
3xE14

955EDDY3/BL

Type: Ceiling spot lamp
Body colour: Black & White
Material: Metal + Glass
Max.: 3x40W



Lamps Not Included
4xE14

955EDDY4/BL

Type: Ceiling spot lamp
Body colour: Black & White
Material: Metal + Glass
Max.: 4x40W



5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



GU10

page 1043



G9

page 1048

ELMARK
The Brand of Electricity



10148



10152

USB CHARGER

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20

~230V

RoHS

CE

Scan QR code for 3D models, IES files & price.

Lamps Not Included | 1xGU10 | 1xG9

10148

Type: Ceiling lamp
Model: VOX
Body colour: Black
Material: Metal + Glass
Max.: 1xGu10 max 10W + 1xG9 max 9W



Lamps Not Included | 1xGU10 | 1xG9 | USB CHARGER

10152

Type: Wall / Ceiling lamp + USB charger
Model: VOX USB
Body colour: Black
Material: Metal + Glass
Max.: 1xGu10 max 10W + 1xG9 max 9W



Scan each QR code to see the price and availability of the product.



10001-E



10003-E

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20

~230V

RoHS

CE

Lamps Not Included | 1xGU10 | 2xG9

10001-E

Type: Ceiling lamp
Model: VOX
Body colour: Black
Material: Metal + Glass
Max.: 1xGu10 max 10W + 2xG9 max 9W



Lamps Not Included | 3xGU10 | 3xG9

10003-E

Type: Ceiling lamp
Model: VOX
Body colour: Black
Material: Metal + Glass
Max.: 3xGu10 max 10W + 3xG9 max 9W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1016

ELMARK
The Brand of Electricity



955DELIA1W/BL



955DELIA2/BL

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

LIMITED STOCK

Lamps Not Included 1xE27

955DELIA1W/BL

Type: Wall spot lamp
Body colour: Black & Red amber
Material: Iron + PVC + cotton cloth
Max.: 40W



LIMITED STOCK

Lamps Not Included 2xE27

955DELIA2/BL

Type: Ceiling spot lamp
Body colour: Black & Red amber
Material: Iron + PVC + cotton cloth
Max.: 2x40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955DELIA3/BL



955DELIA4/BL

LIMITED STOCK

Lamps Not Included

3xE27

955DELIA3/BL

Type: Ceiling spot lamp
Body colour: Black & Red amber
Material: Iron + PVC + cotton cloth
Max.: 3x40W



LIMITED STOCK

Lamps Not Included

4xE27

955DELIA4/BL

Type: Ceiling lamp
Body colour: Black & Red amber
Material: Iron + PVC + cotton cloth
Max.: 4x40W



5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1016

ELMARK
The Brand of Electricity



955DELIA6/BL

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

LIMITED STOCK

Lamps Not Included



955DELIA6/BL

Type: Ceiling lamp
Body colour: Black & Red amber
Material: Iron + PVC + cotton cloth
Max.: 6x40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955YOLI1W/SN



955YOLI2/SN

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE27

955YOLI1W/SN

Type: Wall spot lamp
Body colour: Satin nickel & White
Material: Iron
Max.: 40W



Lamps Not Included
2xE27

955YOLI2/SN

Type: Ceiling spot lamp
Body colour: Satin nickel & White
Material: Iron
Max.: 2x40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1016

ELMARK
The Brand of Electricity



955YOLI3/SN



955YOLI6/SN

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included | 3xE27

955YOLI3/SN

Type: Ceiling spot lamp
Body colour: Satin nickel & White
Material: Iron
Max.: 3x40W



Lamps Not Included | 6xE27

955YOLI6/SN

Type: Chandelier
Body colour: Satin nickel & White
Material: Iron
Max.: 6x40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955YOLI4/SN

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
4xE27

955YOLI4/SN

Type: Ceiling spot lamp
Body colour: Satin nickel & White
Material: Iron
Max.: 4x40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



GU10

page 1043

ELMARK
The Brand of Electricity



955IZZY1/BL



955IZZY1W/BL

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xGU10

955IZZY1/BL

Type: Wall spot lamp
Body colour: Black
Material: Metal
Max.: 50W



Lamps Not Included
1xGU10

955IZZY1W/BL

Type: Wall spot lamp with metal switch
Body colour: Black
Material: Metal
Max.: 50W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955IZZY2/BL



955IZZY3/BL

Lamps Not Included 2xGU10

955IZZY2/BL

Type: Ceiling spot lamp
Body colour: Black
Material: Metal
Max.: 2x50W



Lamps Not Included 3xGU10

955IZZY3/BL

Type: Ceiling spot lamp
Body colour: Black
Material: Metal
Max.: 3x50W



5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



GU10

page 1043

ELMARK
The Brand of Electricity



955IZZY4/BL

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20

~230V

RoHS

CE

Lamps Not Included



955IZZY4/BL

Type: Ceiling spot lamp
Body colour: Black
Material: Metal
Max.: 4x50W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955IZZY1W/WH



955IZZY1/WH

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xGU10

955IZZY1/WH

Type: Wall spot lamp
Body colour: White
Material: Metal
Max.: 50W



Lamps Not Included
1xGU10

955IZZY1W/WH

Type: Wall spot lamp with metal switch
Body colour: Black
Material: Metal
Max.: 50W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



GU10

page 1043

ELMARK
The Brand of Electricity



955IZZY2/WH



955IZZY3/WH

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Lamps Not Included 2xGU10

955IZZY2/WH

Type: Ceiling spot lamp
Body colour: White
Material: Metal
Max.: 2x50W



Lamps Not Included 3xGU10

955IZZY3/WH

Type: Ceiling spot lamp
Body colour: White
Material: Metal
Max.: 3x50W



Scan each QR code to see the price and availability of the product.

Recommended bulb
GU10
page 1043

ELMARK
The Brand of Electricity



955IZZY4/WH

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
4xGU10

955IZZY4/WH

Type: Ceiling spot lamp
Body colour: White
Material: Metal
Max.: 4x50W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



GU10

page 1043

ELMARK
The Brand of Electricity



955RIKO1W



955RIKO2

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Lamps Not Included
1xGU10

955RIKO1W

Type: Wall spot lamp
Body colour: Wood & Black
Material: Metal + Wood
Max.: 35W



Lamps Not Included
2xGU10

955RIKO2

Type: Ceiling spot lamp
Body colour: Wood & Black
Material: Metal + Wood
Max.: 2x35W



Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955RIKO3



955RIKO4

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 3xGU10

955RIKO3

Type: Ceiling spot lamp
Body colour: Wood & Black
Material: Metal + Wood
Max.: 3x35W



Lamps Not Included 4xGU10

955RIKO4

Type: Ceiling spot lamp
Body colour: Wood & Black
Material: Metal + Wood
Max.: 4x35W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E14

page 1023

ELMARK
The Brand of Electricity



955ADDY1W/BL



955ADDY3/BL

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 1xE14

955ADDY1W/BL

Type: Wall spot lamp
Body colour: Black & Wood painting
Material: Metal
Max.: 40W



Lamps Not Included 3xE14

955ADDY3/BL

Type: Ceiling spot lamp
Body colour: Black & Wood painting
Material: Metal
Max.: 3x40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955ADDY4/BL

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
4xE14

955ADDY4/BL

Type: Ceiling spot lamp
Body colour: Black & Wood painting
Material: Metal
Max.: 4x40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E14

page 1023

ELMARK
The Brand of Electricity



955ADDY1W/WH



955ADDY3/WH

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included | 1xE14

955ADDY1W/WH

Type: Wall spot lamp
Body colour: White & Wood painting
Material: Metal
Max.: 40W



Lamps Not Included | 3xE14

955ADDY3/WH

Type: Ceiling spot lamp
Body colour: White & Wood painting
Material: Metal
Max.: 3x40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E14

page 1023

ELMARK
The Brand of Electricity



955ADDY4/WH

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included



955ADDY4/WH

Type: Ceiling spot lamp
Body colour: White & Wood painting
Material: Metal
Max.: 4x40W





Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E14

page 1023

ELMARK
The Brand of Electricity



955ADDY1W/WD



955ADDY2/WD

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Lamps Not Included 1xE14

955ADDY1W/WD

Type: Wall spot lamp
Body colour: Satin nickel & Wood painting & Amber glass
Material: Metal + Glass
Max.: 40W



Lamps Not Included 2xE14

955ADDY2/WD

Type: Ceiling spot lamp
Body colour: Satin nickel & Wood painting & Amber glass
Material: Metal + Glass
Max.: 2x40W



Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955ADDY3/WD



955ADDY4/WD

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
3xE14

955ADDY3/WD

Type: Ceiling spot lamp
Body colour: Satin nickel & Wood painting & Amber glass
Material: Metal + Glass
Max.: 3x40W



Lamps Not Included
4xE14

955ADDY4/WD

Type: Ceiling spot lamp
Body colour: Satin nickel & Wood painting & Amber glass
Material: Metal + Glass
Max.: 4x40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E14

page 1023

ELMARK
The Brand of Electricity



955ADDY4/CH



955ADDY2/CH

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended



955ADDY1W/CH

IP20
~230V
RoHS
CE

Lamps Not Included 4xE14

955ADDY4/CH

Type: Ceiling spot lamp
Body colour: Chrome & smoked glass
Material: Metal + Glass
Max.: 4x40W



Lamps Not Included 1xE14

955ADDY1W/CH

Type: Wall spot lamp
Body colour: Chrome & smoked glass
Material: Metal + Glass
Max.: 40W



Lamps Not Included 2xE14

955ADDY2/CH

Type: Ceiling spot lamp
Body colour: Chrome & smoked glass
Material: Metal + Glass
Max.: 2x40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955ADDY5/CH



955ADDY31/CH

Lamps Not Included 5xE14

955ADDY5/CH

Type: Ceiling spot lamp
Body colour: Chrome & Smoked glass
Material: Metal + Glass
Max.: 5x40W



Lamps Not Included 3xE14

955ADDY31/CH

Type: Ceiling spot lamp
Body colour: Chrome & Smoked glass
Material: Metal + Glass
Max.: 3x40W



5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1027

ELMARK
The Brand of Electricity



955SAM1W/SN



955SAM1W/WH

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included



955SAM1W/WH

Type: Wall spot lamp with key
Body colour: White
Material: Metal + Satin nickel
Max.: 40W



Lamps Not Included



955SAM1W/SN

Type: Wall spot lamp with key
Body colour: Satin nickel
Material: Metal + Satin nickel
Max.: 40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

TABLE &
FLOOR LAMPS



3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.



955CORONA2230TGD

LED | warm WHITE 3000K | G



955CORONA2230TGD

Type: LED Table lamp
Model: CORONA
Power: 22W
Lumens: 1760lm
Efficiency: 80lm/W
LED chip: Samsung SMD2835
Body colour: Satin gold
Material: Metal + Crystal



Scan each QR code to see the price and availability of the product.

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended



955DIAMOND230TGD

IP20
~230V
RoHS
CE

LED | warm WHITE 3000K | F | Ra≥90 | DIMMABLE



955DIAMOND230TGD

Type: LED Table lamp
Model: DIAMOND
Power: 2W
Lumens: 180lm
Efficiency: 90lm/W
Body colour: Gold
Material: Metal + Aluminium + Acrylic
* Three-step touch dimmable sensor



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

3 YEARS TOTAL WARRANTY
+ 3 standard 0 extended

IP20
~230V
RoHS
CE



955ALISON630BL

LED | warm WHITE 3000K | D

Ra≥90



955ALISON630BL

Type: LED Table lamp
Model: ALISON
Power: 6W
Lumens: 840lm
Efficiency: 140lm/W
LED chip: OSRAM
Driver: Lifud
Input voltage: AC100~277V
Body colour: Transparent + Black
Material: Metal + Aluminium + Acrylic

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



955TALIS630GD



955LEIA530SM

LED warm WHITE 3000K G



955TALIS630GD

Type: LED Table lamp
Model: TALIS
Power: 6W
Lumens: 468lm
Efficiency: 78lm/W
Body colour: Gold
Material: Metal

LED warm WHITE 3000K G



955LEIA530SM

Type: LED Table lamp
Model: LEIA
Power: 5W
Lumens: 390lm
Efficiency: 78lm/W
Body colour: Copper + Smoky grey
Material: Metal + Glass

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955SILVIO330TCO



955SILVIO330FCO

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

955SILVIO330TCO

LED | warm WHITE 3000K | G



Type: LED Table lamp
Model: SILVIO
Power: 3W
Lumens: 234lm
Efficiency: 78lm/W
Body colour: Cooper
Material: Metal + Glass

955SILVIO330FCO

LED | warm WHITE 3000K | G



Type: LED Floor lamp
Model: SILVIO
Power: 3W
Lumens: 234lm
Efficiency: 78lm/W
Body colour: Cooper
Material: Metal + Glass

Scan each QR code to see the price and availability of the product.



003064-026737

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
~230V
RoHS
CE

LED | warm WHITE 3000K | E



003064-026737

Type: LED floor lamp
Model: ELIOT
Power: 21W
Lumens: 2350lm
Efficiency: 111lm/W
Body colour: Black + Wood
Material: Metal + Aluminium + Wood



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955HENDRIX1T

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
SMD 2835
>15000
Ra≥80
EMC

LIMITED STOCK

LED warm WHITE 2800-3200K G



955HENDRIX1T

Type: Table lamp
Power: 11W
Lumens: 770lm
Body colour: White & Black
Material: Aluminum + Iron + PC



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



955LED101T/WH



955LED101T/BL

LIMITED STOCK

LED | neutral WHITE 4000K | DIMMABLE | G

955LED101T/WH

Type: Table lamp
Power: 9W
Lumens: 500lm
Body colour: White
Material: ABS+PP
Adapter: 4.6V/1.5A
Third gear dimmable



LIMITED STOCK

LED | neutral WHITE 4000K | DIMMABLE | G

955LED101T/BL

Type: Table lamp
Power: 9W
Lumens: 500lm
Body colour: Black
Material: ABS+PP
Adapter: 4.6V/1.5A
Third gear dimmable



5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
Battery
SMD 2835
>15000
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955RYAN1T



955PARKER1T

5 YEAR TOTAL WARRANTY
3 standard+2 extended
+ 2 extended

IP40

Battery

SMD 2835

>15000

Ra≥80

EMC

LED warm WHITE 3000K G



955RYAN1T

Type: Table lamp
Power: 2W
Lumens: 100
Body colour: Wooden & White
Material: Plastic +Acrylic
Working hours: 6-8h

** Type "C" USB cable 1m, without Adapter | 2000mAh rechargeable lithium polymer battery*

LED warm WHITE 3000K G



955PARKER1T

Type: Table lamp
Power: 3W
Lumens: 150lm
Body colour: Brown bronze
Material: Metal
Working hours: 10-15h

** Type "C" USB cable 1m, without Adapter | 1800mAh rechargeable lithium battery 18650*

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



955ADAM1TL/BL



955ADAM1TL/GD

955ADAM1TL/BL

LED | warm WHITE 3000K | G | DIMMABLE

Type: Table lamp
Power: 3W
Lumens: 110lm
Body colour: Black
Material: Iron & Glass
Working hours: 10-15h

** Type "C" USB cable 1m, without adapter | 4000mAh rechargeable lithium battery*



955ADAM1TL/GD

LED | warm WHITE 3000K | G | DIMMABLE

Type: Table lamp
Power: 3W
Lumens: 110lm
Body colour: Gold
Material: Iron & Glass
Working hours: 10-15h

** Type "C" USB cable 1m, without adapter | 4000mAh rechargeable lithium battery*



5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
SMD 2835
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955ZARA1TL/WH



955ZARA1TL/BL

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP44

Battery

SMD 2835

>15000

Ra≥80

EMC

Scan QR code for 3D models, IES files & price.



LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | G | DIMMABLE | Li-ion

955ZARA1TL/WH

Type: Rechargeable Table Lamp
Power: 3W
Lumens: 200lm
Body colour: White
Material: Metal
Functions: Touch switch, 3-step color temperature, step-less dimming with memory

** Battery: 1800mAh | USB cable 1.5m | without Adapter*



LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | G | DIMMABLE | Li-ion

955ZARA1TL/BL

Type: Rechargeable Table Lamp
Power: 3W
Lumens: 200lm
Body colour: Black
Material: Metal
Functions: Touch switch, 3-step color temperature, step-less dimming with memory

** Battery: 1800mAh | USB cable 1.5m | without Adapter*

Scan each QR code to see the price and availability of the product.



955ZARA1TL/CO

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP44

Battery

SMD 2835

>15000

Ra≥80

EMC



955ZARA1TL/CO

Type: Rechargeable Table Lamp
Power: 3W
Lumens: 200lm
Body colour: Cooper
Material: Metal
Functions: Touch switch, 3-step color temperature, step-less dimming with memory

** Battery: 1800mAh | USB cable 1.5m | without Adapter*

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955SONIA1TL/BL



955SONIA1TL/WH

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
SMD 2835
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

LED | warm WHITE 3000K | G | DIMMABLE

955SONIA1TL/BL

Type: Table Lamp
Power: 3W
Lumens: 110lm
Body colour: Black
Material: Iron + Glass

** Touch Dimmer button | Type "C" USB cable 1m, without Adapter | 4000mah rechargeable lithium battery*



LED | warm WHITE 3000K | G | DIMMABLE

955SONIA1TL/WH

Type: Table Lamp
Power: 3W
Lumens: 110lm
Body colour: White
Material: Iron + Glass

** Touch Dimmer button | Type "C" USB cable 1m, without Adapter | 4000mah rechargeable lithium battery*



Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955ELINOR1T/DGR



955ELINOR1T/TR

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 1xE27



955ELINOR1T/DGR

Type: Table lamp
Body colour: Dark grey
Material: Acrylic
Max.: 40W

Lamps Not Included 1xE27



955ELINOR1T/TR

Type: Table lamp
Body colour: Transparent
Material: Acrylic
Max.: 40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1027

ELMARK
The Brand of Electricity



955DEREK1T/BL



955NADINE1T/BL

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Lamps Not Included
1xE27



955DEREK1T/BL

Type: Table lamp
Body colour: Black
Material: Metal
Max.: 40W

Lamps Not Included
1xE27



955NADINE1T/BL

Type: Table lamp
Body colour: Black & White
Material: Metal + Fabric
Max.: 40W

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955LORETO1T



955NICOLA1T

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included | 1xE27



955LORETO1T

Type: Table Lamp
Body colour: Black & Flax
Material: Metal + Fabric
Max.: 40W

Lamps Not Included | 1xE27



955NICOLA1T

Type: Table Lamp
Body colour: Black & Flax
Material: Metal + Fabric
Max.: 40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1019

ELMARK
The Brand of Electricity



955RENATO1CO



955CAPRI1T

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Lamps Not Included
1xE27



955RENATO1CO

Type: Table lamp
Model: RENATO
Body colour: Cooper
Material: Metal + Fabric
Max.: 1x40W

Lamps Not Included
1xE27



955CAPRI1T

Type: Table lamp
Body colour: Gold & Flax
Material: Metal + Fabric
Max.: 40W

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955PONZA1T



955MAURO1T

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

LIMITED STOCK

Lamps Not Included
1xE27



955PONZA1T

Type: Table lamp
Body colour: Gold & Flax
Material: Metal + Fabric
Max.: 40W

LIMITED STOCK

Lamps Not Included
1xE27



955MAURO1T

Type: Table lamp
Body colour: Gold & Flax
Material: Metal + Fabric
Max.: 40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1019

ELMARK
The Brand of Electricity



955PIETRO1T



955SALINA1T

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 1xE27



955PIETRO1T

Type: Table Lamp
Body colour: Gold & Flax
Material: Metal + Fabric
Max.: 40W

Lamps Not Included 1xE27



955SALINA1T

Type: Table lamp
Body colour: Black & Gold & Flax
Material: Metal + Fabric
Max.: 40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955ZAHRA1T



955ELBA1T

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

LIMITED STOCK

Lamps Not Included
1xE27



955ZAHRA1T

Type: Table Lamp
Body colour: Gold & Flax
Material: Metal + Fabric
Max.: 40W

LIMITED STOCK

Lamps Not Included
1xE27



955ELBA1T

Type: Table Lamp
Body colour: Gold & Flax
Material: Metal + Fabric
Max.: 40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1019

ELMARK
The Brand of Electricity



955KRISTA1T

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included





955KRISTA1T

Type: Table lamp
Body colour: Golden copper brass & Beige
Material: Metal + Glass
Max.: 40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955MONTE1T



955SIENA1T/BR

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

LIMITED STOCK

Lamps Not Included
1xE27



955MONTE1T

Type: Table Lamp
Body colour: Gold & Blue
Material: Metal + Fabric
Max.: 40W

LIMITED STOCK

Lamps Not Included
1xE27



955SIENA1T/BR

Type: Table Lamp
Body colour: Bronze & Blue
Material: Metal + Fabric
Max.: 40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E14

page 1019



E27

page 1019

ELMARK
The Brand of Electricity



955HELENA1T



955BARBARA1T

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20

~230V

RoHS

CE

Scan QR code for 3D models, IES files & price.

Lamps Not Included 1xE14



955BARBARA1T

Type: Table lamp
Body colour: Chrome & White
Material: Iron + Fabric + Crystal
Max.: 40W

Lamps Not Included 1xE27



955HELENA1T

Type: Table lamp
Body colour: Black & White
Material: Metal + Fabric
Max.: 40W

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955ANITA1T



955CAREN1T

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE27



955ANITA1T

Type: Table lamp
Body colour: White
Material: Metal + Fabric
Max.: 40W

Lamps Not Included
1xE27



955CAREN1T

Type: Table lamp
Body colour: Black
Material: Metal + Fabric
Max.: 40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1019

ELMARK
The Brand of Electricity



5248



5463

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20

~230V

RoHS

CE

Scan QR code for 3D models, IES files & price.

Lamps Not Included





5248

Type: Table lamp
Model: FIORD
Body colour: White
Material: Metal + Glass
Max.: 1x15W

Lamps Not Included





5463

Type: Table lamp
Model: FIORD
Body colour: Black
Material: Metal + Glass
Max.: 1x15W

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



5593



5590

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE27



5593

Type: Table lamp
Model: SANTANA
Body colour: White
Material: Plastic+ Glass + Fabric
Max.: 1x15W

Lamps Not Included
1xE27



5590

Type: Table lamp
Model: SANTANA
Body colour: Black
Material: Plastic+ Glass + Fabric
Max.: 1x15W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1019

ELMARK
The Brand of Electricity



5591



5903

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Lamps Not Included





5591

Type: Table lamp
Model: SANTANA
Body colour: Ecru
Material: Plastic+ Glass + Fabric
Max.: 1x15W

Lamps Not Included





5903

Type: Table lamp
Model: SANTANA
Body colour: Blue
Material: Plastic+ Glass + Fabric
Max.: 1x15W

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



5904

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE27



5904

Type: Table lamp
Model: SANTANA
Body colour: Blue + Ecru
Material: Plastic+ Glass + Fabric
Max.: 1x15W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1017

ELMARK
The Brand of Electricity



955NORTH1T/CH



955NORTH1T/GD

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE27



955NORTH1T/CH

Type: Table lamp
Body colour: Chrome
Material: Metal + Crystal
Max.: 40W

Lamps Not Included
1xE27



955NORTH1T/GD

Type: Table lamp
Body colour: Gold
Material: Metal + Crystal
Max.: 40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955LIZA1T/CH



955LIZA1T/AB

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE14



955LIZA1T/CH

Type: Table lamp
Body colour: Chrome
Material: Metal + Crystal
Max.: 40W

Lamps Not Included
1xE14



955LIZA1T/AB

Type: Table lamp
Body colour: Antique brass
Material: Metal + Crystal
Max.: 40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1019

ELMARK
The Brand of Electricity



955MICKEY1T/WH



955MICKEY1T/P

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE27

955MICKEY1T/WH

Type: Table lamp
Body colour: White
Material: Metal
Max.: 40W



Lamps Not Included
1xE27

955MICKEY1T/P

Type: Table lamp
Body colour: Pink
Material: Metal
Max.: 40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955MICKEY1T/B

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE27

955MICKEY1T/B

Type: Table lamp
Body colour: Blue
Material: Metal
Max.: 40W





Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E14

page 1023



E27

page 1016

ELMARK
The Brand of Electricity



955ALEGRA1T



16009

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included 1xE14



955ALEGRA1T

Type: Table lamp
Body colour: Black & Wood
Material: Metal + Wood
Max.: 40W

Lamps Not Included 1xE27



16009

Type: Table lamp
Model: CONO
Body colour: Black
Material: Metal + Plastic
Max.: 1x15W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955ALANI1T/WH



955ALANI1T/BL

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE14



955ALANI1T/WH

Type: Table lamp
Body colour: White + Wood
Material: Metal + Pine
Max.: 6W

Lamps Not Included
1xE14



955ALANI1T/BL

Type: Table lamp
Body colour: Black + Wood
Material: Metal + Pine
Max.: 6W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E14

page 1023

ELMARK
The Brand of Electricity



955DARCY1T/WH



955DARCY1T/BL

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE14



955DARCY1T/WH

Type: Table lamp
Body colour: White
Material: Metal
Max.: 25W

Lamps Not Included
1xE14



955DARCY1T/BL

Type: Table lamp
Body colour: Black
Material: Metal
Max.: 25W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955LUKE1T/BK



955LUKE1T/WH

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE27



955LUKE1T/BK

Type: Table lamp
Body colour: Sand black & Copper
Material: Metal
Max.: 40W

Lamps Not Included
1xE27



955LUKE1T/WH

Type: Table lamp
Body colour: Sand white & Copper
Material: Metal
Max.: 40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1015

ELMARK
The Brand of Electricity



6319



5788

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20

~230V

RoHS

CE

Scan QR code for 3D models, IES files & price.

Lamps Not Included

1xE27



6319

Type: Floor lamp
Model: OSLO
Body colour: Brown
Material: Metal + Wood
Max.: 1x15W

Lamps Not Included

1xE27



5788

Type: Chandelier
Model: OSLO
Body colour: Brown
Material: Metal + Wood
Max.: 1x15W

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955MAX1F



955MAX1T

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE27



955MAX1F

Type: Floor lamp
Body colour: Sand black
Material: Metal
Max.: 40W

Lamps Not Included
1xE27



955MAX1T

Type: Table lamp
Body colour: Sand black
Material: Metal
Max.: 40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1027



G9

page 1048

ELMARK
The Brand of Electricity



5960



5809

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20

~230V

RoHS

CE

Lamps Not Included 3xE27



5960

Type: Floor lamp
Model: PULSE
Body colour: Light brown
Material: Metal + Plastic + Wood
Max.: 3x15W

Lamps Not Included 3xG9



5809

Type: Floor lamp
Model: ESTERA
Body colour: Light Brown
Material: Metal + Plastic + Wood
Max.: 3x8W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



G9

page 1048

ELMARK
The Brand of Electricity



955ALBERTO3F



955ALBERTO1T

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included





955ALBERTO3F

Type: Floor lamp
Body colour: Black & Smoky
Material: Metal + Glass
Max.: 3x7W

Lamps Not Included





955ALBERTO1T

Type: Table lamp
Body colour: Black & Smoky
Material: Metal + Glass
Max.: 7W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1027

ELMARK
The Brand of Electricity



955BERTA1F



955BERTA1T

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Lamps Not Included
1xE27



955BERTA1F

Type: Floor lamp
Body colour: Brown
Material: Metal+ Fabric
Max.: 40W

Lamps Not Included
1xE27



955BERTA1T

Type: Table lamp
Body colour: Brown
Material: Metal+ Fabric
Max.: 40W

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955TOMY1F



955TOMY1T

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE27



955TOMY1F

Type: Floor lamp
Body colour: Dark Grey
Material: Metal+ Fabric
Max.: 40W

Lamps Not Included
1xE27



955TOMY1T

Type: Table lamp
Body colour: Dark Grey
Material: Metal + Fabric
Max.: 40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1027

ELMARK
The Brand of Electricity



2920



2936

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Lamps Not Included





2920

Type: Floor lamp
Model: MAJA
Body colour: Black
Material: Metal + Plastic + Fabric
Max.: 1x15W

Lamps Not Included





2936

Type: Table lamp
Model: MAJA
Body colour: Black
Material: Metal + Plastic + Fabric
Max.: 1x15W

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1027

ELMARK
The Brand of Electricity



955YASMIN1FCO



955YASMIN1TCO

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE27



955YASMIN1FCO

Type: Floor lamp
Model: YASMIN
Body colour: Cooper
Material: Metal + Fabric
Max.: 1x40W

Lamps Not Included
1xE27



955YASMIN1TCO

Type: Table lamp
Model: YASMIN
Body colour: Cooper
Material: Metal + Fabric
Max.: 1x40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E14

page 1017

ELMARK
The Brand of Electricity



955PARIS1F/BL



955PARIS1T/BL

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Lamps Not Included 1xE14



955PARIS1F/BL

Type: Floor lamp
Body colour: Black
Material: Metal + PVC
Max.: 40W

Lamps Not Included 1xE14



955PARIS1T/BL

Type: Table lamp
Body colour: Black
Material: Metal + PVC
Max.: 40W

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



5959



5864

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
4xGU10



5959

Type: Floor lamp
Model: ZING
Body colour: Black
Material: Metal
Max.: 1x10W

Lamps Not Included
1xE27



5864

Type: Floor lamp
Model: JUMP
Body colour: Black
Material: Metal
Max.: 1x15W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1027

ELMARK
The Brand of Electricity



955FRANCO1F1/BL



955FRANCO1F2/BL

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included
1xE27



955FRANCO1F1/BL

Type: Floor lamp
Body colour: Black
Material: Metal + Fabric
Max.: 40W

LIMITED STOCK

Lamps Not Included
1xE27



955FRANCO1F2/BL

Type: Floor lamp
Body colour: Black & Blue
Material: Metal + Fabric
Max.: 40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1027

ELMARK
The Brand of Electricity



955FRANCO1F3/BR

LIMITED STOCK

Lamps Not Included

1xE27



955FRANCO1F3/BR

Type: Floor lamp
Body colour: Brass & Blue
Material: Metal + Fabric
Max.: 40W

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1027

ELMARK
The Brand of Electricity



955MARSEL1F/BL



955MARSEL1F2/BL

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

LIMITED STOCK

Lamps Not Included

1xE27



955MARSEL1F/BL

Type: Floor lamp
Body colour: Black & Gold
Material: Metal + Fabric
Max.: 40W

LIMITED STOCK

Lamps Not Included

1xE27



955MARSEL1F2/BL

Type: Floor lamp
Body colour: Black
Material: Metal + Fabric
Max.: 40W

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955MURANO1F/BL



955MURANO1F/FL

Lamps Not Included
1xE27



955MURANO1F/BL

Type: Floor lamp
Body colour: Black
Material: Metal + Fabric
Max.: 40W

Lamps Not Included
1xE27



955MURANO1F/FL

Type: Floor lamp
Body colour: Black & Flax
Material: Metal + Fabric
Max.: 40W

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1027

ELMARK
The Brand of Electricity



955MAYA1F



955MERY1F/CH

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20

~230V

RoHS

CE

Scan QR code for 3D models, IES files & price.

Lamps Not Included

1xE27



955MAYA1F

Type: Floor lamp
Body colour: Chrome
Material: Metal + Glass + Fabric shade
Max.: 40W

Lamps Not Included

1xE27



955MERY1F/CH

Type: Floor lamp
Body colour: Chrome
Material: Metal + Crystal + Fabric shade
Max.: 40W

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1027



E27

page 1032

ELMARK
The Brand of Electricity



955CAROL1F/BL



955ETHEL1F

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

LIMITED STOCK

Lamps Not Included





955CAROL1F/BL

Type: Floor lamp
Body colour: Black & brass
Material: Wood+ Fabric
Max.: 40W

Lamps Not Included





955ETHEL1F

Type: Floor lamp
Body colour: Wood & Black
Material: Metal + Wood
Max.: 40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1015

ELMARK
The Brand of Electricity



955NICOL3/BL



955DARIA3/BL

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
RoHS
CE

Scan QR code for 3D models, IES files & price.

LIMITED STOCK

Lamps Not Included

3xE27



955NICOL3/BL

Type: Floor lamp
Body colour: Matt black
Material: Metal
Max.: 3x40W

LIMITED STOCK

Lamps Not Included

3xE27



955DARIA3/BL

Type: Floor lamp
Body colour: Matt black
Material: Metal
Max.: 3x40W

Scan each QR code to see the price and availability of the product.

Recommended bulb

E27

page 1027

ELMARK
The Brand of Electricity



955PAOLO1F/C



955PAOLO1F/WH

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

LIMITED STOCK

Lamps Not Included
1xE27

955PAOLO1F/C

Type: Floor lamp
Body colour: Black & Coffee
Material: Metal + Fabric
Max.: 40W



LIMITED STOCK

Lamps Not Included
1xE27

955PAOLO1F/WH

Type: Floor lamp
Body colour: Black & White
Material: Metal + Fabric
Max.: 40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1027

ELMARK
The Brand of Electricity



955KILIE1

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS
CE

Lamps Not Included





955KILIE1

Type: Floor lamp
Body colour: White
Material: Marble + Fabric
Max.: 40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

FABRIC TRACK LIGHTING



ELMARK
The Brand of Electricity





955FB12CCT02HO



955FB12CCT02GR

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP40
48V
Ra≥90
EMC
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

BELT FABRIC TRACK LIGHT

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6400K | SETTABLE | F | 120° | Ra≥90

955FB12CCT02GR



Type: Ultra thin light fixture for belt fabric track
Power: 12W
Lumens: 1140lm
Efficiency: 95lm/W
Body colour: Dark grey
Material: Aluminum + PC

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6400K | SETTABLE | F | 120° | Ra≥90

955FB12CCT02HO



Type: Ultra thin light fixture for belt fabric track
Power: 12W
Lumens: 1140lm
Efficiency: 95lm/W
Body colour: Hermes orange
Material: Aluminum + PC

i Scan each QR code to see the price and availability of the product.



955FB24CCT02HO



955FB24CCT02GR

BELT FABRIC TRACK LIGHT

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6400K | SETTABLE | F | 120° | Ra≥90

955FB24CCT02GR



Type: Ultra thin light fixture for belt fabric track
Power: 24W
Lumens: 2280lm
Efficiency: 95lm/W
Body colour: Dark grey
Material: Aluminum + PC

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6400K | SETTABLE | F | 120° | Ra≥90

955FB24CCT02HO



Type: Ultrathin light fixture for belt fabric track
Power: 24W
Lumens: 2280lm
Efficiency: 95lm/W
Body colour: Hermes orange
Material: Aluminum + PC

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP40
48V
Ra≥90
EMC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955FB12CCT03HO



955FB12CCT03GR

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP40
48V
Ra≥90
EMC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

BELT FABRIC TRACK LIGHT

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6400K | SETTABLE | G
120° | Ra≥90 | UGR<19

955FB12CCT03GR



Type: Linear honeycomb light for belt fabric track
Power: 12W
Lumens: 900lm
Efficiency: 75lm/W
Body colour: Dark grey
Material: Aluminum + PC

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6400K | SETTABLE | G
120° | Ra≥90 | UGR<19

955FB12CCT03HO



Type: Linear honeycomb light for belt fabric track
Power: 12W
Lumens: 900lm
Efficiency: 75lm/W
Body colour: Hermes orange
Material: Aluminum + PC

Scan each QR code to see the price and availability of the product.



955FB24CCT03HO



955FB24CCT03GR

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP40
48V
Ra≥90
EMC
RoHs COMPLIANT
CE

BELT FABRIC TRACK LIGHT

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6400K | SETTABLE | G
120° | Ra≥90 | UGR<19

955FB24CCT03GR



Type: Linear honeycomb light for belt fabric track
Power: 24W
Lumens: 1800lm
Efficiency: 75lm/W
Body colour: Dark grey
Material: Aluminum + PC

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6400K | SETTABLE | G
120° | Ra≥90

955FB24CCT03HO



Type: Linear honeycomb light for belt fabric track
Power: 24W
Lumens: 1800lm
Efficiency: 75lm/W
Body colour: Hermes orange
Material: Aluminum + PC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity





955FB12CCT03HO



955FB12CCT03GR

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP40
48V
Ra≥90
EMC
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

BELT FABRIC TRACK LIGHT

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6400K | SETTABLE | F | 180° | Ra≥90

955FB15CCT05GR



Type: UFO pendant light for belt fabric track
Power: 15W
Lumens: 1350lm
Efficiency: 90lm/W
Body colour: Dark grey
Material: Aluminum + PC

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6400K | SETTABLE | F | 180° | Ra≥90

955FB15CCT05HO



Type: UFO pendant light for belt fabric track
Power: 15W
Lumens: 1350lm
Efficiency: 90lm/W
Body colour: Hermes orange
Material: Aluminum + PC

i Scan each QR code to see the price and availability of the product.



955FB12CCT06HO



955FB12CCT06GR

BELT FABRIC TRACK LIGHT

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6400K | SETTABLE | F | 120° | Ra≥90

955FB12CCT06GR



Type: Cone pendant light for belt fabric track
Power: 12W
Lumens: 1080lm
Efficiency: 90lm/W
Body colour: Dark grey
Material: Aluminum + PC

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6400K | SETTABLE | F | 120° | Ra≥90

955FB12CCT06HO



Type: Cone pendant light for belt fabric track
Power: 12W
Lumens: 1080lm
Efficiency: 90lm/W
Body colour: Hermes orange
Material: Aluminum + PC

Scan each QR code to see the price and availability of the product.

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP40
48V
Ra≥90
EMC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity





955FB15CCT07HO



955FB15CCT07GR

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP40
48V
Ra≥90
EMC
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

BELT FABRIC TRACK LIGHT

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6400K | SETTABLE | F | 120° | Ra≥90

955FB15CCT07GR



Type: Semisphere pendant light for belt fabric track
Power: 15W
Lumens: 1350lm
Efficiency: 90lm/W
Body colour: Dark grey
Material: Aluminum + PC

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6400K | SETTABLE | F | 120° | Ra≥90

955FB15CCT07HO



Type: Semisphere pendant light for belt fabric track
Power: 15W
Lumens: 1350lm
Efficiency: 90lm/W
Body colour: Hermes orange
Material: Aluminum + PC

Scan each QR code to see the price and availability of the product.





955FB09CCT08HO



955FB09CCT08GR

3 YEARS TOTAL WARRANTY
3 standard
0 extended

IP40
48V
Ra≥90
EMC
RoHs COMPLIANT
CE

BELT FABRIC TRACK LIGHT

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6400K | SETTABLE | F
360° | Ra≥90

955FB09CCT08GR



Type: Sphere pendant light for belt fabric track
Power: 9W
Lumens: 810lm
Efficiency: 90lm/W
Body colour: Dark grey
Material: Aluminum + PC

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6400K | SETTABLE | F
360° | Ra≥90

955FB09CCT08HO



Type: Sphere pendant light for belt fabric track
Power: 9W
Lumens: 810lm
Efficiency: 90lm/W
Body colour: Hermes orange
Material: Aluminum + PC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity





955FB09CCT10HO



955FB09CCT10GR

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP40
48V
Ra≥90
EMC
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

BELT FABRIC TRACK LIGHT

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6400K | SETTABLE | F | 36° | Ra≥90

955FB09CCT10GR



Type: COB spot light for belt fabric track
Power: 9W
Lumens: 985lm
Efficiency: 109lm/W
Body colour: Dark grey
Material: Aluminum + PC

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6400K | SETTABLE | F | 36° | Ra≥90

955FB09CCT10HO



Type: COB spot light for belt fabric track
Power: 9W
Lumens: 985lm
Efficiency: 109lm/W
Body colour: Hermes orange
Material: Aluminum + PC

Scan each QR code to see the price and availability of the product.





955FB083011HO



955FB083011GR

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP40
48V
Ra≥90
EMC
RoHS COMPLIANT
CE

BELT FABRIC TRACK LIGHT

LED | warm WHITE 3000K | F | 360° | Ra≥90

955FB083011GR



Type: Crystal tube for belt fabric track
Power: 8W
Lumens: 720lm
Efficiency: 90lm/W
Body colour: Dark grey + Transparent
Material: Acrylic

LED | warm WHITE 3000K | F | 360° | Ra≥90

955FB083011HO



Type: Crystal tube for belt fabric track
Power: 8W
Lumens: 720lm
Efficiency: 90lm/W
Body colour: Hermes orange + Transparent
Material: Acrylic

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity





955FB073012HO



955FB073012GR

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP40
48V
Ra≥90
EMC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

BELT FABRIC TRACK LIGHT

LED | warm WHITE 3000K | G | 24° | Ra≥90



955FB073012GR

Type: Pendant for belt fabric track
Power: 7W
Lumens: 525lm
Efficiency: 75lm/W
Body colour: Dark grey
Material: Aluminium

LED | warm WHITE 3000K | G | 24° | Ra≥90



955FB073012HO

Type: Pendant for belt fabric track
Power: 7W
Lumens: 525lm
Efficiency: 75lm/W
Body colour: Hermes orange
Material: Aluminium

Scan each QR code to see the price and availability of the product.



BELT FABRIC TRACK LIGHT, ACCESSORIES

955FBTR01GR



Type: Fabric track
Input voltage: 48V DC
Material: Nylon-conductive mica powder
Colour: Dark grey

955FBTR01HO



Type: Fabric track
Input voltage: 48V DC
Material: Nylon-conductive mica powder
Body colour: Hermes orange

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



955SCB01SP



955RCB02SP



955RCB03SP



955TD04SP

BELT FABRIC TRACK LIGHT, ACCESSORIES



955SCB01SP

Type: Surface cover box
Diameter: 120mm
Height: 24mm



955RCB02SP

Type: Recessed cover box
Diameter: 79mm
Height: 40mm



955RCB03SP

Type: Recessed cover box
Diameter: 117mm
Height: 40mm



955TD04SP

Type: Short tension devices
Diameter: 52mm
Height: 60mm

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



955TD05SP



955FH06SP



955CM07SP



955C08SP

BELT FABRIC TRACK LIGHT, ACCESSORIES



955TD05SP

Type: Long tension devices
Diameter: 52mm
Height: 90mm



955FH06SP

Type: Fixed holder
Size: 45x48mm



955CM07SP

Type: Circuit module
Size: 36x33x10mm



955C08SP

Type: Clips
Size: 41x21x11mm

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

INDOOR LIGHTING

- LED PANELS
- WALL AND CEILING LIGHTS
- LED PROFILES
- DOWN LIGHTS
- BATHROOM LIGHTS
- TRACK LIGHTS
- EMERGENCY LIGHTS



99XPANEL020WN
99XPANEL020CWN



99XPANEL021WN

LED PANELS STELLAR

LED | neutral WHITE 4000K | 120° | F

99XPANEL020WN

Similar product option:
99XPANEL020W



Type: LED panel
Power: 40W
Lumens: 4000lm
Efficiency: 100lm/W
Body colour: White
Material: Aluminum
Height: 30 mm

LED | cold WHITE 6400K | 120° | F

99XPANEL020CWN



Type: LED panel
Power: 40W
Lumens: 4000lm
Efficiency: 100lm/W
Body colour: White
Material: Aluminum
Height: 30 mm

LED | neutral WHITE 4000K | 120° | F

99XPANEL021WN

Similar product option:
99XPANEL021W



Type: LED panel
Power: 40W
Lumens: 4000lm
Efficiency: 100lm/W
Body colour: White
Material: Aluminum
Height: 30 mm

2 YEARS TOTAL WARRANTY
+ 2 standard 0 extended

IP40
~230V
LED SMD
>15000
15000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

* Options with emergency kit



page 774

* Compatible with DALI & 0-10V Dimmable Drivers

page 1163

ELMARK
The Brand of Electricity



92PANEL032W
92PANEL032CW

HIGH EFFICIENCY



92PANEL021WN

HIGH EFFICIENCY LED PANELS ELMARK

LED | neutral WHITE 4000K | 120° | E

92PANEL032W



Type: LED panel*
Power: 40W
Lumens: 4800lm
Efficiency: 120lm/W
Body colour: White
Material: Aluminum
Height: 30 mm

*Dimmable with:

DALI driver cat.No:	0-10V driver cat.No:
99DALI40105042	99SETDC40D010

LED | cold WHITE 6400K | 120° | E

92PANEL032CW



Type: LED panel*
Power: 40W
Lumens: 4800lm
Efficiency: 120lm/W
Body colour: White
Material: Aluminum
Height: 30 mm

*Dimmable with:

DALI driver cat.No:	0-10V driver cat.No:
99DALI40105042	99SETDC40D010

LED | neutral WHITE 4000K | 120° | F

92PANEL021WN

Similar product option:
92PANEL021W



Type: LED panel*
Power: 40W
Lumens: 4400lm
Efficiency: 110lm/W
Body colour: White
Material: Aluminum
Height: 30 mm

5 YEARS TOTAL WARRANTY
+ 4 standard 1 extended

IP40
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

*Options with emergency kit



page 774

*Compatible with DALI & 0-10V Dimmable Drivers

page 1163

ELMARK
The Brand of Electricity



92PANEL030WNEW
92PANEL030CWNEW

KNAUF

LED PANELS WITH CLIPS FOR DRYWALL MOUNTING

LED | neutral WHITE 4000K | 120° | F | WITH CLIPS

92PANEL030WNEW

Similar product option:
92PANEL030W



Type: LED panel for drywall*
Power: 40W
Lumens: 4000lm
Efficiency: 100lm/W
Body colour: White
Material: Aluminum
Height: 9 mm

LED | cold WHITE 6400K | 120° | F | WITH CLIPS

92PANEL030CWNEW



Type: LED panel for drywall*
Power: 40W
Lumens: 4000lm
Efficiency: 100lm/W
Body colour: White
Material: Aluminum
Height: 9 mm

Dimmable with:

DALI driver	*0-10V driver*
cat.No:	*cat.No:*
99DALI60150042	*99SETDC50D010*

5 YEARS TOTAL WARRANTY
+ 4 standard 1 extended

IP40
~230V
SMD 4014
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

*Options with emergency kit



page 774

*Compatible with DALI & 0-10V Dimmable Drivers

page 1163

ELMARK
The Brand of Electricity



92PANEL028NW
92PANEL028NCW

HIGH EFFICIENCY

UGR <19

SAVE ENERGY

HIGH EFFICIENCY LED PANELS ELMARK WITH UGR<19

5 YEARS TOTAL WARRANTY
+ 4 standard 1 extended

IP40
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

LED | neutral WHITE 4000K | 120° | E

92PANEL028NW

Similar product option:
92PANEL028W



Type: LED panel*
Power: 40W
Lumens: 4800lm
Efficiency: 120lm/W
Body colour: White
Material: Iron + PS
Height: 30 mm

**Dimmable with:*

DALI driver	*0-10V driver*
cat.No: 99DALI60150042	*cat.No: 99SETDC50D010*

LED | cold WHITE 6400K | 120° | E

92PANEL028NCW

Similar product option:
92PANEL028CW



Type: LED panel*
Power: 40W
Lumens: 4800lm
Efficiency: 120lm/W
Body colour: White
Material: Iron + PS
Height: 30 mm

**Dimmable with:*

DALI driver	*0-10V driver*
cat.No: 99DALI60150042	*cat.No: 99SETDC50D010*

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

*Options with emergency kit
page 774

ELMARK
The Brand of Electricity



92PANEL029NW
92PANEL029NCW

HIGH EFFICIENCY
UGR <19
SAVE ENERGY

HIGH EFFICIENCY LED PANELS ELMARK WITH UGR<19

LED | neutral WHITE 4000K | 120° | E

92PANEL029NW

Similar product option:
92PANEL029W



Type: LED panel*
Power: 40W
Lumens: 4800lm
Efficiency: 120lm/W
Body colour: White
Material: Iron + PS
Height: 30 mm

*Dimmable with:	
DALI driver	*0-10V driver*
cat.No: 99DALI60150042	*cat.No: 99SETDC50D010*

LED | cold WHITE 6400K | 120° | E

92PANEL029NCW

Similar product option:
92PANEL029CW



Type: LED panel*
Power: 40W
Lumens: 4800lm
Efficiency: 120lm/W
Body colour: White
Material: Iron + PS
Height: 30 mm

*Dimmable with:	
DALI driver	*0-10V driver*
cat.No: 99DALI60150042	*cat.No: 99SETDC50D010*

5 YEARS TOTAL WARRANTY
+ 4 standard 1 extended

IP40
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

*Options with emergency kit



page 774

ELMARK
The Brand of Electricity



92PANEL033W

HIGH EFFICIENCY

SAVE ENERGY



92PANEL023CW

HIGH EFFICIENCY

SAVE ENERGY

HIGH EFFICIENCY LED PANELS

LIMITED STOCK

LED | neutral WHITE 4000K | 120° | A++ C

92PANEL033W

Type: Square LED panel*
Power: 22W
Lumens: 3960lm
Efficiency: 180lm/W
LED chip: SANAN
Driver: Lifud
Body colour: White
Material: Steel and anti-fire cover with aluminum frame
Mounting: Recessed
Height: 34 mm



LIMITED STOCK

LED | cold WHITE 6500K | 120° | A++ D

92PANEL023CW

Type: Square LED panel*
Power: 30W
Lumens: 4200lm
Efficiency: 140lm/W
Emergency time: max.3h
Body colour: White
Material: Iron + PS
Mounting: Recessed
Height: 35 mm



5 YEARS TOTAL WARRANTY
+ 4 standard 1 extended

IP40
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

92PANEL022WN/WH



92PANEL022WN/BL
92PANEL022W/BL

LED PANELS FOR SURFACE MOUNTING

LED | neutral WHITE 4000K | 120° | G

92PANEL022WN/WH



Type: Square LED panel
Power: 40W
Lumens: 4000m
Efficiency: 100lm/W
Body colour: White
Material: Iron + PS
Mounting: In Armstrong ceiling & Surface
Height: 40 mm

LED | neutral WHITE 4000K | 120° | G

92PANEL022WN/BL

Similar product option:
92PANEL022W/BL



Type: Square LED panel
Power: 40W
Lumens: 4000lm
Efficiency: 100lm/W
Body colour: Black
Material: Iron + PS
Mounting: In Armstrong ceiling & Surface
Height: 40 mm

5 YEARS TOTAL WARRANTY
+ 4 standard 1 extended

IP40
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

*Options with emergency kit



page 774

*Compatible with DALI & 0-10V Dimmable Drivers

page 1163

ELMARK
The Brand of Electricity



92PANEL032WIP54
92PANEL032CWIP54

HIGH EFFICIENCY

SAVE ENERGY



92PANEL021WN54

IP54 LED PANELS ELMARK

5 YEARS TOTAL WARRANTY
+ 4 standard 1 extended

IP54
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

LED | neutral WHITE 4000K | 120° | E

92PANEL032WIP54



Type: LED panel*
Power: 40W
Lumens: 4800lm
Efficiency: 120lm/W
Body colour: White
Material: Aluminum
Height: 30 mm

*Dimmable with:

DALI driver	0-10V driver
cat.No:	cat.No:
99DALI60150042	99SETDC40D010

LED | cold WHITE 6400K | 120° | E

92PANEL032CWIP54



Type: LED panel*
Power: 40W
Lumens: 4800lm
Efficiency: 120lm/W
Body colour: White
Material: Aluminum
Height: 30 mm

*Dimmable with:

DALI driver	0-10V driver
cat.No:	cat.No:
99DALI60150042	99SETDC40D010

LED | neutral WHITE 4000K | 120° | F

92PANEL021WN54

Similar product option:
92PANEL021WIP54



Type: LED panel*
Power: 40W
Lumens: 4400lm
Efficiency: 110lm/W
Body colour: White
Material: Aluminum
Height: 30 mm

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

*Options with emergency kit

page 774

*Compatible with DALI & 0-10V Dimmable Drivers

page 1163

ELMARK
The Brand of Electricity



92PANEL030WNIP54
92PANEL030CWNIP54

KNAUF

IP54 LED PANELS WITH CLIPS FOR DRYWALL

LED | neutral WHITE 4000K | 120° | F | WITH CLIPS



92PANEL030WNIP54

Type: LED panel*
Power: 40W
Lumens: 4000lm
Efficiency: 100lm/W
Body colour: White
Material: Aluminum
Height: 9 mm

*Dimmable with:

DALI driver cat.No:	0-10V driver cat.No:
99DALI60150042	99SETDC50D010

LED | cold WHITE 6400K | 120° | F | WITH CLIPS



92PANEL030CWNIP54

Type: LED panel*
Power: 40W
Lumens: 4000lm
Efficiency: 100lm/W
Body colour: White
Material: Aluminum
Height: 9 mm

*Dimmable with:

DALI driver cat.No:	0-10V driver cat.No:
99DALI60150042	99SETDC50D010

5 YEARS TOTAL WARRANTY
+ 4 standard 1 extended

IP54
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

*Options with emergency kit



page 774

*Compatible with DALI & 0-10V Dimmable Drivers

page 1163

ELMARK
The Brand of Electricity



92PANEL028NW54
92PANEL028NCW54

HIGH EFFICIENCY

UGR <19

SAVE ENERGY

IP54 HIGH EFFICIENCY LED PANELS ELMARK WITH UGR<19

5 YEARS TOTAL WARRANTY
+ 4 standard 1 extended

IP54
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

LED | neutral WHITE 4000K | 120° | E

92PANEL028NW54

Similar product option:
92PANEL028W54



Type: LED panel*
Power: 40W
Lumens:4800lm
Efficiency: 120lm/W
Body colour: White
Material: Iron + PS
Height: 30 mm

**Dimmable with:*

DALI driver	*0-10V driver*
cat.No: 99DALI60150042	*cat.No: 99SETDC50D010*

LED | cold WHITE 6400K | 120° | E

92PANEL028NCW54

Similar product option:
92PANEL028CW54



Type: LED panel*
Power: 40W
Lumens:4800lm
Efficiency: 120lm/W
Body colour: White
Material: Iron + PS
Height: 30 mm

**Dimmable with:*

DALI driver	*0-10V driver*
cat.No: 99DALI60150042	*cat.No: 99SETDC50D010*

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

*Options with emergency kit
page 774
*Compatible with DALI & 0-10V Dimmable Drivers
page 1163

ELMARK
The Brand of Electricity



92PANEL029NW54
92PANEL029NCW54

HIGH EFFICIENCY
UGR <19
SAVE ENERGY

IP54 HIGH EFFICIENCY LED PANELS ELMARK WITH UGR<19

LED | neutral WHITE 4000K | 120° | E

92PANEL029NW54

Similar product option:
92PANEL029W54



Type: LED panel*
Power: 40W
Lumens:4800lm
Efficiency: 120lm/W
Body colour: White
Material: Iron + PS
Height: 30 mm

*Dimmable with:	
DALI driver	*0-10V driver*
cat.No: 99DALI60150042	*cat.No: 99SETDC50D010*

LED | cold WHITE 6400K | 120° | E

92PANEL029NCW54

Similar product option:
92PANEL029CW54



Type: LED panel*
Power: 40W
Lumens:4800lm
Efficiency: 120lm/W
Body colour: White
Material: Iron + PS
Height: 30 mm

*Dimmable with:	
DALI driver	*0-10V driver*
cat.No: 99DALI60150042	*cat.No: 99SETDC50D010*

5 YEARS TOTAL WARRANTY
4 standard + 1 extended

IP54
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

*Options with emergency kit



page 774

ELMARK
The Brand of Electricity



92PANEL033WIP54

HIGH EFFICIENCY
SAVE ENERGY



92PANEL023CWIP54

HIGH EFFICIENCY
SAVE ENERGY

IP54 HIGH EFFICIENCY LED PANELS

5 YEARS TOTAL WARRANTY
+ 4 standard 1 extended

IP54
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

LIMITED STOCK

LED | neutral WHITE 4000K | 120° | C

92PANEL033WIP54



Type: Square LED panel*
Power: 22W
Lumens: 3960lm
Efficiency: 180lm/W
LED chip: SANAN
Driver: Lifud
Body colour: White
Material: Steel and anti-fire cover with aluminum frame
Mounting: Recessed
Height: 34 mm

LIMITED STOCK

LED | cold WHITE 6500K | 120° | D

92PANEL023CWIP54



Type: Square LED panel*
Power: 30W
Lumens: 4200lm
Efficiency: 140lm/W
Emergency time: max.3h
Body colour: White
Material: Iron + PS
Mounting: Recessed
Height: 35 mm

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity

92FRAME020W



Type: Frame for LED panel with dimensions 595/595/30mm for surface mounting
Body colour: White
Material: Aluminum
**LED panel not included*

92FRAME021W



Type: Frame for LED panel with dimensions 295/1195/30mm for surface mounting.
Body colour: White
Material: Aluminum
**LED panel not included*

92FRAME014W



Type: Frame for LED panel with dimensions 595/595/9mm and 595/595/11mm for surface mounting.
Body colour: White
Material: Aluminum
**LED panel not included*

99ACC18



Type: Suspension wire for suspended mounting; Material: Metal; Set of 4 pieces

99ACC22



Type: Fasteners for surface mounting
Material: Metal
Set of 4 pieces
** Suitable only for LED panels with height 9-11mm*

99ACC21



Type: Clips for mounting on plasterboard
Material: Metal
Set of 4 pieces
** Suitable only for LED panels with height 9-11mm*

IP54
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

*Options with emergency kit

page 774



99XLED610
99XLED609
99XLED609CW



99XLED612
99XLED611
99XLED611CW

ROUND LED PANELS STELLAR

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP40
~230V
SMD 2835
>15000
15000h
Ra≥80
EMC

LED | warm WHITE 2700K | 120° | G

99XLED610

Type: Round LED panel*
Power: 6W
Lumens: 330lm
Efficiency: 55lm/W
Body colour: White
Cut size: 100 mm
Material: Aluminum



LED | neutral WHITE 4000K | 120° | G

99XLED609

Type: Round LED panel*
Power: 6W
Lumens: 330lm
Efficiency: 55lm/W
Body colour: White
Cut size: 100 mm
Material: Aluminum

LED | cold WHITE 6500K | 120° | G

99XLED609CW

Type: Round LED panel*
Power: 6W
Lumens: 330lm
Efficiency: 55lm/W
Body colour: White
Cut size: 100 mm
Material: Aluminum

LED | warm WHITE 2700K | 120° | F

99XLED612

Type: Round LED panel*
Power: 12W
Lumens: 840lm
Efficiency: 70lm/W
Body colour: White
Cut size: 150 mm
Material: Aluminum



LED | neutral WHITE 4000K | 120° | F

99XLED611

Type: Round LED panel*
Power: 12W
Lumens: 840lm
Efficiency: 70lm/W
Body colour: White
Cut size: 150 mm
Material: Aluminum

LED | cold WHITE 6500K | 120° | F

99XLED611CW

Type: Round LED panel*
Power: 12W
Lumens: 840lm
Efficiency: 70lm/W
Body colour: White
Cut size: 150 mm
Material: Aluminum

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

*Options with emergency kit

page 774



99XLED615
99XLED614
99XLED614CW



99XLED621
99XLED620
99XLED620CW

ROUND LED PANELS STELLAR





LED | warm WHITE 2700K | 120° | G

99XLED615

Type: Round LED panel*
Power: 18W
Lumens: 1350lm
Efficiency: 75lm/W
Body colour: White
Cut size: 205 mm
Material: Aluminum

LED | neutral WHITE 4000K | 120° | G

99XLED614

Type: Round LED panel*
Power: 18W
Lumens: 1350lm
Efficiency: 75lm/W
Body colour: White
Cut size: 205 mm
Material: Aluminum

LED | cold WHITE 6500K | 120° | G

99XLED614CW

Type: Round LED panel*
Power: 18W
Lumens: 1350lm
Efficiency: 75lm/W
Body colour: White
Cut size: 205 mm
Material: Aluminum





LED | warm WHITE 2700K | 120° | G

99XLED621

Type: Round LED panel*
Power: 24W
Lumens: 1800lm
Efficiency: 75lm/W
Body colour: White
Cut size: 268 mm
Material: Aluminum

LED | neutral WHITE 4000K | 120°

99XLED620

Type: Round LED panel*
Power: 24W
Lumens: 1800lm
Efficiency: 75lm/W
Body colour: White
Cut size: 268 mm
Material: Aluminum

LED | cold WHITE 6500K | 120° | G

99XLED620CW

Type: Round LED panel*
Power: 24W
Lumens: 1800lm
Efficiency: 75lm/W
Body colour: White
Cut size: 268 mm
Material: Aluminum

2 YEARS TOTAL WARRANTY
2 standard + 0 extended

IP40
~230V
SMD 2835
>15000
15000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



99LED960WW
99LED960
99LED960CW



99LED961WW
99LED961
99LED961CW

ROUND LED PANELS ELMARK

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP40
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC



LED warm WHITE 2700-3000K 160° F

99LED960WW

Type: Round LED panel
Power: 6W
Lumens: 510lm
Efficiency: 85lm/W
Body colour: White
Cut size: 77 mm
Material: Polycarbonate

LED neutral WHITE 4000-4300K 160° F

99LED960

Type: Round LED panel
Power: 6W
Lumens: 510lm
Efficiency: 85lm/W
Body colour: White
Cut size: 77 mm
Material: Polycarbonate

LED cold WHITE 6000-6400K 160° F

99LED960CW

Type: Round LED panel
Power: 6W
Lumens: 510lm
Efficiency: 85lm/W
Body colour: White
Cut size: 77 mm
Material: Polycarbonate



LED warm WHITE 2700-3000K 160° F

99LED961WW

Type: Round LED panel
Power: 12W
Lumens: 1020lm
Body colour: White
Efficiency: 85lm/W
Cut size: 117 mm
Material: Polycarbonate

LED neutral WHITE 4000-4300K 160° F

99LED961

Type: Round LED panel
Power: 12W
Lumens: 1020lm
Body colour: White
Efficiency: 85lm/W
Cut size: 117 mm
Material: Polycarbonate

LED cold WHITE 6000-6400K 160° F

99LED961CW

Type: Round LED panel
Power: 12W
Lumens: 1020lm
Body colour: White
Efficiency: 85lm/W
Cut size: 117 mm
Material: Polycarbonate

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



99LED962WW
99LED962
99LED962CW



99LED963WW
99LED963
99LED963CW

ROUND LED PANELS ELMARK



LED | warm WHITE 2700-3000K | 160° | F

99LED962WW

Type: Round LED panel
Power: 18W
Lumens: 1530lm
Efficiency: 85lm/W
Body colour: White
Cut size: 143 mm
Material: Polycarbonate

LED | neutral WHITE 4000-4300K | 160° | F

99LED962

Type: Round LED panel
Power: 18W
Lumens: 1530lm
Efficiency: 85lm/W
Body colour: White
Cut size: 143 mm
Material: Polycarbonate

LED | cold WHITE 6000-6400K | 160° | F

99LED962CW

Type: Round LED panel
Power: 18W
Lumens: 1530lm
Efficiency: 85lm/W
Body colour: White
Cut size: 143 mm
Material: Polycarbonate



LED | warm WHITE 2700-3000K | 160° | F

99LED963WW

Type: Round LED panel
Power: 24W
Lumens: 2040lm
Efficiency: 85lm/W
Body colour: White
Cut size: 190 mm
Material: Polycarbonate

LED | neutral WHITE 4000-4300K | 160° | F

99LED963

Type: Round LED panel
Power: 24W
Lumens: 2040lm
Efficiency: 85lm/W
Body colour: White
Cut size: 190 mm
Material: Polycarbonate

LED | cold WHITE 6000-6400K | 160° | G

99LED963CW

Type: Round LED panel
Power: 24W
Lumens: 2040lm
Efficiency: 85lm/W
Body colour: White
Cut size: 190 mm
Material: Polycarbonate

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

*Options with emergency kit



page 774

ELMARK
The Brand of Electricity



99LED611IP44
99LED611IP44CW



99LED609IP44
99LED609IP44CW



99LED617IP44
99LED617IP44CW

ROUND LED PANELS ELMARK, IP44

LED | 120° | G | neutral WHITE 4000K | cold WHITE 6500K

99LED609IP44
99LED609IP44CW

Type: LED panel*
Power: 5W
Lumens: 400lm
Efficiency: 80lm/W
Body colour: White
Material: Aluminum



LED | 120° | G | neutral WHITE 4000K | cold WHITE 6500K

99LED611IP44
99LED611IP44CW

Type: LED panel*
Power: 12W
Lumens: 960lm
Efficiency: 80lm/W
Body colour: White
Material: Aluminum



LED | 120° | G | neutral WHITE 4000K | cold WHITE 6500K

99LED617IP44
99LED617IP44CW

Type: LED panel*
Power: 18W
Lumens: 1440lm
Efficiency: 80lm/W
Body colour: White
Material: Aluminum



5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP44
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

*Compatible with DALI

DALI page 1163

ELMARK
The Brand of Electricity



99LED607IP65N
99LED607IP65NCW



99LED610IP65N
99LED610IP65NCW

WATERPROOF LED PANELS ELMARK, IP65

LED | neutral WHITE 4000K | 120° | E

99LED607IP65N

Similar product option:
99LED607IP65



Type: LED panel
Power: 7W
Lumens: 770lm
Efficiency: 110lm/W
Body colour: White
Cut size: 100-110 mm
Material: Polycarbonate

LED | cold WHITE 6500K | 120° | E

99LED607IP65NCW

Similar product option:
99LED607IP65CW



Type: LED panel
Power: 7W
Lumens: 770lm
Efficiency: 110lm/W
Body colour: White
Cut size: 100-110 mm
Material: Polycarbonate

LED | neutral WHITE 4000K | 120° | E

Dimmable with:
DALI driver
cat.No:
99DALI1240042

99LED610IP65N

Similar product option:
99LED610IP65



Type: LED panel
Power: 10W
Lumens: 1100lm
Efficiency: 110lm/W
Body colour: White
Cut size: 150-160 mm
Material: Polycarbonate

LED | cold WHITE 6500K | 120° | E

Dimmable with:
DALI driver
cat.No:
99DALI1240042

99LED610IP65NCW

Similar product option:
99LED610IP65CW



Type: LED panel
Power: 10W
Lumens: 1100lm
Efficiency: 110lm/W
Body colour: White
Cut size: 150-160 mm
Material: Polycarbonate

5 YEARS TOTAL WARRANTY
+ 4 standard 1 extended

IP65
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



99LED616IP65N
99LED616IP65NCW



99LED623IP65N
99LED623IP65NCW

WATERPROOF LED PANELS ELMARK, IP65

5 YEARS TOTAL WARRANTY
+ 4 standard 1 extended

IP65
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

99LED616IP65N

LED | neutral WHITE 4000K | 120° | E

Similar product option:
99LED616IP65



Type: LED panel
Power: 16W
Lumens: 1760m
Efficiency: 110lm/W
Body colour: White
Cut size: 200-210 mm
Material: Polycarbonate

99LED616IP65NCW

LED | cold WHITE 6500K | 120° | E

Similar product option:
99LED616IP65CW



Type: LED panel
Power: 16W
Lumens: 1760m
Efficiency: 110lm/W
Body colour: White
Cut size: 200-210 mm
Material: Polycarbonate

99LED623IP65N

LED | neutral WHITE 4000K | 120° | E



Type: LED panel
Power: 23W
Lumens: 1530lm
Efficiency: 110lm/W
Body colour: White
Cut size: 220-230 mm
Material: Polycarbonate

99LED623IP65NCW

LED | cold WHITE 6500K | 120° | E

Similar product option:
99LED623IP65CW



Type: LED panel
Power: 23W
Lumens: 1750lm
Efficiency: 110lm/W
Body colour: White
Cut size: 220-230 mm
Material: Polycarbonate

Scan each QR code to see the price and availability of the product.



99DS226
99DS227



99DS212

LED PANELS WITH SENSOR



99DS226

Type: Ceiling/wall lamp with microwave sensor for surface or flush mounting
Power: 12W/18W/24W changeable
Lumens: 2400lm by 24W
Efficiency: 100lm/W
Body colour: White
Material: PC
IP degree: IP20
Cut size: 55-280mm
SENSOR:
Detection range: 360°
Detection distance: Ceiling max. 6m / Wall max. 8m
Ambient light: <3-2000LUX
Time-Delay: 0-60s (adjustable)
Installation height: Ceiling 1,8-2,5m / Wall 2,2-4m



99DS227

Type: Ceiling/wall lamp with microwave sensor for surface or flush mounting
Power: 18W/24W/30W changeable
Lumens: 3000lm by 30W
Efficiency: 100lm/W
Body colour: White
Material: PC
IP degree: IP20
Cut size: 55-280mm
SENSOR:
Detection range: 360°
Detection distance: Ceiling max. 6m / Wall max. 8m
Ambient light: <3-2000LUX
Time-Delay: 0-60s (adjustable)
Installation height: Ceiling 1,8-2,5m / Wall 2,2-4m



99DS212

Type: Ceiling/wall lamp with PIR sensor for surface or flush mounting
Power: 10W/15W/18W changeable
Lumens: 1300lm by 18W
Efficiency: 72lm/W
Body colour: White
Material: PC (UV proof)
Cut size: 60-160mm (adjustable)
SENSOR:
Detection range: 360°
Detection distance: Ceiling max. 6m / Wall max. 8m
Ambient light: <3-2000LUX
Time-Delay: 10sec ± 3sec to 5min ± 1min (adjustable)
Installation height: Ceiling 1,8-2,5m / Wall 2,2-4m



99DS226 & 99DS227
BACK SIDE

Scan each QR code to see the price and availability of the product.

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
~230V
SMD 2835
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.



95ELLISLEDR9/W
95ELLISLEDR18/W
95ELLISLEDR24/W

RECESSED LED FIXTURE ELLIS, IP44

LED | neutral WHITE 4000K | 120° | F

95ELLISLEDR9/W



Type: LED ceiling lamp
Power: 9W
Lumens: 760lm
Body colour: White
Cut size: 55-70mm
Mounting: Recessed
Material: Aluminum + PP

LED | neutral WHITE 4000K | 120° | F

95ELLISLEDR18/W



Type: LED ceiling lamp
Power: 18W
Lumens: 1520lm
Body colour: White
Cut size: 55-90mm
Mounting: Recessed
Material: Aluminum + PP

LED | neutral WHITE 4000K | 120° | F

95ELLISLEDR24/W



Type: LED ceiling lamp
Power: 24W
Lumens: 2280lm
Body colour: White
Cut size: 55-135mm
Mounting: Recessed
Material: Aluminum + PP

2 YEARS TOTAL WARRANTY
+ 2 standard 0 extended

IP44
~230V
SMD 2835
>10000
15000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



95ELLISLEDS9/W
95ELLISLEDS18/W

RECESSED LED FIXTURE ELLIS, IP44

LED | neutral WHITE 4000K | 120° | F

95ELLISLEDS9/W



Type: LED ceiling lamp
Power: 9W
Lumens: 760lm
Body colour: White
Cut size: 55-70mm
Mounting: Recessed
Material: Aluminum + PP

LED | neutral WHITE 4000K | 120° | F

95ELLISLEDS18/W



Type: LED ceiling lamp
Power: 18W
Lumens: 1520lm
Body colour: White
Cut size: 55-90mm
Mounting: Recessed
Material: Aluminum + PP

2 YEARS TOTAL WARRANTY
2 standard + 0 extended

IP44
~230V
SMD 2835
>10000
15000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



99LED934/W



99LED935/W



99DS210

IR SENSOR



99DS211

IR SENSOR

SUPER SLIM LED PANELS WITH SLIDING FIXING CLIPS, ELMARK

LED | neutral WHITE 4000K | G

99LED934/W



Type: Round LED panel
Power: 15W
Lumens: 1000lm
Efficiency: 67lm/W
Body colour: White
Cut size: 50-160 mm
Material: Aluminum

LED | neutral WHITE 4000K | G

99LED935/W



Type: Square LED panel
Power: 15W
Lumens: 1000lm
Efficiency: 67lm/W
Body colour: White
Cut size: 50-160 mm
Material: Aluminum

IP40
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

LED | neutral WHITE 4000K | F

99DS210

Type: Infrared sensor LED panel light
Power: 7W
Lumens: 600lm
Efficiency: 85lm/W
Body colour: White
Material: PC
Cut size: 105mm

SENSOR:
Detection angle: 360°
Additional switching capacity: 500W
Detection distance: max. 6m
Ambient light: <3-2000LUX (adjust-able)
Time-Delay: 10sec ± 3sec to 15min ± 2min (adjustable)
Installation hight: 1.8-3m



LED | neutral WHITE 4000K | F

99DS211

Type: Infrared sensor LED panel light
Power: 11W
Lumens: 1200lm
Efficiency: 109lm/W
Body colour: White
Material: PC
Cut size: 140mm

SENSOR:
Detection angle: 360°
Additional switching capacity: 500W
Detection distance: max. 6m
Ambient light: <3-2000LUX (adjust-able)
Time-Delay: 10sec ± 3sec to 15min ± 2min (adjustable)
Installation hight: 1.8-3m



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



99XLED637WW
99XLED637W
99XLED637CW



99XLED638WW
99XLED638W
99XLED638CW

LED PANELS FOR SURFACE MOUNTING, STELLAR



LED warm WHITE 2700K | 120° | G

99XLED637WW

Type: LED panel
Power: 12W
Lumens: 960lm
Efficiency: 80lm/W
Body colour: White
Mounting: Surface
Material: Steel base + PP ring + PS cover

LED neutral WHITE 4000K | 120° | G

99XLED637W

Type: LED panel
Power: 12W
Lumens: 960lm
Efficiency: 80lm/W
Body colour: White
Mounting: Surface
Material: Steel base + PP ring + PS cover

LED cold WHITE 6500K | 120° | G

99XLED637CW

Type: LED panel
Power: 12W
Lumens: 960lm
Efficiency: 80lm/W
Body colour: White
Mounting: Surface
Material: Steel base + PP ring + PS cover



LED warm WHITE 2700 K | 120° | G

99XLED638WW

Type: LED panel
Power: 18W
Lumens: 1440lm
Efficiency: 80lm/W
Body colour: White
Mounting: Surface
Material: Steel base + PP ring + PS cover

LED neutral WHITE 4000K | 120° | G

99XLED638W

Type: LED panel
Power: 18W
Lumens: 1440lm
Efficiency: 80lm/W
Body colour: White
Mounting: Surface
Material: Steel base + PP ring + PS cover

LED cold WHITE 6500K | 120° | G

99XLED638CW

Type: LED panel
Power: 18W
Lumens: 1440lm
Efficiency: 80lm/W
Body colour: White
Mounting: Surface
Material: Steel base + PP ring + PS cover

2 YEARS TOTAL WARRANTY
+ 2 standard 0 extended

IP40
~230V
SMD 2835
>15000
15000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



99XLED639WW
99XLED639W
99XLED639CW

LED PANELS FOR SURFACE MOUNTING, STELLAR

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP40
~230V
SMD 2835
>15000
15000h
Ra≥80
EMC



Scan QR code for 3D models, IES files & price.

LED | warm WHITE 2700K | 120° | G

99XLED639WW

Type: LED panel
Power: 24W
Lumens: 1920lm
Efficiency: 80lm/W
Body colour: White
Mounting: Surface
Material: Steel base + PP ring + PS cover

LED | neutral WHITE 4000K | 120° | G

99XLED639W

Type: LED panel
Power: 24W
Lumens: 1920lm
Efficiency: 80lm/W
Body colour: White
Mounting: Surface
Material: Steel base + PP ring + PS cover

LED | cold WHITE 6500K | 120° | G

99XLED639CW

Type: LED panel
Power: 24W
Lumens: 1920lm
Efficiency: 80lm/W
Body colour: White
Mounting: Surface
Material: Steel base + PP ring + PS cover

Scan each QR code to see the price and availability of the product.

99LED965NWW
99LED965N
99LED965NCW

99LED966NWW
99LED966N
99LED966CW

LED PANELS FOR SURFACE MOUNTING, ELMARK



LED | warm WHITE 2700-3000K | 120° | F

99LED965NWW

Similar product option:
99LED965WW

Type: LED panel
Power: 18W
Lumens: 1800lm
Efficiency: 100lm/W
Body colour: White
Mounting: Surface
Material: Polycarbonate

LED | neutral WHITE 4000-4300K | 120° | F

99LED965N

Similar product option:
99LED965

Type: LED panel
Power: 18W
Lumens: 1800lm
Efficiency: 100lm/W
Body colour: White
Mounting: Surface
Material: Polycarbonate

LED | cold WHITE 6300-6500K | 120° | F

99LED965NCW

Similar product option:
99LED965CW

Type: LED panel
Power: 18W
Lumens: 1800lm
Efficiency: 100lm/W
Body colour: White
Mounting: Surface
Material: Polycarbonate



LED | warm WHITE 2700-3000K | 120° | F

99LED966NWW

Similar product option:
99LED966WW

Type: LED panel
Power: 28W
Lumens: 2800lm
Efficiency: 100lm/W
Body colour: White
Mounting: Surface
Material: Polycarbonate

LED | neutral WHITE 4000-4300K | 120° | F

99LED966N

Similar product option:
99LED966

Type: LED panel
Power: 28W
Lumens: 2800lm
Efficiency: 100lm/W
Body colour: White
Mounting: Surface
Material: Polycarbonate

LED | cold WHITE 6300-6500K | 120° | F

99LED966NCW

Similar product option:
99LED966CW

Type: LED panel
Power: 28W
Lumens: 2800lm
Efficiency: 100lm/W
Body colour: White
Mounting: Surface
Material: Polycarbonate

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

*Options with emergency kit



page 774



99XLED633
99XLED632
99XLED632CW



99XLED635
99XLED634
99XLED634CW

SQUARE LED PANELS FOR RECESSED MOUNTING, STELLAR

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP40
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC



LED warm WHITE 2700K 120° F

99XLED633

Type: Square LED panel*
Power: 12W
Lumens: 840lm
Efficiency: 70lm/W
Body colour: White
Cut size: 150x150 mm
Material: Aluminum

LED neutral WHITE 4000K 120° F

99XLED632

Type: Square LED panel*
Power: 12W
Lumens: 840lm
Efficiency: 70lm/W
Body colour: White
Cut size: 150x150 mm
Material: Aluminum

LED cold WHITE 6500K 120° F

99XLED632CW

Type: Square LED panel*
Power: 12W
Lumens: 840lm
Efficiency: 70lm/W
Body colour: White
Cut size: 150x150 mm
Material: Aluminum



LED warm WHITE 2700K 120° F

99XLED635

Type: Square LED panel*
Power: 18W
Lumens: 1350lm
Efficiency: 75lm/W
Body colour: White
Cut size: 200x200 mm
Material: Aluminum

LED neutral WHITE 4000K 120° F

99XLED634

Type: Square LED panel*
Power: 18W
Lumens: 1350lm
Efficiency: 75lm/W
Body colour: White
Cut size: 200x200 mm
Material: Aluminum

LED cold WHITE 6500K 120° F

99XLED634CW

Type: Square LED panel*
Power: 18W
Lumens: 1350lm
Efficiency: 75lm/W
Body colour: White
Cut size: 200x200 mm
Material: Aluminum

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

*Options with emergency kit
page 774



99XLED637
99XLED636
99XLED636CW

SQUARE LED PANELS FOR RECESSED MOUNTING, STELLAR



LED warm WHITE 2700K | 120° | F

99XLED637

Type: Square LED panel*
Power: 24W
Lumens: 1800lm
Efficiency: 75lm/W
Body colour: White
Cut size: 275x275 mm
Material: Aluminum

LED neutral WHITE 4000K | 120° | F

99XLED636

Type: Square LED panel*
Power: 24W
Lumens: 1800lm
Efficiency: 75lm/W
Body colour: White
Cut size: 275x275 mm
Material: Aluminum

LED cold WHITE 6500K | 120° | F

99XLED636CW

Type: Square LED panel*
Power: 24W
Lumens: 1800lm
Efficiency: 75lm/W
Body colour: White
Cut size: 275x275 mm
Material: Aluminum

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP40
~230V
SMD 2835
>15000
15000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



99XLED640WW
99XLED640W
99XLED640CW



99XLED641WW
99XLED641W
99XLED641CW

SQUARE LED PANELS FOR SURFACE MOUNTING, STELLAR

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP40
~230V
SMD 2835
>15000
15000h
Ra≥80
EMC



LED | warm WHITE 2700K | 120° | G

99XLED640WW

Type: Square LED panel
Power: 12W
Lumens: 960lm
Efficiency: 80lm/W
Body colour: White
Cut size: 150x150 mm
Material: Steel base + PP ring + PS cover

LED | neutral WHITE 4000K | 120° | G

99XLED640W

Type: Square LED panel
Power: 12W
Lumens: 960lm
Efficiency: 80lm/W
Body colour: White
Cut size: 150x150 mm
Material: Steel base + PP ring + PS cover

LED | cold WHITE 6500K | 120° | G

99XLED640CW

Type: Square LED panel
Power: 12W
Lumens: 960lm
Efficiency: 80lm/W
Body colour: White
Cut size: 150x150 mm
Material: Steel base + PP ring + PS cover



LED | warm WHITE 2700K | 120° | G

99XLED641WW

Type: Square LED panel
Power: 18W
Lumens: 1440lm
Efficiency: 80lm/W
Body colour: White
Cut size: 200x200 mm
Material: Steel base + PP ring + PS cover

LED | neutral WHITE 4000K | 120° | G

99XLED641W

Type: Square LED panel
Power: 18W
Lumens: 1440lm
Efficiency: 80lm/W
Body colour: White
Cut size: 200x200 mm
Material: Steel base + PP ring + PS cover

LED | cold WHITE 6500K | 120° | G

99XLED641CW

Type: Square LED panel
Power: 18W
Lumens: 1440lm
Efficiency: 80lm/W
Body colour: White
Cut size: 200x200 mm
Material: Steel base + PP ring + PS cover

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



99XLED642WW
99XLED642W
99XLED642CW

SQUARE LED PANELS FOR SURFACE MOUNTING, STELLAR



LED | warm WHITE 2700K | 120° | G

99XLED642WW

Type: Square LED panel
Power: 24W
Lumens: 1920lm
Efficiency: 80lm/W
Body colour: White
Cut size: 275x275 mm
Material: Steel base + PP ring + PS cover

LED | neutral WHITE 4000K | 120° | G

99XLED642W

Type: Square LED panel
Power: 24W
Lumens: 1920lm
Efficiency: 80lm/W
Body colour: White
Cut size: 275x275 mm
Material: Steel base + PP ring + PS cover

LED | cold WHITE 6500K | 120° | G

99XLED642CW

Type: Square LED panel
Power: 24W
Lumens: 1920lm
Efficiency: 80lm/W
Body colour: White
Cut size: 275x275 mm
Material: Steel base + PP ring + PS cover

2 YEARS TOTAL WARRANTY
+ 2 standard 0 extended

IP40
~230V
SMD 2835
>15000
15000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

*Options with emergency kit



page 774

ELMARK
The Brand of Electricity



99LED967NWW
99LED967N
99LED967NCW



99LED968NWW
99LED968N
99LED968NCW

SQUARE LED PANELS FOR RECESSED MOUNTING, ELMARK

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC





LED | warm WHITE 2700K | 120° | E

99LED967NWW

Similar product option:
99LED967WW

Type: Square LED panel*
Power: 12W
Lumens: 1320lm
Efficiency: 110lm/W
Body colour: White
Cut size: 155x155 mm
Material: Aluminum

LED | neutral WHITE 4000K | 120° | E

99LED967N

Similar product option:
99LED967

Type: Square LED panel*
Power: 12W
Lumens: 1320lm
Efficiency: 110lm/W
Body colour: White
Cut size: 155x155 mm
Material: Aluminum

LED | cold WHITE 6400K | 120° | E

99LED967NCW

Similar product option:
99LED967CW

Type: Square LED panel*
Power: 12W
Lumens: 1320lm
Efficiency: 110lm/W
Body colour: White
Cut size: 155x155 mm
Material: Aluminum





LED | warm WHITE 2700K | 120° | E

99LED968NWW

Similar product option:
99LED968WW

Type: Square LED panel
Power: 18W
Lumens: 1980lm
Efficiency: 110lm/W
Body colour: White
Cut size: 205x205 mm
Material: Aluminum

LED | neutral WHITE 4000K | 120° | E

99LED968N

Similar product option:
99LED968

Type: Square LED panel
Power: 18W
Lumens: 1980lm
Efficiency: 110lm/W
Body colour: White
Cut size: 205x205 mm
Material: Aluminum

LED | cold WHITE 6400K | 120° | E

99LED968NCW

Similar product option:
99LED968CW

Type: Square LED panel
Power: 18W
Lumens: 1980lm
Efficiency: 110lm/W
Body colour: White
Cut size: 205x205 mm
Material: Aluminum

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

*Options with emergency kit
page 774

ELMARK
The Brand of Electricity



99LED969NWW
99LED969N
99LED969NCW

SQUARE LED PANELS FOR RECESSED MOUNTING, ELMARK



LED | warm WHITE 2700K | 120° | E

99LED969NWW

Similar product option:
99LED969WW

Type: Square LED panel*
Power: 18W
Lumens: 1980lm
Efficiency: 110lm/W
Body colour: White
Mounting: Surface
Material: Aluminum

LED | neutral WHITE 4000K | 120° | E

99LED969N

Type: Square LED panel*
Power: 18W
Lumens: 1980lm
Efficiency: 110lm/W
Body colour: White
Mounting: Surface
Material: Aluminum

LED | cold WHITE 6400K | 120° | E

99LED969NCW

Similar product option:
99LED969CW

Type: Square LED panel*
Power: 18W
Lumens: 1980lm
Efficiency: 110lm/W
Body colour: White
Mounting: Surface
Material: Aluminum

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

*Options with emergency kit



page 774

ELMARK
The Brand of Electricity



99LED638
99LED639



99LED640
99LED641

ROUND GLASS LED PANELS, ELMARK

LED | warm WHITE 2700K | 120° | F

99LED639



Type: Round LED panel*
Power: 6W
Lumens: 480lm
Efficiency: 80lm/W
Body colour: White
Cut size: 60 mm
Material: Aluminum + Glass

LED | neutral WHITE 4000K | 120° | F

99LED638



Type: Round LED panel*
Power: 6W
Lumens: 480lm
Efficiency: 80lm/W
Body colour: White
Cut size: 60 mm
Material: Aluminum + Glass

LED | warm WHITE 2700K | 120° | F

99LED641



Type: Round LED panel*
Power: 18W
Lumens: 1440lm
Efficiency: 80lm/W
Body colour: White
Cut size: 148 mm
Material: Aluminum + Glass

LED | neutral WHITE 4000K | 120° | G

99LED640



Type: Round LED panel*
Power: 18W
Lumens: 1440lm
Efficiency: 80lm/W
Body colour: White
Cut size: 148 mm
Material: Aluminum + Glass

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

i Scan each QR code to see the price and availability of the product.

*Options with emergency kit
page 774

ELMARK
The Brand of Electricity



99LED642
99LED643



99LED644
99LED645

SQUARE GLASS LED PANELS, ELMARK

LED | warm WHITE 2700K | 120° | F

99LED643



Type: Square LED panel*
Power: 6W
Lumens: 480lm
Efficiency: 80lm/W
Body colour: White
Cut size: 77 mm
Material: Aluminum + Glass

LED | neutral WHITE 4000K | 120° | F

99LED642



Type: Square LED panel*
Power: 6W
Lumens: 480lm
Efficiency: 80lm/W
Body colour: White
Cut size: 77 mm
Material: Aluminum + Glass

LED | warm WHITE 2700K | 120° | F

99LED645



Type: Square LED panel*
Power: 18W
Lumens: 1440lm
Efficiency: 80lm/W
Body colour: White
Cut size: 180 mm
Material: Aluminum + Glass

LED | neutral WHITE 4000K | 120° | F

99LED644



Type: Square LED panel*
Power: 18W
Lumens: 1440lm
Efficiency: 80lm/W
Body colour: White
Cut size: 180 mm
Material: Aluminum + Glass

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

WALL & CEILING LIGHTS





95AMYLEDS12/W



95AMYLEDS18/W



95AMYLEDS24/W

LED | neutral WHITE 4000K | 120° | F

95AMYLEDS12/W



Type: LED ceiling lamp
Power: 12W
Lumens: 960lm
Efficiency: 80lm/W
Body colour: White
Material: Steel + PMMA
Mounting: Surface
Super slim

LED | neutral WHITE 4000K | 120° | F

95AMYLEDS18/W



Type: LED ceiling lamp
Power: 18W
Lumens: 1440lm
Efficiency: 80lm/W
Body colour: White
Material: Steel + PMMA
Mounting: Surface
Super slim

LED | neutral WHITE 4000K | 120° | F

95AMYLEDS24/W



Type: LED ceiling lamp
Power: 24W
Lumens: 1920lm
Efficiency: 80lm/W
Body colour: White
Material: Steel + PMMA
Mounting: Surface
Super slim

2 YEARS TOTAL WARRANTY
+ 2 standard 0 extended

IP20
~230V
SMD 2835
>10000
15000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



95TRACYLEDS20
95TRACYLEDS32



95SHINE16LED
95SHINE36LED

CEILING LAMPS TRACY & SHINE

LED | neutral WHITE 4000K | F | IP20

95TRACYLEDS20



Type: LED ceiling lamp
Power: 20W
Lumens: 1400lm
Efficiency: 70lm/W
Body colour: White
Material: Metal + MS
Mounting: Surface
Super slim

LED | neutral WHITE 4000K | F | IP20

95TRACYLEDS32



Type: LED ceiling lamp
Power: 32W
Lumens: 2400lm
Efficiency: 75lm/W
Body colour: White
Material: Metal + MS
Mounting: Surface
Super slim

LED | neutral WHITE 4000K | G | IP40

95SHINE16LED



Type: LED ceiling lamp
Power: 16W
Lumens: 1040lm
Efficiency: 65lm/W
Body colour: White
Material: Polycarbonate
Mounting: Surface

LED | neutral WHITE 4000K | G | IP40

95SHINE36LED



Type: LED ceiling lamp
Power: 36W
Lumens: 2340lm
Efficiency: 65lm/W
Body colour: White
Material: Polycarbonate
Mounting: Surface

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

~230V
>20000
30000h
Ra≥80
RoHS
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



95NEOS18LED

Settable Colour Temperature



95NIGHTSKY50LED

Settable Colour Temperature



95SHELLY18LED/WH

Settable Colour Temperature



95SHELLY18LED/GR

Settable Colour Temperature

CEILING LAMPS WITH REMOTE CONTROL

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | E | 120° | DIMMABLE

95NEOS18LED



Type: Ceiling lamp with remote control
Power: 18W
Lumens: 2160lm
Efficiency: 120lm/W
Body colour: White & Chrome
Mounting: Surface
Material: Metal + Plastic

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | G | DIMMABLE

95NIGHTSKY50LED



Type: Ceiling lamp with remote control
Power:50W
Lumens: 3600lm
Efficiency: 76lm/W
Body colour: Chrome
Mounting: Surface
Material: Metal + Plastic

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | E | 120° | DIMMABLE

95SHELLY18LED/WH



Type: Ceiling lamp with remote control
Power: 18W
Lumens: 2160lm
Efficiency: 120lm/W
Body colour: White
Mounting: Surface
Material: Metal

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | E | 120° | DIMMABLE

95SHELLY18LED/GR



Type: Ceiling lamp with remote control
Power: 18W
Lumens: 2160lm
Efficiency: 120lm/W
Body colour: Dark gray
Mounting: Surface
Material: Metal

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

~230V
>20000
30000h
Ra≥80
RoHS
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



95EL223036CCT

SMART LAMP

Settable Colour Temperature



95EL226636CCT

SMART LAMP

Settable Colour Temperature



95EL220236CCT
95EL220260CCT

SMART LAMP

Settable Colour Temperature

WI-FI SMART CEILING LAMPS

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | A G G | WiFi | tuya | DIMMABLE

95EL223036CCT



Type: Smart LED ceiling lamp
Power: 36W
Lumens: 2160lm
Efficiency: 60lm/W
Body colour: Gold
Material: Metal + PMMA

**Built-in Tuya intelligent module*

95EL226636CCT



Type: Smart LED ceiling lamp
Power: 36W
Lumens: 2160lm
Efficiency: 60lm/W
Body colour: Transparent Brown
Material: Metal + PMMA

**Built-in Tuya intelligent module*

95EL220236CCT



Type: Smart LED ceiling lamp
Power: 36W
Lumens: 2160lm
Efficiency: 60lm/W
Body colour: White, Grey & Brown
Material: Metal + PMMA

**Built-in Tuya intelligent module*

95EL220260CCT



Type: Smart LED ceiling lamp
Power: 60W
Lumens: 3600lm
Efficiency: 60lm/W
Body colour: White, Grey & Brown
Material: Metal + PMMA

**Built-in Tuya intelligent module*

5 YEARS TOTAL WARRANTY + 3 standard 2 extended

IP40 | ~230V | >20000 | 30000h | Ra≥80 | RoHS | EMC | CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



003064-026687



003064-027926

Settable Colour Temperature

CEILING LAMPS

LED | warm WHITE 4000K | E

003064-026687



Type: LED ceiling lamp
Model: APART
Power: 24W
Lumens: 2800lm
Efficiency: 116lm/W
Body colour: White + Gold
Material: Metal + Glass

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6000K | SETTABLE | E

003064-027926



Type: LED ceiling lamp
Model: BOIS
Power: 36W
Lumens: 2147lm
Efficiency: 59lm/W
Body colour: Black + Wood
Material: Metal + Plastic



3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
220-240V
Ra≥80
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



003064-027923

Settable Colour Temperature



003064-027924

Settable Colour Temperature



003064-027925

Settable Colour Temperature

CEILING LAMPS

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6000K | SETTABLE | E

003064-027923



Type: LED ceiling lamp
Model: AURA
Power: 10W
Lumens: 1194lm
Efficiency: 119lm/W
Body colour: White
Material: Metal + Plastic

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6000K | SETTABLE | F

003064-027924



Type: LED ceiling lamp
Model: AURA
Power: 24W
Lumens: 2404lm
Efficiency: 100lm/W
Body colour: White
Material: Metal + Plastic

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6000K | SETTABLE | E

120° | DIMMABLE

003064-027925



Type: LED ceiling lamp
Model: AURA
Power: 36W
Lumens: 3533lm
Efficiency: 98lm/W
Body colour: White
Material: Metal + Plastic

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
220-240V
Ra≥80
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



95EL401520W/GR



95EL401524W/GR



95EL401536W/GR

CEILING LAMPS

LED | neutral WHITE 4000K | G

95EL401520W/GR



Type: LED ceiling lamp
Power: 20W
Lumens: 1600lm
Efficiency: 80lm/W
Body colour: Grey
Material: PP

LED | neutral WHITE 4000K | G

95EL401524W/GR



Type: LED ceiling lamp
Power: 24W
Lumens: 1920lm
Efficiency: 80lm/W
Body colour: Grey
Material: PP

LED | neutral WHITE 4000K | G

95EL401536W/GR



Type: LED ceiling lamp
Power: 36W
Lumens: 2880lm
Efficiency: 80lm/W
Body colour: Grey
Material: PP

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP54
~230V
>20000
30000h
Ra≥80
RoHs COMPLIANT
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity

95EL229112W/WH
95EL229118W/WH

95EL229128W/WH
95EL229145W/WH

CEILING LAMPS

LED | neutral WHITE 4000K | G

95EL229112W/WH



Type: LED ceiling lamp
Power: 12W
Lumens: 840lm
Efficiency: 70lm/W
Body colour: White
Material: PP

LED | neutral WHITE 4000K | G

95EL229118W/WH



Type: LED ceiling lamp
Power: 18W
Lumens: 1260lm
Efficiency: 70lm/W
Body colour: White
Material: PP

LED | neutral WHITE 4000K | G

95EL229128W/WH



Type: LED ceiling lamp
Power: 28W
Lumens: 1960lm
Efficiency: 70lm/W
Body colour: White
Material: PP

LED | neutral WHITE 4000K | G

95EL229145W/WH



Type: LED ceiling lamp
Power: 45W
Lumens: 3150lm
Efficiency: 70lm/W
Body colour: White
Material: PP

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP54
~230V
>20000
30000h
Ra≥80
RoHs
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



95LIGHTS6



95NEIL14LED/WH

WALL & CEILING LAMPS

LIMITED STOCK

LED | neutral WHITE 4000K | G

95LIGHTS6



Type: LED wall lamp
Power: 6W
Lumens: 480lm
Efficiency: 80lm/W
Body colour: White
Material: Aluminum

LIMITED STOCK

LED | neutral WHITE 4200K | G

95NEIL14LED/WH



Type: LED Ceiling lamp
Power: 14W
Lumens: 770lm
Efficiency: 55lm/W
Body colour: White
Mounting: Surface
Material: Aluminum + Acrylic
Flicker free







5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity

95EL18RCCTBL/WH



95EL24RCCTBL/WH

95EL32RCCTBL/WH



95EL18RCCTBL/BL



95EL24RCCTBL/BL



95EL32RCCTBL/BL

CEILING LAMPS WITH BACK LIGHT

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

220-240V

Ra≥80

EMC

RoHs COMPLIANT

LED | neutral WHITE 4000K | F

DIP SWITCH



95EL18RCCTBL/WH

95EL18RCCTBL/BL

Type: Round LED ceiling lamp with back light
Power: 18W
Lumens: 1800lm
Efficiency: 100lm/W
Body colour:
White | Black
Material: PP + PS

LED | neutral WHITE 4200K | F

DIP SWITCH



95EL24RCCTBL/WH

95EL24RCCTBL/BL

Type: Round LED ceiling lamp with back light
Power: 24W
Lumens: 2400lm
Efficiency: 100lm/W
Body colour:
White | Black
Material: PP + PS

LED | neutral WHITE 4000K | F

DIP SWITCH



95EL32RCCTBL/WH

95EL32RCCTBL/BL

Type: Round LED ceiling lamp with back light
Power: 32W
Lumens: 3200lm
Efficiency: 100lm/W
Body colour:
White | Black
Material: PP + PS

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



95EL18SCCTBL/WH



95EL24SCCTBL/WH



95EL18SCCTBL/BL



95EL24SCCTBL/BL

CEILING LAMPS WITH BACK LIGHT

LED | neutral WHITE 4000K | F

DIP SWITCH

○ **95EL18SCCTBL/WH**

● **95EL18SCCTBL/BL**



Type: Square LED ceiling lamp with back light
Power: 18W
Lumens: 1800lm
Efficiency: 100lm/W
Body colour:
White | Black
Material: PP + PS
Height: 28mm

LED | neutral WHITE 4200K | F

DIP SWITCH

○ **95EL24SCCTBL/WH**

● **95EL24SCCTBL/BL**



Type: Square LED ceiling lamp with back light
Power: 24W
Lumens: 2400lm
Efficiency: 100lm/W
Body colour:
White | Black
Material: PP + PS
Height: 28mm

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

220-240V

Ra≥80

EMC

RoHs COMPLIANT

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1027

ELMARK
The Brand of Electricity



99DS217/WHE

PIR SENSOR



99DS219/WH

PIR SENSOR



99DS216/WH
99DS216/WHE

PIR SENSOR

CEILING LAMP WITH SENSOR

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

220-240V
IP40
Ra≥80
EMC
RoHs COMPLIANT

Lamps Not Included
Included
2xE27
+ SENSOR



99DS219/WH

Type: Ceiling lamp with PIR sensor
Material: Glass + Iron
Colour: White
Max.: 2x40W

Sensor

Detection range: 360°
Detection distance: max. 96m
Ambient light: <3-2000LUX
Time-Delay: 10sec ± 3sec to 3min ± 30sec (adjustable)
Installation height: 12,2-4,0m

LED neutral WHITE 4000K G



99DS217/WHE

Type: Ceiling lamp with PIR sensor and emergency
Power: 16W
Lumens: 1150lm
Efficiency: 72lm/W
Body colour: White
Material: PC (UV proof)
Emergency load: 1,2W/ 65lm
Battery: 3.7V/ 1500mAh Li-battery
Continuous illumination time: 5h

Sensor

Detection range: 360°
Detection distance: max. 6m
Ambient light: <3-2000LUX
Time-Delay: 10sec ± 3sec to 3min ± 30sec (adjustable)
Installation height: 2,2-4,0m

LED neutral WHITE 4000K G



99DS216/WH

Type: Ceiling lamp with PIR sensor
Power: 16W
Lumens: 1150lm
Efficiency: 72lm/W
Body colour: White
Material: PC (UV proof)
Height: 60mm

Sensor

Detection range: 360°
Detection distance: max. 6m
Ambient light: <3-2000LUX
Time-Delay: 10sec ± 3sec to 3min ± 30sec (adjustable)
Installation height: 2,2-4,0m

LED neutral WHITE 4000K G



99DS216/WHE

Type: Ceiling lamp with PIR sensor and emergency
Power: 16W
Lumens: 1150lm
Efficiency: 72lm/W
Body colour: White
Material: PC (UV proof)
Emergency load: 1,2W/ 65lm
Battery: 3.7V/ 1500mAh Li-battery
Continuous illumination time: 5h

Sensor

Detection range: 360°
Detection distance: max. 6m
Ambient light: <3-2000LUX
Time-Delay: 10sec ± 3sec to 3min ± 30sec (adjustable)
Installation height: 2,2-4,0m

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1027

ELMARK
The Brand of Electricity



99DS224/WH

MICROWAVE SENSOR



99DS225/WH

MICROWAVE SENSOR



99DS409

PIR SENSOR



958300WH/2

PIR SENSOR

CEILING LAMP WITH SENSOR

LED | neutral WHITE 4000K | G

99DS224/WH

Type: LED ceiling lamp with microwave sensor
Power: 12W
Lumens: 960lm
Efficiency: 80lm/W
Detection distance: max. 6-8m
Body colour: White
Material: PP



LED | neutral WHITE 4000K | G

99DS225/WH

Type: LED ceiling lamp with microwave sensor
Power: 24W
Lumens: 1920lm
Efficiency: 80lm/W
Detection distance: max. 6-8m
Body colour: White
Material: PP



LED | neutral WHITE 4000K | G | IP40

99DS409

Type: Ceiling lamp with sensor
Power: 18W
Lumens: 1560lm
Body colour: White
Material: Plastic
Mounting: Surface

Sensor

Detection distance: max. 6m
Ambient Light: < 3-2000LUX
Time-Delay: 10 sec ± 3 sec to 3 min ± 30 sec (adjustable)



LIMITED STOCK

Lamps Not Included | 2xE27 | IP20
Included | + SENSOR

958300WH/2

Type: Ceiling lamp with sensor
Body colour: White
Material: Metal + Glass
Max.: 2x25W

Sensor

Detection range: 360°
Detection distance: max.5m
Time-Delay: 7sec to 8 min (adjustable)
Installation height: 2.2 - 4m



3 YEARS TOTAL WARRANTY
2 standard + 1 extended

~230V
>20000
30000h
Ra≥80
RoHs
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



95EL124870/CH



95EL124570/W

CHANDELIERS WITH FAN & WALL LAMPS WITH DOUBLE LIGHTS

LIMITED STOCK

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | A-G: G

DIMMABLE



95EL124870/CH

Type: LED chandelier + fan
Fan power: 70W
Light power: 24W
Lumens: 1100lm
Body colour: Chrome
Material: Stainless steel + Copper
Control: Remote control
*Settable colour temperature

LIMITED STOCK

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | A-G: G

DIMMABLE



95EL124570/W

Type: LED chandelier + fan
Fan power: 70W
Light power: 20W
Lumens: 1000lm
Body colour: Chrome & Wood
Material: Stainless steel + Wood
Control: Remote control
*Settable colour temperature



3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP40
~230V
SMD 2835
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.



99DS201

UV DISINFECTION



99USB2

UV DISINFECTION WALL LAMP | CABINET & NIGHT LAMPS

LED | neutral WHITE 4000K | F

99DS201



Type: Wall lamp with sensor
Power: 10W
Lumens: 800lm
Body colour: White
Material: Polycarbonate
Mounting: Surface
Height: 49mm

Automatically switching from disinfection mode to normal mode, via infrared sensor

SENSOR

Detection range: 140°
Detection distance: max. 9m
Installation height: 1.8-2m
Ambient Light: < 3-2000LUX (adjustable)
Time-Delay: 10 sec ± 3 sec to 3 min ±
30 sec (adjustable)

UV LAMP MODE

Prohibit disinfecting time: 5min
Power: 3W
Disinfecting time: 30 min

LIMITED STOCK

LED | neutral WHITE 4000K

99USB2



Type: LED Night lamp with USB
Power: 0.5W
Body colour: White
Material: ABS
Mode: ON/OF & auto
Sensors: PIR sensor- work when light intensity is less than 10lx



5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



969LEDW12/BL



969LEDW12/GR



969LEDW12/WH

WALL LAMPS

LED | neutral WHITE 4000K | F

969LEDW12/BL



Type: LED wall lamp
Power: 2x6W
Lumens: 1080lm
Efficiency: 90lm/W
Body colour: Black
Material: Aluminum + Glass

LED | neutral WHITE 4000K | F

969LEDW12/GR



Type: LED wall lamp
Power: 2x6W
Lumens: 1080lm
Efficiency: 90lm/W
Body colour: Grey
Material: Aluminum + Glass

LED | neutral WHITE 4000K | F

969LEDW12/WH



Type: LED wall lamp
Power: 2x6W
Lumens: 1080lm
Efficiency: 90lm/W
Body colour: White
Material: Aluminum + Glass



5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
30000h
Ra≥80
EMC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



99EL1240630/BL
99EL1240640/BL



99EL50600930/WH
99EL50600940/WH

WALL LAMPS WITH DOUBLE LIGHTS

LED | warm WHITE 3000K | G

99EL1240630/BL



Type: LED Wall Lamp
Power: 2x3W
Lumens: 2x240lm
Efficiency: 80lm/W
Body Colour: Black
Material: Aluminum + Iron
Mounting: Surface
Switch ON/OFF

LED | neutral WHITE 4000K | G

99EL1240640/BL



Type: LED Wall Lamp
Power: 2x3W
Lumens: 2x240lm
Efficiency: 80lm/W
Body Colour: Black
Material: Aluminum + Iron
Mounting: Surface
Switch ON/OFF

LED | warm WHITE 3000K | G

99EL50600930/WH



Type: LED wall lamp
Power: 3W+6W
Lumens: 150lm+300lm
Body colour: White
Material: Aluminum + PC
Mounting: Surface
Switch: 3 position- back light, front light, back & front light

LED | neutral WHITE 4200K | G

99EL50600940/WH



Type: LED wall lamp
Power: 3W+6W
Lumens: 150lm+300lm
Body colour: White
Material: Aluminum + PC
Mounting: Surface
Switch: 3 position- back light, front light, back & front light

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
30000h
Ra≥80
RoHs
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



99LWL06WW/WH
99LWL06/WH



99EL50390940/WH



99EL50510940/WH

WALL LAMPS

LED | warm WHITE 3000K | 60° | G

99LWL06WW/WH



Type: LED wall lamp
Power: 3W+3W
Lumens: 195lm+195lm
Body colour: White
Mounting: Surface
Material: Aluminum
With USB 2A and 2 switch ON/ OFF for front & back lights

LED | neutral WHITE 4000K | 60° | G

99LWL06/WH



Type: LED wall lamp
Power: 3W+3W
Lumens: 195lm+195lm
Body colour: White
Mounting: Surface
Material: Aluminum
With USB 2A and 2 switch ON/ OFF for front & back lights

LED | neutral WHITE 4200K | G

99EL50390940/WH



Type: LED wall lamp
Power: 3W+6W
Lumens: 150lm+300lm
Body colour: White
Material: Aluminum + PC
Mounting: Surface
With 2 Switch ON/OFF for Front and Back Lights

LED | neutral WHITE 4000K | G

99EL50510940/WH



Type: LED wall lamp
Power: 3W+8W
Lumens: 150lm+550lm
Body colour: White
Material: Aluminum + PC
Mounting: Surface
* With ON/OFF switch

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
30000h
Ra≥80
EMC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



99LWL03WW/WH
99LWL03/WH

WALL LAMPS

99LWL03WW/WH

LED | warm WHITE 3000K | 60° | G



Type: LED wall lamp
Power: 3W
Lumens: 195lm
Body colour: White
Mounting: Surface
Material: Aluminum
** With ON/OFF switch*

99LWL03/WH

LED | neutral WHITE 4000K | 60° | G



Type: LED wall lamp
Power: 3W
Lumens: 195lm
Body colour: White
Mounting: Surface
Material: Aluminum
** With ON/OFF switch*

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
30000h
Ra≥80
RoHs
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



G9

page 1048

ELMARK
The Brand of Electricity



6620



6621



6623

WALL LAMPS

Lamps Not Included | 1xG9

6620

Type: Wall lamp
Model: ENZO
Body colour: White
Material: Metal
Max.: 1x8W



Lamps Not Included | 1xG9

6621

Type: Wall lamp
Model: ENZO
Body colour: Black
Material: Metal
Max.: 1x8W



Lamps Not Included | 1xG9

6623

Type: Wall lamp
Model: ENZO
Body colour: Black + Gold
Material: Metal
Max.: 1x8W



5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
30000h
Ra≥80
EMC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



4238



4237



1372

WALL LAMPS

Lamps Not Included | 1xG9

4238

Type: Wall lamp
Model: ENZO
Body colour: White
Material: Metal
Max.: 1x8W



Lamps Not Included | 1xG9

4237

Type: Wall lamp
Model: ENZO
Body colour: Black
Material: Metal
Max.: 1x8W



Lamps Not Included | 1xG9

1372

Type: Wall lamp
Model: ENZO
Body colour: Gold
Material: Metal
Max.: 1x8W



5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
30000h
Ra≥80
RoHs
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



G9

page 1048

ELMARK
The Brand of Electricity



10202

USB CHARGER



10200

USB CHARGER



10201

USB CHARGER

WALL LAMPS

Lamps Not Included | 1xG9

10202

Type: Wall lamp with USB
Model: LAGOS USB
Body colour: White
Material: Metal + Plastic
Max.: 1x8W



Lamps Not Included | 1xG9 | USB CHARGER

10200

Type: Wall lamp with USB
Model: LAGOS USB
Body colour: Black
Material: Metal + Plastic
Max.: 1x8W



Lamps Not Included | 1xG9 | USB CHARGER

10201

Type: Wall lamp with USB
Model: LAGOS USB
Body colour: Black + Gold
Material: Metal + Plastic
Max.: 1x8W



5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
30000h
Ra≥80
EMC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



5921



5922



10039

WALL LAMPS

Lamps Not Included | 1xG9

5921

Type: Wall lamp
Model: LAGOS
Body colour: White
Material: Metal + Plastic
Max.: 1x8W



Lamps Not Included | 1xG9

5922

Type: Wall lamp
Model: LAGOS
Body colour: Black
Material: Metal + Plastic
Max.: 1x8W



Lamps Not Included | 1xG9

10039

Type: Wall lamp
Model: LAGOS
Body colour: Black + Gold
Material: Metal + Plastic
Max.: 1x8W



5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
30000h
Ra≥80
RoHs
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



95MALIA12LED/BL



95MALIA24LED/BL

WALL LAMPS MALIA

LED | neutral WHITE 4200K | G

95MALIA12LED/BL



Type: LED wall lamp
Power: 12W
Lumens: 660lm
Efficiency: 55lm/W
Body colour: Black
Mounting: Surface
Material: Aluminum + Acrylic



LED | neutral WHITE 4200K | G

95MALIA24LED/BL



Type: LED wall lamp
Power: 24W
Lumens: 1320lm
Efficiency: 55lm/W
Body colour: Black
Mounting: Surface
Material: Aluminum + Acrylic



5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
SMD 2835
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



95MALIA12LED/WH



95MALIA24LED/WH

WALL LAMPS MALIA

LED | neutral WHITE 4200K | G

95MALIA12LED/WH



Type: LED wall lamp
Power: 12W
Lumens: 660lm
Efficiency: 55lm/W
Body colour: White
Mounting: Surface
Material: Aluminum + Acrylic



LED | neutral WHITE 4200K | G

95MALIA24LED/WH



Type: LED wall lamp
Power: 24W
Lumens: 1320lm
Efficiency: 55lm/W
Body colour: White
Mounting: Surface
Material: Aluminum + Acrylic

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
SMD 2835
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955PICASSO12/AB



955PICASSO8/AB



955PICASSO12/SN



955PICASSO8/SN

PICTURE LIGHTING FIXTURES

LED | neutral WHITE 4000K | 30° | F

955PICASSO12/AB

Type: LED Picture Light
Power: 12W
Lumens: 960lm
Efficiency: 80lm/W
Body colour: Antique brass
Material: Metal



LED | neutral WHITE 4000K | 30° | F

955PICASSO12/SN

Type: LED Picture Light
Power: 12W
Lumens: 960lm
Efficiency: 80lm/W
Body colour: Satin nickel
Material: Metal



LED | neutral WHITE 4000K | 30° | F

955PICASSO8/AB

Type: LED Picture Light
Power: 8W
Lumens: 640lm
Efficiency: 80lm/W
Body colour: Antique brass
Material: Metal



LED | neutral WHITE 4000K | 30° | F

955PICASSO8/SN

Type: LED Picture Light
Power: 8W
Lumens: 640lm
Efficiency: 80lm/W
Body colour: Satin nickel
Material: Metal



5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
Ra≥80
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



99LPL094WW/GBR
99LPL094/GBR



99LPL094WW/ABR
99LPL094/ABR



99LPL094WW/BL
99LPL094/BL



99LPL094WW/WH
99LPL094/WH

PICTURE LIGHTING FIXTURES

LED | 120° | G | warm WHITE 3000K | neutral WHITE 4000K

99LPL094WW/GBR
99LPL094/GBR



Type: LED picture light
Power: 9.4W
Lumens: 610lm
Efficiency: 65lm/W
Body colour: Green bronze
Material: Iron + Aluminum + Acrylic

LED | 120° | G | warm WHITE 3000K | neutral WHITE 4000K

99LPL094WW/ABR
99LPL094/ABR



Type: LED picture light
Power: 9.4W
Lumens: 610lm
Efficiency: 65lm/W
Body colour: Antique brass
Material: Iron + Aluminum + Acrylic

LED | 120° | G | warm WHITE 3000K | neutral WHITE 4000K

99LPL094WW/BL
99LPL094/BL



Type: LED picture light
Power: 9.4W
Lumens: 610lm
Efficiency: 65lm/W
Body colour: Black
Material: Iron + Aluminum + Acrylic

LED | 120° | G | warm WHITE 3000K | neutral WHITE 4000K

99LPL094WW/WH
99LPL094/WH



Type: LED picture light
Power: 9.4W
Lumens: 610lm
Efficiency: 65lm/W
Body colour: White
Material: Iron + Aluminum + Acrylic

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP40
~230V
Ra≥80
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



99WT06/BL
99WT12/BL



99WTE12/BL



003064-027178

WALL AND PICTURE LIGHTING FIXTURES

LED | neutral WHITE 4000K | 120° | G

99WT06/BL



Type: LED picture light
Power: 6W
Lumens: 390lm
Efficiency: 65lm/W
Body colour: Black
Material: Iron + Aluminum + Acrylic

LED | neutral WHITE 4000K | 120° | G

99WT12/BL



Type: LED picture light
Power: 12W
Lumens: 780lm
Efficiency: 65lm/W
Body colour: Black
Material: Iron + Aluminum + Acrylic

LED | neutral WHITE 4000K | 120° | G

99WTE12/BL



Type: LED picture light
Power: 12W
Lumens: 780lm
Efficiency: 65lm/W
Body colour: Black
Material: Iron + Acrylic

LED | neutral WHITE 4000K | E

003064-027178



Type: LED wall lamp
Model: CAMARA
Power: 6W
Lumens: 800lm
Efficiency: 133lm/W
Body colour: Black
Material: Metal
Depth: 73mm

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
Ra≥80
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



1439



1367



1441



1369

WALL LAMPS, JAVA SERIES





1439

Type: LED wall lamp
Model: JAVA
Power: 22W
Lumens: 2807lm
Efficiency: 127lm/W
Body colour: Black
Material: Metal + Aluminium
Height: 42mm





1367

Type: LED wall lamp
Model: JAVA
Power: 30W
Lumens: 1200lm
Efficiency: 40lm/W
Body colour: Black + Wood
Material: Metal + Plastic + Wood
Height: 45mm





1441

Type: LED wall lamp
Model: JAVA
Power: 22W
Lumens: 2807lm
Efficiency: 127lm/W
Body colour: Black + Wood
Material: Metal + Plastic + Wood
Height: 45mm





1369

Type: LED wall lamp
Model: JAVA
Power: 30W
Lumens: 1200lm
Efficiency: 40lm/W
Body colour: Black + Wood
Material: Metal + Plastic + Wood
Height: 45mm

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
~230V
Ra≥80
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



955RIMINI740BL



955RIMINI1240BL



955RIMINI730CO



955RIMINI1230CO

WALL LAMPS

LED | neutral WHITE 4000K | G



955RIMINI740BL

Type: LED Wall lamp
Model: RIMINI
Power: 7W
Lumens: 546lm
Efficiency: 78lm/W
Body colour: Black
Material: Metal + Aluminium

LED | neutral WHITE 4000K | G



955RIMINI1240BL

Type: LED Wall lamp
Model: RIMINI
Power: 12W
Lumens: 936lm
Efficiency: 78lm/W
Body colour: Black
Material: Metal + Aluminium

LED | neutral WHITE 4000K | G



955RIMINI730CO

Type: LED Wall lamp
Model: RIMINI
Power: 7W
Lumens: 546lm
Efficiency: 78lm/W
Body colour: Cooper
Material: Metal + Aluminium

LED | neutral WHITE 4000K | G



955RIMINI1230CO

Type: LED Wall lamp
Model: RIMINI
Power: 12W
Lumens: 936lm
Efficiency: 78lm/W
Body colour: Cooper
Material: Metal + Aluminium

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
~230V
Ra≥80
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



5396



5397



003064-019211



003064-021934

WALL LAMPS, FOCUS SERIES

LED | neutral WHITE 4000K | D



5396

Type: LED wall lamp
Model: FOCUS
Power: 1W + 4W
Lumens: 117lm + 616lm
Efficiency: 147lm/W
Body colour: White, Black
Material: Metal

LED | neutral WHITE 4000K | D



5397

Type: LED wall lamp
Model: FOCUS
Power: 1W + 4W
Lumens: 117lm + 616lm
Efficiency: 147lm/W
Body colour: White, Black
Material: Metal

LED | warm WHITE 3000K | F



003064-019211

Type: LED wall lamp Model: LOYA
Power: 2x5W
Lumens: 900lm
Efficiency: 90lm/W
Body colour: Metal matt black
Material: Metal
Depth: 80mm

LED | warm WHITE 3000K | F



003064-021934

Type: LED wall lamp
Model: LOYA
Power: 3x5W
Lumens: 1350lm
Efficiency: 90lm/W
Body colour: Metal matt black + Gold
Material: Metal
Depth: 100mm

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
~230V
Ra≥80
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



6627



18074



6416

WALL LAMPS, FLASH SERIES

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
~230V
Ra≥80
EMC
CE

Scan QR code for 3D models, IES files & price.

6627

LED | warm WHITE 3000K | G



Type: LED wall lamp
Model: FLASH
Power: 12W
Lumens: 500lm
Efficiency: 41lm/W
Body colour: Black
Material: Metal + Plastic

18074

LED | warm WHITE 3000K | G



Type: LED wall lamp
Model: FLASH
Power: 24W
Lumens: 1200lm
Efficiency: 50lm/W
Body colour: Black
Material: Metal + Plastic

6416

LED | warm WHITE 3000K | G



Type: LED wall lamp
Model: FLASH
Power: 24W
Lumens: 1000lm
Efficiency: 50lm/W
Body colour: Black + Light brown
Material: Metal + Plastic

Scan each QR code to see the price and availability of the product.



955ASCOLI1240BL



955VERONA940BL

WALL LAMPS

LED | neutral WHITE 4000K | G



955ASCOLI1240BL

Type: LED Wall lamp
Model: ASCOLI
Power: 12W
Lumens: 936lm
Efficiency: 78lm/W
Body colour: Black
Material: Metal + Aluminium

LED | neutral WHITE 4000K | G



955VERONA940BL

Type: LED Wall lamp
Model: VERONA
Power: 9W
Lumens: 702lm
Efficiency: 78lm/W
Body colour: Black
Material: Metal + Aluminium

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
~230V
Ra≥80
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



003064-027463



003064-027462

WALL LAMPS

LED | neutral WHITE 4000K | D



003064-027462

Type: LED wall lamp
Model: TROY
Power: 8W
Lumens: 1100lm
Efficiency: 137lm/W
Body colour: Black
Material: Metal
Depth: 70mm

LED | neutral WHITE 4000K | D



003064-027463

Type: LED wall lamp
Model: TROY
Power: 12W
Lumens: 1650lm
Efficiency: 137lm/W
Body colour: Black
Material: Metal
Depth: 70mm

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
~230V
Ra≥80
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



4511 4510 4512

WALL LAMPS

LED | warm WHITE 3000K | F



4511

Type: LED wall lamp
Model: NAVI
Power: 24W
Lumens: 1570lm
Efficiency: 65lm/W
Body colour: White
Material: Metal
Height: 45mm

LED | warm WHITE 3000K | F



4510

Type: LED wall lamp
Model: NAVI
Power: 24W
Lumens: 1570lm
Efficiency: 65lm/W
Body colour: Black
Material: Metal
Height: 45mm

LED | neutral WHITE 4000K | F



4512

Type: LED wall lamp
Model: NAVI
Power: 24W
Lumens: 1570lm
Efficiency: 65lm/W
Body colour: White
Material: Metal
Height: 45mm



3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
~230V
Ra≥80
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



G9

page 1048

ELMARK
The Brand of Electricity



4753



4755

WALL LAMPS

Lamps Not Included | 2xG9



4753

Type: Wall lamp
Model: NAVI
Body colour: Black
Material: Metal
Max.: 2x8W

Lamps Not Included | 4xG9



4755

Type: Wall lamp
Model: NAVI
Body colour: White
Material: Metal
Max.: 2x8W

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
~230V
Ra≥80
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

LED PROFILES



ELMARK
The Brand of Electricity



ACOUSTIC LED FIXTURES

- 99ACOUSTIC1200/BL
- 99ACOUSTIC1200/WH
- 99ACOUSTIC1200/GR



Type: Acoustic sound baffle
Colour: Black | White | Grey
Depth: 9 mm
Material: Polyester
Acoustic rating: 0.85 NRC

- 99ACOUSTIC2400/BL
- 99ACOUSTIC2400/WH
- 99ACOUSTIC2400/GR



Type: Acoustic sound baffle
Colour: Black | White | Grey
Depth: 9 mm
Material: Polyester
Acoustic rating: 0.85 NRC



Application: Acoustic sound baffle find application in many work and office spaces, conference and presentation halls, meeting rooms, retails, institutional and more. They significantly reduce noise pollution, minimizing reverberation and echo in the room, absorbing any reflect sounds from other surfaces, thereby increasing speech intelligibility and communication. They are mounted on the ceiling in rows or columns.
Features: High quality and easy mounting | Lightweight | Safe and non-toxic | Available in three colours | Possibility to create custom design
Mounting: Hanging. Attach one piece of wire/cord onto each of the 2 eye hooks on the baffle. Then attach the other end of the wire to two equally-spaced hooks in the ceiling

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



HIGH POWER

99SM36S4020A/GR
99SM36S4040A/GR
99SM36S4050A/GR

ACOUSTIC LED FIXTURES

LED | neutral WHITE 4000K | 90° | G

- 99SM36S4020A/BL
- 99SM36S4020A/WH
- 99SM36S4020A/GR



Type: Acoustic LED profile
Power: 20W
Lumens: 1600lm
Efficiency: 80lm/W
Body colour: Black | White | Grey
Width: 55 mm
Driver: 42V SELV
Light Source: Samsung
Mounting: Hanging
Material: Aluminum + PC

LED | neutral WHITE 4000K | 90° | G

- 99SM36S4040A/BL
- 99SM36S4040A/WH
- 99SM36S4040A/GR



Type: Acoustic LED profile
Power: 40W
Lumens: 32000lm
Efficiency: 80lm/W
Body colour: Black | White | Grey
Width: 55 mm
Driver: 42V SELV
Light Source: Samsung
Mounting: Hanging
Material: Aluminum + PC

LED | neutral WHITE 4000K | 90° | G

- 99SM36S4050A/BL
- 99SM36S4050A/WH
- 99SM36S4050A/GR



Type: Acoustic LED profile
Power: 50W
Lumens: 4000lm
Efficiency: 80lm/W
Body colour: Black | White | Grey
Width: 55 mm
Driver: 42V SELV
Light Source: Samsung
Mounting: Hanging
Material: Aluminum + PC

INSTALLATION ACCESSORIES FOR LED PROFILES

99ACC51



Suspension wire

99ACC52



Suspension wire with console

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
Ra≥80
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



99RING6004035/GR
99RING8004060/GR
99RING10004075/GR
99RING11504096/GR



99RING6004035/WH
99RING8004060/WH
99RING10004075/WH
99RING11504096/WH



99RING6004035/BL
99RING8004060/BL
99RING10004075/BL
99RING11504096/BL

LED RINGS FOR HANGING MOUNTING

LED | neutral WHITE 4000K | 90° | F

- 99RING6004035/BL
- 99RING6004035/WH
- 99RING6004035/GR

Type: LED ring
Power: 35W
Lumens: 3500lm
Efficiency: 100lm/W
Body colour: Black | White | Grey
Mounting: Hanging
Material: Aluminum + PC



LED | neutral WHITE 4000K | 90° | F

- 99RING8004060/BL
- 99RING8004060/WH
- 99RING8004060/GR

Type: LED ring
Power: 42W
Lumens: 4200lm
Efficiency: 100lm/W
Body colour: Black | White | Grey
Mounting: Hanging
Material: Aluminum + PC



LED | neutral WHITE 4000K | 90° | F

- 99RING10004075/BL
- 99RING10004075/WH
- 99RING10004075/GR

Type: LED ring
Power: 50W
Lumens: 5000lm
Efficiency: 100lm/W
Body colour: Black | White | Grey
Width: 55 mm
Mounting: Hanging
Material: Aluminum + PC



LED | neutral WHITE 4000K | 90° | F

- 99RING11504096/BL
- 99RING11504096/WH
- 99RING11504096/GR

Type: LED ring
Power: 63W
Lumens: 6300lm
Efficiency: 100lm/W
Body colour: Black | White | Grey
Mounting: Hanging
Material: Aluminum + PC



5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
Ra≥80
EMC
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



99XPOM602440/BL
99XPOM1204040/BL

LED PROFILES FOR HANGING AND SURFACE MOUNTING

LED | neutral WHITE 4000K | 120° | F

99XPOM602440/BL



Type: LED profile
Power: 24W
Lumens: 2160lm
Efficiency: 90lm/W
Body colour: Black
Mounting: Surface/Hanging
Material: Aluminum + PC

LED | neutral WHITE 4000K | 120° | F

99XPOM1204040/BL



Type: LED profile
Power: 40W
Lumens: 3600lm
Efficiency: 90lm/W
Body colour: Black
Mounting: Surface/Hanging
Material: Aluminum + PC

* The products are available independently and cannot be used to create lighting systems with additional elements.

2 YEARS TOTAL WARRANTY
+ 2 standard 0 extended

IP40
~230V
Ra≥80
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



99POM602430/BL
99POM602440/BL
99POM1505030/BL
99POM1505040/BL

LED PROFILES FOR HANGING AND SURFACE MOUNTING

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
Ra≥80
EMC
RoHs COMPLIANT
CE

LED 120° F

warm WHITE 3000K
neutral WHITE 4000K

99POM602430/BL
99POM602440/BL



Type: LED profile
Power: 24W
Lumens: 2400lm
Efficiency: 100lm/W
Body colour: Black
Mounting: Surface/Hanging
Material: Aluminum + PC

99POM1505030/BL
99POM1505040/BL



Type: LED profile
Power: 50W
Lumens: 5000lm
Efficiency: 100lm/W
Body colour: Black
Mounting: Surface/Hanging
Material: Aluminum + PC

99POM602430/WH
99POM602440/WH



Type: LED profile
Power: 24W
Lumens: 2400lm
Efficiency: 100lm/W
Body colour: White
Mounting: Surface/Hanging
Material: Aluminum + PC

99POM1505030/WH
99POM1505040/WH



Type: LED profile
Power: 50W
Lumens: 5000lm
Efficiency: 100lm/W
Body colour: White
Mounting: Surface/Hanging
Material: Aluminum + PC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



99POML30/BL
99POML40/BL



99POMT30/BL
99POMT40/BL

ACCESSORIES FOR LED PROFILES ELMARK FOR HANGING AND SURFACE MOUNTING

LED | warm WHITE 3000K | 120° | F

● **99POML30/BL**
○ **99POML30/WH**



Type: L-connector for LED profile
Power: 8W
Lumens: 800
Efficiency: 100lm/W
Body colour: Black | White
Mounting: Surface/Hanging
Material: Alumi-num + PC
** Suitable only for ELMARK LED profiles*

LED | neutral WHITE 4000K | 120° | F

● **99POML40/BL**
○ **99POML40/WH**



Type: L-connector for LED profile
Power: 8W
Lumens: 800lm
Efficiency: 100lm/W
Body colour: Black | White
Mounting: Surface/Hanging
Material: Alumi-num + PC
** Suitable only for ELMARK LED profiles*

LED | warm WHITE 3000K | 120° | F

● **99POMT30/BL**
○ **99POMT30/WH**



Type: T-connector for LED profile
Power: 12W
Lumens: 1200lm
Efficiency: 100lm/W
Body colour: Black | White
Mounting: Surface/Hanging
Material: Alumi-num + PC
** Suitable only for ELMARK LED profiles*

LED | neutral WHITE 4000K | 120° | F

● **99POMT40/BL**
○ **99POMT40/WH**



Type: T-connector for LED profile
Power: 12W
Lumens: 1200lm
Efficiency: 100lm/W
Body colour: Black | White
Mounting: Surface/Hanging
Material: Alumi-num + PC
** Suitable only for ELMARK LED profiles*

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
Ra≥80
EMC
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



99POMX30/BL
99POMX40/BL



99ACC40



99ACC41

ACCESSORIES FOR LED PROFILES ELMARK FOR HANGING AND SURFACE MOUNTING

LED | warm WHITE 3000K | 120° | A F G | F

● **99POMX30/BL**
○ **99POMX30/WH**



Type: X-connector for LED profile
Power: 15W
Lumens: 1500lm
Efficiency: 100lm/W
Body colour: Black | White
Mounting: Surface/ Hanging
Material: Aluminum + PC
** Suitable only for ELMARK LED profiles*

LED | neutral WHITE 4000K | 120° | A F G | F

● **99POMX40/BL**
○ **99POMX40/WH**



Type: X-connector for LED profile
Power: 15W
Lumens: 1500lm
Efficiency: 100lm/W
Body colour: Black | White
Mounting: Surface/ Hanging
Material: Aluminum + PC
** Suitable only for ELMARK LED profiles*



99ACC40

Type: I-connector for LED profile
Mounting: Between 2 profiles for surface or hanging mount
Material: Metal
** Suitable only for ELMARK LED profiles for joining 2 profiles*



99ACC41

Type: Parts for surface mounting- 2 pieces SET
Mounting: Ceiling
Material: Metal
** Suitable only for ELMARK LED profiles for their installation surface on ceiling*

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
Ra≥80
EMC
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

*Options with emergency kit



page 774

ELMARK
The Brand of Electricity



99PFM602430/WH
99PFM602440/WH
99PFM1505030/WH
99PFM1505040/WH



99PFM602430/BL
99PFM602440/BL
99PFM1505030/BL
99PFM1505040/BL

LED PROFILES FOR RECESSED MOUNTING

LED | 120° | F

warm WHITE 3000K
neutral WHITE 4000K

99PFM602430/BL
99PFM602440/BL



Type: LED profile*
Power: 24W
Lumens: 2400lm
Efficiency: 100lm/W
Body colour: Black
Mounting: Recessed
Material: Aluminum + PC

LED | 120° | F

warm WHITE 3000K
neutral WHITE 4000K

99PFM1505030/BL
99PFM1505040/BL



Type: LED profile*
Power: 50W
Lumens: 5000lm
Efficiency: 100lm/W
Body colour: Black
Mounting: Recessed
Material: Aluminum + PC

LED | 120° | F

warm WHITE 3000K
neutral WHITE 4000K

99PFM602430/WH
99PFM602440/WH



Type: LED profile*
Power: 24W
Lumens: 2400lm
Efficiency: 100lm/W
Body colour: White
Mounting: Recessed
Material: Aluminum + PC

LED | 120° | F

warm WHITE 3000K
neutral WHITE 4000K

99PFM1505030/WH
99PFM1505040/WH



Type: LED profile*
Power: 50W
Lumens: 5000lm
Efficiency: 100lm/W
Body colour: White
Mounting: Recessed
Material: Aluminum + PC

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
Ra≥80
EMC
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



99PFML30/BL
99PFML40/BL



99PFMT30/BL
99PFMT40/BL

ACCESSORIES FOR LED PROFILES FOR RECESSED MOUNTING

LED | warm WHITE 3000K | 120° | F

● 99PFML30/BL
○ 99PFML30/WH



Type: L-connector for LED profile
Power: 8W
Lumens: 800lm
Efficiency: 100lm/W
Body colour: Black | White
Mounting: Recessed
Material: Aluminum + PC

LED | neutral WHITE 4000K | 120° | F

● 99PFML40/BL
○ 99PFML40/WH



Type: L-connector for LED profile
Power: 8W
Lumens: 800lm
Efficiency: 100lm/W
Body colour: Black | White
Mounting: Recessed
Material: Aluminum + PC

LED | warm WHITE 3000K | 120° | F

● 99PFMT30/BL
○ 99PFMT30/WH



Type: T-connector for LED profile
Power: 12W
Lumens: 1200lm
Efficiency: 100lm/W
Body colour: Black | White
Mounting: Recessed
Material: Aluminum + PC

LED | neutral WHITE 4000K | 120° | F

● 99PFMT40/BL
○ 99PFMT40/WH



Type: T-connector for LED profile
Power: 12W
Lumens: 1200lm
Efficiency: 100lm/W
Body colour: Black | White
Mounting: Recessed
Material: Aluminum + PC

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
Ra≥80
EMC
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



99PFMX30/BL
99PFMX40/BL



99PFMI30/BL
99PFMI40/BL

ACCESSORIES FOR LED PROFILES FOR RECESSED MOUNTING

LED | warm WHITE 3000K | 120° | F

● **99PFMX30/BL**
○ **99PFMX30/WH**



Type: X-connector for LED profile
Power: 15W
Lumens: 1500lm
Efficiency: 100lm/W
Body colour: Black | White
Mounting: Recessed
Material: Aluminum + PC

LED | neutral WHITE 4000K | 120° | F

● **99PFMX40/BL**
○ **99PFMX40/WH**



Type: X-connector for LED profile
Power: 15W
Lumens: 1500lm
Efficiency: 100lm/W
Body colour: Black | White
Mounting: Recessed
Material: Aluminum + PC

LED | warm WHITE 3000K | 120° | F

● **99PFMI30/BL**
○ **99PFMI30/WH**



Type: Inside corner for LED profile
Power: 8W
Lumens: 800lm
Efficiency: 100lm/W
Body colour: Black | White
Mounting: Recessed
Material: Aluminum + PC

LED | neutral WHITE 4000K | 120° | F

● **99PFMI40/BL**
○ **99PFMI40/WH**



Type: Inside corner forLED profile
Power: 8W
Lumens: 800lm
Efficiency: 100lm/W
Body colour: Black | White
Mounting: Recessed
Material: Aluminum + PC

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
Ra≥80
EMC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



95204550

COMMERCIAL LED FIXTURES

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
Ra≥80
EMC
RoHs COMPLIANT
CE

LED | neutral WHITE 4000K | 120° | F

95204550



Type: Commercial LED fixture
Power: 50W
Lumens: 4800lm
Efficiency: 96lm/W
Body colour: Grey
Mounting: Surface
Material: Aluminum + PC

92ACC03



Type: Wire and fittings for hanging mounting 2.5m
Mounting: on commercial fixture with cat. number 95204550
Material: Metal



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



9MOD18NW
9MOD36NW

LED FIXTURE FOR SURFACE MOUNTING

LED | neutral WHITE 4000K | 120° | F

9MOD18NW

Similar product option:
9MOD18W



Type: LED mod fixture
Power: 18W
Lumens: 1530lm
Efficiency: 85lm/W
Body colour: White
Mounting: Surface
Material: PC+Iron

LED | neutral WHITE 4000K | 120° | F

9MOD36NW

Similar product option:
9MOD36W



Type: LED mod fixture
Power: 36W
Lumens: 3060lm
Efficiency: 85lm/W
Body colour: White
Material: PC+Iron

CONNECTORS FOR 9MOD18W & 9MOD36W

9MODL

Type: Connector 90° L-type for 9MOD18W & 9MOD36W
Material: PC



9MODI

Type: Coupling 180° I-type for 9MOD18W & 9MOD36W
Material: PC



9MODT

Type: T-joint for 9MOD18W & 9MOD36W
Material: PC



3 YEARS TOTAL WARRANTY
+ 3 standard 0 extended

IP40
~230V
Ra≥80
EMC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



9XREMY18LED
9XREMY18LED/CW
9XREMY36LED
9XREMY36LED/CW

LED FIXTURE FOR SURFACE MOUNTING

LED | neutral WHITE 4000K | 115° | G

9XREMY18LED



Type: LED fixture
Power: 18W
Lumens: 1650lm
Efficiency: 92lm/W
Body colour: White
Mounting: Surface
Material: PP+PC

LED | cold WHITE 6400K | 115° | F

9XREMY18LED/CW



Type: LED fixture
Power: 18W
Lumens: 1650lm
Efficiency: 92lm/W
Body colour: White
Mounting: Surface
Material: PP+PC

LED | neutral WHITE 4000K | 115° | G

9XREMY36LED



Type: LED fixture
Power: 36W
Lumens: 3300lm
Efficiency: 92lm/W
Body colour: White
Mounting: Surface
Material: PP+PC

LED | cold WHITE 6400K | 115° | F

9XREMY36LED/CW



Type: LED fixture
Power: 36W
Lumens: 3300lm
Efficiency: 92lm/W
Body colour: White
Mounting: Surface
Material: PP+PC

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP40
~230V
Ra≥80
EMC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



910109LW
910109LCW

LIGHTING FIXTURE WITH LED TUBES, SURFACE MOUNTING

LED neutral WHITE 4000K G

910109LW



Type: LED fixture with LED tube T8 Stellar
Power: 9W
Lumens: 630lm
Efficiency: 70lm/W
Body colour: White
Mounting: Surface
Material: Aluminum + PC

LED cold WHITE 6400K G

910109LCW



Type: LED fixture with LED tube T8 Stellar
Power: 9W
Lumens: 630lm
Efficiency: 70lm/W
Body colour: White
Mounting: Surface
Material: Aluminum + PC

2 YEARS TOTAL WARRANTY
+ 2 standard 0 extended

IP21
~230V
G13
Ra≥80
EMC
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended tube



G13

page 1056

ELMARK
The Brand of Electricity



99POM121/BL
99POM122/BL

LIGHTING FIXTURES FOR LED TUBES T8 FOR SURFACE OR HANGING MOUNTING, IP40

Lamps Not Included



99POM121/BL



Type: Empty lighting fixtures for single ended tubes T8
LED tube size: 1x1200mm (1x18W)
Body Colour: Black
Material: Metal + PP
Height: 53 mm
*With hanging parts 1m



Lamps Not Included



99POM122/BL



Type: Empty lighting fixtures for single ended tubes T8
LED tube size: 2x1200mm (2x18W)
Body Colour: Black
Material: Metal + PP
Height: 53
*With hanging parts 1m



3 YEARS TOTAL WARRANTY
+ 3 standard 0 extended

IP20
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



99POM121/WH
99POM122/WH

LIGHTING FIXTURES FOR LED TUBES T8 FOR SURFACE OR HANGING MOUNTING, IP40

Lamps Not Included
1xG13

99POM121/WH



Type: Empty lighting fixtures
for single ended tubes T8
LED tube size: 1x1200mm
(1x18W)
Body Colour: White
Material: Metal + PP
Height: 53 mm
*With hanging parts 1m



Lamps Not Included
2xG13

99POM122/WH



Type: Empty lighting fixtures
for single ended tubes T8
LED tube size: 2x1200mm
(2x18W)
Body Colour: White
Material: Metal + PP
Height: 53
*With hanging parts 1m



3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
~230V
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

BATHROOM LIGHTING





99LPL12/BL



99LPL12/WH

WATERPROOF BATHROOM LED LIGHTING

LED | neutral WHITE 4000K | 120° | G

99LPL12/BL



Type: Bathroom wall light
Power: 12W
Lumens: 780lm
Body colour: Black
Material: Iron + Aluminum + PC

LED | neutral WHITE 4000K | 120° | G

99LPL12/WH



Type: Bathroom wall light
Power: 12W
Lumens:780lm
Body colour: White
Material: Iron + Aluminum + PC

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP44
~230V
Ra≥80
EMC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



95IP4411
95IP4414



95IP4411/2

WATERPROOF BATHROOM LED LIGHTING

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP44
~230V
Ra≥80
EMC
RoHs COMPLIANT
CE

LED | warm WHITE 2700K | 120° | F

95IP4414



Type: Bathroom wall lamp
Power: 8W
Lumens: 504lm
Body colour: Chrome
Mounting: Surface, on wall
Material: Aluminum + PC

LED | neutral WHITE 4000K | 120° | F

95IP4411



Type: Bathroom wall lamp
Power: 8W
Lumens: 504lm
Body colour: Chrome
Mounting: Surface, on wall
Material: Aluminum + PC

LED | neutral WHITE 4000K | 120° | F

95IP4411/2



Type: Bathroom wall lamp
Power: 8W
Lumens: 504lm
Body colour: Chrome
Mounting: Surface, over cabinet
Material: Aluminum + PC



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



99LBL08/CH



99LBL12/CH



95IP4412



95IP4413

WATERPROOF BATHROOM LED LIGHTING

LED | neutral WHITE 4000K | 120° | G

99LBL08/CH



Type: LED bathroom light
Power: 8W
Lumens: 520lm
Body colour: Chrome
Mounting: Surface on the wall
Material: Stainless Steel + Aluminum + Acrylic

LED | neutral WHITE 4000K | 120° | G

99LBL12/CH



Type: LED bathroom light
Power: 12W
Lumens: 780lm
Body colour: Chrome
Mounting: Surface on the wall
Material: Stainless Steel + Aluminum + Acrylic

LED | neutral WHITE 4000K | 133° | F

95IP4412



Type: LED mirror light
Power: 15W
Lumens: 1200lm
Body colour: Chrome
Mounting: Surface, on wall
Material: Aluminum + PC

LED | neutral WHITE 4000K | 133° | F

95IP4413



Type: LED mirror light
Power: 20W
Lumens: 1600lm
Body colour: Chrome
Mounting: Surface, on wall
Material: Aluminum + PC

Scan each QR code to see the price and availability of the product.

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP44
~230V
Ra≥80
EMC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



955POSEIDON12
955POSEIDON18



955POSEIDON24

WATERPROOF BATHROOM LED LIGHTING

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP44
~230V
Ra≥80
EMC

LED | neutral WHITE 4000K | 30° | G

955POSEIDON12



Type: Bathroom wall light
Power: 12W
Lumens: 960lm
Body colour: Chrome
Mounting: Surface, on wall
Material: Aluminum alloy

LED | neutral WHITE 4000K | 30° | G

955POSEIDON18



Type: Bathroom wall light
Power: 18W
Lumens: 1440lm
Body colour: Chrome
Mounting: Surface, on wall
Material: Aluminum alloy

LED | neutral WHITE 4000K | 30° | G

955POSEIDON24



Type: Bathroom wall light
Power: 24W
Lumens: 1920lm
Body colour: Chrome
Mounting: Surface, on wall
Material: Aluminum alloy

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



92DL83TS0530/WH
92DL83TS0540/WH

MOVABLE



92DL83TS1230/WH
92DL83TS1240/WH

MOVABLE



926983/WH

RECESSED SPOT LIGHTS, IP65 & IP44

LED | 24° | G | warm WHITE 3000K | neutral WHITE 4000K

92DL83TS0530/WH
92DL83TS0540/WH



Type: Round spotlight
Power: 5W
Lumens: 350lm
Efficiency: 70lm/W
Body colour: White
Cut size: 62mm
Height: 80 mm
Material: Aluminum

LED | 24° | G | warm WHITE 3000K | neutral WHITE 4000K

92DL83TS1230/WH
92DL83TS1240/WH



Type: Round spotlight
Power: 12W
Lumens: 840lm
Efficiency: 70lm/W
Body colour: White
Cut size: 62mm
Height: 93 mm
Material: Aluminum

Lamps Not Included | 1xGU10 | IP44

926983/WH



Type: Bathroom downlight
Body colour: White
Material: Aluminium
Cut size: 68mm
Max.: 10W

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP65
IP44
~230V
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



GU5.3

page 1047

ELMARK
The Brand of Electricity



92627/W



92627/SN



92627/CH



92627/AB

WATERPROOF BATHROOM DOWN LIGHTS, IP44

Lamps Not Included 1xGU5.3

92627/W



Type: Bathroom downlight
Body colour: White
Material: Steel + Glass
Cut size: 60mm
Max.: 50W

Lamps Not Included 1xGU5.3

92627/SN



Type: Bathroom downlight
Body colour: Satin nickel
Material: Steel + Glass
Cut size: 60mm
Max.: 50W

Lamps Not Included 1xGU5.3

92627/CH



Type: Bathroom downlight
Body colour: Chrome
Material: Steel + Glass
Cut size: 60mm
Max.: 50W

Lamps Not Included 1xGU5.3

92627/AB



Type: Bathroom downlight
Body colour: Antique brass
Material: Steel + Glass
Cut size: 60mm
Max.: 50W

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP44
12V
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



G9

page 1048

ELMARK
The Brand of Electricity



955DORIA2



955DORIA3



955DORIA4

WATERPROOF BATHROOM LED LIGHTING, IP44

Lamps Not Included | 2xG9

955DORIA2



Type: Waterproof wall lamp
Body colour: Chrome
Diameter of the lamp: 115 mm
Material: Stainless steel + Glass
Max.: 2x40W

Lamps Not Included | 3xG9

955DORIA3



Type: Waterproof wall lamp
Body colour: Chrome
Diameter of the lamp: 115 mm
Material: Stainless steel + Glass
Max.: 3x40W

Lamps Not Included | 4xG9

955DORIA4



Type: Waterproof wall lamp
Body colour: Chrome
Diameter of the lamp: 115 mm
Material: Stainless steel + Glass
Max.: 4x40W



3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP44
~230V
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



99MIRROR36S1



99MIRROR48S3



99MIRROR36S2

WATERPROOF BATHROOM LED MIRRORS



99MIRROR36S1



Type: LED mirror light
Power: 36W
Lumens: 1300lm
Mounting: Surface on the wall
Material: Glass
Features & Functions: Touch switch, Dimmable, Memory, Demisting, Back light, Plug-in



99MIRROR36S2



Type: LED mirror light
Power: 36W
Lumens: 1300lm
Mounting: Surface on the wall
Material: Glass
Features & Functions: Touch switch, Dimmable, Memory, Demisting, Back light, Plug-in



99MIRROR48S3



Type: LED mirror light
Power: 48W
Lumens: 1560lm
Mounting: Surface on the wall
Material: Glass
Features & Functions: Touch switch, Dimmable, Memory, Demisting, Back light, Plug-in

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP44
~230V
Ra≥80
EMC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



99MIRROR24R1
99MIRROR36R2



99MIRRORS4

WATERPROOF BATHROOM LED MIRRORS

LED | neutral WHITE 4000K | 120° | G | DIMMABLE | IP44

99MIRROR24R1



Type: LED mirror light
Power: 24W
Lumens: 910lm
Mounting: Surface on the wall
Material: Glass
Features & Functions: Touch switch, Dimmable, Memory, Demisting, Back light, Plug-in

LED | neutral WHITE 4000K | 120° | G | DIMMABLE | IP44

99MIRROR36R2



Type: LED mirror light
Power: 36W
Lumens: 1300lm
Mounting: Surface on the wall
Material: Glass
Features & Functions: Touch switch, Dimmable, Memory, Demisting, Back light, Plug-in

LED | neutral WHITE 4000K | 120° | G | DIMMABLE | IP20

99MIRRORS4



Type: LED mirror light
Power: 30W
Lumens: 1650lm
Mounting: Surface, on the wall
Material: Glass
Features & Functions: Touch switch, Dimmable, Memory, Demisting, Plug-in

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP44
IP20
~230V
Ra≥80
EMC
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

DOWN LIGHTS



Recommended bulb



GU5.3

page 1047



GU10

page 1045

ELMARK
The Brand of Electricity



925773R/CL



925773S/CL



925774S/CL



925775S/CL

CRYSTAL DOWN LIGHTS

Lamps Not Included 1xGU5.3

925773R/CL



Type: Round down light
Body colour: Satin nickel
Height: 50 mm
Cut size: 60mm
Material: Stainless steel + Crystal
Max.: 50W

Lamps Not Included 1xGU5.3

925773S/CL



Type: Square down light
Body colour: Satin nickel
Height: 50 mm
Cut size: 60mm
Material: Stainless steel + Crystal
Max.: 50W

Lamps Not Included 1xGU5.3

925774S/CL



Type: Crystal down light
Body colour: Transparent
Height: 22 mm
Cut size: 60 mm
Material: Aluminum + Polyester + Crystal

Decorative ring with LED light 150lm | 3W Driver for LED ring included

Lamps Not Included 1xGU5.3

925775S/CL



Type: Crystal down light
Body colour: Transparent
Height: 22 mm
Cut size: 60 mm
Material: Aluminum + Polyester + Crystal

Decorative ring with LED light 150lm | 3W Driver for LED ring included

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
12V
~230V
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb


GU5.3
page 1047


GU10
page 1045

ELMARK
The Brand of Electricity


925P771R/CL


925772S/CL


925772S/CF

CRYSTAL DOWN LIGHTS

Lamps Not Included 1xGU5.3



925P771R/CL

Type: Crystal down light
Body colour: Transparent
Height: 22 mm
Cut size: 60 mm
Material: Aluminum + Polyester + Crystal

Decorative ring with LED light 150lm | 3W Driver for LED ring included

Lamps Not Included 1xGU5.3



925772S/CL

Type: Crystal down light
Body colour: Transparent
Height: 22 mm
Cut size: 60 mm
Material: Aluminum + Polyester + Crystal

Decorative ring with LED light 150lm | 3W Driver for LED ring included

Lamps Not Included 1xGU5.3



925772S/CF

Type: Crystal down light
Body colour: Coffee
Height: 22 mm
Cut size: 60 mm
Material: Aluminum + Polyester + Crystal

Decorative ring with LED light 150lm | 3W Driver for LED ring included

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
12V
~230V
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



GU5.3

page 1047



GU10

page 1045

ELMARK
The Brand of Electricity



925777R/BK



925777S/BK



925778R/CL



925778S/CL

CRYSTAL DOWN LIGHTS

Lamps Not Included 1xGU5.3

925777R/BK



Type: Round down light
Body colour: Chrome & Black
Height: 22 mm
Cut size: 60 mm
Material: Aluminum + Glass
Max.: 50W

Lamps Not Included 1xGU5.3

925777S/BK



Type: Square down light
Body colour: Chrome & Black
Height: 22 mm
Cut size: 60 mm
Material: Aluminum + Glass
Max.: 50W

Lamps Not Included 1xGU5.3

925778R/CL



Type: Round down light
Body colour: Chrome & Transparent
Height: 32 mm
Cut size: 60 mm
Material: Aluminum + Glass
Max.: 50W

Lamps Not Included 1xGU5.3

925778S/CL



Type: Square down light
Body colour: Chrome & Transparent
Height: 32 mm
Cut size: 60 mm
Material: Aluminum + Glass
Max.: 50W

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
12V
~230V
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



GU5.3

page 1047



GU10

page 1045

ELMARK
The Brand of Electricity



92045R1/BLFR



92045S2/BLFR



92045S1/BLFR

RECESSED DOWN LIGHTS

Lamps Not Included 1xGU5.3

92045R1/BLFR



Type: Round down light
Body colour: Black
Height: 45 mm
Cut size: 70 mm
Material: Aluminum + Acrylic
For use with LED bulb only

Lamps Not Included 1xGU5.3

92045S1/BLFR



Type: Square down light
Body colour: Black
Height: 45 mm
Cut size: 70 mm
Material: Aluminum + Acrylic
For use with LED bulb only

Lamps Not Included 2xGU5.3

92045S2/BLFR



Type: Down light
Body colour: Black
Hight: 45mm
Cut size: 165x70mm
Material: Aluminum + Acrylic
For use with LED bulb only

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
12V
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



GU5.3

page 1047



GU10

page 1045

ELMARK
The Brand of Electricity



92045S3/BLFR



92045S4/BLFR

RECESSED DOWN LIGHTS

Lamps Not Included



92045S3/BLFR



Type: Down light
Body colour: Black
Hight: 45mm
Cut size: 240x70mm
Material: Aluminum + Acrylic
For use with LED bulb only

Lamps Not Included



92045S4/BLFR



Type: Down light
Body colour: Black
Hight: 45mm
Cut size: 150x150mm
Material: Aluminum + Acrylic
For use with LED bulb only

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
12V
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



GU5.3

page 1047



GU10

page 1045

ELMARK
The Brand of Electricity



92045R1/WHFR



92045S1/WHFR



92045S2/WHFR

RECESSED DOWN LIGHTS

Lamps Not Included 1xGU5.3

92045R1/WHFR



Type: Round down light
Body colour: White
Height: 45 mm
Cut size: 70 mm
Material: Aluminum + Acrylic
For use with LED bulb only

Lamps Not Included 1xGU5.3

92045S1/WHFR



Type: Square down light
Body colour: White
Height: 45 mm
Cut size: 70 mm
Material: Aluminum + Acrylic
For use with LED bulb only

Lamps Not Included 2xGU5.3

92045S2/WHFR



Type: Down light
Body colour: White
Height: 45mm
Cut size: 165x70mm
Material: Aluminum + Acrylic
For use with LED bulb only

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
12V
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



GU5.3

page 1047



GU10

page 1045

ELMARK
The Brand of Electricity



92045S3/WHFR



92045S4/WHFR

RECESSED DOWN LIGHTS

Lamps Not Included



92045S3/WHFR





Type: Down light
Body colour: White
Height: 45mm
Cut size: 240x70mm
Material: Aluminum + Acrylic
For use with LED bulb only

Lamps Not Included



92045S4/WHFR





Type: Down light
Body colour: White
Height: 45mm
Cut size: 150x150mm
Material: Aluminum + Acrylic
For use with LED bulb only

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
12V
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



GU10

page 1045

ELMARK
The Brand of Electricity



925878/WH



925878/BL

ANTI-GLARE INNER DOWNLIGHT

Lamps Not Included 1xGU10

925878/WH



Type: Anti-glare downlight
Body colour: White
Material: Aluminium + Acrylic
Cut size: 68mm
Max.: 10W

Lamps Not Included 1xGU10

925878/BL



Type: Anti-glare downlight
Body colour: Black
Material: Aluminium + Acrylic
Cut size: 68mm
Max.: 10W

3 YEARS TOTAL WARRANTY
+ 3 standard 0 extended

IP20
~230V
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



GU10

page 1045

ELMARK
The Brand of Electricity



925880/WH



925880/BL



925879/WH



925879/BL

ANTI-GLARE INNER DOWNLIGHT

Lamps Not Included 1xGU10

925880/WH



Type: Anti-glare downlight
Body colour: White
Material: Aluminium
Cut size: 68mm
Max.: 10W

Lamps Not Included 1xGU10

925880/BL



Type: Anti-glare downlight
Body colour: Black
Material: Aluminium
Cut size: 68mm
Max.: 10W

Lamps Not Included 1xGU10

925879/WH



Type: Anti-glare downlight
Body colour: White
Material: Aluminium + Acrylic
Cut size: 68mm
Max.: 10W

Lamps Not Included 1xGU10

925879/BL



Type: Anti-glare downlight
Body colour: Black
Material: Aluminium + Acrylic
Cut size: 68mm
Max.: 10W

3 YEARS TOTAL WARRANTY
+ 3 standard 0 extended

IP20
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



GU10

page 1045

ELMARK
The Brand of Electricity



92EL902R1/BL



92EL902R1/WH



92EL902S1/BL



92EL902S1/WH

FIXED RECESSED DOWN LIGHTS

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20

~230V

RoHs COMPLIANT

CE

Lamps Not Included 1xGU10

92EL902R1/BL



Type: Fixed round down light
Body colour: Black
Height: 40 mm
Cut size: 75 mm
Material: Plastic
Max.: 8W
Max. beam angle: 60°
For use with LED bulb only

Lamps Not Included 1xGU10

92EL902R1/WH



Type: Fixed round down light
Body colour: White
Height: 40 mm
Cut size: 75 mm
Material: Plastic
Max.: 8W
Max. beam angle: 60°
For use with LED bulb only

Lamps Not Included 1xGU10

92EL902S1/BL



Type: Fixed square down light
Body colour: Black
Height: 40 mm
Cut size: 75x75 mm
Material: Plastic
Max.: 8W
Max. beam angle: 60°
For use with LED bulb only

Lamps Not Included 1xGU10

92EL902S1/WH



Type: Fixed square down light
Body colour: White
Height: 40 mm
Cut size: 75x75 mm
Material: Plastic
Max.: 8W
Max. beam angle: 60°
For use with LED bulb only

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



926732/WH



928200/WH



928201/WH

TRIMLESS ANTI-GLARE SPOTLIGHT

Lamps Not Included 1xGU10

926732/WH



Type: Trimless anti-glare round spotlight
Body colour: White
Material: Aluminium
Cut size: 80mm
Max.: 6W

Lamps Not Included 1xGU10

928200/WH



Type: Trimless anti-glare square spotlight
Body colour: White
Material: Aluminium
Cut size: 85x85mm
Max.: 6W

Lamps Not Included 2xGU10

928201/WH



Type: Trimless anti-glare rectangular double spotlight
Body colour: White
Material: Aluminium
Cut size: 180x85mm
Max.: 2x6W

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
~230V
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



GU10

page 1045

ELMARK
The Brand of Electricity



92GDL05R



92GDL11R



92GDL09R

GYPSUM DOWN LIGHTS

Lamps Not Included 1xGU10

92GDL05R



Type: Round down light
Body colour: White
Material: Gypsum
Height: 40 mm
Cut size: 90 mm
Max.: 20W

Lamps Not Included 1xGU10

92GDL09R



Type: Round down light
Body colour: White
Material: Gypsum
Height: 43 mm
Cut size: 108 mm
Max.: 20W

Lamps Not Included 1xGU10

92GDL11R



Type: Round down light
Body colour: White
Material: Gypsum
Height: 72 mm
Cut size: 116 mm
Max.: 20W



2 YEARS TOTAL WARRANTY
2 standard + 0 extended

IP20
~230V
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



GU10

page 1045

ELMARK
The Brand of Electricity



92GDL06S
92GDL10S



92GDL06SGL



92GDL13S

GYPSUM DOWN LIGHTS

Lamps Not Included | 1xGU10

92GDL06S



Type: Square down light
Body colour: White
Material: Plaster
Height: 57 mm
Cut size: 107x107 mm
Max.: 20W

Lamps Not Included | 1xGU10

92GDL10S



Type: Square down light
Body colour: White
Material: Plaster
Height: 60 mm
Cut size: 107x107 mm
Max.: 20W

Lamps Not Included | 1xGU10

92GDL06SGL



Type: Square down light with diffuser
Body colour: White
Material: Plaster
Height: 56 mm
Cut size: 100x100 mm
Max.: 20W

Lamps Not Included | 1xGU10

92GDL13S



Type: Square down light
Body colour: White
Material: Plaster
Height: 58 mm
Cut size: 100x100 mm
Max.: 20W

2 YEARS TOTAL WARRANTY
+ 2 standard 0 extended

IP20
~230V
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



GU10

page 1045

ELMARK
The Brand of Electricity



928326/WH



928350/WH

MOVABLE



928326/BL



928350/BL

MOVABLE

RECESSED DOWNLIGHT

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
~230V
RoHs COMPLIANT
CE

Lamps Not Included — 1xGU10

928326/WH



Type: Recessed downlight
Body colour: White
Material: Aluminium
Cut size: 85mm
Max.: 10W

Lamps Not Included — 1xGU10

928326/BL



Type: Fixed round down light
Body colour: White
Height: 40 mm
Cut size: 75 mm
Material: Plastic
Max.: 8W
Max. beam angle: 60°
For use with LED bulb only

Lamps Not Included — 1xGU10

928350/WH



Type: Flexible adjustable recessed downlight
Body colour: White
Material: Aluminium
Cut size: 95mm
Max.: 10W

Lamps Not Included — 1xGU10

928350/BL



Type: Flexible adjustable recessed downlight
Body colour: Black
Material: Aluminium
Cut size: 95mm
Max.: 10W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



GU10

page 1045

ELMARK
The Brand of Electricity



9250R/W



9250R/BL



9250R/SN



9250R/BZ



9250R/RG

FIXED RECESSED DOWN LIGHTS

Lamps Not Included



9250R/W

Type: Fixed round downlight
Body colour: White
Material: Powder coated steel
Height: 28 mm
Cut size: 55 mm
Max.: 8W



ø80 mm

9250R/BL

Type: Fixed round downlight
Body colour: Black
Material: Powder coated steel
Height: 28 mm
Cut size: 55 mm
Max.: 8W



ø80 mm

9250R/SN

Type: Fixed round downlight
Body colour: Satin Nickel
Material: Powder coated steel
Height: 28 mm
Cut size: 55 mm
Max.: 8W



ø80 mm

Lamps Not Included



9250R/BZ

Type: Fixed round downlight
Body colour: Bronze
Material: Powder coated steel
Height: 28 mm
Cut size: 55 mm
Max.: 8W



ø80 mm

9250R/RG

Type: Fixed round downlight
Body colour: Rose Gold
Material: Powder coated steel
Height: 28 mm
Cut size: 55 mm
Max.: 8W



ø80 mm

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
12V
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



GU10

page 1045

ELMARK
The Brand of Electricity



9251R/W



9251R/BL



9251R/SN



9251R/BZ



9251R/RG

MOVABLE RECESSED DOWN LIGHTS

Lamps Not Included

1xGU10

MOVABLE

IP20

12V

~230V

RoHs COMPLIANT

CE

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

9251R/W

Type: Movable round downlight
Body colour: White
Material: Powder coated steel
Height: 28 mm
Cut size: 67 mm
Max.: 8W



ø90 mm

9251R/BL

Type: Movable round downlight
Body colour: Black
Material: Powder coated steel
Height: 28 mm
Cut size: 67 mm
Max.: 8W



ø90 mm

9251R/SN

Type: Movable round downlight
Body colour: Satin Nickel
Material: Powder coated steel
Height: 28 mm
Cut size: 67 mm
Max.: 8W



ø90 mm

Lamps Not Included

1xGU10

MOVABLE

9251R/BZ

Type: Movable round downlight
Body colour: Bronze
Material: Powder coated steel
Height: 28 mm
Cut size: 67 mm
Max.: 8W



ø90 mm

9251R/RG

Type: Movable round downlight
Body colour: Rose Gold
Material: Powder coated steel
Height: 28 mm
Cut size: 67 mm
Max.: 8W



ø90 mm

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity


9251S/W


9251S/BL


9251S/SN


9251S/BZ


9251S/RG

MOVABLE RECESSED DOWN LIGHTS

Lamps Not Included
1xGU10
MOVABLE

9251S/W
Type: Movable square downlight
Body colour: White
Material: Powder coated steel
Height: 28 mm
Cut size: 67 mm
Max.: 8W


90x90 mm

9251S/BL
Type: Movable square downlight
Body colour: Black
Material: Powder coated steel
Height: 28 mm
Cut size: 67 mm
Max.: 8W


90x90 mm

9251S/SN
Type: Movable square downlight
Body colour: Satin Nickel
Material: Powder coated steel
Height: 28 mm
Cut size: 67 mm
Max.: 8W


90x90 mm

Lamps Not Included
1xGU10
MOVABLE

9251S/BZ
Type: Movable square downlight
Body colour: Bronze
Material: Powder coated steel
Height: 28 mm
Cut size: 67 mm
Max.: 8W


90x90 mm

9251S/RG
Type: Movable square downlight
Body colour: Rose Gold
Material: Powder coated steel
Height: 28 mm
Cut size: 67 mm
Max.: 8W


90x90 mm

3 YEARS TOTAL WARRANTY
3 standard
0 extended

IP20
12V
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



GU5.3

page 1047



GU10

page 1045

ELMARK
The Brand of Electricity



9271/SN-CH



9271/PCH-CH



9271/GR-CH



MOVABLE

9291/SN-CH



MOVABLE

9291/PCH-CH



MOVABLE

9291/GR-CH

FIXED RECESSED DOWN LIGHTS & MOVABLE RECESSED DOWN LIGHTS

Lamps Not Included

1xGU10

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP20
12V
~230V
RoHs COMPLIANT
CE

9271/SN-CH

Type: Fixed down light
Body colour: Satin nickel & Chrome
Material: Die-cast zinc
Height: 25 mm
Cut size: 58 mm
Max.: 50W



ø78 mm

9271/PCH-CH

Type: Fixed down light
Body colour: Pearl chrome & Chrome
Material: Die-cast zinc
Height: 25 mm
Cut size: 58 mm
Max.: 50W



ø78 mm

9271/GR-CH

Type: Fixed down light
Body colour: Graphite & Chrome
Material: Die-cast zinc
Height: 25 mm
Cut size: 58 mm
Max.: 50W



ø78 mm

Lamps Not Included

1xGU5.3

MOVABLE

9291/SN-CH

Type: Movable down light
Body colour: Satin nickel & Chrome
Material: Die-cast zinc
Height: 25 mm
Cut size: 72 mm
Max.: 50W



ø80 mm

9291/PCH-CH

Type: Movable down light
Body colour: Pearl chrome & Chrome
Material: Die-cast zinc
Height: 25 mm
Cut size: 72 mm
Max.: 50W



ø80 mm

9291/GR-CH

Type: Movable down light
Body colour: Graphite & Chrome
Material: Die-cast zinc
Height: 25 mm
Cut size: 72 mm
Max.: 50W



ø80 mm

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity


9270/W


9270/CH


9270/SN


9270/AB

FIXED RECESSED DOWN LIGHTS

Lamps Not Included 1xGU5.3

9270/W



Type: Fixed down light
Body colour: White
Material: Die-cast zinc
Height: 25 mm
Cut size: 58 mm
Max.: 50W

Lamps Not Included 1xGU5.3

9270/CH



Type: Fixed down light
Body colour: Chrome
Material: Die-cast zinc
Height: 25 mm
Cut size: 58 mm
Max.: 50W

Lamps Not Included 1xGU5.3

9270/SN



Type: Fixed down light
Body colour: Satin nickel
Material: Die-cast zinc
Height: 25 mm
Cut size: 58 mm
Max.: 50W

Lamps Not Included 1xGU5.3

9270/AB



Type: Fixed down light
Body colour: Antique brass
Material: Die-cast zinc
Height: 25 mm
Cut size: 58 mm
Max.: 50W

2 YEARS TOTAL WARRANTY
+ 2 standard 0 extended

IP20
12V
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



GU5.3

page 1047



GU10

page 1045

ELMARK
The Brand of Electricity



9290/W

MOVABLE



9290/CH

MOVABLE



9290/SN

MOVABLE



9290/AB

MOVABLE

MOVABLE RECESSED DOWN LIGHTS

Lamps Not Included 1xGU5.3

9290/W



Type: Movable down light
Body colour: White
Material: Die-cast zinc
Height: 25 mm
Cut size: 70 mm
Max.: 50W

Lamps Not Included 1xGU5.3

9290/CH



Type: Movable down light
Body colour: Chrome
Material: Die-cast zinc
Height: 25 mm
Cut size: 70 mm
Max.: 50W

Lamps Not Included 1xGU5.3

9290/SN



Type: Movable down light
Body colour: Satin nickel
Material: Die-cast zinc
Height: 25 mm
Cut size: 70 mm
Max.: 50W

Lamps Not Included 1xGU5.3

9290/AB



Type: Movable down light
Body colour: Antique brass
Material: Die-cast zinc
Height: 25 mm
Cut size: 70 mm
Max.: 50W

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP20
12V
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



GU10

page 1045

ELMARK
The Brand of Electricity



MOVABLE 92EL259SQ



MOVABLE 92EL259RD

MOVABLE RECESSED SPOTLIGHTS

Lamps Not Included 1xGU10



92EL259SQ

Type: Movable Recessed square spotlight
Lamp holder: GU10
Body colour: Sandy white
Material: Aluminum
Mounting: Recessed
Cut size: 90x90mm
Height: 52 mm
Max. beam angle: 60°

Lamps Not Included 1xGU10



92EL259RD

Type: Movable recessed round spotlight
Lamp holder: GU10
Body colour: Sandy white
Material: Aluminum
Mounting: Recessed
Cut size: 90mm
Height: 52 mm
Max. beam angle: 60°

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



GU10

page 1045

ELMARK
The Brand of Electricity



MOVABLE 92EL110SQ1/WHBK



MOVABLE 92EL110SQ2/WHBK



MOVABLE 92EL110SQ3/WHBK

MOVABLE RECESSED SPOTLIGHTS

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS COMPLIANT
CE

Lamps Not Included 1xGU10

92EL110SQ1/WHBK



Type: Movable recessed square spotlight
Body colour: White & Black
Material: Aluminum
Max.: 8W
Mounting: Recessed
Cut size: 90x90 mm
Height: 40 mm

Lamps Not Included 2xGU10

92EL110SQ2/WHBK



Type: Movable recessed square spotlight
Body colour: White & Black
Material: Aluminum
Max.: 8W
Mounting: Recessed
Cut size: 170x92 mm
Height: 40 mm

Lamps Not Included 3xGU10

92EL110SQ3/WHBK



Type: Movable recessed square spotlight
Body colour: White & Black
Material: Aluminum
Max.: 8W
Mounting: Recessed
Cut size: 250x92 mm
Height: 40 mm

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



GU10

page 1045

ELMARK
The Brand of Electricity



92EL305/WHBK



92EL305/BK



92EL305/WH

RECESSED ANTI-GLARE DOWN LIGHTS WITH HONEY COMB

Lamps Not Included 1xGU10

92EL305/WHBK



Type: Recessed round anti-glare down light
Body colour: White & Black
Material: Aluminum
Cut size: 75 mm
Mounting: Recessed
Height: 66 mm
Max. beam angle: 60°

Lamps Not Included 1xGU10

92EL305/BK



Type: Recessed round anti-glare down light
Body colour: Black
Material: Aluminum
Cut size: 75 mm
Mounting: Recessed
Height: 66 mm
Max. beam angle: 60°

Lamps Not Included 1xGU10

92EL305/WH



Type: Recessed round anti-glare down light
Body colour: White
Material: Aluminum
Cut size: 75 mm
Mounting: Recessed
Height: 66 mm
Max. beam angle: 60°



Haney Comb

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



92SPL8305CCT/WH

MOVABLE



92SPL8305CCT/BL

MOVABLE



92SPL8305CCT/SL

MOVABLE

MOVABLE RECESSED SPOTLIGHTS

LED | 38° | A F G

warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K

SETTABLE

92SPL8305CCT/WH



Type: Recessed LED adjustable spotlight
Power: 5W
Lumens: 450lm
Efficiency: 90lm/W
Body colour: Shinny white
Material: Aluminum + PC
Mounting: Recessed
Cut size: 68-70 mm
Height: 25 mm
Functional: CCT settable via DIP switch

92SPL8305CCT/BL



Type: Recessed LED adjustable spotlight
Power: 5W
Lumens: 450lm
Efficiency: 90lm/W
Body colour: Matt black
Material: Aluminum + PC
Mounting: Recessed
Cut size: 68-70 mm
Height: 25 mm
Functional: CCT settable via DIP switch

92SPL8305CCT/SL



Type: Recessed LED adjustable spotlight
Power: 5W
Lumens: 450lm
Efficiency: 90lm/W
Body colour: Metallic silver
Material: Aluminum + PC
Mounting: Recessed
Cut size: 68-70 mm
Height: 25 mm
Functional: CCT settable via DIP switch

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
170-260 VAC
50-60HZ
Ra>80
EMC
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



92DL81F1530/WH
92DL81F1540/WH

MOVABLE



92DL81F3030/WH
92DL81F3040/WH

MOVABLE

MOVABLE RECESSED SPOTLIGHTS

LED | 24° | G

warm WHITE 3000K
neutral WHITE 4000K

92DL81F1530/WH
92DL81F1540/WH

Type: Square down light movable
Power: 15W
Lumens: 1050lm
Efficiency: 70lm/W
Body colour: White
Cut size: 120x120mm
Height: 98 mm
Material: Aluminum



LED | 24° | G

warm WHITE 3000K
neutral WHITE 4000K

92DL82F3030/WH
92DL82F3040/WH

Type: Square down light movable*
Power: 30W
Lumens: 2100lm
Efficiency: 70lm/W
Body colour: White
Cut size: 160x160lm
Height: 138 mm
Material: Aluminum



LED | 24° | G

warm WHITE 3000K
neutral WHITE 4000K

92DL81F3030/WH
92DL81F3040/WH

Type: Square down light movable*
Power: 2x15W
Lumens: 2100lm
Efficiency: 70lm/W
Body colour: White
Height: 98mm
Cut size: 230x120mm
Material: Aluminum



LED | 24° | G

warm WHITE 3000K
neutral WHITE 4000K

92DL82F6030/WH
92DL82F6040/WH

Type: Square down light movable*
Power: 2x30W
Lumens: 4200lm
Efficiency: 70lm/W
Body colour: White
Height: 138mm
Cut size: 310x160mm
Material: Aluminum



3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
~230V
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

*Options with emergency kit



page 774

ELMARK
The Brand of Electricity



92DL81F1530/BL
92DL81F1540/BL

MOVABLE



92DL81F3030/BL
92DL81F3040/BL

MOVABLE

MOVABLE RECESSED SPOTLIGHTS

LED | 24° | G

warm WHITE 3000K
neutral WHITE 4000K

92DL81F1530/BL
92DL81F1540/BL



Type: Square down light movable
Power: 15W
Lumens: 1050lm
Efficiency: 70lm/W
Body colour: Black
Cut size: 120x120mm
Height: 98 mm
Material: Aluminum

LED | 24° | G

warm WHITE 3000K
neutral WHITE 4000K

92DL82F3030/BL
92DL82F3040/BL



Type: Square down light movable*
Power: 30W
Lumens: 2100lm
Efficiency: 70lm/W
Body colour: Black
Cut size: 160x160lm
Height: 138 mm
Material: Aluminum

LED | 24° | G

warm WHITE 3000K
neutral WHITE 4000K

92DL81F3030/BL
92DL81F3040/BL



Type: Square down light movable*
Power: 2x15W
Lumens: 2100lm
Efficiency: 70lm/W
Body colour: Black
Height: 98mm
Cut size: 230x120mm
Material: Aluminum

LED | 24° | G

warm WHITE 3000K
neutral WHITE 4000K

92DL82F6030/BL
92DL82F6040/BL



Type: Square down light movable*
Power: 2x30W
Lumens: 4200lm
Efficiency: 70lm/W
Body colour: Black
Height: 138mm
Cut size: 310x160mm
Material: Aluminum

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
~230V
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



92DL81F4530/WH
92DL81F4540/WH

MOVABLE



MOVABLE

92DL82F9030/BL
92DL82F9040/BL

MOVABLE RECESSED SPOTLIGHTS

LED | 24° | G

warm WHITE 3000K
neutral WHITE 4000K

92DL81F4530/WH
92DL81F4540/WH

Type: Square down light movable*
Power: 3x15W
Lumens: 3150lm
Efficiency: 70lm/W
Body colour: White
Height: 98mm
Cut size: 345x120mm
Material: Aluminum



LED | 24° | G

warm WHITE 3000K
neutral WHITE 4000K

92DL82F9030/WH
92DL82F9040/WH

Type: Square down light movable
Power: 3x30W
Lumens: 6300lm
Efficiency: 70lm/W
Body colour: White
Height: 138mm
Cut size: 460x160mm
Material: Aluminum



LED | 24° | G

warm WHITE 3000K
neutral WHITE 4000K

92DL81F4530/BL
92DL81F4540/BL

Type: Square down light movable*
Power: 3x15W
Lumens: 3150lm
Efficiency: 70lm/W
Body colour: Black
Height: 98mm
Cut size: 345x120mm
Material: Aluminum



LED | 24° | G

warm WHITE 3000K
neutral WHITE 4000K

92DL82F9030/BL
92DL82F9040/BL

Type: Square down light movable
Power: 3x30W
Lumens: 6300lm
Efficiency: 70lm/W
Body colour: Black
Height: 138mm
Cut size: 460x160mm
Material: Aluminum



3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
~230V
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



GU5.3

page 1045

ELMARK
The Brand of Electricity



92627/W



92627/SN



92627/CH



92627/AB

RECESSED DOWN LIGHTS, IP44

Lamps Not Included | 1xGU5.3

92627/W



Type: Bathroom downlight
Body colour: White
Material: Steel + Glass
Cut size: 60mm
Max.: 50W

Lamps Not Included | 1xGU5.3

92627/SN



Type: Bathroom downlight
Body colour: Satin nickel
Material: Steel + Glass
Cut size: 60mm
Max.: 50W

Lamps Not Included | 1xGU5.3

92627/CH



Type: Bathroom downlight
Body colour: Chrome
Material: Steel + Glass
Cut size: 60mm
Max.: 50W

Lamps Not Included | 1xGU5.3

92627/AB



Type: Bathroom downlight
Body colour: Antique brass
Material: Steel + Glass
Cut size: 60mm
Max.: 50W

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP44
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



92DL83TS0530/WH
92DL83TS0540/WH

MOVABLE



92DL83TS1230/WH
92DL83TS1240/WH

MOVABLE



926983/WH

WATERPROOF BATHROOM DOWN LIGHTS, IP65, IP44

LED | 24° | G | warm WHITE 3000K | neutral WHITE 4000K | IP65

92DL83TS0530/WH
92DL83TS0540/WH



Type: Round spotlight
Power: 5W
Lumens: 350lm
Efficiency: 70lm/W
Body colour: White
Cut size: 62mm
Height: 80 mm
Material: Aluminum

LED | 24° | G | warm WHITE 3000K | neutral WHITE 4000K | IP65

92DL83TS1230/WH
92DL83TS1240/WH



Type: Round spotlight
Power: 12W
Lumens: 840lm
Efficiency: 70lm/W
Body colour: White
Cut size: 62mm
Height: 93 mm
Material: Aluminum

Lamps Not Included | 1xGU10 | IP44

926983/WH



Type: Bathroom downlight
Body colour: White
Material: Aluminium
Cut size: 68mm
Max.: 10W

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP65
IP44
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

i Scan each QR code to see the price and availability of the product.

*Options with emergency kit page 774

*Compatible with DALI & 0-10V Dimmable Drivers page 1163

ELMARK
The Brand of Electricity



UGR <19
MOVABLE

92EL64531230/WH
92EL64531240/WH



UGR <19
MOVABLE

92EL64532030/WH
92EL64532034/WH

MOVABLE RECESSED SPOT LIGHTS WITH HONEY COMB, IP44

LED | 38° | G

warm WHITE 3000K — **92EL64531230/WH**

neutral WHITE 4000K — **92EL64531240/WH**



Type: Recessed LED adjustable spotlight*
Power: 12W
Lumens: 900lm
Efficiency: 75lm/W
Body colour: White & Grey
Material: Aluminum + PC
Mounting: Recessed
Cut size: 75 mm
Height: 96 mm



Haney Comb

**Dimmable with:*

DALI driver	*0-10V driver*
cat.No:	*cat.No:*
99DALI1240042	*99SETDC12D010*

LED | 38° | G

warm WHITE 3000K — **92EL64532030/WH**

neutral WHITE 4000K — **92EL64532040/WH**



Type: Recessed LED adjustable downlight*
Power: 20W
Lumens: 1500lm
Efficiency: 75lm/W
Body colour: White & Black
Material: Aluminum
Mounting: Recessed
Cut size: 100 mm
Height: 110 mm



Haney Comb

**Dimmable with:*

DALI driver	*0-10V driver*
cat.No:	*cat.No:*
99DALI1240042	*99SETDC12D010*

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP44
~230V
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



92DL84TS0330/WH
92DL84TS0340/WH



92DL84TS0530/WH
92DL84TS0540/WH



Haney Comb



92DL84TS0830/WH
92DL84TS0840/WH



92DL84TS1230/WH
92DL84TS1240/WH

RECESSED DOWN LIGHTS WITH HONEY COMB, IP44

LED | 24° | G | warm WHITE 3000K | neutral WHITE 4000K

92DL84TS0330/WH
92DL84TS0340/WH



Type: Round down light
Power: 3W
Lumens: 210mm
Efficiency: 70lm/W
Body colour: White
Cut size: 40mm
Material: Aluminum
Height: 37.5 mm

LED | 24° | G | warm WHITE 3000K | neutral WHITE 4000K

92DL84TS0530/WH
92DL84TS0540/WH



Type: Round down light
Power: 5W
Lumens: 350lm
Efficiency: 70lm/W
Body colour: White
Cut size: 55mm
Material: Aluminum
Height: 51

LED | 24° | G | warm WHITE 3000K | neutral WHITE 4000K

92DL84TS0830/WH
92DL84TS0840/WH



Type: Round down light
Power: 8W
Lumens: 560lm
Efficiency: 70lm/W
Body colour: White
Cut size: 65mm
Material: Aluminum
Height: 66.5

LED | 24° | G | warm WHITE 3000K | neutral WHITE 4000K

92DL84TS1230/WH
92DL84TS1240/WH



Type: Round down light
Power: 12W
Lumens: 840lm
Efficiency: 70lm/W
Body colour: White
Cut size: 75mm
Material: Aluminum
Height: 75.5 mm

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP44
~230V
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

*Options with emergency kit



page 774

ELMARK
The Brand of Electricity



92DLTS0830/WH
92DLTS0840/WH

MOVABLE



92DLTS2030/WH
92DLTS2040/WH

MOVABLE

MOVABLE RECESSED SPOT LIGHTS , IP44

LED | 24° | A G G

warm WHITE 3000K
neutral WHITE 4000K

92DLTS0830/WH
92DLTS0840/WH



Type: Round spotlight movable
Power: 8W
Lumens: 560lm
Efficiency: 70lm/W
Body colour: White
Cut size: 75mm
Height: 50 mm
Material: Aluminum

LED | 24° | A G G

warm WHITE 3000K
neutral WHITE 4000K

92DLTS1230/WH
92DLTS1240/WH



Type: Round spotlight movable
Power: 12W
Lumens: 840lm
Efficiency: 70lm/W
Body colour: White
Cut size: 90mm
Height: 60 mm
Material: Aluminum

LED | 24° | A G G

warm WHITE 3000K
neutral WHITE 4000K

92DLTS2030/WH
92DLTS2040/WH



Type: Round spotlight movable*
Power: 20W
Lumens: 1400lm
Efficiency: 70lm/W
Body colour: White
Cut size: 120mm
Height: 70 mm
Material: Aluminum

LED | 24° | A G G

warm WHITE 3000K
neutral WHITE 4000K

92DLTS2430/WH
92DLTS2440/WH



Type: Round spotlight movable*
Power: 24W
Lumens: 1680lm
Efficiency: 70lm/W
Body colour: White
Cut size: 145mm
Height: 80 mm
Material: Aluminum

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP44
~230V
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

*Options with emergency kit



page 774

*Compatible with DALI & 0-10V Dimmable Drivers

page 1163

ELMARK
The Brand of Electricity



MOVABLE

92EL67054030/WH
92EL67054040/WH
92EL67054065/WH

RECESSED SPOT LIGHTS, IP44





LED | warm WHITE 3000K | 90° | F

92EL67054030/WH

Type: Recessed LED SMD spotlight*
Power: 40W
Lumens: 3600lm
Efficiency: 90lm/W
Body colour: White
Material: Aluminum
Cut size: 220x130mm
Height: 85 mm

LED | neutral WHITE 4000K | 90° | F

92EL67054040/WH

Type: Recessed LED SMD spotlight*
Power: 40W
Lumens: 3600lm
Efficiency: 90lm/W
Body colour: White
Material: Aluminum
Cut size: 220x130mm
Height: 85 mm

LED | cold WHITE 6500K | 90° | F

92EL67054065/WH

Type: Recessed LED SMD spotlight*
Power: 40W
Lumens: 3600lm
Efficiency: 90lm/W
Body colour: White
Material: Aluminum
Cut size: 220x130mm
Height: 85 mm

*Dimmable with:	DALI driver: 99DALI40105042	0-10V driver: 99SETDC40D010

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP44
~230V
20000h
Ra≥80
EMC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

i Scan each QR code to see the price and availability of the product.

*Compatible with DALI & 0-10V Dimmable Drivers

page 1163

ELMARK
The Brand of Electricity



MOVABLE

92M6210W366020
92M6215W366020
92M6210W606020
92M6215W606020

Dimmable with:

DALI driver	*0-10V driver*
99DALI1240042	*99SETDC12D010*

MOVABLE RECESSED SPOT LIGHTS, IP44

LIMITED STOCK

LED | neutral WHITE 4000K | 36° | E

92M6210W366020



Type: Deep round spotlight*
Power: 13W
Lumens: 1560lm
Efficiency: 120lm/W
Body colour: White
Cut size: Ø83 mm
Height: 68 mm
Material:
Aluminum + PC

LIMITED STOCK

LED | neutral WHITE 4000K | 36° | E | DIMMABLE

92M6215W366020



Type: Deep round spotlight*
Power: 18W
Lumens: 2160lm
Efficiency: 120lm/W
Body colour: White
Cut size: Ø83 mm
Height: 68 mm
Material:
Aluminum + PC

LIMITED STOCK

LED | neutral WHITE 4000K | 60° | E

92M6210W606020



Type: Deep round spotlight*
Power: 13W
Lumens: 1430lm
Efficiency: 110lm/W
Body colour: White
Cut size: Ø83 mm
Height: 68 mm
Material:
Aluminum + PC

LIMITED STOCK

LED | neutral WHITE 4000K | 60° | E | DIMMABLE

92M6215W606020



Type: Deep round spotlight*
Power: 18W
Lumens: 2000lm
Efficiency: 111lm/W
Body colour: White
Cut size: Ø83 mm
Height: 68 mm
Material:
Aluminum + PC

5 YEARS TOTAL WARRANTY
+ 4 standard 1 extended

IP44
~230V
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



MOVABLE

92M6210W366215
92M6215W366215
92M6210W606215
92M6215W606215

Dimmable with:	
DALI driver	*0-10V driver*
99DALI1240042	*99SETDC12D010*

MOVABLE RECESSED SPOT LIGHTS, IP44

LIMITED STOCK

LED | neutral WHITE 4000K | 36° | E

92M6210W366215



Type: Deep square spotlight*
Power: 13W
Lumens: 1560lm
Efficiency: 120lm/W
Body colour: White
Cut size: 80x83 mm
Height: 68 mm
Material:
Aluminum + PC

LIMITED STOCK

LED | neutral WHITE 4000K | 36° | E | DIMMABLE

92M6215W366215



Type: Deep square spotlight*
Power: 18W
Lumens: 2160lm
Efficiency: 120lm/W
Body colour: White
Cut size: 80x83 mm
Height: 68 mm
Material:
Aluminum + PC

LIMITED STOCK

LED | neutral WHITE 4000K | 60° | E

92M6210W606215



Type: Deep square spotlight*
Power: 13W
Lumens: 1430lm
Efficiency: 110lm/W
Body colour: White
Cut size: 80x83 mm
Height: 68 mm
Material:
Aluminum + PC

LIMITED STOCK

LED | neutral WHITE 4000K | 60° | E | DIMMABLE

92M6215W606215



Type: Deep square spotlight*
Power: 18W
Lumens: 2000lm
Efficiency: 111lm/W
Body colour: White
Cut size: 80x83 mm
Height: 68 mm
Material:
Aluminum + PC

5 YEARS TOTAL WARRANTY
+ 4 standard 1 extended

IP44
~230V
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

*Compatible with DALI & 0-10V Dimmable Drivers

page 1163

ELMARK
The Brand of Electricity



MOVABLE

92M6210W366154
92M6215W366154
92M6210W606154
92M6215W606154

Dimmable with:

DALI driver	*0-10V driver*
99DALI2050042	*99SETDC21D010*

MOVABLE RECESSED SPOTLIGHTS, IP44

LIMITED STOCK

LED | neutral WHITE 4000K | 36° | E

92M6210W366154



Type: Deep round spotlight*
Power: 13W
Lumens: 1560lm
Efficiency: 120lm/W
Body colour: White
Cut size: Ø83 mm
Height: 53 mm
Material: Aluminum + PC

LIMITED STOCK

LED | neutral WHITE 4000K | 36° | E | DIMMABLE

92M6215W366154



Type: Deep round spotlight*
Power: 18W
Lumens: 2160lm
Efficiency: 120lm/W
Body colour: White
Cut size: Ø83 mm
Height: 53 mm
Material: Aluminum + PC

LIMITED STOCK

LED | neutral WHITE 4000K | 60° | E

92M6210W606154



Type: Deep round spotlight*
Power: 13W
Lumens: 1430lm
Efficiency: 110lm/W
Body colour: White
Cut size: Ø83 mm
Height: 53 mm
Material: Aluminum + PC

LIMITED STOCK

LED | neutral WHITE 4000K | 60° | E | DIMMABLE

92M6215W606154



Type: Deep round spotlight*
Power: 18W
Lumens: 2000lm
Efficiency: 111lm/W
Body colour: White
Cut size: Ø83 mm
Height: 53 mm
Material: Aluminum + PC1

5 YEARS TOTAL WARRANTY
4 standard + 1 extended

IP44
~230V
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

*Compatible with DALI & 0-10V Dimmable Drivers

page 1163

ELMARK
The Brand of Electricity



92M6210W366255
92M6215W366255
92M6210W606255
92M6215W606255

*Dimmable with:

DALI driver	0-10V driver
99DALI2050042	99SETDC21D010

RECESSED SPOTLIGHTS, IP44

LIMITED STOCK

LED | neutral WHITE 4000K | 36° | E

92M6210W366255



Type: Deep square spotlight*
Power: 13W
Lumens: 1560lm
Efficiency: 120lm/W
Body colour: White
Cut size: Ø83 mm
Height: 54 mm
Material: Aluminum + PC

LIMITED STOCK

LED | neutral WHITE 4000K | 36° | E | DIMMABLE

92M6215W366255



Type: Deep round spotlight*
Power: 18W
Lumens: 2160lm
Efficiency: 120lm/W
Body colour: White
Cut size: Ø83 mm
Height: 54 mm
Material: Aluminum + PC

LIMITED STOCK

LED | neutral WHITE 4000K | 60° | E

92M6210W606255



Type: Deep square spotlight*
Power: 13W
Lumens: 1430lm
Efficiency: 110lm/W
Body colour: White
Cut size: Ø83 mm
Height: 54 mm
Material: Aluminum + PC

LIMITED STOCK

LED | neutral WHITE 4000K | 60° | E | DIMMABLE

92M6215W606255



Type: Deep square spotlight*
Power: 18W
Lumens: 2000lm
Efficiency: 111lm/W
Body colour: White
Cut size: Ø83 mm
Height: 54 mm
Material: Aluminum + PC

5 YEARS TOTAL WARRANTY
+ 4 standard 1 extended

IP44
~230V
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



92MODDR0530/WH



92MODDR0530/BL



92MODDR0530/BR



92MODSS0530/WH



92MODSS0530/BL



92MODSS0530/BR

FREE COMBINATION LED MODULES, MODENA SERIES

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20

220-240V

CE



LED | warm WHITE 3000K | 24° | F

92MODDR0530/WH

Type: LED Grill COB module
Power: 5W
Lumens: 300lm
Efficiency: 60lm/W
LED chip: COB
Body Colour: White
Material: Aluminum + PC
Mounting: Recessed

LED | warm WHITE 3000K | 24° | F

92MODDR0530/BL

Type: LED Grill COB module
Power: 5W
Lumens: 300lm
Efficiency: 60lm/W
LED chip: COB
Body Colour: Black
Material: Aluminum + PC
Mounting: Recessed

LED | warm WHITE 3000K | 24° | F

92MODDR0530/BR

Type: LED Grill COB module
Power: 5W
Lumens: 300lm
Efficiency: 60lm/W
LED chip: COB
Body Colour: Brass
Material: Aluminum + PC
Mounting: Recessed



LED | warm WHITE 3000K | 24° | F

92MODSS0530/WH

Type: LED Grill COB module
Power: 5W
Lumens: 270lm
Efficiency: 54m/W
LED chip: COB
Body Colour: White
Material: Aluminum + PC
Mounting: Recessed

LED | warm WHITE 3000K | 24° | F

92MODSS0530/BL

Type: LED Grill COB module
Power: 5W
Lumens: 270lm
Efficiency: 54m/W
LED chip: COB
Body Colour: Black
Material: Aluminum + PC
Mounting: Recessed

LED | warm WHITE 3000K | 24° | F

92MODSS0530/BR

Type: LED Grill COB module
Power: 5W
Lumens: 270lm
Efficiency: 54m/W
LED chip: COB
Body Colour: Brass
Material: Aluminum + PC
Mounting: Recessed

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



92MODLS0530/WH



92MODLS0530/BL



92MODLS0530/BR



92MOD1GR/WH



92MOD1GR/BL



92MOD1GR/BR

FREE COMBINATION LED MODULES AND CONSOLE BOXES, MODENA SERIES





LED | warm WHITE 3000K | 24° | F

92MODLS0530/WH

Type: LED Grill COB module
Power: 5W
Lumens: 310lm
Efficiency: 62lm/W
LED chip: COB
Body Colour: White
Material: Aluminum + PC
Mounting: Recessed

LED | warm WHITE 3000K | 24° | F

92MODLS0530/BL

Type: LED Grill COB module
Power: 5W
Lumens: 310lm
Efficiency: 62lm/W
LED chip: COB
Body Colour: Black
Material: Aluminum + PC
Mounting: Recessed

LED | warm WHITE 3000K | 24° | F

92MODLS0530/BR

Type: LED Grill COB module
Power: 5W
Lumens: 310lm
Efficiency: 62lm/W
LED chip: COB
Body Colour: Brass
Material: Aluminum + PC
Mounting: Recessed





92MOD1GR/WH

Type: Console for 1 Grill COB Module
Colour: White
Material: PC
Mounting: Recessed
Height: 55,5mm
Cut size: 55x55mm

92MOD1GR/BL

Type: Console for 1 Grill COB Module
Colour: Black
Material: PC
Mounting: Recessed
Height: 55,5mm
Cut size: 55x55mm

92MOD1GR/BR

Type: Console for 1 Grill COB Module
Colour: Brass
Material: PC
Mounting: Recessed
Height: 55,5mm
Cut size: 55x55mm

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
220-240V
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



92MOD2GR/WH



92MOD2GR/BL



92MOD2GR/BR



92MOD3GR/WH



92MOD3GR/BL



92MOD3GR/BR

FREE COMBINATION CONSOLE BOXES, MODENA SERIES

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20

CE



92MOD2GR/WH

Type: Console for 2 Grill
COB Module
Colour: White
Material: PC
Mounting: Recessed
Height: 55,5mm
Cut size: 100x55mm

92MOD2GR/BL

Type: Console for 2 Grill
COB Module
Colour: Black
Material: PC
Mounting: Recessed
Height: 55,5mm
Cut size: 100x55mm

92MOD2GR/BR

Type: Console for 2 Grill
COB Module
Colour: Brass
Material: PC
Mounting: Recessed
Height: 55,5mm
Cut size: 100x55mm



92MOD3GR/WH

Type: Console for 3 Grill
COB Module
Colour: White
Material: PC
Mounting: Recessed
Height: 55,5mm
Cut size: 144x55mm

92MOD3GR/BL

Type: Console for 3 Grill
COB Module
Colour: Black
Material: PC
Mounting: Recessed
Height: 55,5mm
Cut size: 144x55mm

92MOD3GR/BR

Type: Console for 3 Grill
COB Module
Colour: Brass
Material: PC
Mounting: Recessed
Height: 55,5mm
Cut size: 144x55mm

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



92MOD4GR/WH



92MOD4GR/BL



92MOD4GR/BR



92MOD2RR



92MOD3RR



92MOD4RR

FREE COMBINATION DECORATIVE FRAMES AND CONSOLE BOXES, MODENA SERIES

92MOD4GR/WH

Type: Console for 4 Grill COB Module
Colour: White
Material: PC
Mounting: Recessed
Height: 55,5mm
Cut size: 189x55mm



92MOD4GR/BL

Type: Console for 4 Grill COB Module
Colour: Black
Material: PC
Mounting: Recessed
Height: 55,5mm
Cut size: 189x55mm

92MOD4GR/BR

Type: Console for 4 Grill COB Module
Colour: Brass
Material: PC
Mounting: Recessed
Height: 55,5mm
Cut size: 189x55mm

92MOD2RR

Type: Rimless console for 2 Grill COB Module
Colour: White
Material: PC
Mounting: Recessed
Height: 55,5mm
Cut size: 100x55mm



92MOD3RR

Type: Rimless console for 3 Grill COB Module
Colour: White
Material: PC
Mounting: Recessed
Height: 55,5mm
Cut size: 153x63mm



92MOD4RR

Type: Rimless console for 4 Grill COB Module
Colour: White
Material: PC
Mounting: Recessed
Height: 55,5mm
Cut size: 198x63mm



5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP20

CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

*Options with emergency kit



page 774

ELMARK
The Brand of Electricity



92EL62271230/WH
92EL62271240/WH



92EL62272430/WH
92EL62272440/WH



92EL62271830/WH
92EL62271840/WH



93EL62283040/WH

RECESSED DEEP ROUND DOWNLIGHTS, IP20 & RECESSED DOWN LIGHTS, IP44

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
EPISTAR SMD
2000
Ra>90
EMC

Scan QR code for 3D models, IES files & price.

LED | 80° | Ra>90 | F

warm WHITE 3000K
neutral WHITE 4000K

92EL62271230/WH
92EL62271240/WH



Type: Deep round down light
Power: 12W
Lumens: 1200lm
Efficiency: 100lm/W
Body Colour: White
Material:
Aluminum die casting + PC
Cut size: 110mm
Height: 50 mm

LED | 80° | Ra>90 | F

warm WHITE 3000K
neutral WHITE 4000K

92EL62271830/WH
92EL62271840/WH



Type: Deep round down light
Power: 18W
Lumens: 1800lm
Efficiency: 100lm/W
Body Colour: White
Material:
Aluminum die casting + PC
Cut size: 145mm
Height: 54 mm

LED | 80° | Ra>90 | F

warm WHITE 3000K
neutral WHITE 4000K

92EL62272430/WH
92EL62272440/WH



Type: Deep round down light
Power: 24W
Lumens: 2400lm
Efficiency: 100lm/W
Body Colour: White
Material:
Aluminum die casting + PC
Cut size: 165mm
Height: 54 mm

LIMITED STOCK

LED | neutral WHITE 4000K | 75° | F

IP44

93EL62283040/WH



Type: Recessed LED down light*
Power: 30W
Lumens: 3000lm
Efficiency: 100lm/W
Body Colour: White
Material: Aluminum
Cut size: 170mm
Height: 110 mm

*Dimmable with: | DALI driver: 99DALI40105042 | 0-10V driver: 9SETDC40D010

Scan each QR code to see the price and availability of the product.

*Options with emergency kit



page 774

ELMARK
The Brand of Electricity



92EL62261230/WH
92EL62261240/WH



92EL62261830/WH
92EL62261840/WH



92EL62262430/WH
92EL62262440/WH

RECESSED DEEP SQUARE DOWNLIGHTS, IP20

LED | 80° | Ra>90 | F | warm WHITE 3000K | neutral WHITE 4000K

92EL62261230/WH
92EL62261240/WH



Type: Deep square down light
Power: 12W
Lumens: 1200lm
Efficiency: 100lm/W
Body Colour: White
Material: Aluminum die casting + PC
Cut size: 100x100mm
Height: 50 mm

LED | 80° | Ra>90 | F | warm WHITE 3000K | neutral WHITE 4000K

92EL62261840/WH
92EL62261830/WH



Type: Deep square down light
Power: 18W
Lumens: 1800lm
Efficiency: 100lm/W
Body Colour: White
Material: Aluminum die casting + PC
Cut size: 145x145mm
Height: 54 mm

LED | 80° | Ra>90 | F | warm WHITE 3000K | neutral WHITE 4000K

92EL62262430/WH
92EL62262440/WH



Type: Deep square down light
Power: 24W
Lumens: 2400lm
Efficiency: 100lm/W
Body Colour: White
Material: Aluminum die casting + PC
Cut size: 165x165mm
Height: 54 mm

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
EPISTAR SMD
2000 lm
Ra>90
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

*Options with emergency kit page 774

*Compatible with DALI & 0-10V Dimmable Drivers page 1163

ELMARK
The Brand of Electricity



92EL62283030/WH
92EL62283040/WH
92EL62283065/WH



92EL62284230/WH
92EL62284240/WH
92EL62284265/WH

RECESSED DOWN LIGHTS WITH LED CHIP OSRAM, IP44

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP44
~230V
SMD 2835
>20000
Ra≥80
EMC



LED | warm WHITE 3000K | 75° | F

92EL62283030/WH

Type: Recessed LED down light*
Power: 30W
Lumens: 3000lm
Efficiency: 100lm/W
Body Colour: White
Material: Aluminum
Cut size: 170mm
Height: 110 mm

LED | neutral WHITE 4000K | 75° | F

92EL62283040/WH

Type: Recessed LED down light*
Power: 30W
Lumens: 3000lm
Efficiency: 100lm/W
Body Colour: White
Material: Aluminum
Cut size: 170mm
Height: 110 mm

LED | cold WHITE 6500K | 75° | F

92EL62283065/WH

Type: Recessed LED down light*
Power: 30W
Lumens: 3000lm
Efficiency: 100lm/W
Body Colour: White
Material: Aluminum
Cut size: 170mm
Height: 110 mm

*Dimmable with: | DALI driver: 99DALI40105042 | 0-10V driver: 99SETDC30D010



LED | warm WHITE 3000K | 70° | F

92EL62284230/WH

Type: Recessed LED down light*
Power: 42W
Lumens: 4200lm
Efficiency: 100lm/W
Body Colour: White
Material: Aluminum
Cut size: 205mm
Height: 121 mm

LED | neutral WHITE 4000K | 70° | F

92EL62284240/WH

Type: Recessed LED down light*
Power: 42W
Lumens: 4200lm
Efficiency: 100lm/W
Body Colour: White
Material: Aluminum
Cut size: 205mm
Height: 121 mm

LED | cold WHITE 6500K | 70° | F

92EL62284265/WH

Type: Recessed LED down light*
Power: 42W
Lumens: 4200lm
Efficiency: 100lm/W
Body Colour: White
Material: Aluminum
Cut size: 205mm
Height: 121 mm

*Dimmable with: | DALI driver: 99DALI40105042 | 0-10V driver: 99SETDC30D010

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



93TLBM1540/WH



93TLBM1540/BL

RECESSED FIXTURES

LED | neutral WHITE 4000K | 30° | G

93TLBM1540/WH



Type: Spotlight
Power: 15W
Lumens: 1350lm
Efficiency: 90lm/W
Body colour: White
Mounting: Recessed
Material: Aluminum

LED | neutral WHITE 4000K | 30° | G

93TLBM1540/BL



Type: Spotlight
Power: 15W
Lumens: 1350lm
Efficiency: 90lm/W
Body colour: Black
Mounting: Recessed
Material: Aluminum

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
Ra≥80
EMC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



92EL1480340/WH



92EL1460340/WH



92EL1460340/BL



92EL1480340/BL

RECESSED LED AMBIENT LIGHTS

LED | neutral WHITE 4000K | 120° | F

92EL1480340/WH



Type: Recessed LED ambient light
Power: 3W
Lumens: 7lm
Efficiency: 2.33lm/W
Body colour: White
Material: Aluminum
Mounting: Recessed
Cut size: 80x80 mm
Depth: 35 mm

LED | neutral WHITE 4000K | 120° | F

92EL1480340/BL



Type: Recessed LED ambient light
Power: 3W
Lumens: 6lm
Efficiency: 2lm/W
Body colour: White
Material: Aluminum
Mounting: Recessed
Cut size: 80x80 mm
Depth: 35 mm

LED | neutral WHITE 4000K | 120° | F

92EL1460340/WH



Type: Recessed LED ambient light
Power: 3W
Lumens: 33lm
Efficiency: 11lm/W
Body colour: White
Material: Aluminum
Mounting: Recessed
Cut size: 72x38 mm
Depth: 50 mm

LED | neutral WHITE 4000K | 120° | F

92EL1460340/BL



Type: Recessed LED ambient light
Power: 3W
Lumens: 16lm
Efficiency: 5.33lm/W
Body colour: Black
Material: Aluminum
Mounting: Recessed
Cut size: 72x38 mm
Depth: 50 mm

SENSOR: Type: PIR/Light | Detection distance: max. 2m | Ambient Light: < 10LUX | Time-Delay: 30s

Scan each QR code to see the price and availability of the product.

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
AC85-265V
Ra>80
CE

Scan QR code for 3D models, IES files & price.



92EL1470340/WH



92EL1470340/BL

RECESSED LED AMBIENT LIGHTS

LED | neutral WHITE 4000K | 120° | F

92EL1470340/WH



Type: Recessed LED ambient light
Power: 3W
Lumens: 30lm
Efficiency: 10lm/W
Body colour: White
Material: Aluminum
Mounting: Recessed
Cut size: 157x33 mm
Depth: 50 mm

LED | neutral WHITE 4000K | 120° | F

92EL1470340/BL



Type: Recessed LED ambient light
Power: 3W
Lumens: 8lm
Efficiency: 2.67m/W
Body colour: White
Material: Aluminum
Mounting: Recessed
Cut size: 157x33 mm
Depth: 50 mm

SENSOR: Type: PIR/Light | Detection distance: max. 2m | Ambient Light: < 10LUX | Time-Delay: 30s

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
AC85-265V
Ra>80
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

*Options with emergency kit page 774

*Compatible with DALI & 0-10V Dimmable Drivers page 1163

ELMARK
The Brand of Electricity



92EL05630/WHBK
92EL05640/WHBK



92EL051230/WHBK
92EL051240/WHBK



92EL052030/WHBK
92EL052040/WHBK

RECESSED LINEAR LIGHTS

LED | 38° | G

warm WHITE 3000K
neutral WHITE 4000K

92EL05630/WHBK
92EL05640/WHBK

Type: Recessed LED COB Linear Light
Power: 5W
Lumens: 400lm
Efficiency: 80lm/W
Body colour: White & Black
Material: Aluminum
Mounting: Recessed
Cut size: 138x35mm
Height: 35 mm



LED | 38° | G

warm WHITE 3000K
neutral WHITE 4000K

92EL051230/WHBK
92EL051240/WHBK

Type: Recessed LED COB Linear Light
Power: 10W
Lumens: 800lm
Efficiency: 80lm/W
Body colour: White & Black
Material: Aluminum
Mounting: Recessed
Cut size: 272x35mm
Height: 35 mm



LED | 38° | G

warm WHITE 3000K
neutral WHITE 4000K

92EL052030/WHBK
92EL052040/WHBK

Type: Recessed LED COB linear light*
Power: 15W
Lumens: 1200lm
Efficiency: 80lm/W
Body colour: White & Black
Material: Aluminum
Mounting: Recessed
Cut size: 406x35mm
Height: 35 mm



*Dimmable with: | DALI driver: 99DALI1240042 | 0-10V driver: 99SETDC12D010

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
20000h
Ra≥80
EMC
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



92EL141030/WHBK
92EL141040/WHBK



92EL142030/WHBK
92EL142040/WHBK

SURFACE LINEAR LIGHTS

LED | 38° | G

warm WHITE 3000K
neutral WHITE 4000K

92EL141030/WHBK
92EL141040/WHBK



Type: Surface LED COB linear light
Power: 10W
Lumens: 800lm
Efficiency: 80lm/W
Body colour: White & Black
Material: Aluminum
Mounting: Surface

LED | 38° | G

warm WHITE 3000K
neutral WHITE 4000K

92EL142030/WHBK
92EL142040/WHBK



Type: Recessed LED COB linear light
Power: 20W
Lumens: 1600lm
Efficiency: 80lm/W
Body colour: White & Black
Material: Aluminum
Mounting: Surface

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
20000h
Ra≥80
EMC
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



93TLOM1540/WH
93TLOM3040/WH



93TLOM1540/BL
93TLOM3040/BL

SURFACE FIXTURES

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
Ra≥80
EMC
RoHs COMPLIANT
CE

LED | neutral WHITE 4000K | 24° | G

93TLOM1540/WH



Type: Spotlight
Power: 15W
Lumens: 1350lm
Efficiency: 90lm/W
Body colour: White
Mounting: Surface
Material: Aluminum

LED | neutral WHITE 4000K | 24° | G

93TLOM1540/BL



Type: Spotlight
Power: 15W
Lumens: 1350lm
Efficiency: 90lm/W
Body colour: Black
Mounting: Surface
Material: Aluminum

LED | neutral WHITE 4000K | 24° | G

93TLOM3040/WH



Type: Spotlight
Power: 30W
Lumens: 2700lm
Efficiency: 90lm/W
Body colour: White
Mounting: Surface
Material: Aluminum

LED | neutral WHITE 4000K | 24° | G

93TLOM3040/BL



Type: Spotlight
Power: 30W
Lumens: 2700lm
Efficiency: 90lm/W
Body colour: Black
Mounting: Surface
Material: Aluminum

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



GU10

page 1045

ELMARK
The Brand of Electricity



925220/BL

MOVABLE



925220/WH

MOVABLE

SURFACE DOWN LIGHTS

Lamps Not Included 1xGU10

925220/BL



Type: Spotlight
Body colour: Black
Material: Aluminium
Max.: 10W

Lamps Not Included 1xGU10

925220/WH



Type: Spotlight
Body colour: White
Material: Aluminium
Max.: 10W

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



GU10

page 1045

ELMARK
The Brand of Electricity



92DL044S1/BL

MOVABLE



92DL044S1/BLWH

MOVABLE



92DL044S1/GDWH

MOVABLE



92DL044S1/GDBL

MOVABLE

SURFACE SPOT LIGHTS

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20

~230V

RoHS COMPLIANT

CE

Lamps Not Included 1xGU10

92DL044S1/BL



Type: Square down light
Body colour: Black
Material: Aluminum
Mounting: Surface
Max.: 8W

Lamps Not Included 1xGU10

92DL044S1/BLWH



Type: Square down light
Body colour: White & Black
Material: Aluminum
Mounting: Surface
Max.: 8W

Lamps Not Included 1xGU10

92DL044S1/GDBL



Type: Square down light
Body colour: Black & Gold
Material: Aluminum
Mounting: Surface
Max.: 8W

Lamps Not Included 1xGU10

92DL044S1/GDWH



Type: Square down light
Body colour: White & Gold
Material: Aluminum
Mounting: Surface
Max.: 8W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



GU10

page 1045

ELMARK
The Brand of Electricity



92DL044S2/BL

MOVABLE



92DL044S2/BLWH

MOVABLE



92DL044S2/GDBL

MOVABLE



92DL044S2/GDWH

MOVABLE

SURFACE DOWN LIGHTS

Lamps Not Included 2xGU10

92DL044S2/BL



Type: Down light
Body colour: Black
Material: Aluminum
Mounting: Surface
Max.: 2x8W

Lamps Not Included 2xGU10

92DL044S2/BLWH



Type: Down light
Body colour: White & Black
Material: Aluminum
Mounting: Surface
Max.: 2x8W

Lamps Not Included 2xGU10

92DL044S2/GDBL



Type: Down light
Body colour: Black & Gold
Material: Aluminum
Mounting: Surface
Max.: 2x8W

Lamps Not Included 2xGU10

92DL044S2/GDWH



Type: Down light
Body colour: White & Gold
Material: Aluminum
Mounting: Surface
Max.: 2x8W

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



GU10

page 1045

ELMARK
The Brand of Electricity



10022



10024



10026



10027



10025-E



10023

SURFACE SPOT LIGHTS

Lamps Not Included



10022

Type: Downlight
Model: TUNE
Body colour: Black
Material: Metal
Mounting: Surface
Max.: 1x10W



10024

Type: Downlight
Model: TUNE
Body colour: Black
Material: Metal
Mounting: Surface
Max.: 1x10W



10026

Type: Downlight
Model: TUNE
Body colour: Black
Material: Metal
Mounting: Surface
Max.: 1x10W



Lamps Not Included



10023

Type: Downlight
Model: TUNE
Body colour: White
Material: Metal
Mounting: Surface
Max.: 1x10W



10025-E

Type: Downlight
Model: TUNE
Body colour: White
Material: Metal
Mounting: Surface
Max.: 1x10W



10027

Type: Downlight
Model: TUNE
Body colour: White
Material: Metal
Mounting: Surface
Max.: 1x10W



5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20

~230V

RoHS COMPLIANT

CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



92DL044R1/BL

MOVABLE



92DL044R1/WH

MOVABLE

SURFACE DOWN LIGHTS

Lamps Not Included 1xGU10

92DL044R1/BL



Type: Round down light
Body colour: Black
Material: Aluminum
Mounting: Surface
Max.: 8W
Max. beam angle: 90°

Lamps Not Included 1xGU10

92DL044R1/WH



Type: Round down light
Body colour: White
Material: Aluminum
Mounting: Surface
Max.: 8W
Max. beam angle: 90°

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1027

ELMARK
The Brand of Electricity



96DL305/BL



96DL305/GR



96DL305/WH

SURFACE DOWN LIGHTS, IP54

Lamps Not Included 1xE27

96DL305/BL



Type: Ceiling lamp
Body colour: Black
Material: UV resistant ABS + PC
Max.: 40W
Max. beam angle: 90°

UV resistant

Lamps Not Included 1xE27

96DL305/GR



Type: Ceiling lamp
Body colour: Grey
Material: UV resistant ABS + PC
Max.: 40W
Max. beam angle: 90°

UV resistant

Lamps Not Included 1xE27

96DL305/WH



Type: Ceiling lamp
Body colour: White
Material: UV resistant ABS + PC
Max.: 40W
Max. beam angle: 90°

UV resistant

3 YEARS TOTAL WARRANTY
+ 2 standard 1 extended

IP54
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



GU10

page 1045

ELMARK
The Brand of Electricity



96DL306/BL



96DL306/GR



96DL306/WH

SURFACE DOWN LIGHTS, IP54

Lamps Not Included 1xGU10

96DL306/BL



Type: Ceiling lamp
Body colour: Black
Material: UV resistant ABS + PC
Max.: 8W
Max. beam angle: 90°

UV resistant

Lamps Not Included 1xGU10

96DL306/GR



Type: Ceiling lamp
Body colour: Grey
Material: UV resistant ABS + PC
Max.: 8W
Max. beam angle: 90°

UV resistant

Lamps Not Included 1xGU10

96DL306/WH



Type: Ceiling lamp
Body colour: White
Material: UV resistant ABS + PC
Max.: 8W
Max. beam angle: 90°

UV resistant

3 YEARS TOTAL WARRANTY
+ 2 standard 1 extended

IP54
~230V
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



92FLCOM1040/BL
92FLCOM2040/BL
92FLCOM3040/BL
92FLCOM4040/BL

SURFACE DOWN LIGHTS, IP44

LED | neutral WHITE 4000K | 60° | F

92FLCOM1040/BL



Type: Round down light
Power: 10W
Lumens: 800lm
Efficiency: 80lm/W
Body colour: Black
Mounting: Surface
Material: Aluminum

LED | neutral WHITE 4000K | 60° | F

92FLCOM2040/BL



Type: Round down light
Power: 20W
Lumens: 1600lm
Efficiency: 80lm/W
Body colour: Black
Mounting: Surface
Material: Aluminum

LED | neutral WHITE 4000K | 60° | G

92FLCOM3040/BL



Type: Round down light
Power: 30W
Lumens: 2400lm
Efficiency: 80lm/W
Body colour: Black
Mounting: Surface
Material: Aluminum

LED | neutral WHITE 4000K | 60° | G

92FLCOM4040/BL



Type: Round down light
Power: 40W
Lumens: 3200lm
Efficiency: 80lm/W
Body colour: Black
Mounting: Surface
Material: Aluminum

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP44
~230V
20000h
Ra≥80
EMC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



92FLCOM1040/WH
92FLCOM2040/WH
92FLCOM3040/WH
92FLCOM4040/WH

SURFACE DOWN LIGHTS, IP44

92FLCOM1040/WH

LED | neutral WHITE 4000K | 60° | F



Type: Round down light
Power: 10W
Lumens: 800lm
Efficiency: 80lm/W
Body colour: White
Mounting: Surface
Material: Aluminum

92FLCOM2040/WH

LED | neutral WHITE 4000K | 60° | F



Type: Round down light
Power: 20W
Lumens: 1600lm
Efficiency: 80lm/W Body colour: White
Mounting: Surface
Material: Aluminum

92FLCOM3040/WH

LED | neutral WHITE 4000K | 60° | G



Type: Round down light
Power: 30W
Lumens: 2400lm
Efficiency: 80lm/W
Body colour: White
Mounting: Surface
Material: Aluminum

92FLCOM4040/WH

LED | neutral WHITE 4000K | 60° | G



Type: Round down light
Power: 40W
Lumens: 3200lm
Efficiency: 80lm/W
Body colour: White
Mounting: Surface
Material: Aluminum

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP44
~230V
SMD 2835
>20000
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



95LIVIA160/BL



95LIVIA160/GR



95LIVIA160/WH

LIVIA SURFACE DOWN LIGHTS, IP55



95LIVIA160/BL

Type: Ceiling lamp
Lamp holder: GX53
Power: 10W
Lumens: 1200lm
Efficiency: 120lm/W
Body colour: Black
Material: Resin + frosted glass

UV resistant



95LIVIA160/GR

Type: Ceiling lamp
Lamp holder: GX53
Power: 10W
Lumens: 1200lm
Efficiency: 120lm/W
Body colour: Grey
Material: Resin + frosted glass

UV resistant



95LIVIA160/WH

Type: Ceiling lamp
Lamp holder: GX53
Power: 10W
Lumens: 1200lm
Efficiency: 120lm/W
Body colour: White
Material: Resin + frosted glass

UV resistant

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP55
~230V
SMD 2835
>15000
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



95LIVIA90/BL



95LIVIA90/GR



95LIVIA90/WH

LIVIA SURFACE DOWN LIGHTS, IP55

LED | warm WHITE 2700K | neutral WHITE 4000K | SETTABLE | F | 45°



95LIVIA90/BL

Type: Ceiling lamp
Lamp holder: GU10
Power: 6W
Lumens: 600lm
Efficiency: 100lm/W
Body colour: Black
Material: Resin + frosted glass

UV resistant

LED | warm WHITE 3000K | neutral WHITE 4000K | SETTABLE | F | 45°



95LIVIA90/GR

Type: Ceiling lamp
Lamp holder: GU10
Power: 6W
Lumens: 600lm
Efficiency: 100lm/W
Body colour: Grey
Material: Resin + frosted glass

UV resistant

LED | warm WHITE 3000K | neutral WHITE 4000K | SETTABLE | F | 45°



95LIVIA90/WH

Type: Ceiling lamp
Lamp holder: GU10
Power: 6W
Lumens: 600lm
Efficiency: 100lm/W
Body colour: White
Material: Resin + frosted glass

UV resistant

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP55
~230V
SMD 2835
>15000
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

i Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



95LIVIA180/BL



95LIVIA180/GR



95LIVIA180/WH

LIVIA SURFACE DOWN LIGHTS, IP55

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP55
~230V
SMD 2835
>15000
Ra≥80
EMC

LED | neutral WHITE 4000K | E

90°



95LIVIA180/BL

Type: Ceiling lamp
Lamp holder: E27
Power: 15W
Lumens: 1800lm
Efficiency: 120lm/W
Body colour: Black
Material: Resin + frosted glass

UV resistant

LED | neutral WHITE 4000K | E

90°



95LIVIA180/GR

Type: Ceiling lamp
Lamp holder: E27
Power: 15W
Lumens: 1800lm
Efficiency: 120lm/W
Body colour: Grey
Material: Resin + frosted glass

UV resistant

LED | neutral WHITE 4000K | E

90°



95LIVIA180/WH

Type: Ceiling lamp
Lamp holder: E27
Power: 15W
Lumens: 1800lm
Efficiency: 120lm/W
Body colour: White
Material: Resin + frosted glass

UV resistant

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

CABINET FURNITURE LIGHTING



ELMARK
The Brand of Electricity



ALUMINUM PROFILES

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
RoHs COMPLIANT
CE

99ACC27WRBL





Type: Wardrobe rail aluminum profile
Model: EL-27WR
Material: Anodized AL6063
Profile colour: Black
Cover colour: Milky
PCB Width: ≤ 12mm
Dimension: 29x15.2mm
Length: 2.5m
Installation: Surface via clips EL-27SWR

APPLICATION

- Wardrobe
- Clothes shop

FEATURES

- Special design for wardrobe.
- Can load over 10kg
- High quality PMMA cover make light more homogenous

99ACC27SWR



Type: Installation clips with screws, 1 pair
Model: EL-27SWR



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



99ACC72BCRBL

Type: Glass shelf aluminum profile
Model: EL-72BCR
Material: Anodized AL6063
Profile colour: Black
Cover colour: Milky
PCB Width: ≤ 8mm
Dimension: 25x12.5mm
Length: 2.5m
Installation: Clamp to the glass

APPLICATION

- Display cabinet
- Glass board cabinet
- Wine cabinet

FEATURES

- No visible light dots, uniform and soft
- Suitable for 6-8mm thick platefrom from glass or acrylic
- PC cover for 3 directions glowing



5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
RoHS COMPLIANT
CE



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity

99ACC509CLP



Type: Glass shelf aluminum profile
Model: EL-509
Material: Anodized AL6063
Profile colour: Silver
Cover colour: Opal
PCB Width: ≤ 10mm
Dimension: 16.6x11.7mm
Length: 2m
Installation: Clamp to the glass

APPLICATION

- Display cabinet
- Glass board cabinet
- Wine cabinet

FEATURES

- No visible light dots, uniform and soft
- Suitable for 6-8mm thick platefrom from glass or acrylic
- PC cover for 3 directions glowing

INCLUDED ACCESSORIES

- Opal PC diffuser



99ACC507CLP



Type: Glass shelf aluminium profile for 2 LED strips
Model: EL-507
Material: Anodized AL6063
Profile colour: Silver
Cover colour: Opal
PCB Width: ≤ 2x13mm
Dimension: 20x14.8mm
Length: 2m
Installation: Clamp to the glass

APPLICATION

- Display cabinet
- Glass board cabinet
- Wine cabinet

FEATURES

- No visible light dots, uniform and soft
- Suitable for 6-8mm thick platefrom from glass or acrylic
- Up and down PC cover

INCLUDED ACCESSORIES

- Opal PC diffuser
- 2 pcs end caps



5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20

RoHs COMPLIANT

CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity

99ACC72HCRBL



Type: Glass shelf aluminum profile
Model: EL-72HCR
Material: Anodized AL6063
Profile colour: Black
Cover colour: Milky
PCB Width: ≤ 8mm
Dimension: 17.5x12.5mm
Length: 2.5m
Installation: Clamp to the glass

APPLICATION

- Display cabinet
- Glass board cabinet
- Wine cabinet

FEATURES

- No visible light dots, uniform and soft
- Suitable for 6-8mm thick platefrom from glass or acrylic
- PC cover for 1 directions glowing



5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
RoHS COMPLIANT
CE



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



99ACC83CRBL

Type: Wood shelf aluminum profile
Model: EL-83CR
Material: Anodized AL6063
Profile colour: Black
Cover colour: Milky
PCB Width: ≤ 4mm
Dimension: 12x31mm
Length: 2.5m
Installation: Clamp to the board

APPLICATION

- Display cabinet
- Kitchen cabinet
- Wine cabinet

FEATURES

- Clamping the front of the 18mm thick board
- 45° angle shines into the cabinet
- Recessed lighting for superior luminous effect
- Easy stuck-in installation without opening slots







5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20

RoHS COMPLIANT

CE

Scan QR code for 3D models, IES files & price.



Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



99ACC90CRSI

Type: Wood shelf aluminum profile
Model: EL-90CR
Material: Anodized AL6063
Profile colour: Silver
Cover colour: Milky
PCB Width: ≤ 10mm
Dimension: 15.2x18.8mm
Length: 2.5m
Installation: Surface with double adhesive tape

APPLICATION

- Display cabinet
- Kitchen cabinet
- Wine cabinet

FEATURES

- Shining upwards and downwards for rear board
- Perfect for 18mm thick board
- Comes with VHB 3M tape, easy installation
- No slot opening, punch on the PC cover











5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20

RoHS COMPLIANT

CE



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



99ACC92CRBL

Type: Wood shelf aluminum profile
Model: EL-92CR
Material: Anodized AL6063
Profile colour: Black
Cover colour: Milky
PCB Width: ≤ 4mm
Dimension: 23x7.6mm
Length: 2.5m
Installation: Surface with double adhesive tape

APPLICATION

- Display cabinet
- Kitchen cabinet
- Wine cabinet

FEATURES

- Thinest part is only 1mm thick, comfortable touching with curvy surface
- Hidden lighting design, 30° angle shines into the cabinet
- Comes with VHB 3M tape, easy installation
- Surface mounted with double sided tape, no slot opening









5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20

RoHS COMPLIANT

CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity

99ACC94CRBL



Type: Wood shelf aluminum profile
Model: EL-94CR
Material: Anodized AL6063
Profile colour: Black
Cover colour: Milky
PCB Width: ≤ 4mm
Dimension: 20x10mm
Length: 2.5m
Installation: Surface with double adhesive tape.

APPLICATION

- Display cabinet
- Kitchen cabinet
- Wine cabinet

FEATURES

- Streamlined design for fixed direction shining, light up the whole cabinet
- Double lampshade diffusion, no visible light dots, uniform and soft
- Surface mounted with double adhesive tape, or fixed with screws, easy to install









5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20

RoHS COMPLIANT

CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ALUMINUM PROFILES - RECESEED MOUNTING



99ACC87CRSI

Type: Aluminum profile for recessed mounting under cabinet
Model: EL-87CR
Material: Anodized AL6063
Profile colour: Silver
Cover colour: Milky
PCB Width: ≤ 10mm
Dimension: 15.5x5mm
Length: 2.5m
Installation: Recessed

APPLICATION

- Furnitures
- Store shelf lighting
- Window display lighting

FEATURES

- Ultra-thin design
- Idea solution under cabinet light
- Easy recessed installation
- High quality PC cover make light more homogenous



99ACC87ECCRSI

Type: End cap for profile EL-87CR, 1 pair
Model: EL-87ECCR
Colour: Silver





5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20

RoHs COMPLIANT

CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity

99ACC87CRBL



Type: Aluminum profile for recessed mounting under cabinet
Model: EL-87CR
Material: Anodized AL6063
Profile colour: Black
Cover colour: Milky
PCB Width: ≤ 10mm
Dimension: 15.5x5mm
Length: 2.5m
Installation: Recessed

APPLICATION

- Furnitures
- Store shelf lighting
- Window display lighting

FEATURES

- Ultra-thin design
- dea solution under cabinet light
- Easy recessed installation
- High quality PC cover make light more homogenous



99ACC87ECCRBL

Type: End cap for profile EL-87CR, 1 pair
Model: EL-87ECCR
Colour: Silver





5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
RoHs COMPLIANT
CE



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



99ACC28CRBL

Type: Aluminum profile for sutface mounting
Model: EL-28CR
Material: Anodized AL6063
Profile colour: Black
Cover colour: Milky
PCB Width: ≤ 12mm
Dimension: 18x18mm
Length: 2.5m
Installation: Fixed by clips

APPLICATION

- For glasses of washroom
- Furnitures
- Store shelf lighting
- Window display lighting

FEATURES

- Light glows from three directions
- No visible light dots, uniform and soft lighting
- Suitable for 18mm thick board, perfectly fit
- High quality PC cover make light more homogenous





99ACC28ECCRBL

Type: End cap for profile EL-28CR, 1 pair
Model: EL-28ECCR
Colour: Black



99ACC28CCRBL

Type: Clips for profile EL-28CR, 1 pair with screws
Model: EL-28ECCR
Colour: Black

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20

RoHs COMPLIANT

CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



99ACC28CRSI

Type: Aluminum profile for sutface mounting
Model: EL-28CR
Material: Anodized AL6063
Profile colour: Silver
Cover colour: Milky
PCB Width: ≤ 12mm
Dimension: 18x18mm
Length: 2.5m
Installation: Fixed by clips

APPLICATION

- For glasses of washroom
- Furnitures
- Store shelf lighting
- Window display lighting

FEATURES

- Light glows from three directions
- No visible light dots, uniform and soft lighting
- Suitable for 18mm thick board, perfectly fit
- High quality PC cover make light more homogenous







99ACC28ECCRSI

Type: End cap for profile EL-28CR, 1 pair
Model: EL-28ECCR
Colour: Silver



99ACC28CCRSI

Type: Clips for profile EL-28CR, 1 pair with screws
Model: EL-28ECCR
Colour: Silver



5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ALUMINUM PROFILES - RECESEED MOUNTING



99ACC82CRBL

Type: Aluminum profile for recessed mounting
Model: EL-82CR
Material: Anodized AL6063
Profile colour: Black
Cover colour: Milky
PCB Width: ≤ 4mm
Dimension: 11x20mm
Length: 2.5m
Installation: Recessed

APPLICATION

- Display cabinet
- Kitchen cabinet
- Wine cabinet
- Wardrobe

FEATURES

- 45°angle shines into the cabinet
- Recessed lighting for superior luminous effect
- Aluminum material with solid weight







99ACC82ECCRBL

Type: End cap for profile EL-82CR, 1 pair
Model: EL-82ECCR
Colour: Black



5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20

RoHs COMPLIANT

CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



99ACC89CRBL

Type: Aluminum profile for recessed mounting
Model: EL-89CR
Material: Anodized AL6063
Profile colour: Black
Cover colour: Milky
PCB Width: ≤ 4mm
Dimension: 20.5x7.8mm
Length: 2.5m
Installation: Recessed via clips

APPLICATION

- Display cabinet
- Kitchen cabinet
- Wine cabinet
- Wardrobe

FEATURES

- Ultra-thin design for used in any boards
- Luminous surface is completely invisible, creating uniform and soft lighting
- Ultra-thin edge design for perfectly covering slots edge. Installation needs to be differentiated left and right









99ACC89CCRBL

Type: End cap for profile EL-82CR, 1 pair
Model: EL-82ECCR
Colour: Black



Scan each QR code to see the price and availability of the product.

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.



99ACC86CRSI

Type: Surfaced mounted profile for LED strip
Model: EL-86CR
Material: Anodized AL6063
Profile colour: Silver
Cover colour: Milky
PCB Width: ≤ 4mm
Dimension: 11x9,5mm
Length: 2.5m
Installation: Surface with double adhesive tape



99ACCAP6CRSI

Type: Aluminum profile for LED strip
Model: EL-AP6
Material: Anodized AL6063
Profile colour: Silver
Cover colour: Milky
PCB Width: ≤ 5mm
Dimension: 10x10mm
Length: 2.5m
Installation: Surface with double adhesive tape

APPLICATION

- Display cabinet
- Kitchen cabinet
- Wine cabinet

FEATURES

- Made of 6063 aluminum alloy, high wear-resistant and corrosion-resistant
- High quality PC cover make light more homogenous



99ACCAP6ECCRSI

Type: End caps for EL-AP6, 1 pair
Model: EL-AP6EC



99ACCAP6CCRSI

Type: Clips for EL-AP6, 1 pair
Model: EL-AP6C



99ACC1203LPBL

Type: Aluminium angle LED profile for surface mounting, BLACK Series
Model: EL-1203
Material: Anodized AL6063
Profile colour: Black
Cover colour: Black
PCB Width: ≤ 12mm
Dimension: 18x18mm
Length: 2m
Installation: Surface

INCLUDED ACCESSORIES

- Black PC diffuser
- 2 pcs End cap
- 4 pcs metal Clips

MOUNTING





5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20

RoHs COMPLIANT

CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



99LED641030IP20

Type: Ultra-narrow flexible LED strip with JST Connectors
Model: EL-64
Power: 10W/m
Lumens: 1145lm/m
Efficiency: 114.58lm/W
Colour temp.: 3000K
Installation: Surface via double adhesive tape
Connection: 25cm cable with JST plug in each roll
Roll length: 5m



99LED641040IP20

Type: Ultra-narrow flexible LED strip with JST Connectors
Model: EL-64
Power: 10W/m
Lumens: 1145lm/m
Efficiency: 114.58lm/W
Colour temp.: 4000K
Installation: Surface via double adhesive tape
Connection: 25cm cable with JST plug in each roll
Roll length: 5m



3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
12V DC
Ra≥80
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity

LED | warm WHITE 3000K | 120°



99LED413130IP67

Type: Ultra-slim LED neon
Model: EL-4131
Power: 8.5W/m
Lumens: 425lm/m
Efficiency: 50lm/W
Colour temp.: 3000K
Installation: Surface via aluminum profile ot surface
Roll length: 5m
Size: 4x8mm
*1 side with end cap, another side with 15cm cables

LED | neutral WHITE 4000K | 120°



99LED413140IP67

Type: Ultra-slim LED neon
Model: EL-4131
Power: 8.5W/m
Lumens: 425lm/m
Efficiency: 50lm/W
Colour temp.: 4000K
Installation: Surface via aluminum profile ot surface
Roll length: 5m
Size: 4x8mm
*1 side with end cap, another side with 15cm cables

99ACC4131P

Type: Aluminum profile for for surface mounting EL-4131
Length: 1m



99ACC4131EC

Type: End cap with front outlet for surface mounting EL-4131



3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
12V DC
IP67
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.



i Scan each QR code to see the price and availability of the product.

LED CABINET LIGHT WITH SENSOR

ELMARK
The Brand of Electricity

LIMITED STOCK

LED | neutral WHITE 4000K | G

99LDL950440

Type: LED cabinet/drawer bar light with sensor
Model: EL-LDL95
Material: Anodized AL6063
Profile colour: Black
Cover colour: Milky
Power: 4W
Lumens: 270lm
Efficiency: 67lm/W
Colour temp.: 4000K
Sensor type: Infrared
Length: 500mm
Dimension: 15.6x12.5mm
Installation: Surface
Cable length: 2M
Connection: 2m cable with JST plug



LED

9HINGE2

Type: Cabinet lamp
Power: 2W
Body colour: Grey
Material: ABS
Dimension: 20x48mm
Easy to install and convenient to use
Operated by 12V 23A battery (Not included)
When opening the cabinet, lamp will turns on automatically. When closing the cabinet, the light turns off.





5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
RoHS COMPLIANT
CE



Scan QR code for 3D models, IES files & price.

i Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity

SHOWCASE SPOTLIGHT

LED | warm WHITE 3000K | Ra≥90 | F



92JS081530BL

Type: Showcase spotlight
Model: EL-JS08
Material: Aluminum
Power: 1.5W
Lumens: 140lm
Efficiency: 93lm/W
Colour temp.: 3000K
Body colour: Black
Installation: Surface
Height adjustable: 60-300mm
Connection: 2m cable with JST plug



LED | neutral WHITE 4000K | Ra≥90 | F



92JS081540BL

Type: Showcase spotlight
Model: EL-JS08
Material: Aluminum
Power: 1.5W
Lumens: 140lm
Efficiency: 93lm/W
Colour temp.: 4000K
Body colour: Black
Installation: Surface
Height adjustable: 60-300mm
Connection: 2m cable with JST plug





3 YEARS TOTAL WARRANTY
+ 3 standard 0 extended

IP20
12V DC
Ra≥90
EMC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity

LED | warm WHITE 3000K | Ra≥90

G

92JS162430BL

Type: Showcase spotlight
Model: EL-JS16
Material: Aluminum
Power: 2.4W
Lumens: 110lm
Efficiency: 45lm/W
Colour temp.: 3000K
Body colour: Black
Installation: Surface
Connection: 2m cable with JST plug





LED | neutral WHITE 4000K | Ra≥90

G

92JS162440BL

Type: Showcase spotlight
Model: EL-JS16
Material: Aluminum
Power: 2.4W
Lumens: 110lm
Efficiency: 45lm/W
Colour temp.: 4000K
Body colour: Black
Installation: Surface
Connection: 2m cable with JST plug





INSTALLATION



3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
12V DC
Ra≥90
EMC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

MINI LED CABINET LIGHT

LED | warm WHITE 3000K | Ra≥90 | F

92CB281230BL

Type: Mini LED cabinet light
Model: EL-CB28
Material: Aluminum
Power: 1.2W
Lumens: 105lm
Efficiency: 87lm/W
Colour temp.: 3000K
Body colour: Black
Installation: Recessed
Cut size: 30mm
Connection: 2m cable with JST plug



LED | warm WHITE 3000K | Ra≥90 | F

92CB281230SI

Type: Mini LED cabinet light
Model: EL-CB28
Material: Aluminum
Power: 1.2W
Lumens: 105lm
Efficiency: 87lm/W
Colour temp.: 3000K
Body colour: Silver
Installation: Recessed
Cut size: 30mm
Connection: 2m cable with JST plug



3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
12V DC
Ra≥90
EMC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.



Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity

LED | neutral WHITE 4000K | Ra≥90 | F

92CB281240BL

Type: Mini LED cabinet light
Model: EL-CB28
Material: Aluminum
Power: 1.2W
Lumens: 105lm
Efficiency: 87lm/W
Colour temp.: 4000K
Body colour: Black
Installation: Recessed
Cut size: 30mm
Connection: 2m cable with JST plug



LED | neutral WHITE 4000K | Ra≥90 | F

92CB281240SI

Type: Mini LED cabinet light
Model: EL-CB28
Material: Aluminum
Power: 1.2W
Lumens: 105lm
Efficiency: 87lm/W
Colour temp.: 4000K
Body colour: Silver
Installation: Recessed
Cut size: 30mm
Connection: 2m cable with JST plug





3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
12V DC
Ra≥90
EMC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

MINI LED CABINET LIGHT

LED | warm WHITE 3000K | Ra≥90 | F

92CB312530BL

Type: Mini LED cabinet light
Model: EL-CB31
Material: Aluminum
Power: 1W
Lumens: 56lm
Efficiency: 56lm/W
Colour temp.: 3000K
Body colour: Black
Installation: Recessed
Cut size: 24mm
Connection: 1m cable with JST plug



LED | warm WHITE 3000K | Ra≥90 | F

92CB312530SI

Type: Mini LED cabinet light
Model: EL-CB31
Material: Aluminum
Power: 1W
Lumens: 56lm
Efficiency: 56lm/W
Colour temp.: 3000K
Body colour: Silver
Installation: Recessed
Cut size: 24mm
Connection: 1m cable with JST plug



3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
12V DC
Ra≥90
EMC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.



Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity

LED | neutral WHITE 4000K | Ra≥90 | F

92CB312540BL

Type: Mini LED cabinet light
Model: EL-CB31
Material: Aluminum
Power: 1W
Lumens: 56lm
Efficiency: 56lm/W
Colour temp.: 4000K
Body colour: Black
Installation: Recessed
Cut size: 24mm
Connection: 1m cable with JST plug



LED | neutral WHITE 4000K | Ra≥90 | F

92CB312540SI

Type: Mini LED cabinet light
Model: EL-CB31
Material: Aluminum
Power: 1W
Lumens: 56lm
Efficiency: 56lm/W
Colour temp.: 4000K
Body colour: Silver
Installation: Recessed
Cut size: 24mm
Connection: 1m cable with JST plug





3 YEARS TOTAL WARRANTY
+ 3 standard 0 extended

IP20
12V DC
Ra≥90
EMC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

LED FOCUS SPOTLIGHT

LED | warm WHITE 3000K | Ra≥90 | 18° | F

92CF03130BL

Type: LED focus spotlight
Model: EL-CF03
Material: Aluminum
Power: 1W
Lumens: 80lm
Efficiency: 80lm/W
Colour temp.: 3000K
Body colour: Black
Installation: Recessed
Cut size: 35mm
Connection: 2m cable with JST plug





LED | warm WHITE 3000K | Ra≥90 | 18° | F

92CF03130SI

Type: LED focus spotlight
Model: EL-CF03
Material: Aluminum
Power: 1W
Lumens: 80lm
Efficiency: 80lm/W
Colour temp.: 3000K
Body colour: Silver
Installation: Recessed
Cut size: 35mm
Connection: 2m cable with JST plug



3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
12V DC
Ra≥90
EMC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.



Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity

LED | neutral WHITE 4000K | Ra≥90 | 18° | F

92CF03140BL

Type: LED focus spotlight
Model: EL-CF03
Material: Aluminum
Power: 1W
Lumens: 80lm
Efficiency: 80lm/W
Colour temp.: 4000K
Body colour: Black
Installation: Recessed
Cut size: 35mm
Connection: 2m cable with JST plug





LED | neutral WHITE 4000K | Ra≥90 | 18° | F

92CF03140SI

Type: LED focus spotlight
Model: EL-CF03
Material: Aluminum
Power: 1W
Lumens: 80lm
Efficiency: 80lm/W
Colour temp.: 4000K
Body colour: Silver
Installation: Recessed
Cut size: 35mm
Connection: 2m cable with JST plug





3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
12V DC
Ra≥90
EMC
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity

DOUBLE INSTALLATION TYPE LED PUCK LIGHT

LED | warm WHITE 3000K | 120° | F

92PL051830BL

Type: Double installation type LED puck light
Model: EL-PL05
Material: ABS
Power: 1.8W
Lumens: 152lm
Efficiency: 84lm/W
Colour temp.: 3000K
Body colour: Black
Installation: Recessed or surface
Cut size: 60mm
Connection: 2m cable with JST plug







LED | warm WHITE 3000K | 120° | F

92PL051830SI

Type: Double installation type LED puck light
Model: EL-PL05
Material: ABS
Power: 1.8W
Lumens: 152lm
Efficiency: 84lm/W
Colour temp.: 3000K
Body colour: Silver
Installation: Recessed or surface
Cut size: 60mm
Connection: 2m cable with JST plug



3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
12V DC
Ra≥80
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.



Scan each QR code to see the price and availability of the product.

DOUBLE INSTALLATION TYPE LED PUCK LIGHT



92PL051840BL

Type: Double installation type LED puck light
Model: EL-PL05
Material: ABS
Power: 1.8W
Lumens: 152lm
Efficiency: 84lm/W
Colour temp.: 4000K
Body colour: Black
Installation: Recessed or surface
Cut size: 60mm
Connection: 2m cable with JST plug









92PL051840SI

Type: Double installation type LED puck light
Model: EL-PL05
Material: ABS
Power: 1.8W
Lumens: 152lm
Efficiency: 84lm/W
Colour temp.: 4000K
Body colour: Silver
Installation: Recessed or surface
Cut size: 60mm
Connection: 2m cable with JST plug





Scan each QR code to see the price and availability of the product.

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
12V DC
Ra≥80
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

LED READING LIGHT

LED | warm WHITE 3000K | F

92RL081830BL

Type: LED reading light with touch dimmer switch
Model: EL-RL08
Material: Pearl anodized aluminum
Power: 1.8W
Lumens: 149lm
Efficiency: 82lm/W
Colour temp.: 3000K
Body colour: Black
Installation: Surface
Connection: 2m cable with JST plug




Touch dimmer switch

LED | neutral WHITE 4000K | F

92RL081840BL

Type: LED reading light with touch dimmer switch
Model: EL-RL08
Material: Pearl anodized aluminum
Power: 1.8W
Lumens: 149lm
Efficiency: 82lm/W
Colour temp.: 4000K
Body colour: Black
Installation: Surface
Connection: 2m cable with JST plug




Touch dimmer switch

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
12V DC
Ra≥80
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



92TR05140BL

Type: Magnetic LED track light
Model: EL-TR05
Material: Aluminum
Power: 1W
Lumens: 98.5lm
Efficiency: 98.5lm/W
Colour temp.: 4000K
Body colour: Black
Installation: On track rail EL-TR05TR



92TR05TRBL

Type: Track rail for magnetic light EL-TR05
Model: EL-TR05TR
Material: Cooper
Installation: Surface with screws
Length: 1m



3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
12V DC
Ra≥90
EMC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.



Scan each QR code to see the price and availability of the product.



92TR05CC39BL

Type: Power adapter for magnetic light EL-TR05
Model: EL-TR05CC39
Material: Cooper + Plastic
Installation: Surface



92TR05CC40BL

Type: Power supply between 2 magnetic rails EL-TR05TR
Model: EL-TR05CC40
Material: Cooper + Plastic
Installation: Surface



99FDB04

Type: 4 ways distribution box with JST extension cable
Model: EL-DB04
Load current: max. 3A per port
Cable length: 25cm
Height: 10mm



99FDB06

Type: 6 ways distribution box with JST extension cable
Model: EL-DB06
Load current: max. 3A per port
Cable length: 25cm
Height: 10mm

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



99FEC01

Type: Extension cable with male and female JST connectors
Model: EL-FEC01
Load current: max. 3A
Cable length: 1m



99FEC02

Type: Extension cable with male and female JST connectors
Model: EL-FEC02
Load current: max. 3A
Cable length: 2m



99SETDC48SP

Type: LED driver 12V DC, 48W with 6 JST outputs
Model: EL-SETDC48SP
Input volatage: 200-220V AC
Output voltage: 12V DC
Power: 48W
JST outputs: 6
Colour: Black
PF>0.9
Installation: Surface
Height: 16mm
Power cable length: 1.8m





99SETDC90SP

Type: LED driver 12V DC, 90W with 6 JST outputs
Model: EL-SETDC48SP
Input volatage: 100-240V AC
Output voltage: 12V DC
Power: 90W
JST outputs: 6
Colour: Black
PF>0.9
Installation: Surface
Height: 16mm
Power cable length: 1.8m

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

12V DC

RoHS COMPLIANT

CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

99FSID01BL



Type: Passive IR single door sensor switch
Model: EL-ID01
Input volatage: 12V DC
Power: 60W
Current loading: 5A
Standby power: 0.2W
Head colour: Black
Sensing head: 1
Sensing distance: 2 - 60mm
Shield cable length: 2m
JST output cable length: 25m
Installation: Recessed



INSTALLATION



3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

12V DC

RoHs COMPLIANT

CE



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



99FSID05BL

Type: Passive IR double door sensor switch
Model: EL-ID05
Input volatage: 12V DC
Power: 60W
Current loading: 5A
Standby power: 0.2W
Head colour: Black
Sensing head: 2
Sensing distance: 2 - 60mm
Shield cable length: 2m
JST output cable length: 25m
Installation: Recessed



3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

12V DC
RoHs COMPLIANT
CE



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



99FSIH16BL

Type: Touchless hand wave sensor switch
Model: EL-IH16
Input volatage: 12V DC
Power: 60W
Current loading: 5A
Standby power: 0.2W
Colour: Black
Sensing head: 1
Sensing distance: 20mm
JST output cable length: 1.5m
Installation: Surface





99FSPR11BL

Type: Surface/Recessed PIR sensor switch
Model: EL-PR11
Input volatage: 12V DC
Power: 60W
Current loading: 5A
Standby power: 0.01W
Head colour: Black
Sensing head: 1
Sensing distance: up to 3000mm
JST output cable length: 25cm
Installation: Recessed or surface



INSTALLATION



3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

12V DC

RoHs COMPLIANT

CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



99FSTS01BL

Type: Touch dimmer sensor switch
Model: EL-TS01
Input volatage: 12V DC
Power: 30W
Current loading: 2.5A
Standby power: 0.01W
Head colour: Black
Sensing head: 1
JST output cable length: 25cm
Installation: Recessed



99FSTS03

Type: Touch dimmer sensor switch
Model: EL-TS03
Input volatage: 12V DC
Power: 60W
Current loading: 5A
Standby power: 0.01W
Head colour: Silver
Sensing head: 1
JST output cable length: 1m
Installation: Recessed



3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

12V DC

RoHs COMPLIANT

CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

99FSTS33SI



Type: Touch LED dimmer sensor switch
Model: EL-TS33
Input volatage: 12V DC
Power: 30W
Current loading: 2.5A
Standby power: 0.01W
Head colour: Silver
Sensing head: 1
JST output cable length: 1m
Installation: Recessed







99FSTS02BL



Type: Touch dimmer sensor switch
Model: EL-TS02
Input volatage: 12V DC
Power: 30W
Current loading: 2.5A
Standby power: 0.01W
Head colour: Black
JST output cable length: 25cm
Installation: Surface





3 YEARS TOTAL WARRANTY
3 standard
0 extended

12V DC
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



99FSTS02SI

Type: Touch dimmer sensor switch
Model: EL-TS02
Input volatage: 12V DC
Power: 30W
Current loading: 2.5A
Standby power: 0.01W
Head colour: Silver
JST output cable length: 25cm
Installation: Surface





Touch lightly to turn ON/OFF
Long press to adjust the brightness







99FSTS34



Type: Ultra-thin membrane button switch
Model: EL-TS34
Input volatage: 12V DC
Power: 60W
Current loading: 5A
Standby power: 0.01W
Colour: Silver
JST output cable length: 25cm
Installation: Surface via double adhesive tape
Length: 650mm









3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

12V DC

RoHS COMPLIANT

CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ULTRA SLIM MAGNETIC TRACK SYSTEMS





93US0724CCT/BL
93US0730CCT/BL



93US0724CCT/WH
93US0730CCT/WH

ULTRA SLIM MAGNETIC LED LIGHTS

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6400K | SETTABLE | 120° | Ra>90 | F

93US0724CCT/BL

Type: Ultra Slim Series Magnetic Linear LED Light | EL-US07
Power: 24W
Lumens: 2160lm;
Efficiency: 90lm/W
LED chip: Osram
Driver: Non-flicker
Body colour: Black
Material: Aluminium
Height: 24mm



93US0724CCT/WH

Type: Ultra Slim Series Magnetic Linear LED Light | EL-US07
Power: 24W
Lumens: 2160lm;
Efficiency: 90lm/W
LED chip: Osram
Driver: Non-flicker
Body colour: White
Material: Aluminium
Height: 24mm



93US0730CCT/BL

Type: Ultra Slim Series Magnetic Linear LED Light | EL-US07
Power: 30W
Lumens: 2700lm;
Efficiency: 90lm/W
LED chip: Osram
Driver: Non-flicker
Body colour: Black
Material: Aluminium
Height: 24mm



93US0730CCT/WH

Type: Ultra Slim Series Magnetic Linear LED Light | EL-US07
Power: 30W
Lumens: 2700lm;
Efficiency: 90lm/W
LED chip: Osram
Driver: Non-flicker
Body colour: White
Material: Aluminium
Height: 24mm



3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
48V DC
Ra≥90
CE
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



93US0824CCT/BL
93US0830CCT/BL



93US0824CCT/WH
93US0830CCT/WH

ULTRA SLIM MAGNETIC LED LIGHTS

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
48V DC
Ra≥90
CE
EMC

Scan QR code for 3D models, IES files & price.

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6400K | SETTABLE | 24° | Ra>90 | F

93US0824CCT/BL

Type: Ultra Slim Series Magnetic LED COB Grille Light | EL-US08
Power: 24W
Lumens: 2400lm;
Efficiency: 100lm/W
LED chip: Osram
Driver: Non-flicker
Body colour: Black
Material: Aluminium
Height: 24mm



93US0824CCT/WH

Type: Ultra Slim Series Magnetic LED COB Grille Light | EL-US08
Power: 24W
Lumens: 2400lm;
Efficiency: 100lm/W
LED chip: Osram
Driver: Non-flicker
Body colour: White
Material: Aluminium
Height: 24mm



93US0830CCT/BL

Type: Ultra Slim Series Magnetic LED COB Grille Light | EL-US08
Power: 30W
Lumens: 3000lm;
Efficiency: 100lm/W
LED chip: Osram
Driver: Non-flicker
Body colour: Black
Material: Aluminium
Height: 24mm



93US0830CCT/WH

Type: Ultra Slim Series Magnetic LED COB Grille Light | EL-US08
Power: 30W
Lumens: 3000lm;
Efficiency: 100lm/W
LED chip: Osram
Driver: Non-flicker
Body colour: White
Material: Aluminium
Height: 24mm



Scan each QR code to see the price and availability of the product.



93US011230/BL
93US011240/BL



93US011230/WH
93US011240/WH



93US020630/BL
93US020640/BL



93US011230/WH
93US011240/WH

ULTRA SLIM MAGNETIC LED LIGHTS

LED | 130° | G | warm WHITE 3000K | neutral WHITE 4000K

93US011230/BL
93US011240/BL

Type: Ultra Slim Magnetic Linear LED Light | EL-US01
Power: 12W
Lumens: 3000K: 480lm;
4000K: 500lm
Efficiency: 42lm/W
LED chip: Osram
Driver: Non-flicker
Body colour: Black
Material: Metal
Height: 11mm



LED | 130° | G | warm WHITE 3000K | neutral WHITE 4000K

93US011230/WH
93US011240/WH

Type: Ultra Slim Magnetic Linear LED Light | EL-US01
Power: 12W
Lumens: 3000K: 500lm;
4000K: 520lm
Efficiency: 43lm/W
LED chip: Osram
Driver: Non-flicker
Body colour: White
Material: Metal
Height: 11mm



LED | 26° | G | warm WHITE 3000K | neutral WHITE 4000K

93US020630/BL
93US020640/BL

Type: Ultra Slim Magnetic Linear LED Light | EL-US02
Power: 6W
Lumens: 3000K: 260lm;
4000K: 280lm
Efficiency: 47lm/W
LED chip: Osram
Driver: Non-flicker
Body colour: Black
Material: Metal
Height: 11mm



LED | 26° | G | warm WHITE 3000K | neutral WHITE 4000K

93US020630/WH
93US020640/WH

Type: Ultra Slim Magnetic Linear LED Light | EL-US02
Power: 6W
Lumens: 3000K: 280lm;
4000K: 300lm
Efficiency: 47lm/W
LED chip: Osram
Driver: Non-flicker
Body colour: White
Material: Metal
Height: 11mm



3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
48V DC
Ra≥80
CE
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



93US0906CCT/BL
93US0912CCT/BL



93US0906CCT/WH
93US0912CCT/WH

ULTRA SLIM MAGNETIC LED LIGHTS



93US0906CCT/BL

Type: Ultra Slim Series Magnetic Folding
Linear LED Light | EL-US09
Power: 6W
Lumens: 540lm;
Efficiency: 90lm/W
LED chip: Osram
Driver: Non-flicker
Body colour: Black
Material: Aluminium
Height: 80mm



93US0906CCT/WH

Type: Ultra Slim Series Magnetic Folding
Linear LED Light | EL-US09
Power: 6W
Lumens: 540lm;
Efficiency: 90lm/W
LED chip: Osram
Driver: Non-flicker
Body colour: White
Material: Aluminium
Height: 80mm



93US0912CCT/BL

Type: Ultra Slim Series Magnetic Folding
Linear LED Light | EL-US09
Power: 12W
Lumens: 1080lm;
Efficiency: 90lm/W
LED chip: Osram
Driver: Non-flicker
Body colour: Black
Material: Aluminium
Height: 80mm



93US0912CCT/WH

Type: Ultra Slim Series Magnetic Folding
Linear LED Light | EL-US09
Power: 12W
Lumens: 1080lm;
Efficiency: 90lm/W
LED chip: Osram
Driver: Non-flicker
Body colour: White
Material: Aluminium
Height: 80mm

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
48V DC
Ra≥90
CE
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



93US1006CCT/BL
93US1012CCT/BL



93US1006CCT/WH
93US1012CCT/WH

ULTRA SLIM MAGNETIC LED LIGHTS

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6400K | SETTABLE | 120° | Ra>90 | F

93US1006CCT/BL

Type: Ultra Slim Series Magnetic Folding
LED COB Grille Light | EL-US10
Power: 6W
Lumens: 540lm;
Efficiency: 90lm/W
LED chip: Osram
Driver: Non-flicker
Body colour: Black
Material: Aluminium
Height: 80mm



LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6400K | SETTABLE | 120° | Ra>90 | F

93US1006CCT/WH

Type: Ultra Slim Series Magnetic Folding
Linear LED Light | EL-US09
Power: 6W
Lumens: 540lm;
Efficiency: 90lm/W
LED chip: Osram
Driver: Non-flicker
Body colour: White
Material: Aluminium
Height: 80mm



LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6400K | SETTABLE | 120° | Ra>90 | F

93US1012CCT/BL

Type: Ultra Slim Series Magnetic Folding
LED COB Grille Light | EL-US10
Power: 12W
Lumens: 1080lm;
Efficiency: 90lm/W
LED chip: Osram
Driver: Non-flicker
Body colour: Black
Material: Aluminium
Height: 80mm



LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6400K | SETTABLE | 120° | Ra>90 | F

93US1012CCT/WH

Type: Ultra Slim Series Magnetic Folding
LED COB Grille Light | EL-US10
Power: 12W
Lumens: 1080lm;
Efficiency: 90lm/W
LED chip: Osram
Driver: Non-flicker
Body colour: White
Material: Aluminium
Height: 80mm



3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
48V DC
Ra≥80
CE
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



93US030630/BL
93US030640/BL



93US030630/WH
93US030640/WH



93US041230/BL
93US041240/BL



93US041230/WH
93US041240/WH

ULTRA SLIM MAGNETIC LED LIGHTS

LED | 24° | A G | G | warm WHITE 3000K | neutral WHITE 4000K

93US030630/BL
93US030640/BL



Type: Ultra Slim Folding Magnetic Linear LED Light | EL-US03
Power: 6W
Lumens: 3000K: 380lm;
4000K: 400lm
Efficiency: 67lm/W
LED chip: Osram
Driver: Non-flicker
Body colour: Black
Material: Metal
Height: 70mm

LED | 24° | A G | G | warm WHITE 3000K | neutral WHITE 4000K

93US030630/WH
93US030640/WH



Type: Ultra slim magnetic linear LED light | EL-US03
Power: 6W
Lumens: 3000K: 400lm;
4000K: 420lm
Efficiency: 70lm/W
LED chip: Osram
Driver: Non-flicker
Body colour: White
Material: Metal
Height: 70mm

LED | 24° | A G | G | warm WHITE 3000K | neutral WHITE 4000K

93US041230/BL
93US041240/BL



Type: Ultra Slim Folding Magnetic Linear LED Light | EL-US04
Power: 12W
Lumens: 3000K: 880lm;
4000K: 890lm
Efficiency: 74lm/W
LED chip: Osram
Driver: Non-flicker
Body colour: Black
Material: Metal
Height: 70mm

LED | 24° | A G | G | warm WHITE 3000K | neutral WHITE 4000K

93US041230/WH
93US041240/WH



Type: Ultra Slim Folding Magnetic Linear LED Light | EL-US04
Power: 12W
Lumens: 3000K: 890lm;
4000K: 930lm
Efficiency: 74lm/W
LED chip: Osram
Driver: Non-flicker
Body colour: White
Material: Metal
Height: 70mm

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
48V DC
Ra≥80
CE
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



93US050630/BL
93US050640/BL
93US061230/BL
93US061240/BL



93US050630/WH
93US050640/WH
93US061230/WH
93US061240/WH

ULTRA SLIM MAGNETIC LED LIGHTS

LED | 24° | G | warm WHITE 3000K | neutral WHITE 4000K

93US050630/BL
93US050640/BL

Type: Magnetic Track LED Light | EL-US05
Power: 6W
Lumens: 3000K: 470lm;
4000K: 480lm
Efficiency: 80lm/W
LED chip: Bridgelux
Driver: Non-flicker
Body colour: Black
Material: Metal



LED | 24° | G | warm WHITE 3000K | neutral WHITE 4000K

93US050630/WH
93US050640/WH

Type: Magnetic Track LED Light | EL-US05
Power: 6W
Lumens: 3000K: 470lm;
4000K: 480lm
Efficiency: 80lm/W
LED chip: Bridgelux
Driver: Non-flicker
Body colour: Black
Material: Metal



LED | 28° | G | warm WHITE 3000K | neutral WHITE 4000K

93US061230/BL
93US061240/BL

Type: Magnetic Track LED Light | EL-US06
Power: 12W
Lumens: 3000K: 950lm;
4000K: 1020lm
Efficiency: 85lm/W
LED chip: Bridgelux
Driver: Non-flicker
Body colour: Black
Material: Metal



LED | 28° | F | warm WHITE 3000K | neutral WHITE 4000K

93US061230/WH
93US061240/WH

Type: Magnetic Track LED Light | EL-US06
Power: 12W
Lumens: 3000K: 1020lm;
4000K: 1070lm
Efficiency: 89lm/W
LED chip: Bridgelux
Driver: Non-flicker
Body colour: White
Material: Metal



3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
48V DC
Ra≥80
CE
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



93US1110CCT/BL
93US1120CCT/BL



93US1110CCT/WH
93US1120CCT/WH

ULTRA SLIM MAGNETIC LED LIGHTS

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6400K | SETTABLE | 24° | Ra>90 | F



93US1110CCT/BL

Type: Ultra Slim Series Scalable and Flippable
LED Spot Light | EL-US11
Power: 10W
Lumens: 1000lm;
Efficiency: 100lm/W
LED chip: Osram
Driver: Non-flicker
Body colour: Black
Material: Aluminium

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6400K | SETTABLE | 24° | Ra>90 | F



93US1110CCT/WH

Type: Ultra Slim Series Scalable and Flippable
LED Spot Light | EL-US11
Power: 10W
Lumens: 1000lm;
Efficiency: 100lm/W
LED chip: Osram
Driver: Non-flicker
Body colour: White
Material: Aluminium

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6400K | SETTABLE | 24° | Ra>90 | F



93US1120CCT/BL

Type: Ultra Slim Series Scalable and Flippable
LED Spot Light | EL-US11
Power: 20W
Lumens: 2000lm;
Efficiency: 100lm/W
LED chip: Osram
Driver: Non-flicker
Body colour: Black
Material: Aluminium

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6400K | SETTABLE | 24° | Ra>90 | F



93US1120CCT/WH

Type: Ultra Slim Series Scalable and Flippable
LED Spot Light | EL-US11
Power: 20W
Lumens: 2000lm;
Efficiency: 100lm/W
LED chip: Osram
Driver: Non-flicker
Body colour: White
Material: Aluminium

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
48V DC
Ra≥90
CE
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



93US111010CCT/BL



93US111010CCT/WH



93US1206CCT/BL



93US1206CCT/WH

ULTRA SLIM MAGNETIC LED LIGHTS

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6400K | SETTABLE | 24° | Ra>90 | F

93US111010CCT/BL

Type: Ultra Slim Series
LED Spot Light | EL-US11
Power: 2x10W
Lumens: 2000lm;
Efficiency: 100lm/W
LED chip: Osram
Driver: Non-flicker
Body colour: Black
Material: Aluminium



LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6400K | SETTABLE | 24° | Ra>90 | F

93US111010CCT/WH

Type: Ultra Slim Series
LED Spot Light | EL-US11
Power: 2x10W
Lumens: 2000lm;
Efficiency: 100lm/W
LED chip: Osram
Driver: Non-flicker
Body colour: White
Material: Aluminium



LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6400K | SETTABLE | 24° | Ra>90 | F

93US1206CCT/BL

Type: Ultra Slim Series Triple
LED Light | EL-US12
Power: 6W
Lumens: 600lm;
Efficiency: 100lm/W
LED chip: Osram
Driver: Non-flicker
Body colour: Black
Material: Aluminium
Height: 55mm



LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6400K | SETTABLE | 24° | Ra>90 | F

93US1206CCT/WH

Type: Ultra Slim Series Triple
LED Light | EL-US12
Power: 6W
Lumens: 600lm;
Efficiency: 100lm/W
LED chip: Osram
Driver: Non-flicker
Body colour: White
Material: Aluminium
Height: 55mm



Scan each QR code to see the price and availability of the product.

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
48V DC
Ra≥90
CE
EMC

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



93US1309CCT/BL



93US1309CCT/WH

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
48V DC
Ra≥90
CE
EMC

Scan QR code for 3D models, IES files & price.

ULTRA SLIM MAGNETIC LED LIGHTS

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6400K | SETTABLE | 24° | Ra>90 | F



93US1409CCT/BL

Type: Ultra Slim Series COB LED Light | EL-US14
Power: 9W
Lumens: 900lm;
Efficiency: 100lm/W
LED chip: Osram
Driver: Non-flicker
Body colour: Black
Material: Aluminium

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6400K | SETTABLE | 24° | Ra>90 | F



93US1409CCT/WH

Type: Ultra Slim Series COB LED Light | EL-US14
Power: 9W
Lumens: 900lm;
Efficiency: 100lm/W
LED chip: Osram
Driver: Non-flicker
Body colour: White
Material: Aluminium

Scan each QR code to see the price and availability of the product.



93US1409CCT/BL



93US1409CCT/WH

ULTRA SLIM MAGNETIC LED LIGHTS

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6400K | SETTABLE | 120° | Ra>90 | F



93US1309CCT/BL

Type: Ultra Slim Series SMD LED Light | EL-US13
Power: 9W
Lumens: 810lm;
Efficiency: 90lm/W
LED chip: Osram
Driver: Non-flicker
Body colour: Black
Material: Aluminium

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6400K | SETTABLE | 120° | Ra>90 | F



93US1309CCT/WH

Type: Ultra Slim Series SMD LED Light | EL-US13
Power: 9W
Lumens: 810lm;
Efficiency: 90lm/W
LED chip: Osram
Driver: Non-flicker
Body colour: White
Material: Aluminium

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
48V DC
Ra≥90
CE
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



93US1506CCT/BL



93US1606CCT/BL

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20

48V DC

Ra≥90

CE

EMC

Scan QR code for 3D models, IES files & price.

ULTRA SLIM MAGNETIC LED LIGHTS

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6400K | SETTABLE | 120° | Ra>90 | F



93US1506CCT/BL

Type: Ultra Slim Series Soft LED Light | EL-US15
Power: 6W
Lumens: 516lm;
Efficiency: 86lm/W
LED chip: Osram
Driver: Non-flicker
Body colour: Black
Material: Aluminium

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6400K | SETTABLE | 24° | Ra>90 | F



93US1606CCT/BL

Type: Ultra Slim Series Soft LED Pendant Light | EL-US16
Power: 6W
Lumens: 516lm;
Efficiency: 86lm/W
LED chip: Osram
Driver: Non-flicker
Body colour: Black
Material: Aluminium

Scan each QR code to see the price and availability of the product.

93US1506CCT/WH



93US1606CCT/WH

ULTRA SLIM MAGNETIC LED LIGHTS

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6400K | SETTABLE | 120° | Ra>90 | F

93US1506CCT/WH

Type: Ultra Slim Series Soft LED Light | EL-US15
Power: 6W
Lumens: 516lm;
Efficiency: 86lm/W
LED chip: Osram
Driver: Non-flicker
Body colour: White
Material: Aluminium



LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6400K | SETTABLE | 24° | Ra>90 | F

93US1606CCT/WH

Type: Ultra Slim Series Soft LED Pendant Light | EL-US16
Power: 6W
Lumens: 516lm;
Efficiency: 86lm/W
LED chip: Osram
Driver: Non-flicker
Body colour: White
Material: Aluminium



3 YEARS TOTAL WARRANTY
3 standard
0 extended

IP20
48V DC
Ra≥90
CE
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



93US1706CCT/BL
93US1712CCT/BL



93US1706CCT/WH
93US1712CCT/WH

ULTRA SLIM MAGNETIC LED LIGHTS



93US1706CCT/BL

Type: Ultra Slim Series LED Pendant Light | EL-US17
Power: 6W
Lumens: 600lm;
Efficiency: 100lm/W
LED chip: Osram
Driver: Non-flicker
Body colour: Black
Material: Aluminium



93US1706CCT/WH

Type: Ultra Slim Series LED Pendant Light | EL-US17
Power: 6W
Lumens: 600lm;
Efficiency: 100lm/W
LED chip: Osram
Driver: Non-flicker
Body colour: White
Material: Aluminium



93US1712CCT/BL

Type: Ultra Slim Series LED Pendant Light | EL-US17
Power: 12W
Lumens: 1200lm;
Efficiency: 100lm/W
LED chip: Osram
Driver: Non-flicker
Body colour: Black
Material: Aluminium



93US1712CCT/WH

Type: Ultra Slim Series LED Pendant Light | EL-US17
Power: 12W
Lumens: 1200lm;
Efficiency: 100lm/W
LED chip: Osram
Driver: Non-flicker
Body colour: White
Material: Aluminium

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
48V DC
Ra≥90
CE
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



93US191630/WH
93US191640/WH



93US1818CCT/WH

ULTRA SLIM MAGNETIC LED LIGHTS

LED | warm WHITE 3000K | 360° | Ra>90 | F



93US191630/WH

Type: Ultra Slim Series LED
Hose Light | EL-US19
Power: 16W
Lumens: 1440lm;
Efficiency: 90lm/W
LED chip: Osram
Driver: Non-flicker
Material: Plastic

LED | neutral WHITE 4000K | 360° | Ra>90 | F



93US191640/WH

Type: Ultra Slim Series LED
Hose Light | EL-US19
Power: 16W
Lumens: 1440lm;
Efficiency: 90lm/W
LED chip: Osram
Driver: Non-flicker
Material: Plastic

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6400K | SETTABLE | 360° | Ra>90 | F



93US1818CCT/WH

Type: Ultra Slim Series LED
Tube Light | EL-US18
Power: 18W
Lumens: 1620lm;
Efficiency: 90lm/W
LED chip: Osram
Driver: Non-flicker
Body colour: Black
Material: Plastic

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
48V DC
Ra≥90
CE
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



93USMR1SM/BL
93USMR2SM/BL



93USMR1SM/WH
93USMR2SM/WH



93USMR1SM/G
93USMR2SM/G

48V TRACK RAILS FOR MAGNETIC LIGHTS EL-US SERIES

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP20
48V DC
CE



93USMR1SM/BL

Type: 48V Ultra Slim Surface Magnetic Track Rail for Magnetic LED Lights EL-US Series
Colour: Black
Length: 1000 mm
Height: 7.46 mm
Mounting: Surface
Material: Aluminum

93USMR2SM/BL

Type: 48V Ultra Slim Surface Magnetic Track Rail for Magnetic LED Lights EL-US Series
Colour: Black
Length: 2000 mm
Height: 7.46 mm
Mounting: Surface
Material: Aluminum



93USMR1SM/WH

Type: 48V Ultra Slim Surface Magnetic Track Rail for Magnetic LED Lights EL-US Series
Colour: White
Length: 1000 mm
Height: 7.46 mm
Mounting: Surface
Material: Aluminum

93USMR2SM/WH

Type: 48V Ultra Slim Surface Magnetic Track Rail for Magnetic LED Lights EL-US Series
Colour: White
Length: 2000 mm
Height: 7.46 mm
Mounting: Surface
Material: Aluminum



93USMR1SM/G

Type: 48V Ultra Slim Surface Magnetic Track Rail for Magnetic LED Lights EL-US Series
Colour: Gold
Length: 1000 mm
Height: 7.46 mm
Mounting: Surface
Material: Aluminum

93USMR2SM/G

Type: 48V Ultra Slim Surface Magnetic Track Rail for Magnetic LED Lights EL-US Series
Colour: Gold
Length: 2000 mm
Height: 7.46 mm
Mounting: Surface
Material: Aluminum

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.


93USEC/BL


93USIC/BL


93USLC/BL


93USLC/WH

48V TRACK RAILS ACCESSORIES FOR MAGNETIC LIGHTS EL-US SERIES



93USEC/BL

Type: End Cap for Ultra Slim Magnetic Track Rails EL-US Series
Colour: Black
Mounting: To the end of the rail
Material: Aluminum

93USEC/WH

Type: End Cap for Ultra Slim Magnetic Track Rails EL-US Series
Colour: White
Mounting: To the end of the rail
Material: Aluminum



93USLC/BL

Type: L-connector for Ultra Slim Magnetic Track Rails EL-US Series
Colour: Black
Mounting: Surface to Connect 2 Rails in 90°
Material: Aluminum

93USLC/WH

Type: L-connector for Ultra Slim Magnetic Track Rails EL-US Series
Colour: White
Mounting: Surface to Connect 2 Rails in 90°
Material: Aluminum



93USIC/BL

Type: I-connector for Ultra Slim Magnetic Track Rails EL-US Series
Colour: Black
Mounting: Surface to Connect 2 Rails
Material: Aluminum

93USIC/WH

Type: I-connector for Ultra Slim Magnetic Track Rails EL-US Series
Colour: White
Mounting: Surface to Connect 2 Rails
Material: Aluminum

Scan each QR code to see the price and availability of the product.

2 YEARS TOTAL WARRANTY
2 standard + 0 extended

IP20
48V DC

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity


93USTC/BL


93USTC/WH


93USXC/BL


93USXC/WH


93USCB/BL


93USCB/WH

48V TRACK RAILS ACCESSORIES FOR MAGNETIC LIGHTS EL-US SERIES

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP20

CE



93USTC/BL

Type: T-connector for Ultra Slim Magnetic Track Rails EL-US Series
Colour: Black
Mounting: Surface to Connect 3 Rails
Material: Aluminum

93USTC/WH

Type: T-connector for Ultra Slim Magnetic Track Rails EL-US Series
Colour: White
Mounting: Surface to Connect 3 Rails
Material: Aluminum



93USXC/BL

Type: X-connector for Ultra Slim Magnetic Track Rails EL-US Series
Colour: Black
Mounting: Surface to Connect 4 Rails
Material: Aluminum

93USXC/WH

Type: X-connector for Ultra Slim Magnetic Track Rails EL-US Series
Colour: White
Mounting: Surface to Connect 4 Rails
Material: Aluminum



93USCB/BL

Type: Ceiling box to cover the connectors and wire
Colour: Black
Mounting: Surface
Material: Aluminum

93USCB/WH

Type: Ceiling box to cover the connectors and wire
Colour: White
Mounting: Surface
Material: Aluminum

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



93US101DC/48BL
93US201DC/48BL



93US50DCB/BL



93US51ECD/BL

CONSTANT VOLTAGE DRIVERS FOR ULTRA SLIM MAGNETIC TRACK RAILS EL-US SERIES, 48V DC



93US101DC/48BL

Type: Internal Constant Voltage Driver for Ultra Slim Track Rails EL-US
Power: 100W
Input Voltage: 220-240V AC/ 50-60Hz
Output voltage: 48V DC
Output Current: 2.08A
Colour: Black
Height: 24mm
Dimensions: 210x26 mm

93US201DC/48BL

Type: Internal Constant Voltage Driver for Ultra Slim Track Rails EL-US
Power: 200W
Input Voltage: 220-240V AC/ 50-60Hz
Output voltage: 48V DC
Output Current: 4.16A
Colour: Black
Height: 24mm
Dimensions: 230x26 mm

93US50DCB/BL

Type: Driver cable cover box
Colour: Black
Material: Plastic



93US51ECD/BL

Type: External driver connector
Colour: Black
Material: Plastic



Scan each QR code to see the price and availability of the product.

2 YEARS TOTAL WARRANTY
+ 2 standard 0 extended

IP20
220-240V AC

Scan QR code for 3D models, IES files & price.

MAGNETIC TRACK SYSTEMS





93M20FFL0630/BL
93M20FFL0640/BL



93M20FFL1230/BL
93M20FFL1240/BL



93M20FGL0630/BL
93M20FGL0640/BL



93M20FGL1230/BL
93M20FGL1240/BL

FOUR POLES MAGNETIC LED LIGHTS, FFL & FGL SERIES

LED | 120° | G | warm WHITE 3000K | neutral WHITE 4000K

93M20FFL0630/BL
93M20FFL0640/BL

Type: Magnet foldable LED light
Power: 6W
Lumens: 360lm
Efficiency: 60lm/W
Body colour: Black
Material: Metal



LED | 120° | G | warm WHITE 3000K | neutral WHITE 4000K

93M20FFL1230/BL
93M20FFL1240/BL

Type: Magnet foldable LED light
Power: 12W
Lumens: 740lm
Efficiency: 62lm/W
Body colour: Black
Material: Metal



LED | 36° | F | warm WHITE 3000K | neutral WHITE 4000K

93M20FGL0630/BL
93M20FGL0640/BL

Type: Magnet foldable LED light
Power: 6W
Lumens: 520lm
Efficiency: 87lm/W
Body colour: Black
Material: Metal



LED | 36° | F | warm WHITE 3000K | neutral WHITE 4000K

93M20FGL1230/BL
93M20FGL1240/BL

Type: Magnet foldable LED light
Power: 12W
Lumens: 870lm
Efficiency: 73lm/W
Body colour: Black
Material: Metal



Scan each QR code to see the price and availability of the product.

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
48V DC
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20

48V DC

Ra≥80

EMC

Scan QR code for 3D models, IES files & price.



93M20DL1230/BL
93M20DL1240/BL

FOUR POLES MAGNETIC LED LIGHTS, FFL SERIES

LED | 120° | G

warm WHITE 3000K — **93M20DL1230/BL**

neutral WHITE 4000K — **93M20DL1240/BL**



Type: Magnet LED Light
Power: 12W
Lumens: 1220lm
Efficiency: 102lm/W
Body colour: Black
Material: Metal + Plastic

Scan each QR code to see the price and availability of the product.



93M20FL2030/BL
93M20FL2040/BL



93M20FL1030/BL
93M20FL1040/BL



93M20FL3030/BL
93M20FL3040/BL

FOUR POLES MAGNETIC LED LIGHTS, FL & DL SERIES

LED | 120° | G | warm WHITE 3000K | neutral WHITE 4000K

93M20FL1030/BL
93M20FL1040/BL



Type: Magnet LED Light
Power: 10W
Lumens: 600lm
Efficiency: 60lm/W
Body colour: Black
Material: Metal

LED | 120° | G | warm WHITE 3000K | neutral WHITE 4000K

93M20FL2030/BL
93M20FL2040/BL



Type: Magnet LED Light
Power: 20W
Lumens: 1160lm
Efficiency: 58lm/W
Body colour: Black
Material: Meta

LED | 120° | G | warm WHITE 3000K | neutral WHITE 4000K

93M20FL3030/BL
93M20FL3040/BL



Type: Magnet LED Light
Power: 30W
Lumens: 1530lm
Efficiency: 51lm/W
Body colour: Black
Material: Metal

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
48V DC
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



93M20TL0530/BL
93M20TL0540/BL



93M20TL1230/BL
93M20TL1240/BL



93M20TL1630/BL
93M20TL1640/BL

FOUR POLES MAGNETIC LED FLOODLIGHT, TL SERIES

LED | 36° | G | warm WHITE 3000K | neutral WHITE 4000K

93M20TL0530/BL
93M20TL0540/BL



Type: Magnet foldable LED fixture
Power: 5W
Lumens: 170lm
Efficiency: 34lm/W
Body colour: Black
Material: Metal

LED | 36° | G | warm WHITE 3000K | neutral WHITE 4000K

93M20TL1230/BL
93M20TL1240/BL



Type: Magnet foldable LED fixture
Power: 12W
Lumens: 880lm
Efficiency: 74lm/W
Body colour: Black
Material: Metal

LED | 36° | G | warm WHITE 3000K | neutral WHITE 4000K

93M20TL1630/BL
93M20TL1640/BL



Type: Magnet foldable LED fixture
Power: 16W
Lumens: 1520lm
Efficiency: 95lm/W
Body colour: Black
Material: Metal

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
48V DC
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



93M20PL0930/BL
93M20PL0940/BL



93M20TL2030/BL
93M20TL2040/BL

FOUR POLES MAGNETIC LED LIGHTS, PL & TL SERIES

LED | warm WHITE 3000K | 36° | F

93M20PL0930/BL



Type: Magnet LED pendant light
Power: 9W
Lumens: 920lm
Efficiency: 102lm/W
Body colour: Black
Material: Metal

LED | neutral WHITE 4000K | 36° | F

93M20PL0940/BL



Type: Magnet LED pendant light
Power: 9W
Lumens: 920lm
Efficiency: 102lm/W
Body colour: Black
Material: Metal

LED | 36° | G | warm WHITE 3000K | neutral WHITE 4000K

93M20TL2030/BL

93M20TL2040/BL



Type: Magnet foldable LED fixture
Power: 2x8W
Lumens: 960lm
Efficiency: 60lm/W
Body colour: Black
Material: Metal

Scan each QR code to see the price and availability of the product.

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
48V DC
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



93M21PLB1030/BL
93M21PLB1040/BL



93M21TLB1030/BL
93M21TLB1040/BL

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
48V DC
Ra≥80
EMC

FOUR POLES MAGNETIC LED LIGHTS, PLB & TLB SERIES

LED | 36° | G

warm WHITE 3000K — **93M21PLB1030/BL**
neutral WHITE 4000K — **93M21PLB1040/BL**



Type: Magnet LED pendant light
Power: 12W
Lumens: 920lm
Efficiency: 77lm/W
Body colour: Black
Material: Metal

LED | 36° | G

warm WHITE 3000K — **93M21TLB1030/BL**
neutral WHITE 4000K — **93M21TLB1040/BL**



Type: Magnet LED fixture
Power: 12W
Lumens: 920lm
Efficiency: 77lm/W
Body colour: Black
Material: Metal

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



93M20TLB1030/BL
93M20TLB1040/BL



93M20PLB1030/BL
93M20PLB1040/BL

FOUR POLES MAGNETIC LED LIGHTS, PLB & TLB SERIES

LED | 120° | G | warm WHITE 3000K | neutral WHITE 4000K

93M20PLB1030/BL
93M20PLB1040/BL



Type: Magnet LED pendant light
Power: 10W
Lumens: 860lm
Efficiency: 86lm/W
Body colour:
Black
Material: Metal+ PC

LED | 120° | G | warm WHITE 3000K | neutral WHITE 4000K

93M20TLB1030/BL
93M20TLB1040/BL



Type: Magnet LED fixture
Power: 10W
Lumens: 860lm
Efficiency: 86lm/W
Body colour:
Black
Material: Metal+ PC

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
48V DC
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

FOUR POLES 48V TRACK RAILS FOR MAGNETIC LIGHTS

93MR2OM2/BL



Type: Four poles 48V track rail with plastic cover for magnetic lights
Body colour: Black
Length: 2000 mm
Mounting: Surface
Material: Aluminum

93MA022



Type: X-connector for magnetic track rail 93MR2OM2/BL
Body colour: Black
Mounting: Surface
Material: Aluminum

93MA019

Type: L-connector for magnetic track rail 93MR2OM2/BL
Body colour: Black
Mounting: Surface
Material: Aluminum



93MA020

Type: Inside corner for magnetic track rail 93MR2OM2/BL
Body colour: Black
Mounting: Surface
Material: Aluminum



93MA021

Type: T-connector for magnetic track rail 93MR2OM2/BL
Body colour: Black
Mounting: Surface
Material: Aluminum



93MA023

Type: Connector for magnetic track rail 93MR2OM2/BL
Body colour: Black
Mounting: To connect two rails
Material: Aluminum



93MA017

Type: Two hanging wires (SET) for magnetic track rail 93MR2OM2/BL
Colour: Grey
Length: 2000 mm
Mounting: Ceiling
Material: Metal



93MA033

Type: Two surface mount accessories (SET) for magnetic track rail 93MR2OM2/BL
Colour: Grey
Mounting: Surface
Material: Metal



IP20
48V DC
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

FOUR POLES 48V ACCESSORIES FOR MAGNETIC LIGHTS

93MR2BM2/BL



Type: Four poles 48V track rail with plastic cover for magnetic lights
Body colour: Black
Length: 2000 mm
Mounting: Recessed under dry wall
Material: Aluminum

93MA024



Type: L-connector for magnetic track rail 93MR2BM2/BL
Body colour: Black
Mounting: Recessed
Material: Aluminum

93MA025



Type: Inside corner for magnetic track rail 93MR2BM2/BL
Body colour: Black
Mounting: Recessed
Material: Aluminum

93MA026



Type: T-connector for magnetic track rail 93MR2BM2/BL
Body colour: Black
Mounting: Recessed
Material: Aluminum

93MA027



Type: X-connector for magnetic track rail 93MR2BM2/BL
Body colour: Black
Mounting: Recessed
Material: Aluminum

IP20
48V DC
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

FOUR POLES 48V RAIL & ACCESSORIES FOR MAGNETIC LIGHTS

93MR3BM2/BL



Type: Four poles 48V track rail with plastic cover for magnetic lights
Body colour: Black
Length: 2000 mm
Mounting: Recessed under dry wall
Material: Aluminum

93MA028



Type: L-connector for magnetic track rail 93MR3BM2/BL
Body colour: Black
Mounting: Recessed
Material: Aluminum

93MA029

Type: Inside corner for magnetic track rail 93MR3BM2/BL
Body colour: Black
Mounting: Recessed
Material: Aluminum



93MA030

Type: T-connector for magnetic track rail 93MR3BM2/BL
Body colour: Black
Mounting: Recessed
Material: Aluminum



93MA031

Type: X-connector for magnetic track rail 93MR3BM2/BL
Body colour: Black
Mounting: Recessed
Material: Aluminum



93MA034

Type: End caps for magnetic track rails - 2pcs SET
Body colour: Black
Material: Aluminum



93MA035

Type: Connector for magnetic rails 93MR2BM2 & 93MR3BM2
Mounting: Between two rails
Material: Metal



IP20
48V DC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

CONECTORS AND CONSTANT VOLTAGE DRIVERS FOR MAGNETIC TRACK RAILS, 48V DC

93MA005

Type: I- flexible connector for all type magnetic track rails
Body colour: Black
Mounting: In magnetic rail



93MA006

Type: Power adapter with cable for all type magnetic track rails
Body colour: Black
Mounting: In magnetic rail
Cable length: 0.5 m



93MA032

Type: I-connector for all types magnetic track rails
Body colour: Black
Mounting: In magnetic rail
Cable length: 0.5 m



93MA016

Type: Power adapter for all type T-connectors
Body colour: Black
Mounting: In T-connector



93MA018

Type: Power adapter for all type X-connectors
Body colour: Black
Mounting: In X-connector



93MA100SETDC/48

Type: Constant Voltage Driver for Magnetic Track Rails
Power: 100W
Input Voltage: 176-264V AC/ 50-60Hz
Output voltage: 48V DC
Output Current: 2.08A
Height: 58mm



93MA200SETDC/48

Type: Constant Voltage Driver for Magnetic Track Rails
Power: 200W
Input Voltage: 176-264V AC/ 50-60Hz
Output voltage: 48V DC
Output Current: 4.16A
Height: 60mm



IP20
48V DC
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

TRACK LIGHT SYSTEMS





93FGNL2030/BL
93FGNL2040/BL
93FGNL3030/BL
93FGNL3040/BL



93FGNL6030/BL
93FGNL6040/BL

TWO LINES TRACK LIGHTS FGNL SERIES

LED | 120° | G | warm WHITE 3000K | neutral WHITE 4000K

93FGNL2030/BL
93FGNL2040/BL



Type: Two lines track light
Power: 20W
Lumens: 1600lm
Efficiency: 80lm/W
Body colour: Black
Material: Aluminum + Plastic

LED | 120° | G | warm WHITE 3000K | neutral WHITE 4000K

93FGNL3030/BL
93FGNL3040/BL



Type: Two lines track light
Power: 30W
Lumens: 2400lm
Efficiency: 80lm/W
Body colour: Black
Material: Aluminum + Plastic

LED | 120° | G | warm WHITE 3000K | neutral WHITE 4000K

93FGNL6030/BL
93FGNL6040/BL



Type: Two lines track light
Power: 60W
Lumens: 4800lm
Efficiency: 80lm/W
Body colour: Black
Material: Aluminum + Plastic

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
~230V
Ra≥80
EMC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



93SS1030/BL
93SS1040/BL



93PGNL2030/BL
93PGNL2040/BL

TWO LINES TRACK LIGHTS PGNL & SS SERIES

LED | 30° | F

warm WHITE 3000K — **93SS1030/BL**

neutral WHITE 4000K — **93SS1040/BL**



Type: Two lines track light
Power: 10W
Lumens: 800lm
Efficiency: 80lm/W
Body colour: Black
Material: Aluminum + Plastic

LED | 120° | G

warm WHITE 3000K — **93PGNL2030/BL**

neutral WHITE 4000K — **93PGNL2040/BL**



Type: Two lines track light
Power: 20W
Lumens: 1600lm
Efficiency: 80lm/W
Body colour: Black
Material: Aluminum + Plastic

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
~230V
Ra≥80
EMC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



93PFLD2030/BL
93PFLD2040/BL



93PFLD6030/BL
93PFLD6040/BL



93DFLD6040/BL
93DFLD6030/BL

TWO LINES TRACK LIGHTS PFLD & DFLD SERIES

LED | 30° | E | warm WHITE 3000K | neutral WHITE 4000K

93PFLD2030/BL
93PFLD2040/BL



Type: Two lines track light
Power: 20W
Lumens: 1600lm
Efficiency: 80lm/W
Body colour: Black
Material: Aluminum + Plastic

LED | 30° | E | warm WHITE 3000K | neutral WHITE 4000K

93PFLD6030/BL
93PFLD6040/BL



Type: Two lines track light
Power: 60W
Lumens: 4800lm
Efficiency: 80lm/W
Body colour: Black
Material: Aluminum + Plastic

LED | 30° | F | warm WHITE 3000K | neutral WHITE 4000K

93DFLD6030/BL
93DFLD6040/BL



Type: Two lines track light
Power: 2x30W
Lumens: 4800lm
Efficiency: 80lm/W
Body colour: Black
Material: Aluminum + Plastic

Scan each QR code to see the price and availability of the product.

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
~230V
Ra≥80
EMC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



93ZFLD1240/BL
93ZFLD1230/BL



93ZFLD2040/BL
93ZFLD2030/BL



93ZFLD3040/BL
93ZFLD3030/BL



93ZFLD6040/BL
93ZFLD6030/BL

TWO LINES TRACK LIGHTS ZFLD SERIES

LED | 30° | E

warm WHITE 3000K
neutral WHITE 4000K

93ZFLD1230/BL
93ZFLD1240/BL



Type: Two lines track light
Power: 12W
Lumens: 960lm
Efficiency: 80lm/W
Body colour: Black
Material: Aluminum + Plastic

LED | 30° | E

warm WHITE 3000K
neutral WHITE 4000K

93ZFLD2030/BL
93ZFLD2040/BL



Type: Two lines track light
Power: 20W
Lumens: 1600lm
Efficiency: 80lm/W
Body colour: Black
Material: Aluminum + Plastic

LED | 30° | E

warm WHITE 3000K
neutral WHITE 4000K

93ZFLD3030/BL
93ZFLD3040/BL



Type: Two lines track light
Power: 30W
Lumens: 2400lm
Efficiency: 80lm/W
Body colour: Black
Material: Aluminum + Plastic

LED | 30° | F

warm WHITE 3000K
neutral WHITE 4000K

93ZFLD6030/BL
93ZFLD6040/BL



Type: Two lines track light
Power: 60W
Lumens: 4800lm
Efficiency: 80lm/W
Body colour: Black
Material: Aluminum + Plastic

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
~230V
Ra≥80
EMC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



93K302L12CCT/BL



93K302L24CCT/BL
93K302L48CCT/BL

TWO LINES TRACK LIGHTS K30 SERIES

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 5700K | SETTABLE | G

120°

93K302L12CCT/BL



Type: Two lines track light
Power: 12W
Lumens: 840lm
Efficiency: 70lm/W
Rail connectors: 1pc
Body colour: Black
Material: Aluminum

CCT Colour Temperature adjustable

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 5700K | SETTABLE | G

120°

93K302L24CCT/BL



Type: Two lines track light
Power: 24W
Lumens: 1680lm
Efficiency: 70lm/W
Rail connectors: 2 pc
Body colour: Black
Material: Aluminum

CCT Colour Temperature adjustable

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 5700K | SETTABLE | G

120°

93K302L48CCT/BL



Type: Two lines track light
Power: 48W
Lumens: 3360lm
Efficiency: 70lm/W
Rail connectors: 2 pc
Body colour: Black
Material: Aluminum

CCT Colour Temperature adjustable

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP40
~230V
Ra≥80
EMC
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



93B602L24CCT/BL



93B602L42CCT/BL



93T302L12CCT/BL



93T302L24CCT/BL

TWO LINES TRACK LIGHTS B60 & T30 SERIES SUPER SLIM

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP40
~230V
Ra≥80
EMC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

93B602L24CCT/BL

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 5700K | SETTABLE | F

60°



Type: Two lines track light
Power: 24W
Lumens: 2400lm
Efficiency: 100lm/W
Rail connectors: 1pc
Body colour: Black
Material: Aluminum

*CCT Colour Temperature adjustable

93B602L42CCT/BL

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 5700K | SETTABLE | F

60°



Type: Two lines track light
Power: 42W
Lumens: 4200lm
Efficiency: 100lm/W
Rail connectors: 1pc
Body colour: Black
Material: Aluminum

*CCT Colour Temperature adjustable

93T302L12CCT/BL

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 5700K | SETTABLE | F

30°



Type: Two lines track light
Power: 12W
Lumens: 1200lm
Efficiency: 100lm/W
Rail connectors: 1pc
Body colour: Black
Material: Aluminum

*CCT Colour Temperature adjustable

93T302L24CCT/BL

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 5700K | SETTABLE | F

30°



Type: Two lines track light
Power: 24W
Lumens: 2400lm
Efficiency: 100lm/W
Rail connectors: 2pc
Body colour: Black
Material: Aluminum

*CCT Colour Temperature adjustable

Scan each QR code to see the price and availability of the product.



93B604L24CCT/BL



93B604L42CCT/BL



93T304L12CCT/BL



93T304L24CCT/BL

FOUR LINES TRACK LIGHTS B60 & T30 SERIES SUPER SLIM

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 5700K | SETTABLE | F | 60°

93B604L24CCT/BL



Type: Four lines track light
Power: 24W
Lumens: 2400lm
Efficiency: 100lm/W
Rail connectors: 1pc
Body colour: Black
Material: Aluminum

CCT Colour Temperature adjustable

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 5700K | SETTABLE | F | 60°

93B604L42CCT/BL



Type: Four lines track light
Power: 42W
Lumens: 4200lm
Efficiency: 100lm/W
Rail connectors: 1pc
Body colour: Black
Material: Aluminum

CCT Colour Temperature adjustable

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 5700K | SETTABLE | F | 30°

93T304L12CCT/BL



Type: Four lines track light
Power: 12W
Lumens: 1200lm
Efficiency: 100lm/W
Rail connectors: 1pc
Body colour: Black
Material: Aluminum

CCT Colour Temperature adjustable

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 5700K | SETTABLE | F | 30°

93T304L24CCT/BL



Type: Four lines track light
Power: 24W
Lumens: 2400lm
Efficiency: 100lm/W
Rail connectors: 2pc
Body colour: Black
Material: Aluminum

CCT Colour Temperature adjustable

Scan each QR code to see the price and availability of the product.

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP40
~230V
Ra≥80
EMC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.



93K304L12CCT/BL



93K304L24CCT/BL
93K304L48CCT/BL



93TL206750WW/BL
93TL206750W/BL

FOUR LINES TRACK LIGHTS K30 & TL SERIES

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | G | 120°

93K304L12CCT/BL



Type: Four lines track light
Power: 12W
Lumens: 840lm
Efficiency: 70lm/W
Rail connectors: 1pc
Body colour: Black
Material: Aluminum

**CCT Colour Temperature adjustable*

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | G | 120°

93K304L24CCT/BL



Type: Four lines track light
Power: 24W
Lumens: 1680lm
Efficiency: 70lm/W
Rail connectors: 2 pc
Body colour: Black
Material: Aluminum

**CCT Colour Temperature adjustable*

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | G | 120°

93K304L48CCT/BL



Type: Four lines track light
Power: 48W
Lumens: 3360lm
Efficiency: 70lm/W
Rail connectors: 2 pc
Body colour: Black
Material: Aluminum

**CCT Colour Temperature adjustable*

LED | 90° | F | warm WHITE 3000K | neutral WHITE 4000K

93TL206750WW/BL

93TL206750W/BL



Type: Four lines folding track light
Power: 50W
Lumens: 5500lm
Efficiency: 110lm/W
Body colour: Black
Material: Aluminum

5 YEARS TOTAL WARRANTY + 3 standard 2 extended

IP40
~230V
Ra≥80
EMC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



94TLS3065030/WH
94TLS3065040/WH
94TLS3155030/WH
94TLS3155040/WH

FOUR LINES TRACK TWIN WINGS TILING LIGHT

LED | 20°x90° | D | warm WHITE 3000K | neutral WHITE 4000K

94TLS3065030/WH

94TLS3065040/WH



Type: Four lines track twin wings tiling light
Power: 35W / 40W / 45W / 50W Settable
Lumens: max. 7500lm
Efficiency: 150lm/W
Body colour: White
Material: Metal + PC

LED | 20°x90° | E | warm WHITE 3000K | neutral WHITE 4000K

94TLS3155030/WH

94TLS3155040/WH



Type: Four lines track twin wings tiling light
Power: 35W / 40W / 45W / 50W Settable
Lumens: max. 7500lm
Efficiency: 150lm/W
Body colour: White
Material: Metal + PC

Twin tiltable wings, tilting range: 30°



Manual adjustment of power consumption





Unique asymmetric optical design, produce different luminous intensity in vertical illuminance, the luminous intensity gradually enhances from top to bottom of the shelves, achieve illuminance Uniformity at any height of the shelves.

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
Ra≥80
EMC
RoHs
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



93TL202520WW/BL

TWO LINES TRACK LIGHT, SKY TL2025 SERIES

LED | 24° | G

warm WHITE 2700K — **93TL202520WW/BL**

neutral WHITE 4000K — **93TL202520W/BL**



Type: Two lines track light
Power: 23W
Lumens: 1400lm
Efficiency: 70lm/W
Body colour: Black
Material: Aluminum

LED | 24° | G

warm WHITE 2700K — **93TL202530WW/BL**

neutral WHITE 4000K — **93TL202530W/BL**



Type: Two lines track light
Power: 32W
Lumens: 2000lm
Efficiency: 70lm/W
Body colour: Black
Material: Aluminum

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
Ra≥80
EMC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



93TL202520WW/WH

TWO LINES TRACK LIGHT, SKY TL2025 SERIES

LED | 24° | G

warm WHITE 2700K — **93TL202520WW/WH**

neutral WHITE 4000K — **93TL202520W/WH**



Type: Two lines track light
Power: 23W
Lumens: 1400lm
Efficiency: 70lm/W
Body colour: White
Material: Aluminum

LED | 24° | G

warm WHITE 2700K — **93TL202530WW/WH**

neutral WHITE 4000K — **93TL202530W/WH**



Type: Two lines track light
Power: 32W
Lumens: 2000lm
Efficiency: 70lm/W
Body colour: White
Material: Aluminum

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
Ra≥80
EMC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



93FTL25WW/BL
93FTL25W/BL
93FTL25CW/BL
93FTL35WW/BL
93FTL35W/BL
93FTL35CW/BL

TWO LINES TRACK LIGHT, SKY FTL SERIES

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP40
~230V
Ra≥80
EMC
RoHs COMPLIANT
CE

LED warm WHITE 2700K 38° F

93FTL25WW/BL



Type: Two lines track light
Power: 25W
Lumens: 2250lm
Efficiency: 90lm/W
Body colour: Black
Material: Aluminum

LED neutral WHITE 4000K 38° F

93FTL25W/BL

Type: Two lines track light
Power: 25W
Lumens: 2250lm
Efficiency: 90lm/W
Body colour: Black
Material: Aluminum

LED cold WHITE 6000K 38° F

93FTL25CW/BL

Type: Two lines track light
Power: 25W
Lumens: 2250lm
Efficiency: 90lm/W
Body colour: Black
Material: Aluminum

LED warm WHITE 2700K 38° F

93FTL35WW/BL



Type: Two lines track light
Power: 35W
Lumens: 3150lm
Efficiency: 90lm/W
Body colour: Black
Material: Aluminum

LED neutral WHITE 4000K 38° F

93FTL35W/BL

Type: Two lines track light
Power: 35W
Lumens: 3150lm
Efficiency: 90lm/W
Body colour: Black
Material: Aluminum

LED cold WHITE 6000K 38° F

93FTL35CW/BL

Type: Two lines track light
Power: 35W
Lumens: 3150lm
Efficiency: 90lm/W
Body colour: Black
Material: Aluminum

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



934FTL25WW/BL
934FTL25W/BL
934FTL25CW/BL
934FTL35WW/BL
934FTL35W/BL
934FTL35CW/BL

FOUR LINES TRACK LIGHT, SKY FTL SERIES



LED | warm WHITE 2700K | 38° | F

934FTL25WW/BL

Type: Four lines track light
Power: 25W
Lumens: 2250lm
Efficiency: 90lm/W
Body colour: Black
Material: Aluminum

LED | neutral WHITE 4000K | 38° | F

934FTL25W/BL

Type: Four lines track light
Power: 25W
Lumens: 2250lm
Efficiency: 90lm/W
Body colour: Black
Material: Aluminum

LED | cold WHITE 6000K | 38° | F

934FTL25CW/BL

Type: Four lines track light
Power: 25W
Lumens: 2250lm
Efficiency: 90lm/W
Body colour: Black
Material: Aluminum



LED | warm WHITE 2700K | 38° | F

934FTL35WW/BL

Type: Four lines track light
Power: 35W
Lumens: 3150lm
Efficiency: 90lm/W
Body colour: Black
Material: Aluminum

LED | neutral WHITE 4000K | 38° | F

934FTL35W/BL

Type: Four lines track light
Power: 35W
Lumens: 3150lm
Efficiency: 90lm/W
Body colour: Black
Material: Aluminum

LED | cold WHITE 6000K | 38° | F

934FTL35CW/BL

Type: Four lines track light
Power: 35W
Lumens: 3150lm
Efficiency: 90lm/W
Body colour: Black
Material: Aluminum

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
Ra≥80
EMC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



93FTL25WW/WH
93FTL25W/WH
93FTL25CW/WH
93FTL35WW/WH
93FTL35W/WH
93FTL35CW/WH

TWO LINES TRACK LIGHT, SKY FTL SERIES

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP40
~230V
Ra≥80
EMC
RoHs COMPLIANT
CE



LED warm WHITE 2700K 38° F

93FTL25WW/WH

Type: Two lines track light
Power: 25W
Lumens: 2250lm
Efficiency: 90lm/W
Body colour: White
Material: Aluminum

LED neutral WHITE 4000K 38° F

93FTL25W/WH

Type: Two lines track light
Power: 25W
Lumens: 2250lm
Efficiency: 90lm/W
Body colour: White
Material: Aluminum

LED cold WHITE 6000K 38° F

93FTL25CW/WH

Type: Two lines track light
Power: 25W
Lumens: 2250lm
Efficiency: 90lm/W
Body colour: White
Material: Aluminum



LED warm WHITE 2700K 38° F

93FTL35WW/WH

Type: Two lines track light
Power: 35W
Lumens: 3150lm
Efficiency: 90lm/W
Body colour: White
Material: Aluminum

LED neutral WHITE 4000K 38° F

93FTL35W/WH

Type: Two lines track light
Power: 35W
Lumens: 3150lm
Efficiency: 90lm/W
Body colour: White
Material: Aluminum

LED cold WHITE 6000K 38° F

93FTL35CW/WH

Type: Two lines track light
Power: 35W
Lumens: 3150lm
Efficiency: 90lm/W
Body colour: White
Material: Aluminum

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



934FTL25WW/WH
934FTL25W/WH
934FTL25CW/WH
934FTL35WW/WH
934FTL35W/WH
934FTL35CW/WH

FOUR LINES TRACK LIGHT, SKY FTL SERIES



LED | warm WHITE 2700K | 38° | F

934FTL25WW/WH

Type: Four lines track light
Power: 25W
Lumens: 2250lm
Efficiency: 90lm/W
Body colour: White
Material: Aluminum

LED | neutral WHITE 4000K | 38° | F

934FTL25W/WH

Type: Four lines track light
Power: 25W
Lumens: 2250lm
Efficiency: 90lm/W
Body colour: White
Material: Aluminum

LED | cold WHITE 6000K | 38° | F

934FTL25CW/WH

Type: Four lines track light
Power: 25W
Lumens: 2250lm
Efficiency: 90lm/W
Body colour: White
Material: Aluminum



LED | warm WHITE 2700K | 38° | F

934FTL35WW/WH

Type: Four lines track light
Power: 35W
Lumens: 3150lm
Efficiency: 90lm/W
Body colour: White
Material: Aluminum

LED | neutral WHITE 4000K | 38° | F

934FTL35W/WH

Type: Four lines track light
Power: 35W
Lumens: 3150lm
Efficiency: 90lm/W
Body colour: White
Material: Aluminum

LED | cold WHITE 6000K | 38° | F

934FTL35CW/WH

Type: Four lines track light
Power: 35W
Lumens: 3150lm
Efficiency: 90lm/W
Body colour: White
Material: Aluminum

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP40
~230V
Ra≥80
EMC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



93TL5020WW/BL
93TL5020W/BL
93TL5020CW/BL



93TL5020WW/WH
93TL5020W/WH
93TL5020CW/WH

TWO LINES TRACK LIGHT, SKY TL 5020 SERIES

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP40
~230V
Ra≥80
EMC
RoHs COMPLIANT
CE



LED warm WHITE 2700K 36° G

93TL5020WW/BL

Type: Two lines track light
Power: 20W
Lumens: 1800lm
Efficiency: 90lm/W
Body colour: Black
Material: Aluminum

LED neutral WHITE 4000K 36° G

93TL5020W/BL

Type: Two lines track light
Power: 20W
Lumens: 1800lm
Efficiency: 90lm/W
Body colour: Black
Material: Aluminum

LED cold WHITE 6000K 36° G

93TL5020CW/BL

Type: Two lines track light
Power: 20W
Lumens: 1800lm
Efficiency: 90lm/W
Body colour: Black
Material: Aluminum



LED warm WHITE 2700K 36° G

93TL5020WW/WH

Type: Two lines track light
Power: 20W
Lumens: 1800lm
Efficiency: 90lm/W
Body colour: White
Material: Aluminum

LED neutral WHITE 4000K 36° G

93TL5020W/WH

Type: Two lines track light
Power: 20W
Lumens: 1800lm
Efficiency: 90lm/W
Body colour: White
Material: Aluminum

LED cold WHITE 6000K 36° G

93TL5020CW/WH

Type: Two lines track light
Power: 20W
Lumens: 1800lm
Efficiency: 90lm/W
Body colour: White
Material: Aluminum

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



93SKY3527
93SKY3540
93SKY3564
94SKY3527
94SKY3540
94SKY3564

TWO & FOUR LINES TRACK LIGHT, SKY TL808 SERIES



LED | warm WHITE 2700K | 90° | F

93SKY3527

Type: Two lines track light
Power: 15W
Lumens: 1275lm
Efficiency: 85lm/W
Body colour: White
Material: Aluminum

LED | neutral WHITE 4000K | 90° | F

93SKY3540

Type: Two lines track light
Power: 15W
Lumens: 1275lm
Efficiency: 85lm/W
Body colour: White
Material: Aluminum

LED | cold WHITE 6400K | 90° | F

93SKY3564

Type: Two lines track light
Power: 15W
Lumens: 1275lm
Efficiency: 85lm/W
Body colour: White
Material: Aluminum



LED | warm WHITE 2700K | 90° | F

94SKY3527

Type: Four lines track light
Power: 15W
Lumens: 1275lm
Efficiency: 85lm/W
Body colour: White
Material: Aluminum

LED | neutral WHITE 4000K | 90° | F

94SKY3540

Type: Four lines track light
Power: 15W
Lumens: 1275lm
Efficiency: 85lm/W
Body colour: White
Material: Aluminum

LED | cold WHITE 6400K | 90° | F

94SKY3564

Type: Four lines track light
Power: 15W
Lumens: 1275lm
Efficiency: 85lm/W
Body colour: White
Material: Aluminum

Scan each QR code to see the price and availability of the product.

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP40
~230V
Ra≥80
EMC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



93SKY4527
93SKY4540
93SKY4564



94SKY4527
94SKY4540
94SKY4564

TWO LINES TRACK LIGHT, SKY TL808 SERIES

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP40
~230V
Ra≥80
EMC
RoHs COMPLIANT
CE



LED warm WHITE 2700K 90° F

93SKY4527

Type: Two lines track light
Power: 15W
Lumens: 1275lm
Efficiency: 85lm/W
Body colour: Black
Material: Aluminum

LED neutral WHITE 4000K 90° F

93SKY4540

Type: Two lines track light
Power: 15W
Lumens: 1275lm
Efficiency: 85lm/W
Body colour: Black
Material: Aluminum

LED cold WHITE 6400K 90° F

93SKY4564

Type: Two lines track light
Power: 15W
Lumens: 1275lm
Efficiency: 85lm/W
Body colour: Black
Material: Aluminum



LED warm WHITE 2700K 90° F

94SKY4527

Type: Four lines track light
Power: 15W
Lumens: 1275lm
Efficiency: 85lm/W
Body colour: Black
Material: Aluminum

LED neutral WHITE 4000K 90° F

94SKY4540

Type: Four lines track light
Power: 15W
Lumens: 1275lm
Efficiency: 85lm/W
Body colour: Black
Material: Aluminum

LED cold WHITE 6400K 90° F

94SKY4564

Type: Four lines track light
Power: 15W
Lumens: 1275lm
Efficiency: 85lm/W
Body colour: Black
Material: Aluminum

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity


4397


4398


6060


6061

TWO & FOUR LINES TRACK LIGHT, TRACER SERIES

Lamps Not Included | 1xGX53

4397



Type: Two lines track light
Body colour: White
Material: Metal + Plastic
Max.: 10W

Lamps Not Included | 1xGX53

4398



Type: Two lines track light
Body colour: Black
Material: Metal + Plastic
Max.: 10W

Lamps Not Included | 1xGX53

6060



Type: Four lines track light
Body colour: White
Material: Metal + Plastic
Max.: 10W

Lamps Not Included | 1xGX53

6061



Type: Four lines track light
Body colour: Black
Material: Metal + Plastic
Max.: 10W

Scan each QR code to see the price and availability of the product.

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP20
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Recommended bulb



G9

page 1048



GU10

page 1045

ELMARK
The Brand of Electricity



4956



4958



6616



4921

TWO LINES TRACK LIGHT, TRACER SERIES

Lamps Not Included | 1xG9



4956

Type: Two lines track light
Body colour: White
Material: Metal + Plastic
Max.: 8W

Lamps Not Included | 1xG9



4958

Type: Two lines track light
Body colour: Black
Material: Metal + Plastic
Max.: 8W

Lamps Not Included | 1xG9



6616

Type: Two lines track light
Body colour: Black + Gold
Material: Metal + Plastic
Max.: 8W

Lamps Not Included | 1xGU10



4921

Type: Two lines track light
Body colour: Black + Gold
Material: Metal + Plastic
Max.: 10W

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



G9

page 1048

ELMARK
The Brand of Electricity



4846



4847



4848

FOUR LINES TRACK LIGHT, TRACER SERIES

Lamps Not Included | 1xG9



4846

Type: Four lines track light
Body colour: White
Material: Metal + Plastic
Max.: 8W

Lamps Not Included | 1xG9



4847

Type: Four lines track light
Body colour: Black
Material: Metal + Plastic
Max.: 8W

Lamps Not Included | 1xG9



4848

Type: Four lines track light
Body colour: Gold
Material: Metal + Plastic
Max.: 8W



Scan each QR code to see the price and availability of the product.

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Recommended bulb



GU10

page 1045

ELMARK
The Brand of Electricity



6898



6897

TWO LINES TRACK LIGHT, TRACER SERIES

Lamps Not Included | 1xGU10



6898

Type: Two lines track light
Body colour: White
Material: Metal + Plastic
Max.: 10W

Lamps Not Included | 1xGU10



6897

Type: Two lines track light
Body colour: Black
Material: Metal + Plastic
Max.: 10W





5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



93TL2032/BL
94TL2032/BL



93TL2032/WH
94TL2032/WH

TWO & FOUR LINES TRACK LIGHT, TL2032 SERIES

Lamps Not Included 1xGU10

93TL2032/BL



Type: Two lines track light
Body colour: Black
Material: Iron
Max.: 8W

Lamps Not Included 1xGU10

93TL2032/WH



Type: Two lines track light
Body colour: White
Material: Iron
Max.: 8W

Lamps Not Included 1xGU10

94TL2032/BL



Type: Four lines track light
Body colour: Black
Material: Iron
Max.: 8W

Lamps Not Included 1xGU10

94TL2032/WH



Type: Four lines track light
Body colour: White
Material: Iron
Max.: 8W

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



GU10

page 1045

ELMARK
The Brand of Electricity



93TL5LEDBL
94TL5LEDBL



93TL5
94TL5

TWO & FOUR LINES TRACK LIGHT, SKY TL5 SERIES

Lamps Not Included 1xGU10

93TL5LEDBL



Type: Two lines track light
Body colour: Black
Material: Aluminum
Max.: 8W

Lamps Not Included 1xGU10

93TL5



Type: Two lines track light
Body colour: White
Material: Aluminum
Max.: 8W

Lamps Not Included 1xGU10

94TL5LEDBL



Type: Four lines track light
Body colour: Black
Material: Aluminum
Max.: 8W

Lamps Not Included 1xGU10

94TL5



Type: Four lines track light
Body colour: White
Material: Aluminum
Max.: 8W

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



GU10

page 1045

ELMARK
The Brand of Electricity



93TL2044/BL
94TL2044/BL



93TL2044/WH
94TL2044/WH

TWO & FOUR LINES TRACK LIGHT, SKY TL2044 SERIES

Lamps Not Included 1xGU10

93TL2044/BL



Type: Two lines track light
Body colour: Black
Material: Iron
Max.: 8W

Lamps Not Included 1xGU10

93TL2044/WH



Type: Two lines track light
Body colour: White
Material: Iron
Max.: 8W

Lamps Not Included 1xGU10

94TL2044/BL



Type: Four lines track light
Body colour: Black
Material: Iron
Max.: 8W

Lamps Not Included 1xGU10

94TL2044/WH



Type: Four lines track light
Body colour: White
Material: Iron
Max.: 8W

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1041

ELMARK
The Brand of Electricity



93TL809/BL



93TL809/WH

TWO LINES TRACK LIGHT, SKY TL809 SERIES

Lamps Not Included 1xE27

93TL809/BL



Type: Two lines track light
Body colour: Black
Material: Aluminum
Max.: 15W

Lamps Not Included 1xE27

93TL809/WH



Type: Two lines track light
Body colour: White
Material: Aluminum
Max.: 15W

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP40
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity


4888


4932


4920

TWO LINES TRACK LIGHT, TRACER SERIES

Lamps Not Included | 1xGU10



4888

Type: Two lines track light
Body colour: White
Material: Metal + Plastic
Max.: 10W

Lamps Not Included | 1xGU10



4932

Type: Two lines track light
Body colour: Black
Material: Metal + Plastic
Max.: 10W

Lamps Not Included | 1xGU10



4920

Type: Two lines track light
Body colour: Black + Gold
Material: Metal + Plastic
Max.: 10W



5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



GU10

page 1045

ELMARK
The Brand of Electricity



4930



4931

TWO LINES TRACK LIGHT, TRACER SERIES

Lamps Not Included | 1xGU10



4930

Type: Two lines track light
Body colour: White
Material: Metal + Plastic
Max.: 10W

Lamps Not Included | 1xGU10



4931

Type: Two lines track light
Body colour: Black
Material: Metal + Plastic
Max.: 10W



5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



GU10

page 1045

ELMARK
The Brand of Electricity



6477



4931

FOUR LINES TRACK LIGHT, TRACER SERIES

Lamps Not Included | 1xGU10

6477



Type: Four lines track light
Body colour: White
Material: Metal + Plastic
Max.: 10W

Lamps Not Included | 1xGU10

6479



Type: Four lines track light
Body colour: Black
Material: Metal + Plastic
Max.: 10W





5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



G9

page 1048

ELMARK
The Brand of Electricity



4926



4922

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20

~230V

RoHs COMPLIANT

CE

TWO LINES TRACK LIGHT, TRACER SERIES

Lamps Not Included | 1xG9

4926



Type: Two lines track light
Body colour: Black + Graphite
Material: Metal + Plastic
Max.: 8W

Lamps Not Included | 1xG9

4922



Type: Two lines track light
Body colour: Black + Graphite
Material: Metal + Plastic
Max.: 8W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



G9

page 1048

ELMARK
The Brand of Electricity



4928



4924

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20

~230V

RoHs COMPLIANT

CE

TWO LINES TRACK LIGHT, TRACER SERIES

Lamps Not Included 1xG9



4928

Type: Two lines track light
Body colour: Black + Amber
Material: Metal + Plastic
Max.: 8W

Lamps Not Included 1xG9



4924

Type: Two lines track light
Body colour: Black + Amber
Material: Metal + Plastic
Max.: 8W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



G9

page 1048

ELMARK
The Brand of Electricity



5751



5750

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20

~230V

RoHs COMPLIANT

CE

TWO LINES TRACK LIGHT, TRACER SERIES

Lamps Not Included

1xG9



5751

Type: Two lines track light
Body colour: Black
Material: Metal + Plastic
Max.: 8W

Lamps Not Included

1xG9



5750

Type: Two lines track light
Body colour: Black + Gold
Material: Metal + Plastic
Max.: 8W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



G9

page 1048

ELMARK
The Brand of Electricity



6028



6029

FOUR LINES TRACK LIGHT, TRACER SERIES

Lamps Not Included | 1xG9



6028

Type: Four lines track light
Body colour: Black
Material: Metal + Plastic
Max.: 8W

Lamps Not Included | 1xG9



6029

Type: Four lines track light
Body colour: Black + Gold
Material: Metal + Plastic
Max.: 8W

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

TWO LINES TRACK RAILS & ADAPTERS

93301

Type: Two lines track rail
Body colour: Black
Width: 40 mm
Material: Aluminum
Max.: 10A



93302

Type: Two lines track rail
Body colour: Black
Width: 40 mm
Material: Aluminum
Max.: 10A



93101

Type: Two lines track rail
Body colour: White
Width: 40 mm
Material: Aluminum
Max.: 10A



93102

Type: Two line track rail
Body colour: White
Width: 40 mm
Material: Aluminum
Max.: 10A



● 93310 ○ 93110

Type: I-type adapter for two lines track rail
Body colour: Black | White
Width: 40 mm
Material: Aluminum
Max.: 10A



● 93320 ○ 93120

Type: L-type adapter for two lines track rail
Body colour: Black | White
Width: 40 mm
Material: Aluminum
Max.: 10A



● 93330 ○ 93130

Type: T-type adapter for two lines track rail
Body colour: Black | White
Width: 40 mm
Material: Aluminum
Max.: 10A



● 93340 ○ 93140

Type: X-type adapter for two lines track rail
Body colour: Black | White
Width: 40 mm
Material: Aluminum
Max.: 10A



IP20
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

FOUR LINES TRACK RAILS & ADAPTERS

94301

Type: Four lines track rail*
Body colour: Black
Width: 34 mm
Material: Aluminum
Max.: 10A



94302

Type: Four lines track rail*
Body colour: Black
Width: 34 mm
Material: Aluminum
Max.: 10A



94101

Type: Four lines track rail*
Body colour: White
Width: 34 mm
Material: Aluminum
Max.: 10A



94102

Type: Four lines track rail*
Body colour: White
Width: 34 mm
Material: Aluminum
Max.: 10A



** The track rail comes without power supply*

● 94310 ○ 94110

Type: I-type adapter for four lines track rail
Body colour: Black | White
Width: 30 mm
Material: ABS anti-flaming + copper sheet
Max.: 10A



● 94320 ○ 94120

Type: L-type adapter for two lines track rail
Body colour: Black | White
Width: 30 mm
Material: ABS anti-flaming + copper sheet
Max.: 10A



● 94330 ○ 94130

Type: T-type adapter for two lines track rail
Body colour: Black | White
Width: 30 mm
Material: ABS anti-flaming + copper sheet
Max.: 10A



● 94340 ○ 94140

Type: X-type adapter for two lines track rail
Body colour: Black | White
Width: 30 mm
Material: ABS anti-flaming + cooper sheet
Max.: 10A



Scan each QR code to see the price and availability of the product.

IP20
~230V
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

FOUR LINES TRACK ADAPTERS

● 94320M ○ 94120M

Type: Four lines soft L-type connector
Body colour: Black | White
Width: 30 mm
Material: ABS anti-flaming + cooper sheet
Max.: 10A



● 94360 ○ 94160

Type: End cap
Body colour: Black | White
Width: 30 mm
Material: ABS anti-flaming



● 94350 ○ 94150

Type: Four lines power supply
Body colour: Black | White
Width: 30 mm
Material: ABS anti-flaming + cooper sheet
Max.: 10A



93SKY01/BL

Type: Connector for two lines track rail
Body colour: Black
Material: Plastic



93SKY01/W

Type: Connector for two lines track rail
Body colour: White
Material: Plastic



93SKY03/BL

Type: Connector for four lines track rail
Body colour: Black
Material: Plastic



93SKY03/W

Type: Connector for four lines track rail
Body colour: White
Material: Plastic



IP20
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

EMERGENCY LIGHTS



ELMARK
The Brand of Electricity



9XL88A LED
9XL88BLED



9XL88LED

EMERGENCY LIGHTS, XL SERIES

LED | IP44 | ONE FACE

9XL88A LED



Type: Exit one face
Power: 3W/6LED
Luminous flux: 80mcd
Emergency time: ≈ 2h
Battery: 1.2V / 800mAh Ni-Cd
Mounting: Surface/Hanging

LIMITED STOCK

LED | IP44 | TWO FACE

9XL88BLED



Type: Exit two face
Power: 3W/6LED
Luminous flux: 80mcd
Emergency time: ≈ 2h
Battery: 1.2V / 800mAh Ni-Cd
Mounting: Surface/Hanging

LED | IP44 | DOUBLE FACE

9XL88LED



Type: Exit - double face
Power: 3W/6LED
Luminous flux: 80mcd
Emergency time: ≈ 2h
Battery: 1.2V / 800mAh Ni-Cd
Mounting: Surface/Hanging

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP44
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



98XL103LEDIP65

EMERGENCY LIGHTS, XL SERIES

LED IP65

98XL103LEDIP65



Type: Emergency fixture with stickers
Power: 5W/27LED
Luminous flux: 200 mcd
Emergency time: ≥ 3h
Battery: 3.7V / 2000mAh Ni-Cd
Body colour: White with stickers
Material: ABS+PC
Mounting: Surface
* With 5 stickers

STICKERS:



5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP65

RoHs COMPLIANT

CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



9XL5113



9XL5114



9XL3114



9XL3115

EMERGENCY LIGHTS, XL SERIES

LED

9XL5113



Type: Surface Exit Light
Power: 3W/ 8 LED
Charging time: 8-12h
Emergency time: 3h
Battery: 1.2V/800mAh Ni-Cd
Mounting: Surface / Hanging
Material: ABS + PC

LED

9XL5114



Type: Surface Exit Light
Power: 3W/ 8 LED
Charging time: 8-12h
Emergency time: 3h
Battery: 1.2V/800mAh Ni-Cd
Mounting: Surface / Hanging
Material: ABS + PC

LED

9XL3114



Type: Surface Exit Light
Power: 3W/ 8 LED
Charging time: 8-12h
Emergency time: 3h
Battery: 1.2V/800mAh Ni-Cd
Mounting: Surface / Hanging
Material: ABS + PC

LED

9XL3115



Type: Surface Exit Light
Power: 3W/ 8 LED
Charging time: 8-12h
Emergency time: 3h
Battery: 1.2V/800mAh Ni-Cd
Mounting: Surface / Hanging
Material: ABS + PC

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP21

RoHS COMPLIANT

CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



9AL3116



9AL3117

EMERGENCY LIGHTS, AL SERIES

LED Li-ion

9AL3116



Type: Recessed Exit Light
Power: 3W/8 LED
Emergency time: ≥ 3h
Battery: 1.2V/800mAh LiFePO4
Mounting: Plasterboard
Material: ABS + PC
With test button

LED Li-ion

9AL3117



Type: Recessed Exit Light
Power: 3W/8 LED
Emergency time: ≥ 3h
Battery: 1.2V/800mAh LiFePO4
Mounting: Plasterboard
Material: ABS + PC
With test button

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP21

RoHS COMPLIANT

CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



9EL1150LED



9XL102LED

EMERGENCY LIGHTS

LED | cold WHITE 6000K | Li-ion

9EL1150LED



Type: Exit
Input Voltage: 110-220V AC
Operation Power: 1.5W
Lumens: 100lm
Charging time: 20-24h
Emergency time: 6-8h
Battery: Lithium 7V/2200mAh
Width: 55.3 mm
Body Colour: White
Mounting: Surface and Recessed

LED | cold WHITE 6000K | Li-ion

9XL102LED



Type: Emergency fixture
Input Voltage: 127-220V
Power: 2W/30LED
Lumens: 100lm
Charging time: 220V- 12h
Emergency time: 5h
Battery: Lithium 3.7V/1000mAh
Body colour: White
Mounting: Surface







5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP21

RoHS COMPLIANT

CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



95NEPTUN18CCTE

Settable Colour Temperature



99DS217/WHE



99DS216/WHE



92EL1LED

EMERGENCY LIGHTS

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | F | IP65 | LiFePO4

95NEPTUN18CCTE



Type: Emergency ceiling lamp
Power: 18W
Lumens: 1650lm
Charging time: ≤ 24h
Emergency time: ≥ 3h
Battery: LiFePO4 6.4V 3600mAh
Body colour: White
Material: Fireproof ABS
Monthly inspection and manual simulation check

LED | neutral WHITE 4000K | G

99DS217/WHE



Type: Ceiling lamp with PIR sensor and emergency
Power: 16W
Lumens: 1150lm
Efficiency: 72lm/W
Body colour: White
Material: PC (UV proof)
Emergency load: 1,2W/ 65lm
Battery: 3.7V/ 1500mAh Li-battery
Continuous illumination time: 5h

SENSOR
Detection range: 360°
Detection distance: max. 6m
Ambient light: <3-2000LUX
Time-Delay: 10sec ± 3sec to 3min ± 30sec (adjustable)
Installation height: 2,2-4,0m

LED | neutral WHITE 4000K | G

99DS216/WHE



Type: Ceiling lamp with PIR sensor and emergency
Power: 16W
Lumens: 1150lm
Efficiency: 72lm/W
Body colour: White
Material: PC (UV proof)
Emergency load: 1,2W/ 65lm
Battery: 3.7V/ 1500mAh Li-battery
Continuous illumination time: 5h

SENSOR
Detection range: 360°
Detection distance: max. 6m
Ambient light: <3-2000LUX
Time-Delay: 10sec ± 3sec to 3min ± 30sec (adjustable)
Installation height: 2,2-4,0m

LED | cold WHITE 6000K | Li-ion

92EL1LED



Type: Emergency fixture
Input Voltage: 220-240V
Power: 3W
Lumens: 180lm
Charging time: 220V- 12h
Emergency time: 3h
Battery: 18650 3.7V/3Ah Li-ion
Body colour: White
Mounting: Recessed

Scan each QR code to see the price and availability of the product.

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP65
IP21
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity

AUTONOMY EMERGENCY LIGHTING

The emergency lighting is aimed to be used in all cases when the power of the normal lighting is canceled due to occur of the emergency situation– an electric shock, fire, earthquake and etc. This assures the lighting needed and its continuous visibility, needed for the unimpeded leaving of the building through the emergency exits and it assures the ability for the easy recognition of the fireproof equipment and the signalization tools, positioned on the emergency roads.
The emergency blocks, offered by us, are suitable for autonomic lighting systems. They are with built in batteries and guarantee the autonomic switching on of the lighting body to which they are connected, if an emergency situation occurs, using the energy reserve of the battery. Similar lighting bodies do not need special power lines and they can be mounted anywhere, without a special need of support. Its main advantage is their independence of special built emergency lines and even if there is a damage in one of the emergency lightings, all of the others will keep on working. This gives an additional security and reliability of the whole emergency system.

89229



EMERGENCY DRIVER FOR LAMP WITH EXTERNAL DRIVERS

The housing of this emergency driver adopts good-quality aluminum and flame-retardant plastic. It has low weight and being convenient to install, so you can rest assure its safety. Battery adopts Li-ion battery with long lifespan. Its PCB adopts SMT technology, using IC control design in charging/discharging and power supply part. PCB uses fully automatic SMT technology, PCB core use PN8355, DW01 and M8205A IC chips which are especially for emergency lights and Li-ion battery protections. PCB circuit has the complete protection designs for over charging/discharging.

Operated principle:

The emergency driver is being charged when AC power works, when fully charged, the circuit will protect the battery from over being-charged, and the emergency is standing by as soon as the battery is fully charged. When AC power is down, emergency driver supplies power to LED fixtures and they up light to the way to escape.

Technical data

- Working voltage: 85-265V AC
- Input voltage: 85-265V AC
- Charging time: 24h
- Battery: 3.7V 2400mAh
- Emergency switch time: <2s
- Suitable: for LED lamp with external driver and power 3-50W
- Emergency time: >120min
- Working temperature: from -5 to +45°C
- Size: 130x58x22mm
- IP 30

Recommended:

For all LED panels and fixtures with external driver and power from 3-50W

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP30

RoHS COMPLIANT

CE

Scan QR code for 3D models, IES files & price.

YOU CAN VIEW ALL PRODUCTS WITH AN EMERGENCY BLOCK IN THE ELMARK DIGITAL CATALOG BY SCANNING THIS QR CODE

LED PANELS


LED DOWNLIGHTS


LED PROFILES


LED FIXTURES

Scan each QR code to see the price and availability of the product.

EMERGENCY DRIVER 3-20W

89231



EMERGENCY DRIVER FOR LAMP WITH INTERNAL IC DRIVERS

The housing of this emergency driver adopts good-quality steel models with powder coating. It has low weight and being convenient to install, so you can rest assure its safety. It mainly includes housing, PCB and battery etc. Its battery adopts Li-ion battery with long lifespan. Its PCB adopts automatic SMT technology, uses IC control design in charging/discharging and power supply part. PCB uses fully automatic SMT technology, PCB core use 3525 IC chips which is especially for emergency lights and Li-ion battery protections. PCB circuit has the complete protection for over charging/discharging,output Short Circuit, Open Circuit,input/output reverse connection.

Operated principle:

The emergency driver is being charged when AC power works, when fully charged, the circuit will protect the battery from over being-charged, and the emergency is standing by as soon as the battery is fully charged. When AC power is down, emergency driver supplies power to LED fixtures and they up light to the way to escape.

Technical data

- Input voltage: 85-265V AC
- Battery: 11.1V 2600mAh
- Emergency switch time: <2s
- Suitable: for LED lamp with internal driver and power 3-20W
- Emergency time: 60-180min
- Working temperature: from -10 to +50°C
- Size: 248x40x28mm
- IP 30

Recommended:

For all LED tubes and bulbs with external IC driver and power from 3-20W

YOU CAN VIEW ALL PRODUCTS WITH AN EMERGENCY BLOCK IN THE ELMARK DIGITAL CATALOG BY SCANNING THIS QR CODE



LIGHTING FIXTURE WITH LED TUBES, IP65

Scan each QR code to see the price and availability of the product.

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP30

Scan QR code for 3D models, IES files & price.





OUTDOOR LIGHTING

- GARDEN LIGHTING
- CEILING & WALL LAMPS
- FACADE & GROUND LIGHTING
- POOL LIGHTS
- SOLAR LIGHTING
- FLOOD LIGHTS
- HIGH BAYS
- STREET LIGHTS

Recommended bulb



E27

page 1027

ELMARK
The Brand of Electricity



96301WD/BRB



96303P/BRB



96301WU/BRB

GARDEN LANTERNS, IP44

Lamps Not Included | 1xE27



96303P/BRB

Type: Hanging lantern
Body colour: Antique copper
Material: Aluminum + Glass
Max.: 40W

Lamps Not Included | 1xE27



96301WD/BRB

Type: Wall lantern
Body colour: Antique copper
Material: Aluminum + Glass
Max.: 40W

Lamps Not Included | 1xE27



96301WU/BRB

Type: Wall lantern
Body colour: Antique copper
Material: Aluminum + Glass
Max.: 40W

2 YEARS TOTAL WARRANTY
+ 2 standard 0 extended

IP44

~230V

RoHs COMPLAINT

CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



96305F/BRB



96304MF/BRB

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP44
~230V
RoHs COMPLAINT
CE

GARDEN LANTERNS, IP44

Lamps Not Included
1xE27



96305F/BRB

Type: Lantern floor post
Body colour: Antique copper
Material: Aluminum + Glass
Max.: 40W

Lamps Not Included
1xE27



96304MF/BRB

Type: Lantern floor post
Body colour: Antique copper
Material: Aluminum + Glass
Max.: 40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1027

ELMARK
The Brand of Electricity



96402WD/AB



96403P/AB



96404MF/AB

GARDEN LANTERNS, IP44

Lamps Not Included | 1xE27



96403P/AB

Type: Hanging lantern
Body colour: Antique brass
Material: Aluminum + Glass
Max.: 40W

Lamps Not Included | 1xE27



96402WD/AB

Type: Wall lantern
Body colour: Antique brass
Material: Aluminum + Glass
Max.: 40W

Lamps Not Included | 1xE27



96404MF/AB

Type: Lantern floor post
Body colour: Antique brass
Material: Aluminum + Glass
Max.: 40W

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP44
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1027

ELMARK
The Brand of Electricity



96501WU/AB



96504MF/AB



96503P/AB



96505F/AB

GARDEN LANTERNS, IP44

Lamps Not Included | 1xE27

96503P/AB



Type: Hanging lantern
Body colour: Antique brass
Material: Aluminum + PVC
Max.: 40W

Lamps Not Included | 1xE27

96501WU/AB



Type: Wall lantern
Body colour: Antique brass
Material: Aluminum + PVC
Max.: 40W

Lamps Not Included | 1xE27

96504MF/AB



Type: Lantern floor post
Body colour: Antique brass
Material: Aluminum + PVC
Max.: 40W

Lamps Not Included | 1xE27

96505F/AB



Type: Lantern floor post
Body colour: Antique brass
Material: Aluminum + PVC
Max.: 40W

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP44
~230V
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1027

ELMARK
The Brand of Electricity



96102WD/AB



96103P/AB



96101WU/AB

GARDEN LANTERNS, IP44

Lamps Not Included | 1xE27



96103P/AB

Type: Hanging lantern
Body colour: Antique brass
Material: Aluminum + Glass
Max.: 40W

Lamps Not Included | 1xE27



96102WD/AB

Type: Wall lantern
Body colour: Antique brass
Material: Aluminum + Glass
Max.: 40W

Lamps Not Included | 1xE27



96101WU/AB

Type: Wall lantern
Body colour: Antique brass
Material: Aluminum + Glass
Max.: 40W

2 YEARS TOTAL WARRANTY
+ 2 standard 0 extended

IP44

~230V

RoHs COMPLIANT

CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



96105F/AB



96104MF/AB

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP44
~230V
RoHs COMPLIANT
CE

GARDEN LANTERNS, IP44

Lamps Not Included
1xE27



96105F/AB

Type: Lantern floor post
Body colour: Antique brass
Material: Aluminum + Glass
Max.: 40W

Lamps Not Included
1xE27



96104MF/AB

Type: Lantern floor post
Body colour: Antique brass
Material: Aluminum + Glass
Max.: 40W

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1017

ELMARK
The Brand of Electricity



96511WU/BL



96511P/BL



96511MF/BL

GARDEN LANTERNS, IP44

Lamps Not Included | 1xE27

96511P/BL



Type: Hanging lantern
Body colour: Black
Material: UV resistant PP + PC
Max.: 40W

UV resistant

Lamps Not Included | 1xE27

96511WU/BL



Type: Wall lantern
Body colour: Black
Material: UV resistant PP + PC
Max.: 40W

UV resistant

Lamps Not Included | 1xE27

96511MF/BL



Type: Standing lantern
Body colour: Black
Material: UV resistant PP + PC
Max.: 40W

UV resistant

3 YEARS TOTAL WARRANTY
+ 2 standard 1 extended

IP44
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1017

ELMARK
The Brand of Electricity



96511F2/BL



96511F/BL

3 YEARS TOTAL WARRANTY
+ 2 standard 1 extended

IP44

~230V

RoHs COMPLIANT

CE

GARDEN LANTERNS, IP44

Lamps Not Included 2xE27



96511F2/BL

Type: Standing lantern
Body colour: Black
Material: UV resistant PP + PC
Max.: 40W

UV resistant

Lamps Not Included 1xE27



96511F/BL

Type: Standing lantern
Body colour: Black
Material: UV resistant PP + PC
Max.: 40W

UV resistant

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1017

ELMARK
The Brand of Electricity



96514WU/BL



96514P/BL



96514F/BL



96514MF/BL

GARDEN LANTERNS, IP44

3 YEARS TOTAL WARRANTY
+ 2 standard 1 extended

IP44

~230V

RoHs COMPLIANT

CE

Scan QR code for 3D models, IES files & price.

96514P/BL

Lamps Not Included — 1xE27



Type: Hanging lantern
Body colour: Black
Material: UV resistant PP + Glass
Max.: 40W

UV resistant

96514WU/BL

Lamps Not Included — 1xE27



Type: Wall lantern
Body colour: Black
Material: UV resistant PP + Glass
Max.: 40W

UV resistant

96514F/BL

Lamps Not Included — 1xE27



Type: Standing lantern
Body colour: Black
Material: UV resistant PP + Glass
Max.: 40W

UV resistant

96514MF/BL

Lamps Not Included — 1xE27



Type: Standing lantern
Body colour: Black
Material: UV resistant PP + Glass
Max.: 40W

UV resistant

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1017

ELMARK
The Brand of Electricity



96515P/BL



96515WU/BL



96515F/BL



96515MF/BL

GARDEN LANTERNS, IP44

Lamps Not Included | 1xE27



96515P/BL

Type: Hanging lantern
Body colour: Black
Material: UV resistant PP+ PC
Max.: 40W

UV resistant

Lamps Not Included | 1xE27



96515WU/BL

Type: Wall lantern
Body colour: Black
Material: UV resistant PP+ PC
Max.: 40W

UV resistant

Lamps Not Included | 1xE27



96515F/BL

Type: Standing lantern
Body colour: Black
Material: UV resistant PP+ PC
Max.: 40W

UV resistant

Lamps Not Included | 1xE27



96515MF/BL

Type: Standing lantern
Body colour: Black
Material: UV resistant PP+ PC
Max.: 40W

UV resistant

3 YEARS TOTAL WARRANTY
+ 2 standard 1 extended

IP44
~230V
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1017

ELMARK
The Brand of Electricity



96516WU/BL



96516P/BL



96516MF/BL

GARDEN LANTERNS, IP44

Lamps Not Included | 1xE27

96516WU/BL



Type: Wall lantern
Body colour: Black
Material: UV resistant PP+ PC
Max.: 40W

UV resistant

Lamps Not Included | 1xE27

96516P/BL



Type: Hanging lantern
Body colour: Black
Material: UV resistant PP+ PC
Max.: 40W

UV resistant

Lamps Not Included | 1xE27

96516MF/BL



Type: Standing lantern
Body colour: Black
Material: UV resistant PP+ PC
Max.: 40W

UV resistant

3 YEARS TOTAL WARRANTY
+ 2 standard 1 extended

IP44
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1017

ELMARK
The Brand of Electricity



96512WD/BL



96513WD/BL



96519WD/BL

GARDEN LANTERNS, IP44

Lamps Not Included | 1xE27

96512WD/BL



Type: Wall lantern
Body colour: Black
Material: UV resistant PP + Glass
Max.: 40W

UV resistant

Lamps Not Included | 1xE27

96513WD/BL



Type: Wall lantern
Body colour: Black
Material: UV resistant PP + Glass
Max.: 40W

UV resistant

Lamps Not Included | 1xE27

96519WD/BL



Type: Wall lantern
Body colour: Black
Material: UV resistant PP+ PC
Max.: 40W

UV resistant

3 YEARS TOTAL WARRANTY
+ 2 standard 1 extended

IP44
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1017

ELMARK
The Brand of Electricity



96517WD/BL



96518WD/BL

GARDEN LANTERNS, IP44

Lamps Not Included | 1xE27

96517WD/BL



Type: Wall lantern
Body colour: Black
Material: UV resistant PP+ PC
Max.: 40W

UV resistant

Lamps Not Included | 1xE27

96518WD/BL



Type: Wall lantern
Body colour: Black
Material: UV resistant PP+ PC
Max.: 40W

UV resistant

3 YEARS TOTAL WARRANTY
+ 2 standard 1 extended

IP44
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1033

ELMARK
The Brand of Electricity



96SEAN1W/BL



96KYLE1W/BL



96ALAN1W/BL

GARDEN LANTERNS, IP54

Lamps Not Included | 1xE27

96SEAN1W/BL



Type: Wall lamp
Body colour: Black
Material: Aluminum + PC
Max.: 20W

Lamps Not Included | 1xE27

96KYLE1W/BL



Type: Wall lamp
Body colour: Black
Material: Aluminum + PC
Max.: 20W

Lamps Not Included | 1xE27

96ALAN1W/BL



Type: Wall lamp
Body colour: Black
Material: Iron + Glass
Max.: 20W

3 YEARS TOTAL WARRANTY
+ 2 standard 1 extended

IP54
~230V
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1015

ELMARK
The Brand of Electricity



96GOLIAWL/BL



96GOLIAP/BL



96GOLIAMF/BL



96IESSEWL/BL

GARDEN LANTERNS, IP55

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP55
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

96GOLIAP/BL

Lamps Not Included | 1xE27



Type: Hanging lantern
Body colour: Black
Material: Resin+ PMMA
Max.: 40W

UV resistant

96GOLIAWL/BL

Lamps Not Included | 1xE27



Type: Wall lantern
Body colour: Black
Material: Resin+ PMMA
Max.: 40W

UV resistant

96GOLIAMF/BL

Lamps Not Included | 1xE27



Type: Lantern floor post
Body colour: Black
Material: Resin+ PMMA
Max.: 40W

UV resistant

96IESSEWL/BL

Lamps Not Included | 1xE27



Type: Wall half lantern
Body colour: Black
Material: Resin+ PMMA
Max.: 40W

UV resistant

Scan each QR code to see the price and availability of the product.



96GOLIAGG/BL



96GOLIAMG/BL

LED PARK LIGHTS, IP55

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | E



96GOLIAGG/BL

Type: Lantern floor post
Lamp holder: E27
Power: 8.5W
Lumens: 969lm
Efficiency: 147lm/W
Body colour: Black
Material: Resin+ PMMA

UV resistant

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | E



96GOLIAMG/BL

Type: Lantern floor post
Lamp holder: E27
Power: 8.5W
Lumens: 969lm
Efficiency: 147lm/W
Body colour: Black
Material: Resin+ PMMA

UV resistant

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP55
~230V
LED BULB PEAR A60
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1042

ELMARK
The Brand of Electricity



96GOLIAWL/WH



96GOLIAP/WH



96IESSEWL/WH

GARDEN LANTERNS, IP55

Lamps Not Included | 1xE27



96GOLIAP/WH

Type: Hanging lantern
Body colour: White
Material: Resin+ PMMA
Diffuser colour: Clear
Max.: 40W

UV resistant

Lamps Not Included | 1xE27



96GOLIAWL/WH

Type: Wall lantern
Body colour: White
Material: Resin+ PMMA
Diffuser colour: Clear
Max.: 40W

UV resistant

Lamps Not Included | 1xE27



96IESSEWL/WH

Type: Wall half lantern
Body colour: White
Material: Resin+ PMMA
Diffuser colour: Clear
Max.: 40W

UV resistant

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP55
~230V
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



96GOLIAMG/WH



96GOLIAMF/WH

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP55

~230V

LED BULB
PEAR A60

Ra≥80

EMC

LED PARK LIGHTS, IP55

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | E



96GOLIAMG/WH

Type: Lantern floor post
Lamp holder: E27
Power: 8.5W
Lumens: 969lm
Efficiency: 147lm/W
Body colour: White
Diffuser colour: Clear
Material: Resin+ PMMA

UV resistant

Lamps Not Included | 1xE27



96GOLIAMF/WH

Type: Lantern floor post
Body colour: White
Material: Resin+ PMMA
Diffuser colour: Clear
Max.: 40W

UV resistant

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1015

ELMARK
The Brand of Electricity



96120WU/BL



96120P/BL



96120MF/BL

GARDEN LANTERNS, IP55

Lamps Not Included | 1xE27

96120WU/BL



Type: Wall lantern
Body colour: Black
Material: Resin+ PMMA
Max.: 40W

UV resistant

Lamps Not Included | 1xE27

96120P/BL



Type: Hanging lantern
Body colour: Black
Material: Resin+ PMMA
Max.: 40W

UV resistant

Lamps Not Included | 1xE27

96120MF/BL



Type: Lantern floor post
Body colour: Black
Material: Resin+ PMMA
Max.: 40W

UV resistant

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP55
~230V
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



96120GB2L/BL



96120F/BL

LED PARK LIGHTS, IP55

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | E



96120GB2L/BL

Type: Lantern floor post
Lamp holder: E27
Power: 2x8.5W
Lumens: 1938lm
Efficiency: 147lm/W
Body colour: Black
Material: Resin+ PMMA

UV resistant

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | E



96120F/BL

Type: Lantern floor post
Lamp holder: E27
Power: 8.5W
Lumens: 969lm
Efficiency: 147lm/W
Body colour: Black
Material: Resin+ PMMA

UV resistant

i Scan each QR code to see the price and availability of the product.

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP55
~230V
LED BULB PEAR A60
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Recommended bulb



E27

page 1017

ELMARK
The Brand of Electricity



96DARIO250W/BL



96DARIO250W/GR

GARDEN LIGHTS, IP55

Lamps Not Included

1xE27



96DARIO250W/BL

Type: Garden Wall Lamp
Body colour: Black + Clear Diffuser
Material: Resin+ PMMA
Max.: 40W



Lamps Not Included

1xE27



96DARIO250W/GR

Type: Garden Wall Lamp
Body colour: Grey + Clear Diffuser
Material: Resin+ PMMA
Max.: 40W



5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP55

~230V

RoHS COMPLIANT

CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1017

ELMARK
The Brand of Electricity



96DARIO250P/BL



96DARIO250P/GR

GARDEN LIGHTS, IP55

Lamps Not Included | 1xE27



96DARIO250P/BL

Type: Hanging lamp
Body colour: Black + Clear Diffuser
Material: Resin+ PMMA
Max.: 40W



Lamps Not Included | 1xE27



96DARIO250P/GR

Type: Hanging lamp
Body colour: Grey + Clear Diffuser
Material: Resin+ PMMA
Max.: 40W



5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP55
~230V
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1017

ELMARK
The Brand of Electricity



96DARIO250MF/BL



96DARIO250MF/GR

GARDEN LIGHTS, IP55

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP55
~230V
RoHs COMPLIANT
CE

Lamps Not Included
1xE27



96DARIO250MF/BL

Type: Floor lamp
Body colour: Black + Clear Diffuser
Material: Resin+ PMMA
Max.: 40W



Lamps Not Included
1xE27



96DARIO250MF/GR

Type: Floor lamp
Body colour: Grey + Clear Diffuser
Material: Resin+ PMMA
Max.: 40W



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



96DARIO250M/BL



96DARIO250M/GR

GARDEN LIGHTS, IP55





96DARIO250M/BL

Type: Floor lamp
Lamp holder: E27
Power: 8.5W
Lumens: 969lm
Efficiency: 147lm/W
Body colour: Black + Clear Diffuser
Material: Resin+ PMMA







96DARIO250M/GR

Type: Floor lamp
Lamp holder: E27
Power: 8.5W
Lumens: 969lm
Efficiency: 147lm/W
Body colour: Grey + Clear Diffuser
Material: Resin+ PMMA



5 YEAR TOTAL WARRANTY
3 standard+2 extended

IP40
~230V
IP55
~230V
LED BULB PEAR A60
Ra≥80
EMC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1027

ELMARK
The Brand of Electricity



96G250WLOP/BL



96G250P/BL



96G250MF/BL

GARDEN LIGHTS, IP55

Lamps Not Included | 1xE27



96G250WLOP/BL
/Difuser: Opal/
96G250WL/BL
/Difuser: Transparent/

Type: Wall lamp
Difuser: Opal/ Transparent
Body colour: Black
Material: Resin+ PMMA
Max.: 40W

UV resistant

Lamps Not Included | 1xE27



96G250POP/BL
/Difuser: Opal/
96G250P/BL
/Difuser: Transparent/

Type: Hanging lamp
Difuser: Opal/ Transparent
Body colour: Black
Material: Resin+ PMMA
Max.: 40W

UV resistant

Lamps Not Included | 1xE27



96G250MFOP/BL
/Difuser: Opal/
96G250MF/BL
/Difuser: Transparent/

Type: Floor lamp
Difuser: Opal/ Transparent
Body colour: Black
Material: Resin+ PMMA
Max.: 40W

UV resistant

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP55
~230V
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



96G250GB2L/BL



96G250M/BL

LED PARK LIGHTS, IP55

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | E



96G250GB2LOP/BL
/Difuser: Opal/

96G250GB2L/BL
/Difuser: Transparent/

Type: Floor lamp
Lamp holder: E27
Power: 2x8.5W
Lumens: 1938lm
Efficiency: 147lm/W
Difuser: Opal/ Transparent
Body colour: Black
Material: Resin+ PMMA

UV resistant

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | E



96G250MOP/BL
/Difuser: Opal/

96G250M/BL
/Difuser: Transparent/

Type: Floor lamp
Lamp holder: E27
Power: 8.5W
Lumens: 969lm
Efficiency: 147lm/W
Difuser: Opal/ Transparent
Body colour: Black
Material: Resin+ PMMA

UV resistant

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP55
~230V
LED BULB PEAR A60
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

i Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1027

ELMARK
The Brand of Electricity



96NARDO250W/BL



96DISMA250MF/BL

GARDEN LIGHTS, IP55

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

Lamps Not Included



96NARDO250W/BL



Type: Garden Wall Lamp
Body colour: Black + Opal Diffuser
Material: Resin+ PMMA
Max.: 40W



Lamps Not Included



96DISMA250MF/BL



Type: Garden Floor Lamp
Body colour: Black + Opal Diffuser
Material: Resin+ PMMA
Max.: 40W



IP55
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



96GIAFFA250M/BL

GARDEN LIGHTS, IP55



96GIAFFA250M/BL

Type: Floor lamp
Lamp holder: E27
Power: 8.5W
Lumens: 969lm
Efficiency: 147lm/W
Body colour: Black + Opal Diffuser
Material: Resin+ PMMA



Scan each QR code to see the price and availability of the product.

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP55
~230V
LED BULB PEAR A60
Ra≥80
EMC
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Recommended bulb



E27

page 1027

ELMARK
The Brand of Electricity



96GABRI/BL

GARDEN LIGHTS, IP66

Lamps Not Included





96GABRI/BL

Type: Path light
Body colour: Black
Material: Resin
Max.: 40W

UV resistant



5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP66
~230V
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1027

ELMARK
The Brand of Electricity



*Pillar not included

96GLOBE400PL/BL

LED PARK LIGHTS, IP55

Lamps Not Included



96GLOBE400PL/BL



Type: Pillar park light
Diffuser colour: Opal
Material: Resin+ PMMA
Suitable pillar: KARMEL 3000- cat. No 96KARMEL3000/BL

UV resistant

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP55

~230V

RoHs COMPLIANT

CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



96TOBIA30CCT/BL



96TOBIA40CCT/BL

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP66

~230V

RoHs COMPLIANT

CE

Scan QR code for 3D models, IES files & price.

LED | warm WHITE 3000K | neutral WHITE 4000K | SETTABLE | E | 1xE27

96TOBIA30CCT/BL



Type: Pillar park light
Power: 30W
Lumens: 3620lm
Efficiency: 121lm/W
Body Colour: Black
Material: Resin + Clear PMMA Diffuser
Suitable pillar: KARMEL 3000- cat. No 96KARMEL3000/BL

UV resistant

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | E | 4xGx53

96TOBIA40CCT/BL



Type: Pillar park light
Power: 40W
Lumens: 5160lm
Efficiency: 129lm/W
Body Colour: Black
Material: Resin + Clear PMMA Diffuser
Suitable pillar: KARMEL 3000- cat. No 96KARMEL3000/BL

UV resistant

Scan each QR code to see the price and availability of the product.



96KARMEL3000/BL



96ADAMWB/BL



96ADAM2L/BL

ACCESSORIES FOR LED PARK LIGHTS GLOBE, TOBIA

Lamps Not Included



96KARMEL3000/BL

Type: Pillar with door
Body Colour: Black
Material: Resin
Suitable accessories: 2L bracket 96ADAM2L/BL
Suitable lamps: Globe 400 and Tobia

UV resistant



96ADAMWB/BL

Type: Bracket for wall mounting
Body Colour: Black
Material: Resin
Suitable lamps: Globe 400 and Tobia

UV resistant



96ADAM2L/BL

Type: 2L bracket for pillar Karmel 3000
Body Colour: Black
Material: Resin
Suitable lamps: Globe 400 and Tobia

UV resistant





5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

RoHs COMPLAINT

CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



96GINO5040/BL1



96BEPPE40/BL

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP65
~230V
SMD 2835
Ra≥80
EMC

LED PARK LIGHTS, IP65

LED | neutral WHITE 4000K | E27 | E



96GINO5040/BL1

Type: Park Light GINO400
Power: 50W
Lumens: 6550lm
Efficiency: 131lm/W
Body Colour: Black
Material: Resin + Clear PMMA Diffuser

UV resistant

LED | neutral WHITE 4000K | E27 | E



96BEPPE40/BL

Type: Park Light BEPPE400
Power: 50W
Lumens: 6550lm
Efficiency: 131lm/W
Body Colour: Black
Material: Resin + Clear + PMMA Diffuser

UV resistant

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



*Pillar not included

96VIVI5040/BL1

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP65

~230V

SMD 2835

Ra≥80

EMC

LED PARK LIGHTS, IP65

LED | neutral WHITE 4000K | E27 | E

96VIVI5040/BL1



Type: Park Light VIVI400
Power: 50W
Lumens: 6550lm
Efficiency: 131lm/W
Body Colour: Black
Material: Resin + Clear + PMMA Diffuser

UV resistant





Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



96BASEGB/BL



96WPILARGB/BL



96WPILARV1L/BL



96WPILARV2L/BL

ACCESSORIES FOR LED PARK LIGHTS GINO, VIVI AND BEPPE

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

RoHs COMPLIANT
CE

96BASEGB/BL



Type: Base for ground mounting- BEPPE400; VIVI400; GINO400
Body Colour: Black
Material: Resin

UV resistant

96WPILARGB/BL



Type: Pillar bracket for wall mounting- VIVI400; GINO400
Body Colour: Black
Material: Resin

UV resistant

96WPILARV1L/BL



Type: Pillar 1L bracket for pole mounting- VIVI400
Body Colour: Black
Material: Resin

UV resistant

96WPILARV2L/BL



Type: Pillar 2L bracket for pole mounting- VIVI400
Body Colour: Black
Material: Resin

UV resistant

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



96BEPPE40/BL2



96EKTOR3000D/BL



96EKTOR3500D/BL

POLES FOR PARK LIGHTS GINO, VIVI AND BEPPE

Lamp Not Included



96BEPPE40/BL2

Type: Pole without door for BEPPE400; VIVI400; GINO400
Body Colour: Black
Material: Resin

**VIVI 400 can be mounted to the pole only 1L or 2L bracket*

UV resistant

Lamp Not Included



96EKTOR3000D/BL

Type: Pole without door for BEPPE400; VIVI400; GINO400
Body Colour: Black
Material: Resin

**VIVI 400 can be mounted to the pole only 1L or 2L bracket*

UV resistant

Lamp Not Included



96EKTOR3500D/BL

Type: Pole without door for BEPPE400; VIVI400; GINO400
Body Colour: Black
Material: Resin

**VIVI 400 can be mounted to the pole only 1L or 2L bracket*

UV resistant

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

RoHS COMPLIANT

CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



96LEDP30278



96LEDW302



96LEDW206
96LEDW206WW

GARDEN LAMP, IP54

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP54
~230V
SMD 2835
>20000
Ra≥80
EMC

LIMITED STOCK

LED | neutral WHITE 4000K | G

96LEDW302



Type: LED wall light
Power: 10W
Lumens: 800lm
Efficiency: 80lm/W
Body colour: Graphite black
Material: Aluminum + PC

LIMITED STOCK

LED | neutral WHITE 4000K | G

96LEDP30278



Type: LED path light
Power: 10W
Lumens: 800lm
Efficiency: 80lm/W
Body colour: Graphite black
Material: Aluminum + PC

LIMITED STOCK

LED | warm WHITE 3000K | G

96LEDW206WW



Type: LED wall light
Power: 10W
Lumens: 800lm
Efficiency: 80lm/W
Body colour: Graphite black
Material: Aluminum + PC

LIMITED STOCK

LED | neutral WHITE 4000K | G

96LEDW206



Type: LED wall light
Power: 10W
Lumens: 800lm
Efficiency: 80lm/W
Body colour: Graphite black
Material: Aluminum + PC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



96LEDW307/BL

GARDEN LAMP, IP54

LED | neutral WHITE 4000K | F



96LEDW307/BL

Type: LED path light
Power: 6W
Lumens: 600lm
Efficiency: 100lm/W
Body colour: Black
Material: UV resistant PP + PC







3 YEARS TOTAL WARRANTY
+ 2 standard 1 extended

IP54
~230V
SMD 2835
>20000
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



95SAURO800/BL

GARDEN LAMP, IP55

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP55
~230V
SMD 2835
>20000
Ra≥80
EMC



95SAURO800/BL

Type: LED path light
Power: 10W
Lumens: 1200lm
Efficiency: 120lm/W
Body colour: Black
Material: UV resistant PP + PC

UV resistant



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



95CARLO800D/BL



95CARLO400D/BL



95CARLOWLDFS/BL



95CARLOWLD/BL

GARDEN LAMP, IP55

LED | warm WHITE 2700K | neutral WHITE 4000K | SETTABLE | A++ A+ A B C D E F G | F



95CARLO800D/BL

Type: LED path light
Lamp holder: GU10
Power: 6W
Lumens: 600lm
Efficiency: 100lm/W
Body colour: Black
Material: Resin+ PMMA

UV resistant

LED | warm WHITE 2700K | neutral WHITE 4000K | SETTABLE | A++ A+ A B C D E F G | F



95CARLO400D/BL

Type: LED path light
Lamp holder: GU10
Power: 6W
Lumens: 600lm
Efficiency: 100lm/W
Body colour: Black
Material: Resin+ PMMA

UV resistant

LED | warm WHITE 2700K | neutral WHITE 4000K | SETTABLE | A++ A+ A B C D E F G | F



95CARLOWLD/BL

Type: LED wall light
Lamp holder: GU10
Power: 6W
Lumens: 600lm
Efficiency: 100lm/W
Body colour: Black
Material: Resin+ PMMA

UV resistant

LED | warm WHITE 2700K | neutral WHITE 4000K | SETTABLE | A++ A+ A B C D E F G | F



95CARLOWLDFS/BL

Type: LED wall light
Lamp holder: GU10
Power: 6W
Lumens: 600lm
Efficiency: 100lm/W
Body colour: Black
Material: Resin+ PMMA

UV resistant

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP55
~230V
SMD 2835
>20000
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



95CARLO800/BL



95CARLO400/BL



95CARLOWLFS/BL



95CARLOWL/BL

GARDEN LAMP, IP55

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP55
~230V
SMD 2835
>20000
Ra≥80
EMC



95CARLO800/BL

Type: LED path light
Lamp holder: GU10
Power: 6W
Lumens: 600lm
Efficiency: 100lm/W
Body colour: Black
Material: Resin+ PMMA

UV resistant



95CARLO400/BL

Type: LED path light
Lamp holder: GU10
Power: 6W
Lumens: 600lm
Efficiency: 100lm/W
Body colour: Black
Material: Resin+ PMMA

UV resistant



95CARLOWL/BL

Type: LED wall light
Lamp holder: GU10
Power: 6W
Lumens: 600lm
Efficiency: 100lm/W
Body colour: Black
Material: Resin+ PMMA

UV resistant



95CARLOWLFS/BL

Type: LED wall light
Lamp holder: GU10
Power: 6W
Lumens: 600lm
Efficiency: 100lm/W
Body colour: Black
Material: Resin+ PMMA

UV resistant

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



95CARLO800/GR



95CARLO400/GR



95CARLOWLFS/GR



95CARLOWL/GR

GARDEN LAMP, IP55

95CARLO800/GR



Type: LED path light
Lamp holder: GU10
Power: 6W
Lumens: 600lm
Efficiency: 100lm/W
Body colour: Grey
Material: Resin+ PMMA

UV resistant

95CARLO400/GR



Type: LED path light
Lamp holder: GU10
Power: 6W
Lumens: 600lm
Efficiency: 100lm/W
Body colour: Grey
Material: Resin+ PMMA

UV resistant

95CARLOWL/GR



Type: LED wall light
Lamp holder: GU10
Power: 6W
Lumens: 600lm
Efficiency: 100lm/W
Body colour: Black
Material: Resin+ PMMA

UV resistant

95CARLOWLFS/GR



Type: LED wall light
Lamp holder: GU10
Power: 6W
Lumens: 600lm
Efficiency: 100lm/W
Body colour: Black
Material: Resin+ PMMA

UV resistant

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP55
~230V
SMD 2835
>20000
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



95ESTERWL/BL



95ESTER500/BL



95ESTER800/BL

GARDEN LAMP, IP55

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP55
~230V
SMD 2835
>20000
Ra≥80
EMC

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | A E

95ESTERWL/BL



Type: LED wall light
Lamp holder: GX53
Power: 10W
Lumens: 1200lm
Efficiency: 120lm/W
Body colour: Black
Material: Resin+ PMMA

UV resistant

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | A E

95ESTER500/BL



Type: LED path light
Lamp holder: GX53
Power: 10W
Lumens: 1200lm
Efficiency: 120lm/W
Body colour: Black
Material: Resin+ PMMA

UV resistant

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | A E

95ESTER800/BL



Type: LED path light
Lamp holder: GX53
Power: 10W
Lumens: 1200lm
Efficiency: 120lm/W
Body colour: Black
Material: Resin+ PMMA

UV resistant



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



95ESTERWL/GR



95ESTER500/GR



95ESTER800/GR

GARDEN LAMP, IP55

95ESTERWL/GR

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | E



Type: LED wall light
Lamp holder: GX53
Power: 10W
Lumens: 1200lm
Efficiency: 120lm/W
Body colour: Grey
Material: Resin+ PMMA

UV resistant

95ESTER500/GR

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | E



Type: LED path light
Lamp holder: GX53
Power: 10W
Lumens: 1200lm
Efficiency: 120lm/W
Body colour: Grey
Material: Resin+ PMMA

UV resistant

95ESTER800/GR

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | E



Type: LED path light
Lamp holder: GX53
Power: 10W
Lumens: 1200lm
Efficiency: 120lm/W
Body colour: Grey
Material: Resin+ PMMA

UV resistant



5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP55
~230V
SMD 2835
>20000
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1027

ELMARK
The Brand of Electricity



95SAURO800L/BL



95SAURO1100L/BL



955MIRELLAWL/BL



95SAURO500L/BL

GARDEN LAMP, IP55

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP55

~230V

RoHs COMPLIANT

CE

Lamps Not Included | 1xE27



95SAURO1100L/BL

Type: Path light
Body colour: Black
Material: Resin+ PMMA
Max.: 40W

UV resistant

Lamps Not Included | 1xE27



95SAURO800L/BL

Type: Path light
Body colour: Black
Material: Resin+ PMMA
Max.: 40W

UV resistant

Lamps Not Included | 1xE27



95SAURO500L/BL

Type: Path light
Body colour: Black
Material: Resin+ PMMA
Max.: 40W

UV resistant

Lamps Not Included | 1xE27



955MIRELLAWL/BL

Type: Wall light
Body colour: Black
Material: Resin+ PMMA
Max.: 40W

UV resistant

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1027

ELMARK
The Brand of Electricity



95SAURO800L/GR



95SAURO1100L/GR



955MIRELLAWL/GR



95SAURO500L/GR

GARDEN LAMP, IP55

Lamps Not Included | 1xE27

95SAURO1100L/GR



Type: Path light
Body colour: Grey
Material: Resin+ PMMA
Max.: 40W

UV resistant

Lamps Not Included | 1xE27

95SAURO800L/GR



Type: Path light
Body colour: Grey
Material: Resin+ PMMA
Max.: 40W

UV resistant

Lamps Not Included | 1xE27

95SAURO500L/GR



Type: Path light
Body colour: Grey
Material: Resin+ PMMA
Max.: 40W

UV resistant

Lamps Not Included | 1xE27

955MIRELLAWL/GR



Type: Wall light
Body colour: Grey
Material: Resin+ PMMA
Max.: 40W

UV resistant

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP55
~230V
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1027

ELMARK
The Brand of Electricity



96300016



96300017



96400023



96400024

GARDEN PILLAR LAMP, IP65

Lamps Not Included | 1xE27

- **96300016** /Difuser: Opal/
- **96400023** /Difuser: Transparent/



Type: Pillar light
Colour: Opal/ Transparent
Material: PMMA
Max.: 20W
Mounting: Metal pole ø60

Lamps Not Included | 1xE27

- **96300017** /Difuser: Opal/
- **96400024** /Difuser: Transparent/



Type: Pillar light
Colour: Opal/ Transparent
Material: PMMA
Max.: 20W
Mounting: Metal pole ø60

93SP60BL



Type: Metal pole
Colour: Black
Diameter 60mm
Base: ø145 mm

93SP80BL



Type: Metal pole
Colour: Black
Diameter 60mm
Base: ø145 mm

2 YEARS TOTAL WARRANTY
+ 2 standard 0 extended

IP65
~230V
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1027

ELMARK
The Brand of Electricity



96300018



96300019



96400025



96400027

GARDEN PILLAR LAMP, IP65

Lamps Not Included | 1xE27

96300018
/Difuser: Opal/

96400025
/Difuser: Transparent/



Type: Pillar light
Colour: Opal/ Transparent
Material: PMMA
Max.: 40W
Mounting: Metal pole ø60

Lamps Not Included | 1xE27

96300019
/Difuser: Opal/

96400027
/Difuser: Transparent/



Type: Pillar light
Colour: Opal/ Transparent
Material: PMMA
Max.: 40W
Mounting: Metal pole ø60

93SP100BL



Type: Metal pole
Colour: Black
Diameter 60mm
Base: ø145 mm

93SP120BL



Type: Metal pole
Colour: Black
Diameter 60mm
Base: ø145 mm

2 YEARS TOTAL WARRANTY
+ 2 standard 0 extended

IP65
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulbs

E27 page 1040



ELMARK
The Brand of Electricity



961527

BELT LIGHT, IP44

Lamps Not Included 15xE27

961527



Type: Belt light
Cable length: 5 m
Cable specification: H05RN-F 2x1.0mm²
Connectors type: 3 pcs male/ female
Length 5m / 15 lamps holders





2 YEARS TOTAL WARRANTY
+ 2 standard 0 extended

IP44
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.



Scan each QR code to see the price and availability of the product.

FACADE, WALL & CEILING LAMPS



ELMARK
The Brand of Electricity



96LETI100/BL



96LETI100EL/BL



96LETI100GR/BL

RECESSED WALL LAMPS, IP66

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | A G E

96LETI100/BL



Type: LED wall lamp
Lamp holder: GX53
Power: 3W
Lumens: 350lm
Efficiency: 117lm/W
Body colour: Black
Cut size: 96 mm
Material: Resin + Opal glass
UV resistant

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | A G E

96LETI100EL/BL



Type: LED wall lamp
Lamp holder: GX53
Power: 3W
Lumens: 350lm
Efficiency: 117lm/W
Body colour: Black
Cut size: 96 mm
Material: Resin + Opal glass
UV resistant

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | A G E

96LETI100GR/BL



Type: LED wall lamp
Lamp holder: GX53
Power: 3W
Lumens: 350lm
Efficiency: 117lm/W
Body colour: Black
Cut size: 96 mm
Material: Resin + Opal glass
UV resistant



5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP66
~230V
SMD 2835
>15000
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



96LETI100/GR



96LETI100EL/GR



96LETI100GR/GR

RECESSED WALL LAMPS, IP66

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | E

96LETI100/GR



Type: LED wall lamp
Lamp holder: GX53
Power: 3W
Lumens: 350lm
Efficiency: 117lm/W
Body colour: Grey
Cut size: 96 mm
Material: Resin + Opal glass
UV resistant

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | E

96LETI100EL/GR



Type: LED wall lamp
Lamp holder: GX53
Power: 3W
Lumens: 350lm
Efficiency: 117lm/W
Body colour: Grey
Cut size: 96 mm
Material: Resin + Opal glass
UV resistant

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | E

96LETI100GR/GR



Type: LED wall lamp
Lamp holder: GX53
Power: 3W
Lumens: 350lm
Efficiency: 117lm/W
Body colour: Grey
Cut size: 96 mm
Material: Resin + Opal glass
UV resistant



5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP66
~230V
SMD 2835
>15000
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



96GRFLED016WW
96GRFLED016

STEP LIGHTS, IP65

LED | warm WHITE 3000K | A G G

96GRFLED016WW



Type: Recessed step light
Power: 2W
Lumens: 50lm
Body colour: Black
Height: 65 mm
Material: Aluminum

LED | neutral WHITE 4000K | A G G

96GRFLED016



Type: Recessed step light
Power: 2W
Lumens: 50lm
Body colour: Black
Height: 65 mm
Material: Aluminum

3 YEARS TOTAL WARRANTY
+ 3 standard 0 extended

IP65
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.



i Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



96LETI300/BL



96LETI300GL/BL

WALL LAMPS, IP66

Lamps Not Included 1xE27

96LETI300/BL



Type: Wall lamp
Body colour: Black
Material: Resin + Opal glass
Max.: 40W

UV resistant

Lamps Not Included 1xE27

96LETI300GL/BL



Type: Wall lamp
Body colour: Black
Material: Resin + Opal glass
Max.: 40W

UV resistant





5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP66
~230V
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1033

ELMARK
The Brand of Electricity



96LETI300HVP/BL



96LETI300HS/BL

WALL LAMPS, IP66

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP66

~230V

RoHs COMPLIANT

CE

Lamps Not Included | 1xE27

96LETI300HVP/BL



Type: Wall lamp
Body colour: Black
Material: Resin + Opal glass
Max.: 40W

UV resistant



Lamps Not Included | 1xE27

96LETI300HS/BL



Type: Wall lamp
Body colour: Black
Material: Resin + Opal glass
Max.: 40W

UV resistant



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1033

ELMARK
The Brand of Electricity



96LETI300/GR



96LETI300HS/GR

WALL LAMPS, IP66

Lamps Not Included | 1xE27

96LETI300/GR



Type: Wall lamp
Body colour: Grey
Material: Resin + Opal glass
Max.: 40W

UV resistant

Lamps Not Included | 1xE27

96LETI300HS/GR



Type: Wall lamp
Body colour: Grey
Material: Resin + Opal glass
Max.: 40W

UV resistant

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP66
~230V
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



96NINA150/BL



96NINA190/BL



96NINA150/GR



96NINA190/GR

RECESSED LAMPS, IP55

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP55
~230V
SMD 2835
>15000
Ra≥80
EMC

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | E

96NINA150/BL



Type: LED recessed light
Lamp holder: R7s
Power: 3.2W
Lumens: 400lm
Efficiency: 125lm/W
Body colour: Black
Material: Resin

96NINA190/BL



Type: LED recessed light
Lamp holder: R7s
Power: 7.5W
Lumens: 850lm
Efficiency: 113lm/W
Body colour: Black
Material: Resin

96NINA150/GR



Type: LED recessed light
Lamp holder: R7s
Power: 3.2W
Lumens: 400lm
Efficiency: 125lm/W
Body colour: Grey
Material: Resin

96NINA190/GR



Type: LED recessed light
Lamp holder: R7s
Power: 7.5W
Lumens: 850lm
Efficiency: 113lm/W
Body colour: Grey
Material: Resin

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



96GRFLED0041
96GRFLED0031



Additional decorative grid

RECESSED LAMPS, IP65

LED | cold WHITE 6000-6500K | 30° | G

96GRFLED0031



Type: LED recessed light
Power: 1.5W
Lumens: 55/32lm
Body colour: Grey
Material: Stainless steel + Aluminum
Operating temperature: -20°C÷+65°C
+ Additional decorative grid

LED | cold WHITE 6000-6500K | 30° | G

96GRFLED0041



Type: LED recessed light
Power: 3.5W
Lumens: 187/165lm
Body colour: Grey
Material: Stainless steel + Aluminum
Operating temperature: -20°C÷+65°C
+ Additional decorative grid

3 YEARS TOTAL WARRANTY
+ 2 standard 1 extended

IP65
~230V
SMD 2835
>15000
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



96GRFLED011WW
96GRFLED011



96GRFLED013WW
96GRFLED013



96GRFLED012WW
96GRFLED012

STEP LIGHTS, IP65

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP65
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

96GRFLED011WW
96GRFLED011

warm WHITE 3000K
neutral WHITE 4000K



Type: Recessed step light
Power: 2W
Lumens: 50lm
Body colour: Black
Height: 55 mm
Material: Aluminum



96GRFLED013WW
96GRFLED013

warm WHITE 3000K
neutral WHITE 4000K



Type: Recessed step light
Power: 2W
Lumens: 50lm
Body colour: Black
Height: 55 mm
Material: Aluminum

96GRFLED012WW
96GRFLED012

warm WHITE 3000K
neutral WHITE 4000K



Type: Recessed step light
Power: 2W
Lumens: 50lm
Body colour: Black
Height: 55 mm
Material: Aluminum

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



96GRFLED014WW
96GRFLED014



96GRFLED015WW
96GRFLED015

STEP LIGHTS, IP65

LED G

warm WHITE 3000K
neutral WHITE 4000K

96GRFLED014WW
96GRFLED014



Type: Recessed step light
Power: 5W
Lumens: 70lm
Body colour: Black
Height: 55 mm
Material: Aluminum



LED G

warm WHITE 3000K
neutral WHITE 4000K

96GRFLED015WW
96GRFLED015



Type: Recessed step light
Power: 5W
Lumens: 70lm
Body colour: Black
Height: 55 mm
Material: Aluminum

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP65
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



96GRFLED001/T1W
96GRFLED001/T1



96GRFLED001/T2W
96GRFLED001/T2



96GRFLED001/T3W
96GRFLED001/T3

STEP LIGHTS, IP65

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP65
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

LED A G

warm WHITE 3000K
neutral WHITE 4000K

96GRFLED001/T1W
96GRFLED001/T1



Type: Recessed step light
Power: 1W
Lumens: 70lm
Body colour: Grey
Height: 80 mm
Material: Stainless Steel + Aluminum

LED A G

warm WHITE 3000K
neutral WHITE 4000K

96GRFLED001/T2W
96GRFLED001/T2



Type: Recessed step light
Power: 1W
Lumens: 70lm
Body colour: Grey
Height: 80 mm
Material: Stainless Steel + Aluminum

LED A G

warm WHITE 3000K
neutral WHITE 4000K

96GRFLED001/T3W
96GRFLED001/T3



Type: Wall recessed fixture
Power: 1W
Lumens: 70lm
Body colour: Grey
Height: 80 mm
Material: Stainless Steel + Aluminum

Scan each QR code to see the price and availability of the product.



96GRFLED003/T1W
96GRFLED003/T1



96GRFLED003/T2W
96GRFLED003/T2



96GRFLED003/T3W
96GRFLED003/T3

STEP LIGHTS, IP65

LED G

warm WHITE 3000K
neutral WHITE 4000K

96GRFLED003/T1W
96GRFLED003/T1



Type: Recessed step light
Power: 3W
Lumens: 95lm
Body colour: Grey
Height: 80 mm
Material: Stainless Steel + Aluminum

LED G

warm WHITE 3000K
neutral WHITE 4000K

96GRFLED003/T2W
96GRFLED003/T2



Type: Recessed step light
Power: 3W
Lumens: 95lm
Body colour: Grey
Height: 80 mm
Material: Stainless Steel + Aluminum

LED G

warm WHITE 3000K
neutral WHITE 4000K

96GRFLED003/T3W
96GRFLED003/T3



Type: Recessed step light
Power: 3W
Lumens: 95lm
Body colour: Grey
Height: 80 mm
Material: Stainless Steel + Aluminum

Scan each QR code to see the price and availability of the product.

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP65
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



96GRFLED300/6BL



96GRFLED301/6BL



96GRFLED302/6BL

WALL LAMPS, IP65

3 YEARS TOTAL WARRANTY
+ 2 standard 1 extended

IP65
~230V
SMD 2835
>15000
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

96GRFLED300/6BL

LED | neutral WHITE 4000K | G



Type: LED wall lamp
Power: 6W
Lumens: 330lm
Efficiency: 55lm/W
Body colour: Black
Material: UV resistant ABS + PC
UV resistant

96GRFLED301/6BL

LED | neutral WHITE 4000K | G



Type: LED wall lamp
Power: 6W
Lumens: 120lm
Efficiency: 20lm/W
Body colour: Black
Material: UV resistant ABS + PC
UV resistant

96GRFLED302/6BL

LED | neutral WHITE 4000K | G



Type: LED wall lamp
Power: 6W
Lumens: 110lm
Efficiency: 18 lm/W
Body colour: Black
Material: UV resistant ABS + PC
UV resistant

Scan each QR code to see the price and availability of the product.



96GRFLED300/6GR



96GRFLED301/6GR



96GRFLED302/6GR

WALL LAMPS, IP65

LED | neutral WHITE 4000K | G

96GRFLED300/6GR



Type: LED wall lamp
Power: 6W
Lumens: 330lm
Efficiency: 55lm/W
Body colour: Grey
Material: UV resistant ABS + PC
UV resistant

LED | neutral WHITE 4000K | G

96GRFLED301/6GR



Type: LED wall lamp
Power: 6W
Lumens: 120lm
Efficiency: 20lm/W
Body colour: Grey
Material: UV resistant ABS + PC
UV resistant

LED | neutral WHITE 4000K | G

96GRFLED302/6GR



Type: LED wall lamp
Power: 6W
Lumens: 110lm
Efficiency: 18lm/W
Body colour: Grey
Material: UV resistant ABS + PC
UV resistant

Scan each QR code to see the price and availability of the product.

3 YEARS TOTAL WARRANTY
2 standard + 1 extended

IP65
~230V
SMD 2835
>15000
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



96GRFLED52/DGR



96GRFLED52/GR



96GRFLED52/WH

WALL LAMPS, IP65

LED | neutral WHITE 4000K | G

96GRFLED52/DGR



Type: LED wall light
Power: 1.5W
Lumens: 60lm
Body colour: Dark grey
Material: ABS + PVC
Operating temperature:
-20°C÷+65°C

LED | neutral WHITE 4000K | G

96GRFLED52/GR



Type: LED wall light
Power: 1.5W
Lumens: 60lm
Body colour: Grey
Material: ABS + PVC
Operating temperature:
-20°C÷+65°C

LED | neutral WHITE 4000K | G

96GRFLED52/WH



Type: LED wall light
Power: 1.5W
Lumens: 60lm
Body colour: White
Material: ABS + PVC
Operating temperature:
-20°C÷+65°C

3 YEARS TOTAL WARRANTY
+ 2 standard 1 extended

IP65
~230V
SMD 2835
>15000
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



96GRFLED02/DGR



96GRFLED02/GR



96GRFLED02/WH

WALL LAMPS, IP65

LED | neutral WHITE 4000K | G

96GRFLED02/DGR



Type: LED wall light
Power: 1.8W
Lumens: 90lm
Body colour: Dark grey
Material: ABS + PVC
Operating temperature:
-20°C÷+65°C

LED | neutral WHITE 4000K | G

96GRFLED02/GR



Type: LED wall light
Power: 1.8W
Lumens: 90lm
Body colour: Grey
Material: ABS + PVC
Operating temperature:
-20°C÷+65°C

LED | neutral WHITE 4000K | G

96GRFLED02/WH



Type: LED wall light
Power: 1.8W
Lumens: 90lm
Body colour: White
Material: ABS + PVC
Operating temperature:
-20°C÷+65°C

3 YEARS TOTAL WARRANTY
+ 2 standard 1 extended

IP65
~230V
SMD 2835
>15000
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



96GRFLED01/1BL



96GRFLED309/4BL



96GRFLED308/4BL

WALL LAMPS, IP65

LED | neutral WHITE 4000K | G

96GRFLED01/1BL



Type: LED wall light
Power: 1W
Lumens: 30lm
Body colour: Black
Material: UV resistant ABS+ PC

UV resistant

LED | neutral WHITE 4000K | F

96GRFLED309/4BL



Type: LED wall light
Power: 4W
Lumens: 280lm
Efficiency: 70lm/W
Body colour: Black
Material: UV resistant ABS+ PC

UV resistant

LED | neutral WHITE 4000K | F

96GRFLED308/4BL



Type: LED wall light
Power: 4W
Lumens: 300lm
Efficiency: 75lm/W
Body colour: Black
Material: UV resistant ABS+ PC

UV resistant

3 YEARS TOTAL WARRANTY
+ 2 standard 1 extended

IP65
~230V
SMD 2835
>15000
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



96GRFLED01/1GR



96GRFLED309/4GR



96GRFLED308/4GR

WALL LAMPS, IP65

LED | neutral WHITE 4000K | G

96GRFLED01/1GR



Type: LED wall light
Power: 1W
Lumens: 30lm
Body colour: Grey
Material: UV resistant ABS+ PC

UV resistant

LED | neutral WHITE 4000K | F

96GRFLED309/4GR



Type: LED wall light
Power: 4W
Lumens: 280lm
Efficiency: 70lm/W
Body colour: Grey
Material: UV resistant ABS+ PC

UV resistant

LED | neutral WHITE 4000K | F

96GRFLED308/4GR



Type: LED wall light
Power: 4W
Lumens: 300lm
Efficiency: 75lm/W
Body colour: Grey
Material: UV resistant ABS+ PC

UV resistant

Scan each QR code to see the price and availability of the product.

3 YEARS TOTAL WARRANTY
2 standard + 1 extended

IP65
~230V
SMD 2835
>15000
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.



96GRFLED303/6BL



96GRFLED304/6BL



96GRFLED303/6GR



96GRFLED304/6GR

WALL LAMPS, IP65

3 YEARS TOTAL WARRANTY
+ 2 standard 1 extended

IP65
~230V
SMD 2835
>15000
Ra≥80
EMC

LED | neutral WHITE 4000K | G

96GRFLED303/6BL



Type: LED wall lamp
Power: 6W
Lumens: 200lm
Efficiency: 33lm/W
Body colour: Black
Material: UV resistant ABS+ PC
UV resistant

96GRFLED304/6BL



Type: LED wall lamp
Power: 6W
Lumens: 100lm
Efficiency: 17lm/W
Body colour: Black
Material: UV resistant ABS+ PC
UV resistant

96GRFLED303/6GR



Type: LED wall lamp
Power: 6W
Lumens: 200lm
Efficiency: 33lm/W
Body colour: Grey
Material: UV resistant ABS+ PC
UV resistant

96GRFLED304/6GR



Type: LED wall lamp
Power: 6W
Lumens: 100lm
Efficiency: 17lm/W
Body colour: Grey
Material: UV resistant ABS+ PC
UV resistant

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



96GRFLED310/8BL



96GRFLED311/8BL



96GRFLED310/8GR



96GRFLED311/8GR

WALL LAMPS, IP65

LED | neutral WHITE 4000K | G

96GRFLED310/8BL



Type: LED wall lamp
Power: 8W
Lumens: 260lm
Efficiency: 33lm/W
Body colour: Black
Material: UV resistant ABS + PC
UV resistant

LED | neutral WHITE 4000K | F

96GRFLED311/8BL



Type: LED wall lamp
Power: 8W
Lumens: 260lm
Efficiency: 33lm/W
Body colour: Black
Material: UV resistant ABS + PC
UV resistant

LED | neutral WHITE 4000K | G

96GRFLED310/8GR



Type: LED wall lamp
Power: 8W
Lumens: 260lm
Efficiency: 33lm/W
Body colour: Black
Material: UV resistant ABS + PC
UV resistant

LED | neutral WHITE 4000K | F

96GRFLED311/8GR



Type: LED wall lamp
Power: 8W
Lumens: 260lm
Efficiency: 33lm/W
Body colour: Black
Material: UV resistant ABS + PC
UV resistant

Scan each QR code to see the price and availability of the product.

3 YEARS TOTAL WARRANTY
2 standard + 1 extended

IP65
~230V
SMD 2835
>15000
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



96LETI100REL/BL



96ELETI100RGR/BL

WALL LAMPS, IP66



96LETI100REL/BL



Type: LED wall lamp
Lamp holder: GX53
Power: 3W
Lumens: 350lm
Efficiency: 117lm/W
Body colour: Black
Material: Resin + Opal glass

UV resistant





96ELETI100RGR/BL



Type: LED wall lamp
Lamp holder: GX53
Power: 3W
Lumens: 350lm
Efficiency: 117lm/W
Body colour: Black
Material: Resin + Opal glass

UV resistant



5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP66
~230V
SMD 2835
>15000
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



96LETI100REL/GR



96ELETI100RGR/GR

WALL LAMPS, IP66

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | E

96LETI100REL/GR



Type: LED wall lamp
Lamp holder: GX53
Power: 3W
Lumens: 350lm
Efficiency: 117lm/W
Body colour: Grey
Material: Resin + Opal glass

UV resistant



LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | E

96ELETI100RGR/GR



Type: LED wall lamp
Lamp holder: GX53
Power: 3W
Lumens: 350lm
Efficiency: 117lm/W
Body colour: Grey
Material: Resin + Opal glass

UV resistant



5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP66
~230V
SMD 2835
>15000
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



95LORENZA150/BL



95LORENZA190/BL

WALL LAMPS, IP55

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | E

95LORENZA150/BL



Type: LED wall lamp
Lamp holder: R7s
Power: 3.2W
Lumens: 400lm
Efficiency: 125lm/W
Body colour: Black
Material: Resin + Clear glass

UV resistant



LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | E

95LORENZA190/BL



Type: LED wall lamp
Lamp holder: R7s
Power: 7.5W
Lumens: 850lm
Efficiency: 118lm/W
Body colour: Black
Material: Resin + Clear glass

UV resistant



5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP55
~230V
SMD 2835
>15000
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



95LORENZA150/GR



95LORENZA190/GR

WALL LAMPS, IP55

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | E

95LORENZA150/GR



Type: LED wall lamp
Lamp holder: R7s
Power: 3.2W
Lumens: 400lm
Efficiency: 125lm/W
Body colour: Grey
Material: Resin + Clear glass

UV resistant



LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | E

95LORENZA190/GR



Type: LED wall lamp
Lamp holder: R7s
Power: 7.5W
Lumens: 850lm
Efficiency: 118lm/W
Body colour: Grey
Material: Resin + Clear glass

UV resistant



5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP55
~230V
SMD 2835
>15000
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



95LORENZA270/BL



95LORENZA270/GR

WALL LAMPS, IP55

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP55
~230V
SMD 2835
>15000
Ra≥80
EMC

95LORENZA270/BL

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | A F G | F



Type: LED wall lamp
Power: 10.5W
Lumens: 1100lm
Efficiency: 105lm/W
Body colour: Black
Material: Resin + Clear glass
UV resistant



95LORENZA270/GR

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | A F G | F



Type: LED wall lamp
Power: 10.5W
Lumens: 1100lm
Efficiency: 105lm/W
Body colour: Grey
Material: Resin + Clear glass
UV resistant



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



95FRANCY/BL



95FRANCY/WH

WALL LAMPS, IP66

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | A G F

95FRANCY/BL



Type: LED wall lamp
Lamp holder: E27
Power: 8.5W
Lumens: 969lm
Efficiency: 114lm/W
Body colour: Black
Material: Resin

UV resistant



LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | A G F

95FRANCY/WH



Type: LED wall lamp
Lamp holder: E27
Power: 8.5W
Lumens: 969lm
Efficiency: 114lm/W
Body colour: White
Material: Resin

UV resistant



5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP66
~230V
SMD 2835
>15000
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



95ABRAM150/BL



95ABRAM190/BL

WALL LAMPS, IP55

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP55
~230V
SMD 2835
>15000
Ra≥80
EMC

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | E

95ABRAM150/BL



Type: LED wall lamp
Power: 3.2W
Lumens: 400lm
Efficiency: 125lm/W
Body colour: Black
Material: Resin + Clear glass
UV resistant



LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | E

95ABRAM190/BL



Type: LED wall lamp
Power: 7.5W
Lumens: 850lm
Efficiency: 118lm/W
Body colour: Black
Material: Resin + Clear glass
UV resistant



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



95ABRAM150/GR



95ABRAM190/GR

WALL LAMPS, IP55

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | E

95ABRAM150/GR



Type: LED wall lamp
Power: 3.2W
Lumens: 400lm
Efficiency: 125lm/W
Body colour: Grey
Material: Resin + Clear glass
UV resistant



LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | E

95ABRAM190/GR



Type: LED wall lamp
Power: 7.5W
Lumens: 850lm
Body colour: Grey
Efficiency: 118lm/W
Material: Resin + Clear glass
UV resistant



5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP55
~230V
SMD 2835
>15000
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.





96GRFLED05/DGR



96GRFLED05/GR



96GRFLED05/WH

WALL LAMPS, IP65

LED | neutral WHITE 4000K | G

96GRFLED05/DGR



Type: LED wall lamp
Power: 6W
Lumens: 480lm
Efficiency: 80lm/W
Body colour: Dark grey
Material: ABS + PVC

LED | neutral WHITE 4000K | G

96GRFLED05/GR



Type: LED wall lamp
Power: 6W
Lumens: 480lm
Efficiency: 80lm/W
Body colour: Grey
Material: ABS + PVC

LED | neutral WHITE 4000K | G

96GRFLED05/WH



Type: LED wall lamp
Power: 6W
Lumens: 480lm
Efficiency: 80lm/W
Body colour: White
Material: ABS + PVC

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP65
~230V
SMD 2835
>15000
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



969LED100R/BL



969LED100R/GR



969LED100R/WH

WALL LAMPS, IP54

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP54
~230V
LED COB
>15000
Ra≥80
EMC

LED neutral WHITE 4000K F

969LED100R/BL



Type: LED wall lamp
Power: 2x5W
Lumens: 900lm
Efficiency: 90lm/W
Body colour: Black
Material: Aluminum + Glass



LED neutral WHITE 4000K F

969LED100R/GR



Type: LED wall lamp
Power: 2x5W
Lumens: 900lm
Efficiency: 90lm/W
Body colour: Grey
Material: Aluminum + Glass

LED neutral WHITE 4000K F

969LED100R/WH



Type: LED wall lamp
Power: 2x5W
Lumens: 900lm
Efficiency: 90lm/W Body colour: White
Material: Aluminum + Glass

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



969LED100S/BL



969LED100S/GR



969LED100S/WH

WALL LAMPS, IP54

LED | neutral WHITE 4000K | F

969LED100S/BL



Type: LED wall lamp
Power: 2x5W
Lumens: 900lm
Efficiency: 90lm/W
Body colour: Black
Material: Aluminum + Glass



LED | neutral WHITE 4000K | F

969LED100S/GR



Type: LED wall lamp
Power: 2x5W
Lumens: 900lm
Efficiency: 90lm/W
Body colour: Grey
Material: Aluminum + Glass

LED | neutral WHITE 4000K | F

969LED100S/WH



Type: LED wall lamp
Power: 2x5W
Lumens: 900lm
Efficiency: 90lm/W
Body colour: White
Material: Aluminum + Glass

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP54
~230V
LED COB
>15000
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



969LEDW0440/BL



969LEDW0640/BL

WALL LAMPS, IP54

LED | neutral WHITE 4000K | A G

969LEDW0440/BL



Type: LED Wall Lamp
Power: 4x1W
Lumens: 4x80lm
Efficiency: 80lm/W
Body Colour: Black
Material: Aluminum
Mounting: Surface



LED | neutral WHITE 4000K | A G

969LEDW0640/BL



Type: LED Wall Lamp
Power: 6x1W
Lumens: 6x80lm
Efficiency: 80lm/W
Body Colour: Black
Material: Aluminum
Mounting: Surface



5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP54
~230V
>15000
20000h
Ra≥80
EMC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



969LEDW0840/BL

WALL LAMPS, IP54

LED | neutral WHITE 4000K | A++ G

969LEDW0840/BL



Type: LED Wall Lamp
Power: 8x1W
Lumens: 8x80lm
Efficiency: 80lm/W
Body Colour: Black
Material: Aluminum
Mounting: Surface





5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP54
~230V
>15000
20000h
Ra≥80
EMC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1027

ELMARK
The Brand of Electricity



95GERMANAG/BL



95GERMANAG/GR

WALL LAMPS GERMANA SERIES, IP66

Lamps Not Included | 1xE27

95GERMANAG/BL



Type: LED fixtures
Body colour: Black
Material: Resin with opal diffuser
Max.: 40W

UV resistant



Lamps Not Included | 1xE27

95GERMANAG/GR



Type: LED fixtures
Body colour: Grey
Material: Resin with opal diffuser
Max.: 40W

UV resistant



3 YEARS TOTAL WARRANTY
+ 2 standard 1 extended

IP66
~230V
RoHs COMPLIANT
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



96GRF312/BL



96GRF312/GR

WALL LAMPS GRF312 IP66

Lamps Not Included 2xE27

96GRF312/BL



Type: LED fixtures
Body colour: Black
Material: ABS+ PC
Max.: 2x40W

UV resistant



Lamps Not Included 2xE27

96GRF312/GR



Type: LED fixtures
Body colour: Grey
Material: ABS+ PC
Max.: 2x40W

UV resistant



3 YEARS TOTAL WARRANTY
2 standard + 1 extended

IP66
~230V
RoHS COMPLIANT
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



99DS204

PIR SENSOR



99DS203

PIR SENSOR



PIR SENSOR 99DS202



PIR SENSOR 99DS202/BL

WALL LAMPS WITH SENSOR, IP54

LED | neutral WHITE 4000K | F

99DS204



Type: Wall lamp with sensor
Power: 15W
Lumens: 1200lm
Body colour: White
Material: PC + Aluminum

SENSOR:
Detection range: 140°
Detection distance: max. 9m
Ambient light: <3-2000LUX
Time-Delay: 10sec ± 3sec to 5min ± 1min (adjustable)

LED | neutral WHITE 4000K | G

99DS203



Type: Wall lamp with sensor
Power: 15W
Lumens: 1100lm
Body colour: White
Material: Polycarbonate

SENSOR:
Detection range: 140°
Detection distance: max. 9m
Ambient light: <3-2000LUX
Time-Delay: 10sec ± 3sec to 5min ± 1min (adjustable)

LED | neutral WHITE 4000K | G

99DS202



Type: Wall lamp with sensor
Power: 15W
Lumens: 1100lm
Body colour: White
Material: Polycarbonate

SENSOR:
Detection range: 140°
Detection distance: max. 9m
Ambient light: <3-2000LUX
Time-Delay: 10sec ± 3sec to 5min ± 1min (adjustable)

LED | neutral WHITE 4000K | G

99DS202/BL



Type: Wall lamp with sensor
Power: 15W
Lumens: 1100lm
Body colour: Black
Material: Polycarbonate

SENSOR:
Detection range: 140°
Detection distance: max. 9m
Ambient light: <3-2000LUX
Time-Delay: 10sec ± 3sec to 5min ± 1min (adjustable)

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP54
~230V
SMD 2835
>15000
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



99DS205

PIR SENSOR



99DS205/BL

PIR SENSOR



99DS206

PIR SENSOR

WALL LAMPS WITH SENSOR, IP65

LED | neutral WHITE 4000K | F | DIMMABLE



99DS205

Type: Dimmable Wall lamp with sensor
Power: 20W
Lumens: 2300lm by 20W
Body colour: White
Material: PC + Aluminum

SENSOR:
Detection range: 140°
Detection distance: max. 9m
Ambient light: <3-2000LUX
Time-Delay: 10sec ± 3sec to 15min ± 2min

LED | neutral WHITE 4000K | F



99DS205/BL

Type: Wall lamp with sensor
Power: 12W/15W/20W changeable
Lumens: 2300lm by 20W
Body colour: Black
Material: PC + Aluminum

SENSOR:
Detection range: 140°
Detection distance: max. 9m
Ambient light: <3-2000LUX
Time-Delay: 10sec ± 3sec to 15min ± 2min

LIMITED STOCK

LED | neutral WHITE 4000K | G



99DS206

Type: Wall lamp with sensor
Power: 20W
Lumens: 1800lm
Body colour: White
Material: PC + Aluminum

SENSOR:
Detection range: 140°
Detection distance: max. 9m
Ambient light: <3-2000LUX
Time-Delay: 10sec ± 3sec to 5min ± 1min (adjustable)

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP65
~230V
SMD 2835
>15000
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



99DS215/WH

PIR SENSOR



99DS215/BL

PIR SENSOR



99DS214/WHE

PIR SENSOR



99DS214/BL

PIR SENSOR

WALL LAMPS WITH SENSOR, IP65 & IP44

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP65
IP44
~230V
SMD 2835
>15000
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

99DS215/WH

LED | neutral WHITE 4000K | G | IP65

Type: Wall lamp with PIR sensor
Power: 15W
Lumens: 1200lm
Efficiency: 80lm/W
Body colour: White
Material: PC (UV proof) + Aluminum

SENSOR:
Detection range: 140°
Detection distance: max. 9m
Ambient light: <3-2000LUX
Time-Delay: 10sec ± 3sec to 5min ± 1min (adjustable)
Installation height: 1,8-2,5m



99DS215/BL

LED | neutral WHITE 4000K | G | IP65

Type: Wall lamp with PIR sensor
Power: 15W
Lumens: 1200lm
Efficiency: 80lm/W
Body colour: Black
Material: PC (UV proof) + Aluminum

SENSOR:
Detection angle: 140°
Detection distance: max. 9m
Ambient light: <3-2000LUX (adjustable)
Time-Delay: 10sec ± 3sec to 5min ± 1min (adjustable)
Installation hight: 1.8-2.5m



99DS214/WHE

LED | neutral WHITE 4000K | F | IP44

Type: Wall/ceiling lamp with PIR sensor and emergency
Power: 15W
Lumens: 1200lm
Efficiency: 80lm/W
Body colour: White
Material: PC (UV proof)
Emergency load: 1,2W/ 65lm
Battery: 3.7V/ 1500mAh Li-battery
Continuous illumination time: 5h

SENSOR:
Detection range: 160° / 360°
Detection distance: Wall max. 9m/ Ceiling max.6m
Ambient light: <3-2000LUX
Time-Delay: 10sec ± 3sec to 5min ± 1min (adjustable)
Installation height: Wall 1,8-2,5m/ Ceiling 2,2-4m



99DS214/BL

LED | neutral WHITE 4000K | F | IP44

Type: Wall/ceiling lamp with PIR sensor
Power: 15W
Lumens: 1200lm
Efficiency: 80lm/W
Body colour: Black
Material: PC (UV proof)

SENSOR:
Detection range: 160° / 360°
Detection distance: Wall max. 9m/ Ceiling max.6m
Ambient light: <3-2000LUX
Time-Delay: 10sec ± 3sec to 5min ± 1min (adjustable)
Installation height: Wall 1,8-2,5m/ Ceiling 2,2-4m



Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1027

ELMARK
The Brand of Electricity



99DS213/WH

PIR SENSOR



99DS213/BL

PIR SENSOR



99DS220/WH

PIR SENSOR



99DS220/BL

PIR SENSOR

WALL LAMPS WITH SENSOR, IP54 & IP44

LED | neutral WHITE 4000K | G | IP54

99DS213/WH

Type: Wall lamp with PIR sensor
Power: 15W
Lumens: 1100lm
Efficiency: 73lm/W
Body colour: White
Material: PC (UV proof) + Aluminum

SENSOR:
Detection range: 120°
Detection distance: max. 9m
Ambient light: <3-2000LUX
Time-Delay: 10sec ± 3sec to 5min ± 1min (adjustable)
Detection motion speed: 0,6-1,5m/s
Installation height: 1,8-2,5m



LED | neutral WHITE 4000K | G | IP54

99DS213/BL

Type: Wall lamp with PIR sensor
Power: 15W
Lumens: 1100lm
Efficiency: 73lm/W
Body colour: Black
Material: PC (UV proof) + Aluminum

SENSOR:
Detection range: 120°
Detection distance: max. 9m
Ambient light: <3-2000LUX
Time-Delay: 10sec ± 3sec to 5min ± 1min (adjustable)
Detection motion speed: 0,6-1,5m/s
Installation height: 1,8-2,5m



Lamps Not Included | 1xE27 | IP44 | IK10

99DS220/WH

Type: Wall lamp with PIR sensor
Material: PC (UV proof)
Colour: White
Max.: 1x60W

SENSOR:
Detection range: 180°
Detection distance: max. 9m
Ambient light: <3-2000LUX
Time-Delay: 10sec ± 3sec to 5min ± 1min (adjustable)
Detection motion speed: 0,6-1,5m/s
Installation height: 1,8-2,0m



Lamps Not Included | 1xE27 | IP44 | IK10

99DS220/BL

Type: Wall lamp with PIR sensor
Material: PC (UV proof)
Colour: Black
Max.: 1x60W

SENSOR:
Detection range: 180°
Detection distance: max. 9m
Ambient light: <3-2000LUX
Time-Delay: 10sec ± 3sec to 5min ± 1min (adjustable)
Detection motion speed: 0,6-1,5m/s
Installation height: 1,8-2,0m



3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP54
IP44
~230V
SMD 2835
>15000
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



99DS207WH

PIR SENSOR



99DS207BL

PIR SENSOR



99DS209WH

PIR SENSOR



99DS209BL

PIR SENSOR

WALL LAMPS WITH SENSOR, IP65

LED | neutral WHITE 4000K | G

99DS207WH



Type: Wall lamp with sensor, ST56B
Power: 15W
Lumens: 1100lm
Body colour: White
Material: PC + Aluminum

SENSOR:
Detection angle: 140°
Detection distance: max. 9m
Ambient light: <3-2000LUX (adjustable)
Time-Delay: 10sec ± 3sec to 5min ± 1min (adjustable)
Installation hight: 1.8-2.5m

LED | neutral WHITE 4000K | G

99DS207BL



Type: Wall lamp with sensor, ST56B
Power: 15W
Lumens: 1100lm
Body colour: Black
Material: PC + Aluminum

SENSOR:
Detection angle: 140°
Detection distance: max. 9m
Ambient light: <3-2000LUX (adjustable)
Time-Delay: 10sec ± 3sec to 5min ± 1min (adjustable)
Installation hight: 1.8-2.5m

LED | neutral WHITE 4000K | G

99DS209WH



Type: Wall lamp with sensor, ST113
Power: 20W
Lumens: 1600lm
Body colour: White
Material: PC + Aluminum

SENSOR:
Detection angle: 240°
Detection distance: max. 9m
Ambient light: <3-2000LUX (adjustable)
Time-Delay: 10sec ± 3sec to 5min ± 1min (adjustable)
Installation hight: 1.8-2.5m

LED | neutral WHITE 4000K | G

99DS209BL



Type: Wall lamp with sensor, ST113
Power: 20W
Lumens: 1600lm
Body colour: Black
Material: PC + Aluminum

SENSOR:
Detection angle: 240°
Detection distance: max. 9m
Ambient light: <3-2000LUX (adjustable)
Time-Delay: 10sec ± 3sec to 5min ± 1min (adjustable)
Installation hight: 1.8-2.5m

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP65
~230V
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



99DS208WH

PIR SENSOR



99DS208BL

PIR SENSOR



96GRF2363/BL

WALL LAMPS WITH SENSOR, IP65

LED | neutral WHITE 4000K | F

99DS208WH



Type: Wall lamp with sensor, ST113
Power: 15W
Lumens: 1600lm
Body colour: White
Material: PC + Aluminum

SENSOR:
Detection angle: 140°
Detection distance: max. 9m
Ambient light: <3-2000LUX (adjustable)
Time-Delay: 10sec ± 3sec to 5min ± 1min (adjustable)
Installation hight: 1.8-2.5m

LED | neutral WHITE 4000K | F

99DS208BL



Type: Wall lamp with sensor, ST113
Power: 15W
Lumens: 1600lm
Body colour: Black
Material: PC + Aluminum

SENSOR:
Detection angle: 140°
Detection distance: max. 9m
Ambient light: <3-2000LUX (adjustable)
Time-Delay: 10sec ± 3sec to 5min ± 1min (adjustable)
Installation hight: 1.8-2.5m

LED | neutral WHITE 4000K | F

96GRF2363/BL



Type: LED wall lamp
Power: 12W
Lumens: 1080lm
Efficiency: 90lm/W
Input voltage: AC100~277V
Body colour: Black
Material: Aluminium + Acrylic

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP65
~230V
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



96GRF328WW/1BL
96GRF328/1BL

FACADE LIGHTING FIXTURES, IP54

LIMITED STOCK

LED | F | 45°

warm WHITE 3000K — **96GRF328WW/1BL**

neutral WHITE 4000K — **96GRF328/1BL**



Type: Facade lighting
Power: 10W
Lumens: 850lm
Efficiency: 85lm/W
Light direction: down
Body colour: Black
Material: Aluminum

LIMITED STOCK

LED | F | 45°

warm WHITE 3000K — **96GRF328WW/2BL**

neutral WHITE 4000K — **96GRF328/2BL**



Type: Facade lighting
Power: 2x10W
Lumens: 1600lm
Efficiency: 85lm/W
Light direction: up & down
Body colour: Black
Material: Aluminum

LIMITED STOCK

LED | F | 45°

warm WHITE 3000K — **96GRF329WW/1BL**

neutral WHITE 4000K — **96GRF329/1BL**



Type: Facade lighting
Power: 15W
Lumens: 1300lm
Efficiency: 85lm/W
Light direction: down
Body colour: Black
Material: Aluminum

LIMITED STOCK

LED | F | 45°

warm WHITE 3000K — **96GRF329WW/2BL**

neutral WHITE 4000K — **96GRF329/2BL**



Type: Facade lighting
Power: 2x15W
Lumens: 2600lm
Efficiency: 85lm/W
Light direction: up & down
Body colour: Black
Material: Aluminum

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP54
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



96GRF330WW/1BL
96GRF330/1BL

FACADE LIGHTING FIXTURES, IP54

LIMITED STOCK

LED | F | 45°

warm WHITE 3000K — **96GRF330WW/1BL**

neutral WHITE 4000K — **96GRF330/1BL**



Type: Facade lighting
Power: 10W
Lumens: 850lm
Efficiency: 85lm/W
Light direction: down
Body colour: Black
Material: Aluminum

LIMITED STOCK

LED | F | 45°

warm WHITE 3000K — **96GRF330WW/2BL**

neutral WHITE 4000K — **96GRF330/2BL**



Type: Facade lighting
Power: 2x10W
Lumens: 1600lm
Efficiency: 85lm/W
Light direction: up & down
Body colour: Black
Material: Aluminum

LIMITED STOCK

LED | F | 45°

warm WHITE 3000K — **96GRF331WW/1BL**

neutral WHITE 4000K — **96GRF331/1BL**



Type: Facade lighting
Power: 15W
Lumens: 1300lm
Efficiency: 85lm/W
Light direction: down
Body colour: Black
Material: Aluminum

LIMITED STOCK

LED | F | 45°

warm WHITE 3000K — **96GRF331WW/2BL**

neutral WHITE 4000K — **96GRF331/2BL**



Type: Facade lighting
Power: 2x15W
Lumens: 2600lm
Efficiency: 85lm/W
Light direction: up & down
Body colour: Black
Material: Aluminum

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP54
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



GU10

page 1045

ELMARK
The Brand of Electricity



96GRF321/BL



96GRF320/BL



96GRF321/GR



96GRF320/GR

FACADE LIGHTING FIXTURES, IP54

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP54

~230V

RoHs COMPLIANT

CE

Lamps Not Included 2xGU10

96GRF321/BL



Type: Facade lighting
Body colour: Black
Light direction: up & down
Material: UV resistant ABS + PC
Max.: 2x8W

UV resistant

Lamps Not Included 2xGU10

96GRF321/GR



Type: Facade lighting
Body colour: Grey
Light direction: up & down
Material: UV resistant ABS + PC
Max.: 2x8W

UV resistant

Lamps Not Included 1xGU10

96GRF320/BL



Type: Facade lighting
Body colour: Black
Light direction: down
Material: UV resistant ABS + PC
Max.: 8W

UV resistant

Lamps Not Included 1xGU10

96GRF320/GR



Type: Facade lighting
Body colour: Grey
Light direction: down
Material: UV resistant ABS + PC
Max.: 8W

UV resistant

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



96GRF313/BL



96GRF313/GR

FACADE LIGHTING FIXTURES, IP65

Lamps Not Included 1xE27

96GRF313/BL



Type: Facade lighting
Body colour: Black
Light direction: down
Material: UV resistant ABS + PC
Max.: 40W

UV resistant

Lamps Not Included 1xE27

96GRF313/GR



Type: Facade lighting
Body colour: Grey
Light direction: down
Material: UV resistant ABS + PC
Max.: 40W

UV resistant

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP65
~230V
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



GU10

page 1045

ELMARK
The Brand of Electricity



96GRF327/BL



96GRF326/BL



96GRF327/GR



96GRF326/GR

FACADE LIGHTING FIXTURES, IP54

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP54

~230V

RoHS COMPLIANT

CE

Lamps Not Included 2xGU10

96GRF327/BL



Type: Facade lighting
Body colour: Black
Light direction: up & down
Material: UV resistant ABS + PC
Max.: 2x8W

UV resistant

Lamps Not Included 2xGU10

96GRF327/GR



Type: Facade lighting
Body colour: Grey
Light direction: up & down
Material: UV resistant ABS + PC
Max.: 2x8W

UV resistant

Lamps Not Included 1xGU10

96GRF326/BL



Type: Facade lighting
Body colour: Black
Light direction: down
Material: UV resistant ABS + PC
Max.: 8W

UV resistant

Lamps Not Included 1xGU10

96GRF326/GR



Type: Facade lighting
Body colour: Grey
Light direction: down
Material: UV resistant ABS + PC
Max.: 8W

UV resistant

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



GU10

page 1045

ELMARK
The Brand of Electricity



96GRF323/BL



96GRF322/BL



96GRF323/GR



96GRF322/GR

FACADE LIGHTING FIXTURES, IP54

Lamps Not Included 2xGU10

96GRF323/BL



Type: Facade lighting
Body colour: Black
Light direction: up & down
Material: UV resistant ABS + PC
Max.: 2x8W

UV resistant

Lamps Not Included 2xGU10

96GRF323/GR



Type: Facade lighting
Body colour: Grey
Light direction: up & down
Material: UV resistant ABS + PC
Max.: 2x8W

UV resistant

Lamps Not Included 1xGU10

96GRF322/BL



Type: Facade lighting
Body colour: Black
Light direction: down
Material: UV resistant ABS + PC
Max.: 8W

UV resistant

Lamps Not Included 1xGU10

96GRF322/GR



Type: Facade lighting
Body colour: Grey
Light direction: down
Material: UV resistant ABS + PC
Max.: 8W

UV resistant

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP54
~230V
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



GU10

page 1045

ELMARK
The Brand of Electricity



96GRF325/BL



96GRF324/BL



96GRF325/GR



96GRF324/GR

FACADE LIGHTING FIXTURES, IP54

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP54

~230V

RoHS COMPLIANT

CE

Lamps Not Included 2xGU10

96GRF325/BL



Type: Facade lighting
Body colour: Black
Light direction: up & down
Material: UV resistant ABS + PC
Max.: 40W

UV resistant

Lamps Not Included 2xGU10

96GRF325/GR



Type: Facade lighting
Body colour: Grey
Light direction: up & down
Material: UV resistant ABS + PC
Max.: 40W

UV resistant

Lamps Not Included 1xGU10

96GRF324/BL



Type: Facade lighting
Body colour: Black
Light direction: down
Material: UV resistant ABS + PC
Max.: 40W

UV resistant

Lamps Not Included 1xGU10

96GRF324/GR



Type: Facade lighting
Body colour: Grey
Light direction: down
Material: UV resistant ABS + PC
Max.: 40W

UV resistant

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



98FLARE09/W
98FLARE18/W
98FLARE36/W



98FLARE09/RGB
98FLARE18/RGB
98FLARE36/RGB

WALL WASH LIGHTS, IP65

LED | 45° | F | neutral WHITE 4000K | RGB

98FLARE09/W
98FLARE09/RGB



Type: LED Wall Wash
Power: 9W
Lumens for 98FLARE09/W: 765lm
Efficiency for 98FLARE09/W: 85lm/W
Body Colour: Silver
Width: 40 mm
Material: Aluminum + Glass
Mounting: Surface
LED Chip: SMD 3030

LED | 45° | F | neutral WHITE 4000K | RGB

98FLARE18/W
98FLARE18/RGB



Type: LED Wall Wash
Power: 18W
Lumens for 98FLARE18/W: 1530lm
Efficiency for 98FLARE18/W: 85lm/W
Body Colour: Silver
Width: 40 mm
Material: Aluminum + Glass
Mounting: Surface
LED Chip: SMD 3030

LED | 45° | F | neutral WHITE 4000K | RGB

98FLARE36/W
98FLARE36/RGB



Type: LED Wall Wash
Power: 36W
Lumens for 98FLARE36/W: 3060lm
Efficiency for 98FLARE36/W: 85lm/W
Body Colour: Silver
Width: 40 mm
Material: Aluminum + Glass
Mounting: Surface
LED Chip: SMD 3030

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP65
~230V
30000h
EMC
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



GU10

page 1045

ELMARK
The Brand of Electricity



96GRF318/BL



96GRF318/GR



96GRF317/BL



96GRF317/GR

FACADE LIGHTING FIXTURES, IP54

Lamps Not Included 1xGU10

96GRF318/BL



Type: Wall fixture
Body colour: Black
Material: UV resistant ABS + PC
Max.: 8W

UV resistant

Lamps Not Included 1xGU10

96GRF318/GR



Type: Wall fixture
Body colour: Grey
Material: UV resistant ABS + PC
Max.: 8W

UV resistant

Lamps Not Included 1xGU10

96GRF317/BL



Type: Wall fixture
Body colour: Black
Material: UV resistant ABS + PC
Max.: 8W

UV resistant

Lamps Not Included 1xGU10

96GRF317/GR



Type: Wall fixture
Body colour: Grey
Material: UV resistant ABS + PC
Max.: 8W

UV resistant

3 YEARS TOTAL WARRANTY
+ 2 standard 1 extended

IP54
~230V
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



96GSL1/1024220W
96GSL1/1024220
96GSL1/2024220W
96GSL1/3024220



96GSL1/2024220
96GSL1/3024220W

SPOT LIGHT, IP65

LED | F | 24° | warm WHITE 3000K | neutral WHITE 4000K

96GSL1/1024220W
96GSL1/1024220



Type: Spot light
Power: 10W
Lumens: 900lm
Efficiency: 90lm/W
Body colour: Grey
Material: Aluminum

LED | G | 24° | warm WHITE 3000K | neutral WHITE 4000K

96GSL1/2024220W
96GSL1/2024220



Type: Spot light
Power: 20W
Lumens: 1450lm
Efficiency: 73lm/W
Body colour: Grey
Material: Aluminum

LED | G | 24° | warm WHITE 3000K | neutral WHITE 4000K

96GSL1/3024220W
96GSL1/3024220



Type: Spot light
Power: 30W
Lumens: 2500lm
Efficiency: 83lm/W
Body colour: Grey
Material: Aluminum

Scan each QR code to see the price and availability of the product.

3 YEARS TOTAL WARRANTY
3 standard
0 extended

IP65
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Recommended bulb



E27

page 1027

ELMARK
The Brand of Electricity



95WL001/BL



95WL001/WH



96GRF343/BL

WALL LAMPS, IP44

Lamps Not Included | 1xE27

95WL001/BL



Type: Wall lamp
Body colour: Black
Material: Metal + Glass
Max.: 40W

Lamps Not Included | 1xE27

95WL001/WH



Type: Wall lamp
Body colour: White
Material: Metal + Glass
Max.: 40W

Lamps Not Included | 1xE27

96GRF343/BL



Type: LED wall lamp
Body Colour: Black
Material: ABS + PS
Height: 80 mm
Max.: 40W

3 YEARS TOTAL WARRANTY
+ 3 standard 0 extended

2 YEARS TOTAL WARRANTY
+ 2 standard 0 extended

IP44
~230V
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



95WL315/BL



95WL315/WH

WALL LAMPS, IP65

Lamps Not Included 1xE27

95WL315/BL



Type: Wall lamp
Body colour: Black
Material: UV resistant ABS+ PC
Max.: 40W

UV resistant

Lamps Not Included 1xE27

95WL315/WH



Type: Wall lamp
Body colour: White
Material: UV resistant ABS+ PC
Max.: 40W

UV resistant

3 YEARS TOTAL WARRANTY
+ 2 standard 1 extended

IP65
~230V
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1027

ELMARK
The Brand of Electricity



95BERTA/BL

95BERTA/WH

WALL & CEILING LAMPS, IP66

Lamps Not Included | 1xE27

95BERTA/BL



Type: Wall lamp
Body colour: Black
Material: Resin
Max.: 40W

UV resistant



Lamps Not Included | 1xE27

95BERTA/WH



Type: Wall lamp
Body colour: White
Material: Resin
Max.: 40W

UV resistant



5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP66
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



95STUCCHI/BL



95STUCCHI/WH

WALL & CEILING LAMPS, IP66

Lamps Not Included 1xE27

95STUCCHI/BL



Type: Wall lamp
Body colour: Black
Material: Resin
Max.: 40W

UV resistant



Lamps Not Included 1xE27

95STUCCHI/WH



Type: Wall lamp
Body colour: White
Material: Resin
Max.: 40W

UV resistant



5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP66
~230V
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1027

ELMARK
The Brand of Electricity



95UMBERTA/BL
95UMBERTAS/BL

95UMBERTA/WH
95UMBERTAS/WH

WALL & CEILING LAMPS, IP66

Lamps Not Included 2xE27

95UMBERTA/BL



Type: Wall/ Ceiling lamp
Body colour: Black
Material: Resin with opal diffuser
Max.: 2x40W

UV resistant

Lamps Not Included 2xE27

95UMBERTA/WH



Type: Wall/ Ceiling lamp
Body colour: White
Material: Resin with opal diffuser
Max.: 2x40W

UV resistant

Lamps Not Included 2xE27

95UMBERTAS/BL



Type: Wall/ Ceiling lamp +sensor
Body colour: Black
Material: UV resistant resin with opal diffuser
Max.: 2x40W

Sensor

Motion & daylight
Detection angle: 30° - 150°
Detection range: 1-5 m (adjustable)

Lamps Not Included 2xE27

95UMBERTAS/WH



Type: Wall/ Ceiling lamp +sensor
Body colour: White
Material: UV resistant resin with opal diffuser
Max.: 2x40W

Sensor

Motion & daylight
Detection angle: 30° - 150°
Detection range: 1-5 m (adjustable)

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP66
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1027

ELMARK
The Brand of Electricity



95LUCIAEL/BL



95LUCIAEL/GR



95LUCIA/BL

WALL LAMPS, IP66

Lamps Not Included | 1xE27

95LUCIAEL/BL



Type: Wall lamp
Body colour: Black
Material: Resin with opal diffuser
Max.: 1x40W

UV resistant

Lamps Not Included | 1xE27

95LUCIAEL/GR



Type: Wall lamp
Body colour: Grey
Material: Resin with opal diffuser
Max.: 1x40W

UV resistant

Lamps Not Included | 1xE27

95LUCIA/BL



Type: Wall lamp
Body colour: Black
Material: Resin with opal diffuser
Max.: 1x40W

UV resistant



5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP66
~230V
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



95BLN1540/BK
95BLN2040/BK



95BLN1540/WH
95BLN2040/WH

WALL & CEILING LAMPS, IP54

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP54
~230V
SMD 2835
>15000
Ra≥80
EMC

LED | neutral WHITE 4000K | F

95BLN1540/BK



Type: Bulkhead lamp
Power: 15W
Lumens: 1350lm
Efficiency: 90lm/W
Body colour: Black
Material: Polycarbonate

LED | neutral WHITE 4000K | F

95BLN1540/WH



Type: Bulkhead lamp
Power: 15W
Lumens: 1350lm
Efficiency: 90lm/W
Body colour: White
Material: Polycarbonate

LED | neutral WHITE 4000K | F

95BLN2040/BK



Type: Bulkhead lamp
Power: 20W
Lumens: 1800lm
Efficiency: 90lm/W
Body colour: Black
Material: Polycarbonate

LED | neutral WHITE 4000K | F

95BLN2040/WH



Type: Bulkhead lamp
Power: 20W
Lumens: 1800lm
Efficiency: 90lm/W
Body colour: White
Material: Polycarbonate

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

99EL706A22/WH

MICROWAVE SENSOR



99DS218/WH

PIR SENSOR

99DS222/WH

MICROWAVE SENSOR

WALL & CEILING LAMPS, IP65 & IP54

LED | neutral WHITE 4000K | F | IK10 | IP65

99EL706A22/WH

Type: LED wall / ceiling lamp with microwave sensor
Power: 21W
Lumens: 2000lm
Efficiency: 95lm/W
Body colour: White
Material: PC (UV proof)



LED | neutral WHITE 4000K | G | IP54

99DS218/WH

Type: Ceiling lamp with PIR sensor
Power: 21W
Lumens: 2000lm
Efficiency: 95lm/W
Body colour: White
Material: PC (UV proof)

SENSOR:
Detection range: 360°
Detection distance: max. 6m
Ambient light: <3-2000LUX
Time-Delay: 10sec ± 3sec to 5min ± 5sec (adjustable)
Installation height: 2,2-4,0m



LED | neutral WHITE 4000K | DIMMABLE | F | IK10 | IP65

99DS222/WH

Type: Dimmable wall/ceiling lamp with microwave sensor
Power: 21W
Lumens: 2000lm
Efficiency: 95lm/W
Dimming type: Rotary knob
Body colour: White
Material: PC (UV proof)

SENSOR:
Detection range: 180°/360°
HF System: 5.8GHz CW radar, ISM band
Detection distance: Wall 5-15m (adjustable) / Ceiling 2-8m (adjustable)
Hold Time: 10s ,90s, 3min, 10min (choice)
Stand-by Period: 0s, 30s, 10min,+∞ (choice)
Stand-by Dimming level: 10%, 20%
Ambient light: :5lux, 15lux, 50lux, 2000lux (choice)
Time-Delay: 10sec ± 3sec to 5min ± 5sec (adjustable)
Installation height: Wall 1,5-3,5 / Ceiling 2-4,0m



3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP65 | ~230V | SMD 2835 | >15000 | Ra≥80 | EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1027

ELMARK
The Brand of Electricity



95EL218130W/WH

Settable Colour Temperature



99DS223/WH

WALL & CEILING LAMPS, IP65 & IP44

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | A G | G

IP65

95EL218130W/WH



Type: LED ceiling lamp
Power: 30W
Lumens: 2400lm
Efficiency: 80lm/W
Body colour: White & Grey
Material: PP

Lamps Not Included | 1xE27 | IP44

99DS223/WH



Type: Ceiling lamp with microwave sensor
Material: Plastic + PMMA cover
Colour: White
Max.: 1x25W

SENSOR:
Detection range: 360°
Detection distance: 1-8m (adjustable)
Ambient light: <3-2000LUX
Time-Delay: 10sec ± 3sec to 12min ± 1min (adjustable)
Installation height: 2-4m

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP65
IP44
~230V
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



95BLN1540S/BK



95BLN1540S/WH



95FRANCYOP/BL



95FRANCYOP/WH

WALL & CEILING LAMPS, IP54 & IP66

LED | neutral WHITE 4000K | F | IP54

95BLN1540S/BK



Type: Bulkhead lamp
Power: 15W
Lumens: 1350lm
Efficiency: 90lm/W
Body colour: Black
Material: Polycarbonate

LED | neutral WHITE 4000K | F | IP54

95BLN1540S/WH



Type: Bulkhead lamp
Power: 15W
Lumens: 1350lm
Efficiency: 90lm/W
Body colour: White
Material: Polycarbonate

Lamps Not Included | 1xE27 | IP66

95FRANCYOP/BL



Type: Wall & ceiling lamp
Body colour: Black
Material: Resin
Max.: 40W

UV resistant

Lamps Not Included | 1xE27 | IP66

95FRANCYOP/WH



Type: Wall & ceiling lamp
Body colour: White
Material: Resin
Max.: 40W

UV resistant

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP54
IP66
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1027

ELMARK
The Brand of Electricity



95DANZI/BL



95DANZI/WH



96GRF314/BL



96GRF314/WH

WALL & CEILING LAMPS, IP44

Lamps Not Included | 1xE27 | IP66

95DANZI/BL



Type: Wall & ceiling lamp
Body colour: Black
Material: Resin
Max.: 40W
Diffuser colour: Opal
Height: 90mm

UV resistant

Lamps Not Included | 1xE27 | IP66

95DANZI/WH



Type: Wall & ceiling lamp
Body colour: White
Material: Resin
Diffuser colour: Opal
Max.: 40W
Height: 90mm

UV resistant

Lamps Not Included | 1xE27

96GRF314/BL



Type: Wall & ceiling lamp
Body colour: Black
Material: UV resistant ABS+ PC
Max.: 40W

UV resistant

Lamps Not Included | 1xE27

96GRF314/WH



Type: Wall & ceiling lamp
Body colour: White
Material: UV resistant ABS+ PC
Max.: 40W

UV resistant

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP66
IP44
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



95RITA/AB



95RITA/AG

WALL & CEILING LAMPS, IP66

Lamps Not Included | 1xE27

95RITA/AB



Type: Wall & ceiling lamp
Body colour: Antique bronze
Material: Resin
Max.: 40W
Diffuser colour: Opal
Height: 90mm

UV resistant

Lamps Not Included | 1xE27

95RITA/AG



Type: Wall & ceiling lamp
Body colour: Antique green
Material: Resin
Max.: 40W
Diffuser colour: Opal
Height: 90mm

UV resistant

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP66
~230V
SMD 2835
>15000
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended bulb



E27

page 1027

ELMARK
The Brand of Electricity



91AT5201



91AT6126



91AT6117

WALL & CEILING LAMPS, IP54

Lamps Not Included 1xE27

91AT5201



Type: Wall & ceiling lamp
Body colour: White
Material: Polycarbonate
Max.: 23W

Lamps Not Included 1xE27

91AT6126



Type: Wall & ceiling lamp
Body colour: White
Material: Polycarbonate
Max.: 20W

Lamps Not Included 1xE27

91AT6117



Type: Wall & ceiling lamp
Body colour: White
Material: Polycarbonate
Max.: 20W

2 YEARS TOTAL WARRANTY
+ 2 standard 0 extended

IP54
~230V
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



91AT1210



91AT1209

WALL & CEILING LAMPS, IP54, IP66

Lamps Not Included | 1xE27

91AT1210



Type: Wall & ceiling lamp
Body colour: White
Material: Polycarbonate
Max.: 20W

Lamps Not Included | 1xE27

91AT1209



Type: Wall & ceiling lamp
Body colour: White
Material: Polycarbonate
Max.: 20W

2 YEARS TOTAL WARRANTY
+ 2 standard 0 extended

IP54
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

WATERPROOF LED FIXTURES





9EL1181840
9EL1183640
9EL1184540

TRI-PROOF LED FIXTURES, IP65

LED | neutral WHITE 4000K | 120° | G

9EL1181840



Type: Tri-proof LED Fixture
Power: 18W
Lumens: 1440lm
Efficiency: 80lm/W
Body Colour: White
Material: PC + ABS
Mounting: Surface

LED | neutral WHITE 4000K | 120° | G

9EL1183640



Type: Tri-proof LED Fixture
Power: 36W
Lumens: 2880lm
Efficiency: 80lm/W
Body Colour: White
Material: PC + ABS
Mounting: Surface

LED | neutral WHITE 4000K | 120° | G

9EL1184540



Type: Tri-proof LED Fixture
Power: 45W
Lumens: 3600lm
Efficiency: 80lm/W
Body Colour: White
Material: PC + ABS
Mounting: Surface

Scan each QR code to see the price and availability of the product.

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP65
~230V
20000h
Ra>80
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



9SERENA2040/GR
9SERENA4040/GR
9SERENA6040/GR



9SERENA2040S/GR
9SERENA4040S/GR
9SERENA6040D/GR

MICROWAVE SENSOR

SERENA TRI-ROOF LED FIXTURES & TRI-ROOF LED FIXTURES WITH MICROWAVE SENSOR, IP65

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP65
IK08
AC220-240V
CE

LED | neutral WHITE 4000K | 120° | D

9SERENA2040/GR

9SERENA2040S/GR
WITH MICROWAVE SENSOR

Type: Tri-proof LED Fixture
Power: 20W
Lumens: 2800lm
Efficiency: 140lm/W
Body Colour: Grey
Material: Aluminum base + PC cover
Mounting: Surface
Wiring: Double end



LED | neutral WHITE 4000K | 120° | D

9SERENA4040/GR

9SERENA4040S/GR
WITH MICROWAVE SENSOR

Type: Tri-proof LED Fixture
Power: 40W
Lumens: 5600lm
Efficiency: 140lm/W
Body Colour: Grey
Material: Aluminum base + PC cover
Mounting: Surface
Wiring: Double end



LED | neutral WHITE 4000K | 120° | D

9SERENA6040/GR

9SERENA6040S/GR
WITH MICROWAVE SENSOR

Type: Tri-proof LED Fixture
Power: 60W
Lumens: 8400lm
Efficiency: 140lm/W
Body Colour: Grey
Material: Aluminum base + PC cover
Mounting: Surface
Wiring: Double end





Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



9XBR18LEDCW



9XBR36LEDNEW
9XBR36LEDCW



9XBR54LED
9XBR54LEDNEWCW

BELLA WATERPROOF LED FIXTURES, IP65

LIMITED STOCK

LED F neutral WHITE 4000K

9XBR18LED



Type: LED fixture with clips and cable gland
Power: 18W
Lumens: 1800lm
Efficiency: 100lm/W
Body colour: Grey
Material: PC

LIMITED STOCK

LED F neutral WHITE 4000K cold WHITE 6500K

9XBR36LEDNEW

9XBR36LEDNEWCW



Type: LED fixture with clips and cable gland
Power: 36W
Lumens: 3600lm
Efficiency: 100lm/W
Efficiency: 90lm/W
Body colour: Grey
Material: PC

LIMITED STOCK

LED F neutral WHITE 4000K cold WHITE 6500K

9XBR54LED

9XBR54LEDNEWCW



Type: LED fixture with clips and cable gland
Power: 54W
Lumens: 5400lm
Efficiency: 100lm/W
Body colour: Grey
Material: PC



2 YEARS TOTAL WARRANTY
+ 2 standard 0 extended

IP65
~230V
SMD 2835
>10000
15000h
Ra>80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

*Options with emergency kit



page 774

ELMARK
The Brand of Electricity



9BR20LEDNEW
9BR20LEDNEWCW



9BR40LEDNEW
9BR40LEDNEWCW



9BR55LEDNEW
9BR55LEDNEWCW

BELLA WATERPROOF LED FIXTURES, IP65

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP65
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

LED E

neutral WHITE 4000K
cold WHITE 6500K

9BR20LEDNEW

Similar product option:
9BR20LED

9BR20LEDNEWCW

Similar product option:
9BR20LEDCW



Type: LED fixture with clips and cable gland
Power: 20W
Lumens: 2400lm
Efficiency: 120lm/W
Body colour: Grey
Material: PC

LED E

neutral WHITE 4000K
cold WHITE 6500K

9BR40LEDNEW

9BR40LEDNEWCW



Type: LED fixture with clips and cable gland*
Power: 40W
Lumens: 4800lm
Efficiency: 120lm/W
Body colour: Grey
Material: PC

LED E

neutral WHITE 4000K
cold WHITE 6500K

9BR55LEDNEW

9BR55LEDNEWCW



Type: LED fixture with clips and cable gland*
Power: 55W
Lumens: 6600lm
Efficiency: 120lm/W
Body colour: Grey
Material: PC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



9BR109LED
9BR109LEDCW



9BR209LED
9BR209LEDCW



9BR118LED
9BR118LEDCW

BELLA WATERPROOF FIXTURES WITH LED TUBES, IP65

LED G

neutral WHITE 4000K
cold WHITE 6500K

9BR109LED
9BR109LEDCW



Type: LED fixture with LED tubes T8 Stellar
Power: 1x9W
Lumens: 720lm
Efficiency: 80lm/W
Body colour: Grey
Material: ABS+PC
Without reflector

LED G

neutral WHITE 4000K
cold WHITE 6500K

9BR209LED
9BR209LEDCW



Type: LED fixture with LED tubes T8 Stellar
Power: 2x9W
Lumens: 1440lm
Efficiency: 80lm/W
Body colour: Grey
Material: ABS+PC
Without reflector

LED G

neutral WHITE 4000K
cold WHITE 6500K

9BR118LED
9BR118LEDCW



Type: LED fixture with LED tubes T8 Stellar
Power: 1x18W
Lumens: 3600lm
Efficiency: 100lm/W
Body colour: Grey
Material: ABS+PC
Without reflector

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP65
~230V
G13
>10000
15000h
Ra>80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



9BR218LED
9BR218LEDCW



9BR122LED
9BR122LEDCW



9BR222LED
9BR222LEDCW

BELLA WATERPROOF FIXTURES WITH LED TUBES, IP65

LED G

neutral WHITE 4000K
cold WHITE 6500K

9BR218LED
9BR218LEDCW



Type: LED fixture with LED tubes T8 Stellar
Power: 2x18W
Lumens: 3600lm
Efficiency: 100lm/W
Body colour: Grey
Material: ABS+PC
Without reflector

LED G

neutral WHITE 4000K
cold WHITE 6500K

9BR122LED
9BR122LEDCW



Type: LED fixture with LED tubes T8 Stellar
Power: 1x24W
Lumens: 1920lm
Efficiency: 80lm/W
Body colour: Grey
Material: ABS+PC
Without reflector

LED G

neutral WHITE 4000K
cold WHITE 6500K

9BR222LED
9BR222LEDCW



Type: LED fixture with LED tubes T8 Stellar
Power: 2x24W
Lumens: 3840lm
Efficiency: 80lm/W
Body colour: Grey
Material: ABS+PC
Without reflector

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP65
~230V
SMD 2835
>10000
15000h
Ra>80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



9BM110LED
9BM110LEDCW



9BM118LED
9BM118LEDCW



9BM124LED
9BM124LEDCW

BELLA WATERPROOF FIXTURES WITH LED TUBES, IP65

LED F

neutral WHITE 4000K
cold WHITE 6500K

9BM110LED
9BM110LEDCW



Type: LED fixture with LED tubes T8 ELMARK
Power: 1x10W
Lumens: 900lm
Efficiency: 90lm/W
Body colour: Grey
Material: PC
Reflector: steel white

LED F

neutral WHITE 4000K
cold WHITE 6500K

9BM118LED
9BM118LEDCW



Type: LED fixture with LED tubes T8 ELMARK
Power: 1x18W
Lumens: 2160lm
Efficiency: 120lm/W
Body colour: Grey
Material: PC
Reflector: steel white

LED F

neutral WHITE 4000K
cold WHITE 6500K

9BM124LED
9BM124LEDCW



Type: LED fixture with LED tubes T8 ELMARK
Power: 1x24W
Lumens: 2160lm
Efficiency: 90lm/W
Body colour: Grey
Material: PC
Reflector: steel white

Scan each QR code to see the price and availability of the product.

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP65
~230V
G13
>10000
15000h
Ra>80
EMC

Scan QR code for 3D models, IES files & price.

*Options with emergency kit

page 774

ELMARK
The Brand of Electricity



9BM210LED
9BM210LEDCW



9BM218LED
9BM218LEDCW

BELLA WATERPROOF FIXTURES WITH LED TUBES, IP65

LED A F

neutral WHITE 4000K
cold WHITE 6500K

9BM210LED
9BM210LEDCW



Type: LED fixture with LED tubes T8 ELMARK
Power: 2x10W
Lumens: 1800lm
Efficiency: 90lm/W
Body colour: Grey
Material: PC
Reflector: steel white

LED A F

neutral WHITE 4000K
cold WHITE 6500K

9BM218LED
9BM218LEDCW



Type: LED fixture with LED tubes T8 ELMARK*
Power: 2x18W
Lumens: 4320lm
Efficiency: 120lm/W
Body colour: Grey
Material: PC
Reflector: steel white

3 YEARS TOTAL WARRANTY
+ 3 standard 0 extended

IP65
~230V
G13
>20000
30000h
Ra>80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



9BM224LED
9BM224LEDCW

BELLA WATERPROOF FIXTURES WITH LED TUBES, IP65

LED F

neutral WHITE 4000K

9BM224LED

cold WHITE 6500K

9BM224LEDCW



Type: LED fixture with LED tubes T8 ELMARK*
Power: 2x24W
Lumens: 4320lm
Efficiency: 90lm/W
Body colour: Grey
Material: PC
Reflector: steel white

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP65
~230V
G13
>20000
30000h
Ra>80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Recommended tube



T8

page 1055

ELMARK
The Brand of Electricity



89084



89085



89086



89087

BELLA WATERPROOF FIXTURES FOR LED TUBES T8, IP65

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP65

~230V

RoHs COMPLIANT

CE

Lamps Not Included | 1xG13

89084

Type: Empty fixture BELLA for single ended LED tubes T8
LED tube size: 1x600mm
Body colour: Grey
Material: PC
Reflector: steel white



Lamps Not Included | 2xG13

89085

Type: Empty fixture BELLA for single ended LED tubes T8
LED tube size: 2x600mm
Body colour: Grey
Material: PC
Reflector: steel white



Lamps Not Included | 1xG13

89086

Type: Empty fixture BELLA for single ended LED tubes T8
LED tube size: 1x1200mm
Body colour: Grey
Material: PC
Reflector: steel white



Lamps Not Included | 2xG13

89087

Type: Empty fixture BELLA for single ended LED tubes T8
LED tube size: 2x1200mm
Body colour: Grey
Material: PC
Reflector: steel white



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



89088



89089

BELLA WATERPROOF FIXTURES FOR LED TUBES T8, IP65

Lamps Not Included | 1xG13

89088



Type: Empty fixture BELLA for single ended LED tubes T8
LED tube size: 1x1500mm
Body colour: Grey
Material: PC
Reflector: steel white

Lamps Not Included | 2xG13

89089



Type: Empty fixture BELLA for single ended LED tubes T8
LED tube size: 2x1500mm
Body colour: Grey
Material: PC
Reflector: steel white

2 YEARS TOTAL WARRANTY
+ 2 standard 0 extended

IP65
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

GROUND LIGHTING





96GRF50/52422W
96GRF50/524220
96GRF50/52412W
96GRF50/52412



9617LEDP

SPIKE GROUND / WALL FIXTURES, IP65

LED | 24° | F | warm WHITE 3000K | neutral WHITE 4000K

96GRF50/52422W
96GRF50/524220



Type: Spike ground fixture/ Wall fixture
Rated voltage: 220V
Power: 5W
Lumens: 450lm
Efficiency: 90lm/W
Body colour: Black
Material: Aluminum

LED | 24° | F | warm WHITE 3000K | neutral WHITE 4000K

96GRF50/52412W
96GRF50/52412



Type: Spike ground fixture/ Wall fixture
Rated voltage: 12V
Power: 5W
Lumens: 450lm
Efficiency: 90lm/W
Body colour: Black
Material: Aluminum

LED | cold WHITE 5500-6000K | 24° | F

9617LEDP



Type: Spike ground fixture
Rated voltage: 220V
Power: 5W
Lumens: 360lm
Efficiency: 72lm/W
Body colour: Dark grey
Material: PP+PC

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP65
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



96GRF51/106022W
96GRF51/1060220
96GRF51/106012W
96GRF51/106012



96GRF52/76022W
96GRF52/760220
96GRF52/76012W
96GRF52/76012

SPIKE GROUND / WALL FIXTURES, IP65

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP65
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

LED | 60° | F | warm WHITE 3000K | neutral WHITE 4000K

96GRF51/106022W
96GRF51/1060220



Type: Spike ground fixture/ Wall fixture
Rated voltage: 220V
Power: 10W
Lumens: 900lm
Efficiency: 90lm/W
Body colour: Black
Material: Aluminum

LED | 60° | G | warm WHITE 3000K | neutral WHITE 4000K

96GRF52/76022W
96GRF52/760220



Type: Spike ground fixture/ Wall fixture
Rated voltage: 220V
Power: 7W
Lumens: 650lm
Efficiency: 65lm/W
Body colour: Black
Material: Aluminum

LED | 60° | F | warm WHITE 3000K | neutral WHITE 4000K

96GRF51/106012W
96GRF51/106012



Type: Spike ground fixture/ Wall fixture
Rated voltage: 12V
Power: 10W
Lumens: 900lm
Efficiency: 90lm/W
Body colour: Black
Material: Aluminum

LED | 60° | G | warm WHITE 3000K | neutral WHITE 4000K

96GRF52/76012W
96GRF52/76012



Type: Spike ground fixture
Rated voltage: 12V
Power: 7W
Lumens: 650lm
Efficiency: 65lm/W
Body colour: Black
Material: Aluminum

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



96GRF53/10822W
96GRF53/108220



96GRF53/156022W
96GRF53/1560220



96GRF54/209022W
96GRF54/2090220

SPIKE GROUND / WALL FIXTURES, IP65

LED | 8° | F | warm WHITE 3000K | neutral WHITE 4000K

96GRF53/10822W
96GRF53/108220



Type: Spike ground fixture/ Wall fixture
Power: 10W
Lumens: 850lm
Efficiency: 85lm/W
Body colour: Black
Material: Aluminum

LED | 60° | F | warm WHITE 3000K | neutral WHITE 4000K

96GRF53/156022W
96GRF53/1560220



Type: Spike ground fixture/ Wall fixture
Power: 15W
Lumens: 1350lm
Efficiency: 90lm/W
Body colour: Black
Material: Aluminum

LED | 90° | F | warm WHITE 3000K | neutral WHITE 4000K

96GRF54/209022W
96GRF54/2090220



Type: Spike ground fixture/ Wall fixture
Power: 20W
Lumens: 1760lm
Efficiency: 88lm/W
Body colour: Black
Material: Aluminum

Scan each QR code to see the price and availability of the product.

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP65
12V DC
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Recommended bulb



GU10

page 1043

ELMARK
The Brand of Electricity



96GRF319/BL



96GRF319/GR

SPIKE GROUND / WALL FIXTURES, IP54

3 YEARS TOTAL WARRANTY
+ 2 standard 1 extended

IP54

~230V

RoHs COMPLIANT

CE

Lamps Not Included



96GRF319/BL



Type: Spike ground fixture
Body colour: Black
Material: UV resistant ABS + PC
Max.: 8W

UV resistant

Lamps Not Included



96GRF319/GR



Type: Spike ground fixture
Body colour: Grey
Material: UV resistant ABS + PC
Max.: 8W

UV resistant



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



96GRF316/BL



96GRF316/GR

SPIKE GROUND / WALL FIXTURES, IP54

Lamps Not Included
1xGU10



96GRF316/BL

Type: Spike ground fixture
Body colour: Black
Material: UV resistant ABS + PC
Max.: 8W

UV resistant

Lamps Not Included
1xGU10



96GRF316/GR

Type: Spike ground fixture
Body colour: Grey
Material: UV resistant ABS + PC
Max.: 8W

UV resistant

3 YEARS TOTAL WARRANTY
+ 2 standard 1 extended

IP54
~230V
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



96GRF1/915220W
96GRF1/915220
96GRF1/91524WW
96GRF1/91524



96GRF1/1830220W
96GRF1/1830220
96GRF1/183024WW
96GRF1/183024

RECESSED GROUND FIXTURES, IP67

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP67
SMD 2835
>20000
30000h
Ra≥80
EMC

LED | 15° | F | warm WHITE 3000K | neutral WHITE 4000K

96GRF1/915220W
96GRF1/915220



Type: Ground recessed fixture
Rated voltage: 220V
Power: 9W
Lumens: 800lm
Efficiency: 89lm/W
Body colour: Grey
Height: 95 mm
Material: Aluminum + Tempered glass

LED | 15° | F | warm WHITE 3000K | neutral WHITE 4000K

96GRF1/91524WW
96GRF1/91524



Type: Ground recessed fixture
Rated voltage: 12-24V AC
Power: 9W
Lumens: 800lm
Efficiency: 89lm/W
Body colour: Grey
Height: 95 mm
Material: Aluminum + Tempered glass

LED | 30° | F | warm WHITE 3000K | neutral WHITE 4000K

96GRF1/1830220W
96GRF1/1830220



Type: Ground recessed fixture
Rated voltage: 220V
Power: 18W
Lumens: 1600lm
Efficiency: 89lm/W
Body colour: Grey
Height: 95 mm
Material: Aluminum + Tempered glass

LED | 30° | F | warm WHITE 3000K | neutral WHITE 4000K

96GRF1/183024WW
96GRF1/183024



Type: Ground recessed fixture
Rated voltage: 12-24V AC
Power: 18W
Lumens: 1600lm
Efficiency: 89lm/W
Body colour: Grey
Height: 95 mm
Material: Aluminum + Tempered glass

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



96GRF1/2445220W
96GRF1/2445220
96GRF1/244524WW
96GRF1/244524



96GRF1/3645220W
96GRF1/3645220
96GRF1/364524WW
96GRF1/364524

RECESSED GROUND FIXTURES, IP67

LED | 45° | F | warm WHITE 3000K | neutral WHITE 4000K

96GRF1/2445220W
96GRF1/2445220



Type: Ground recessed fixture
Rated voltage: 220V
Power: 24W
Lumens: 2100lm
Efficiency: 87lm/W
Body colour: Grey
Height: 95 mm
Material: Aluminum + Tempered glass

LED | 45° | F | warm WHITE 3000K | neutral WHITE 4000K

96GRF1/244524WW
96GRF1/244524



Type: Ground recessed fixture
Rated voltage: 24V AC
Power: 24W
Lumens: 2100lm
Efficiency: 87lm/W
Body colour: Grey
Height: 95 mm
Material: Aluminum + Tempered glass

LED | 45° | F | warm WHITE 3000K | neutral WHITE 4000K

96GRF1/3645220W
96GRF1/3645220



Type: Ground recessed fixture
Rated voltage: 220V
Power: 36W
Lumens: 3200lm
Efficiency: 89lm/W
Body colour: Grey
Height: 90 mm
Material: Aluminum + Tempered glass

LED | 45° | F | warm WHITE 3000K | neutral WHITE 4000K

96GRF1/364524WW
96GRF1/364524



Type: Ground recessed fixture
Rated voltage: 12-24V AC
Power: 36W
Lumens: 3200lm
Efficiency: 89lm/W
Body colour: Grey
Height: 90 mm
Material: Aluminum + Tempered glass

Scan each QR code to see the price and availability of the product.

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP67
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



96RAY10/WW
96RAY10/W



96RAY15/WW
96RAY15/W



96RAY20/WW
96RAY20/W

RECESSED GROUND FIXTURES, IP67

LED | 90° | F | warm WHITE 3000K | neutral WHITE 4000K

96RAY10/WW
96RAY10/W



Type: Ground recessed fixture
Power: 10W
Lumens: 890lm
Efficiency: 89lm/W
Body colour: Black
Height: 90 mm
Material: Stainless steel + Aluminum + Tempered glass

LED | 90° | G | warm WHITE 3000K | neutral WHITE 4000K

96RAY15/WW
96RAY15/W



Type: Ground recessed fixture
Power: 15W
Lumens: 1200lm
Efficiency: 80lm/W
Body colour: Black
Height: 90 mm
Material: Stainless steel + Aluminum + Tempered glass

LED | 90° | F | warm WHITE 3000K | neutral WHITE 4000K

96RAY20/WW
96RAY20/W



Type: Ground recessed fixture
Power: 20W
Lumens: 1750lm
Efficiency: 88lm/W
Body colour: Black
Height: 90 mm
Material: Stainless steel + Aluminum + Tempered glass

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP67
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



96RAY30/WW
96RAY30/W



96RAY50/WW
96RAY50/W

RECESSED GROUND FIXTURES, IP67

LED | 90° | A B C D E F G | F | warm WHITE 3000K | neutral WHITE 4000K

96RAY30/WW
96RAY30/W



Type: Ground recessed fixture
Power: 30W
Lumens: 2800lm
Efficiency: 93lm/W
Body colour: Black
Height: 90 mm
Material: Stainless steel +
Aluminum + Tempered glass

LED | 90° | A B C D E F G | F | warm WHITE 3000K | neutral WHITE 4000K

96RAY50/WW
96RAY50/W



Type: Ground recessed fixture
Power: 50W
Lumens: 4500lm
Efficiency: 90lm/W
Body colour: Black
Height: 90 mm
Material: Stainless steel +
Aluminum + Tempered glass

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP67
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



96RAY24/10WW
96RAY24/10



96RAY24/20WW
96RAY24/20



96RAY24/30WW
96RAY24/30

RECESSED GROUND FIXTURES, IP67

LED | 90° | A F G | F | warm WHITE 3000K | neutral WHITE 4000K

96RAY24/10WW
96RAY24/10



Type: Ground recessed fixture
Rated voltage: 24V DC
Power: 10W
Lumens: 890lm
Efficiency: 89lm/W
Body colour: Grey
Height: 90 mm
Material: Stainless steel + Aluminum + Tempered glass

LED | 90° | A F G | F | warm WHITE 3000K | neutral WHITE 4000K

96RAY24/20WW
96RAY24/20



Type: Ground recessed fixture
Rated voltage: 24V DC
Power: 20W
Lumens: 1750lm
Efficiency: 87lm/W
Body colour: Grey
Height: 90 mm
Material: Stainless steel + Aluminum + Tempered glass

LED | 90° | A F G | F | warm WHITE 3000K | neutral WHITE 4000K

96RAY24/30WW
96RAY24/30



Type: Ground recessed fixture
Rated voltage: 24V DC
Power: 30W
Lumens: 2800lm
Efficiency: 93lm/W
Body colour: Grey
Height: 90 mm
Material: Stainless steel + Aluminum + Tempered glass

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP67
24V DC
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



96GRF2/130220WW
96GRF2/130220
96GRF2/13012WW
96GRF2/13012



96GRF3/330220WW
96GRF3/330220
96GRF3/33012WW
96GRF3/33012

RECESSED GROUND FIXTURES, IP65

LED | 30° | F | warm WHITE 3000K | neutral WHITE 4000K

96GRF2/130220WW
96GRF2/130220

Type: Ground recessed fixture
Rated voltage: 220V
Power: 1W
Lumens: 90lm
Body colour: Grey
Height: 80 mm
Material: Stainless steel + Aluminum + Tempered glass



LED | 30° | F | warm WHITE 3000K | neutral WHITE 4000K

96GRF2/13012WW
96GRF2/13012

Type: Ground recessed fixture
Rated voltage: 12V DC
Power: 1W
Lumens: 90lm
Body colour: Grey
Height: 80 mm
Material: Stainless steel + Aluminum + Tempered glass



LED | 30° | F | warm WHITE 3000K | neutral WHITE 4000K

96GRF3/330220WW
96GRF3/330220

Type: Ground recessed fixture
Rated voltage: 220V
Power: 3W
Lumens: 260lm
Efficiency: 87lm/W
Body colour: Black
Height: 80 mm
Material: Stainless steel + Aluminum + Tempered glass



LED | 30° | F | warm WHITE 3000K | neutral WHITE 4000K

96GRF3/33012WW
96GRF3/33012

Type: Ground recessed fixture
Rated voltage: 12V DC
Power: 3W
Lumens: 260lm
Efficiency: 87lm/W
Body colour: Black
Height: 80 mm
Material: Stainless steel + Aluminum + Tempered glass



Scan each QR code to see the price and availability of the product.

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP65
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



96GRF1/315220W
96GRF1/315220
96GRF1/31524WW
96GRF1/31524



96GRF1/515220W
96GRF1/515220
96GRF1/51524WW
96GRF1/51524

RECESSED GROUND FIXTURES, IP67

LED | 15° | F | warm WHITE 3000K | neutral WHITE 4000K

96GRF1/315220W
96GRF1/315220



Type: Ground recessed fixture
Rated voltage: 220V
Power: 3W
Lumens: 270lm
Efficiency: 90lm/W
Body colour: Grey
Height: 60 mm
Material: Aluminum + Tempered glass

LED | 15° | F | warm WHITE 3000K | neutral WHITE 4000K

96GRF1/31524WW
96GRF1/31524



Type: Ground recessed fixture
Rated voltage: 12-24V DC
Power: 3W
Lumens: 270lm
Efficiency: 90lm/W
Body colour: Grey
Height: 60 mm
Material: Aluminum + Tempered glass

LED | 15° | G | warm WHITE 3000K | neutral WHITE 4000K

96GRF1/515220W
96GRF1/515220



Type: Ground recessed fixture
Rated voltage: 220V
Power: 5W
Lumens: 400lm
Efficiency: 80lm/W
Body colour: Grey
Height: 95 mm
Material: Aluminum + Tempered glass

LED | 15° | G | warm WHITE 3000K | neutral WHITE 4000K

96GRF1/51524WW
96GRF1/51524



Type: Ground recessed fixture
Rated voltage: 24V AC
Power: 5W
Lumens: 400lm
Efficiency: 80lm/W
Body colour: Grey
Height: 95 mm
Material: Aluminum + Tempered glass

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP67
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



96GRFLED069/T1W
96GRFLED069/T1



96GRFLED069/T2W
96GRFLED069/T2



96GRFLED069/T3W
96GRFLED069/T3

RECESSED GROUND FIXTURES, IP65

LED G

warm WHITE 3000K
neutral WHITE 4000K

96GRFLED069/T1W
96GRFLED069/T1



Type: Ground recessed fixture with one light beam
Power: 3W
Lumens: 180lm
Body colour: Black
Height: 100 mm
Material: Aluminum

LED G

warm WHITE 3000K
neutral WHITE 4000K

96GRFLED069/T2W
96GRFLED069/T2



Type: Ground recessed fixture with two light beams
Power: 3W
Lumens: 213lm
Body colour: Black
Height: 100 mm
Material: Aluminum

LED G

warm WHITE 3000K
neutral WHITE 4000K

96GRFLED069/T3W
96GRFLED069/T3



Type: Ground recessed fixture with three light beams
Power: 3W
Lumens: 232lm
Body colour: Black
Height: 100 mm
Material: Aluminum

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP65
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



96GRFLED070/T1W
96GRFLED070/T1



96GRFLED070/T2W
96GRFLED070/T2



96GRFLED070/T3W
96GRFLED070/T3

RECESSED GROUND FIXTURES, IP65

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP65
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

96GRFLED070/T1W
96GRFLED070/T1

warm WHITE 3000K
neutral WHITE 4000K



Type: Ground recessed fixture with one light beam
Power: 7W
Lumens: 332lm
Body colour: Black
Height: 100 mm
Material: Aluminum



96GRFLED070/T2W
96GRFLED070/T2

warm WHITE 3000K
neutral WHITE 4000K



Type: Ground recessed fixture with two light beams
Power: 7W
Lumens: 412lm
Body colour: Black
Height: 100 mm
Material: Aluminum

96GRFLED070/T3W
96GRFLED070/T3

warm WHITE 3000K
neutral WHITE 4000K



Type: Ground recessed fixture with three light beams
Power: 7W
Lumens: 525lm
Body colour: Black
Height: 100 mm
Material: Aluminum

Scan each QR code to see the price and availability of the product.



96GRFLED071/T1W
96GRFLED071/T1



96GRFLED071/T2W
96GRFLED071/T2



96GRFLED071/T3W
96GRFLED071/T3

RECESSED GROUND FIXTURES, IP65

LED G

warm WHITE 3000K
neutral WHITE 4000K

96GRFLED071/T1W
96GRFLED071/T1



Type: Ground recessed fixture with one light beam
Power: 9W
Lumens: 400lm
Body colour: Black
Height: 100 mm
Material: Aluminum



LED G

warm WHITE 3000K
neutral WHITE 4000K

96GRFLED071/T2W
96GRFLED071/T2



Type: Ground recessed fixture with two light beams
Power: 9W
Lumens: 500lm
Body colour: Black
Height: 100 mm
Material: Aluminum

LED G

warm WHITE 3000K
neutral WHITE 4000K

96GRFLED071/T3W
96GRFLED071/T3



Type: Ground recessed fixture with three light beams
Power: 9W
Lumens: 600lm
Body colour: Black
Height: 100 mm
Material: Aluminum

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP65
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



96GRF4T1/3220WW
96GRF4T1/3220
96GRF4T1/312WW
96GRF4T1/312

DRIVE OVER



96GRF4T2/3220WW
96GRF4T2/3220
96GRF4T2/312WW
96GRF4T2/312

DRIVE OVER

RECESSED GROUND FIXTURES, IP65

3 YEAR TOTAL WARRANTY
3 standard+0 extended
+ 0 extended

IP65
SMD 2835
>20000
30000h
Ra≥80
EMC

LED





warm WHITE 3000K
neutral WHITE 4000K

96GRF4T1/3220WW
96GRF4T1/3220

Type: Ground recessed fixture with one light beam
Rated voltage: 220V
Power: 3W
Lumens: 200lm
Efficiency: 67lm/W
Body colour: Grey
Height: 90 mm
Material: Stainless steel + Aluminum

LED





warm WHITE 3000K
neutral WHITE 4000K

96GRF4T1/312WW
96GRF4T1/312

Type: Ground recessed fixture with one light beam
Rated voltage: 12V DC
Power: 3W
Lumens: 200lm
Efficiency: 67lm/W
Body colour: Grey
Height: 90 mm`
Material: Stainless steel + Aluminum

LED





warm WHITE 3000K
neutral WHITE 4000K

96GRF4T2/3220WW
96GRF4T2/3220

Type: Ground recessed fixture with two light beams
Rated voltage: 220V
Power: 3W
Lumens: 200lm
Efficiency: 67lm/W
Body colour: Grey
Height: 90 mm
Material: Stainless steel + Aluminum

LED





warm WHITE 3000K
neutral WHITE 4000K

96GRF4T2/312WW
96GRF4T2/312

Type: Ground recessed fixture with two light beams
Rated voltage:12V DC
Power: 3W
Lumens: 200lm
Efficiency: 67lm/W
Body colour: Grey
Height: 90 mm
Material: Stainless steel + Aluminum

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



96GRF4T3/3220WW
96GRF4T3/3220
96GRF4T3/312WW
96GRF4T3/312

DRIVE OVER



96GRF4/524220WW
96GRF4/524220
96GRF4/52412WW
96GRF4/52412

RECESSED GROUND FIXTURES, IP65

LED G

warm WHITE 3000K
neutral WHITE 4000K

96GRF4T3/3220WW
96GRF4T3/3220



Type: Ground recessed fixture with three light beams
Rated voltage: 220V
Power: 3W
Lumens: 200lm
Efficiency: 67lm/W
Body colour: Grey
Height: 90 mm
Material: Stainless steel + Aluminum

LED G

warm WHITE 3000K
neutral WHITE 4000K

96GRF4T3/312WW
96GRF4T3/312



Type: Ground recessed fixture with three light beams
Rated voltage: 12V DC
Power: 3W
Lumens: 200lm
Efficiency: 67lm/W Body colour: Grey
Height: 90 mm
Material: Stainless steel + Aluminum

LED G 45°

warm WHITE 3000K
neutral WHITE 4000K

96GRF4/524220WW
96GRF4/524220



Type: Ground recessed fixture
Rated voltage: 220V
Power: 5W
Lumens: 350lm
Efficiency: 70lm/W
Body colour: Black
Height: 80 mm
Material: Aluminum

LED G 45°

warm WHITE 3000K
neutral WHITE 4000K

96GRF4/52412WW
96GRF4/52412



Type: Ground recessed fixture
Rated voltage: 12V DC
Power: 5W
Lumens: 350lm
Efficiency: 70lm/W
Body colour: Black
Height: 80 mm
Material: Aluminum

3 YEAR TOTAL WARRANTY
3 standard+0 extended
+ 0 extended

IP65
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



96CECI90SQ/BL

DRIVE OVER



96CECI90SQ/GR

DRIVE OVER

RECESSED GROUND FIXTURES, IP67

LED | warm WHITE 3000K | neutral WHITE 4000K | SETTABLE | A F G | F

45°



96CECI90SQ/BL

Type: Ground recessed fixture
Lamp holder: GU10
Power: 6W
Lumens: 600lm
Efficiency: 100lm/W
Body colour: Black
Height: 127 mm
Material: Resin + frosted diffuser

UV resistant

LED | warm WHITE 3000K | neutral WHITE 4000K | SETTABLE | A F G | F

45°



96CECI90SQ/GR

Type: Ground recessed fixture
Lamp holder: GU10
Power: 6W
Lumens: 600lm
Efficiency: 100lm/W
Body colour: Grey
Height: 127 mm
Material: Resin + frosted diffuser

UV resistant

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP67
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.



Scan each QR code to see the price and availability of the product.



96CECI160/BL

DRIVE OVER



96CECI160/GR

DRIVE OVER

RECESSED GROUND FIXTURES, IP67

LED | warm WHITE 2700K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | E

112°



96CECI160/BL

Type: Ground recessed fixture
Lamp holder: GX53
Power: 10W
Lumens: 1200lm
Efficiency: 120lm/W
Body colour: Black
Height: 111 mm
Material: Resin + frosted diffuser

UV resistant

LED | warm WHITE 2700K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | E

112°



96CECI160/GR

Type: Ground recessed fixture
Lamp holder: GX53
Power: 10W
Lumens: 1200lm
Efficiency: 120lm/W
Body colour: Grey
Height: 111 mm
Material: Resin + frosted diffuser

UV resistant

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP67
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



96CECI90/BL

DRIVE OVER



96CECI90/GR

DRIVE OVER

RECESSED GROUND FIXTURES, IP67

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP67
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

LED | warm WHITE 2700K | neutral WHITE 4000K | SETTABLE | F

45°



96CECI90/BL

Type: Ground recessed fixture
Lamp holder: GU10
Power: 3.5W
Lumens: 400lm
Efficiency: 114lm/W
Body colour: Black
Height: 127 mm
Material: Resin

UV resistant

LED | warm WHITE 2700K | neutral WHITE 4000K | SETTABLE | F

45°



96CECI90/GR

Type: Ground recessed fixture
Lamp holder: GU10
Power: 3.5W
Lumens: 400lm
Efficiency: 114lm/W
Body colour: Grey
Height: 127 mm
Material: Resin

UV resistant



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



96ALDO/BL

DRIVE OVER



96ALDO/GR

DRIVE OVER



96GRFLED068

DRIVE OVER

RECESSED GROUND FIXTURES, IP67

LED | neutral WHITE 4000K | 45° | F

96ALDO/BL



Type: Ground recessed fixture
Lamp holder: G9
Power: 1.7W
Lumens: 170lm
Efficiency: 100lm/W
Body colour: Black
Height: 50 mm
Material: Resin with opal glass

UV resistant

LED | neutral WHITE 4000K | 45° | F

96ALDO/GR



Type: Ground recessed fixture
Lamp holder: G9
Power: 1.7W
Lumens: 170lm
Efficiency: 100lm/W
Body colour: Grey
Height: 50 mm
Material: Resin with opal glass

UV resistant

LED | cold WHITE 6000-6500K | 45° | G

96GRFLED068



Type: Ground recessed fixture
Power: 1W
Lumens: 60lm
Body colour: Grey
Height: 61 mm
Material: Stainless steel

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP67
~230V
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

i Scan each QR code to see the price and availability of the product.

Recommended bulb

GU5.3 page 1047 for 96GRF105

GU10 page 1045 for 96GRF106

ELMARK
The Brand of Electricity



96GRF105



96GRF106

RECESSED GROUND FIXTURES, IP65

Lamps Not Included | 1xGU5.3 | 120°

96GRF105



Type: Ground recessed fixture
Body colour: Satin nickel
Material: PVC + aluminum ring and tempered glass
Max.: 50W

Lamps Not Included | 1xGU10 | 120°

96GRF106



Type: Ground recessed fixture
Body colour: Satin nickel
Material: PVC + aluminum ring and tempered glass
Max.: 50W



2 YEARS TOTAL WARRANTY
2 standard + 0 extended

IP65
~230V
RoHS COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

POOL & UNDERWATER LIGHTING



ELMARK
The Brand of Electricity



96PL1/10WW
96PL1/10



96PL4/18WW
96PL4/18



96PL2/18



96PL3/24

POOL LIGHTS, IP68

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP68
12V/24V AC
SMD 2835
>20000
30000h
Ra≥80
EMC

LED | G | 45° | warm WHITE 3000K | neutral WHITE 4000K

96PL1/10WW
96PL1/10



Type: Pool lighting
Rated voltage: 12-24V AC/DC
Power: 10W
Lumens: 800lm
Efficiency: 80lm/W
Body colour: White
Height: 28mm
Material: Plastic

LED | F | 45° | warm WHITE 3000K | neutral WHITE 4000K

96PL4/18WW
96PL4/18



Type: Pool lighting
Rated voltage: 12-24V AC/DC
Power: 18W
Lumens: 1700lm
Efficiency: 94lm/W
Body colour: White
Height: 50mm
Material: Plastic

LED | RGB | 45°

96PL2/18



Type: Pool lighting with remote control
Rated voltage: 12V AC
Power: 18W
Body colour: White
Height: 36mm
Material: Plastic
24 key remote controller

LED | RGB | 45°

96PL3/24



Type: Pool lighting with remote control
Rated voltage: 12 AC
Power: 24W
Body colour: White
Height: 36mm
Material: Plastic
24 key remote controller

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



98LED003RGB



98LED006RGB



98LED012RGB
98LED018RGB

POOL LIGHTS WITH REMOTE CONTROL, IP68

LED | RGB | 45°

98LED003RGB



Type: Pool lighting with remote control
Rated voltage: 12V AC
Power: 3W
Body colour: Grey
Material: Stainless steel
24 key remote controller

LED | RGB | 45°

98LED006RGB



Type: Pool lighting with remote control
Rated voltage: 12V AC
Power: 6W
Body colour: Grey
Material: Stainless steel
24 key remote controller

LED | RGB | 45°

98LED012RGB



Type: Pool lighting with remote control
Rated voltage: 12V AC
Power: 12W
Body colour: Grey
Material: Stainless steel
24 key remote controller

LED | RGB | 45°

98LED018RGB



Type: Pool lighting with remote control
Rated voltage: 12V AC
Power: 18W
Body colour: Grey
Material: Stainless steel
24 key remote controller

3 YEARS TOTAL WARRANTY
3 standard
0 extended

IP68
12V/24V AC
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



96GRF5/31512WW
96GRF5/31512

POOL LIGHTS, IP68

LED | warm WHITE 3000K | 15° | F

96GRF5/31512WW



Type: Recessed pool lights
Rated voltage: 12V
Power: 3W
Lumens: 260lm
Efficiency: 87lm/W
Body colour: Grey
Height: 100 mm
Material: Stainless Steel + Tempered glass

LED | neutral WHITE 4000K | 15° | F

96GRF5/31512



Type: Recessed pool lights
Rated voltage: 12V
Power: 3W
Lumens: 260lm
Efficiency: 87lm/W
Body colour: Grey
Height: 100 mm
Material: Stainless Steel + Tempered glass

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP68
12V DC
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.



Scan each QR code to see the price and availability of the product.



96UW6RGB



96UW12RGB



96UW18RGB

POOL LIGHTS WITH REMOTE CONTROL, IP68

LED | RGB | 45°

96UW6RGB



Type: Pool lighting with remote control
Rated voltage: 12V AC
Power: 6W
Body colour: Grey
Height: 80 mm
Material: Stainless steel
24 key remote controller

LED | RGB | 45°

96UW12RGB



Type: Pool lighting with remote control
Rated voltage: 12V AC
Power: 12W
Body colour: Grey
Height: 80 mm
Material: Stainless steel
24 key remote controller

LED | RGB | 45°

96UW18RGB



Type: Pool lighting with remote control
Rated voltage: 12V AC
Power: 18W
Body colour: Grey
Height: 80 mm
Material: Stainless steel
24 key remote controller

Scan each QR code to see the price and availability of the product.

3 YEARS TOTAL WARRANTY
3 standard
0 extended

IP68
12V AC
SMD 2835
>20000
30000h
Ra≥80
EMC

Scan QR code for 3D models, IES files & price.



96FL6RGB
96FL12RGB
96FL18RGB

FOUNTAIN LIGHTS WITH REMOTE CONTROL, IP68

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP68
12V AC
SMD 2835
>20000
30000h
Ra≥80
EMC

96FL6RGB

LED RGB 45°



Type: LED fountain light with remote control
Rated voltage: 12V AC
Power: 6W
Body colour: Grey
Height: 80 mm
Material: Stainless steel
24 key remote controller

96FL12RGB

LED RGB 45°



Type: LED fountain light with remote control
Rated voltage: 12V AC
Power: 12W
Body colour: Grey
Height: 80 mm
Material: Stainless steel
24 key remote controller

96FL18RGB

LED RGB 45°



Type: LED fountain light with remote control
Rated voltage: 12V AC
Power: 18W
Body colour: Grey
Height: 80 mm
Material: Stainless steel
24 key remote controller

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

SOLAR LIGHTING



ELMARK
The Brand of Electricity



98SOL41071



98SOL41029

SOLAR GROUND LIGHTS & SOLAR DRIVEWAY LIGHTS

LED Solar IP44

98SOL41071



Type: Solar driveway light
Power: 0.3W
Lumens: 10lm
Solar panel: Polycrystalline
Battery: Ni-Mh/ 900mAh
Working time: 8h
Body colour: Grey
Material: Aluminum

LED Solar IP44

98SOL41029



Type: Solar driveway light
Power: 0.24W
Lumens: 6lm
Solar panel: Polycrystalline
Battery: Ni-Mh/ 600mAh
Working time: 8h
Body colour: Grey
Material: Aluminum





2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

RoHs COMPLAINT

CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



98SOL41030



98SOL41073

SOLAR DRIVEWAY LIGHTS

LED | Solar | IP65 | Li-ion

98SOL41030



Type: Solar recessed ground light
Power: 3W
Lumens: 50lm
Solar panel: 6V/0.6W Polycristalline
Battery: 2Ah, 3.7V LiFePO4 18650
Working time: 8-12h
Charging time: 4-5h
Body colour: Grey
Material: Stainless steal

LED | Solar | IP44

98SOL41073



Type: Solar driveway light
Power: 0.3W/2V
Lumens: 10lm
Solar panel: Polycrystalline
Battery: Ni-Mh/ 900mAh
Working time: 8h
Body colour: Grey
Material: Metal + Plastic



3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

RoHs COMPLAINT

CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



98SOL96

SOLAR LIGHTS, IP54

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP44

RoHs COMPLAINT

CE

LED | Solar | warm WHITE 1500-1800K | 360°



98SOL96

Type: Solar torch light
LED QTY: 51pcs
Power: max 1W
Lumens: 20lm
Battery: 3.7V/1200mAh
Solar panel: 5.5V/0.66W
Charging time: 8h
Working time: 8h
Body colour: Black
Material: ABS+PC





Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



98SOL5420



98SOL5520

SOLAR PATHWAY LIGHTS, IP44

LED Solar



98SOL5520

Type: Solar pathway light
Power: 0.06W
Lumens: 1lm
Solar panel: Amorphous
Battery: Ni-Mh/100mAh AAA 1.2V
Working time: 8h
Body colour: Black
Material: Plastic

LED Solar



98SOL5420

Type: Solar pathway light
Power: 0.06W
Lumens: 1lm
Solar panel: Amorphous
Battery: Ni-Mh/100mAh AA 1.2V
Working time: 8h
Body colour: Black
Material: Plastic



1 YEARS TOTAL WARRANTY
+ 1 standard 0 extended

IP44

RoHS COMPLIANT

CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



98SOL9620



98SOL23310

SOLAR PATHWAY LIGHTS, IP44

LED Solar



98SOL9620

Type: Solar pathway light
Power: 0.06W
Lumens: 1lm
Solar panel: Amorphous
Battery: Ni-Mh/100mAh AAA 1.2V
Working time: 8h
Body colour: Black
Material: Plastic

LED Solar



98SOL23310

Type: Solar pathway light
Power: 0.08W
Lumens: 2lm
Solar panel: Amorphous
Battery: Ni-Mh AAA 2V
Working time: 8h
Body colour: Black
Material: Plastic

1 YEARS TOTAL WARRANTY
+ 1 standard
0 extended

IP44
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



98SOL23357



98SOL11088



98SOL11103

SOLAR PATHWAY LIGHTS, IP44

LED Solar



98SOL23357

Type: Solar pathway light
Power: 0.2W
Lumens: 10lm
Solar panel: Polycrystalline
Battery: Ni-Mh/500mAh
Working time: 8h
Body colour: Black
Material: Plastic

LED Solar



98SOL11088

Type: Solar pathway light
Power: 0.3W
Lumens: 10lm
Solar panel: Polycrystalline
Battery: Ni-Mh/900mAh
Working time: 8h
Body colour: Grey
Material: Stainless steel

LED Solar



98SOL11103

Type: Solar pathway light
Power: 0.16W
Lumens: 8lm
Solar panel: Polycrystalline
Battery: Ni-Mh/400mAh
Working time: 8h
Body colour: Grey
Material: Stainless steel



2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP44

RoHS COMPLIANT

CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



98SOL3122



98SOL6721



98SOL6921

SOLAR PATHWAY LIGHTS, IP44

LED Solar

98SOL3122



Type: Solar pathway light
Power: 0.06W
Lumens: 1lm
Solar panel: Amorphous
Battery: Ni-Mh/100mAh AAA 1.2V
Working time: 8h
Body colour: Black
Material: Stainless steel + Plastic

LED Solar

98SOL6721



Type: Solar pathway light
Power: 0.06W
Lumens: 1lm
Solar panel: Amorphous
Battery: Ni-Mh/200mAh AA 1.2V
Working time: 8h
Body colour: Silver
Material: Stainless steel + Plastic

LED Solar

98SOL6921



Type: Solar pathway light
Power: 0.06W
Lumens: 1lm
Solar panel: Amorphous
Battery: Ni-Mh/100mAh AAA 1.2V
Working time: 8h
Body colour: Black
Material: Stainless steel + Plastic

1 YEARS TOTAL WARRANTY
+ 1 standard
0 extended

IP44

RoHS COMPLAINT

CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



98SOL8120



98SOL5821



98SOL4320

SOLAR PATHWAY LIGHTS, IP44

LED Solar



98SOL8120

Type: Solar pathway light
Power: 0.06W
Lumens: 1lm
Solar panel: Amorphous
Battery: Ni-Mh/40mAh button battery 1.2V
Working time: 8h
Body colour: Black
Material: Plastic

LED Solar



98SOL5821

Type: Solar pathway light
Power: 0.24W
Lumens: 4lm
Solar panel: Amorphous
Battery: Ni-Mh/200mAh AA 1.2V
Working time: 8h
Body colour: Silver
Material: Plastic

LED Solar



98SOL4320

Type: Solar pathway light
Power: 0.5W
Lumens: 15lm
Solar panel: Polycrystalline
Battery: NI-MH AA 300mAh 1.2V
Working time: 8h
Body colour: Black
Material: Plastic

1 YEARS TOTAL WARRANTY
+ 1 standard 0 extended

IP44

RoHS COMPLIANT

CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



98SOL23276



98SOL4321



98SOL134

SOLAR PATHWAY LIGHTS

LED | Solar | IP44 | Li-ion

98SOL23276



Type: Solar pathway light
Power: 0.4W
Lumens: 25lm
Solar panel: Polycrystalline
Battery: 14430 LiFePO4 400mAh
Working time: 8h
Body colour: Black
Material: Plastic

LED | Solar | IP65

98SOL4321



Type: Solar pathway light
Power: 5W
Functions: Light control + Switch. Automatic time-sharing brightness

LED | Solar | IP65 | Li-ion

98SOL134



Type: Solar Light
Lumens: 200/100/50lm
Solar panel: Monocrystal 5.5V/250mAh
Battery: Lithium 3.7V/2500mAh 18650
Working time: 2h with 200lm/ 5h with 100lm/ 8h with 50lm
Body colour: Black
Material: ABS & Stainless Steel



2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



98SOL41072

SOLAR LAMPS, IP65

LED Solar Li-ion

98SOL41072



Type: Solar light
Power: 300W
Lumens: 1000lm
Solar panel: 6V/13W Polycristalline
Battery: 3.2V/10Ah LiFePO4 32650
Working time: 8-12h
Controller
Note: Mounting pole not included
Compatible mounting poles with D60mm: 93SP60BL; 93SP80BL; 93SP100BL; 93SP120BL



3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP65
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



98SOL311



98SOL149

SOLAR LAWN LAMP, IP54

LED | Solar | neutral WHITE 4000K | Li-ion | IP54



98SOL311

Type: Solar Garden lamp
Power: 3W
Lumens: 500lm
Beam angle: 180°
Solar panel: 5V/ 1.5W
Battery: 3.7V/ 2000mAh
Charging time: 6-8h
Discharging time: >12h
Body Colour: Black
Material: ABS + PC

FUNCTIONS:
Level 1: Steady light on: 50% brightness for the 1st hour, 20% brightness for the 2nd-6th hours, 5% brightness until dawn
Level 2: 100% brightness for the 1st 1minute, 75% brightness for the following 10minutes, 10-30minutes keep 50% brightness, 30minutes - 5 hours, 20% brightness, 5-10hours 5% brightness.

LED | Solar | IP54



98SOL149

Type: Motion Sensor Solar Light
Lumens: 250lm
Solar panel: Monocrystal 5.5V/2.5W
Battery: Lithium 3.7V/2500mAh 18650
Working time: 8h
Body colour: Black
Material: ABS & Stainless Steel
Detection Distance: 5-8m

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP54
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



98SOL309



** Mounting pole not included*

98SOL310

SOLAR PATHWAY LAMPS

LED | Solar | warm WHITE 3000K | Li-ion

98SOL309



Type: Solar Garden Bollard Lamp
Power: 5W
Lumens: 400lm
Battery: 3.7V/ 2000mAh 18650
Replaceable Li-ion battery
Charging time: 12h
Discharging time:
- Mode A: till 4 nights
- Mode B: till 2 nights

Body Colour: Black
Material: ABS + PC; V0; UV-Resistant

SENSOR:
Detection range: 120°
Detection distance: 7 m

FUNCTIONS:
• A- Light up at night and full brightness after motion detection and lower when 20sec no motion
• B- Automatically light up at night with 50% brightness. After 5h turn to mode A.

INSTALLATION:
Built-in Soft Lawn
Built-in Concrete ground



LED | Solar | Li-ion

98SOL310



Type: Solar LED Area Light
Power: 20W
Lumens: 2100lm
Solar Panel: Mono-crystalline silicone 11.5W, DC10V
Battery: 6.4V/ 6000mAh 32700 Replaceable Li-ion battery
Charging time: 6h
Discharging time: 32h
Body Colour: Black
Material: ABS + PC; V0; UV-Resistant
Installation Height: 2-4m
Installation Spacing: 10-15m
Effective Projection Surface: 80m²

FUNCTIONS:
The lamp automatically lights up at night and keep 100% brightness for the first 3 hours, 70% brightness for the next 2 hours, and then 50% brightness till down. With intelligent management system, the lamp will adjust the brightness according to the dynamic capacity of the battery.

SENSOR:
Detection range: 120°
Detection distance: 7 m

**** Note: Mounting pole not included***
Compatible mounting poles:
93SP60BL; 93SP80BL;
93SP100BL;93SP120BL.

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP54
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



98SOL23439



98SOL23451

SOLAR STRING LIGHTS, IP54

LED Solar warm WHITE

98SOL23439



Cable length 3000 mm

Type: Solar string lights
Lighting fixtures QTY: 8pcs
Power: 0.6W
Lumens: 24lm
Solar panel: Polycrystalline
Battery: 2x Ni-Mh/900mAh
Working time: 8h
Material: Plastic



LED Solar warm WHITE

98SOL23451



Cable length 4300 mm

Type: Solar string lights
Lighting fixtures QTY: 8pcs
Power: 0.6W
Lumens: 24lm
Solar panel: Polycrystalline
Battery: 2x Ni-Mh/900mAh
Working time: 8h
Material: Plastic



2 YEARS TOTAL WARRANTY
2 standard + 0 extended

IP54

RoHS COMPLIANT

CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



98SOL23204C

SOLAR STRING LIGHTS, IP44

LED Solar RGB

98SOL23204C



Cable length 13 m

Type: Solar string lights
Lighting fixtures QTY: 100pcs
Power: 0.5W
Solar panel: Polycrystalline
Battery: Ni-Mh/1200mAh
Working time: 8h
Material: Plastic





i Scan each QR code to see the price and availability of the product.

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP44
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



98SOL313



98SOL312

SOLAR LIGHTS, IP54

LED | Solar | neutral WHITE 4000K | Li-ion

98SOL313



Type: Solar Hand Lamp
Power: 3W
Lumens: 500lm
Beam angle: 180°
Solar panel: 5V/ 1.5W
Battery: 3.7V/ 2000mAh
Charging time: 6-8h
Discharging time: >12h
Body Colour: Black
Material: ABS + PC

FUNCTIONS:
4-modes available controlled by on-off switch
100% -50% -20%-RGB flash by pressing switch, after long press light off

LED | Solar | neutral WHITE 4000K | Li-ion

98SOL312



Type: Solar Wall Lamp with Sensor
Power: 3W
Lumens: 500lm
Beam angle: 180°
Solar panel: 5V/ 1.5W
Battery: 3.7V/ 2000mAh
Charging time: 6-8h
Discharging time: >12h
Body Colour: Black
Material: ABS + PC

FUNCTIONS:
Level 1: people come 100% brightness, last for 20s then light off after people leave
Level 2: people come 100% brightness, last for 20s then 15% dim light after people leave
Level 3: 100% brightness in 1minute, 1-10minutes 75% brightness, 10-30minutes keep 50% brightness, 30minutes - 5 hours, 15% brightness, 5-10hours 5% brightness.

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP54
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



98SOL148



98SOL146



98SOL317

SOLAR WALL LAMPS, IP65

LED Solar Li-ion

98SOL148



Type: Motion Sensor Solar Light
Lumens: 250lm
Solar panel: Monocrystal 5.5V/2.5W
Battery: Lithium 3.7V/2500mAh 18650
Working time: 8h
Body colour: Black
Material: ABS + Stainless Steel
Detection Distance: 5-8m

LED Solar Li-ion

98SOL146



Type: Motion Sensor Solar Light
Lumens: 100lm
Solar panel: Monocrystal 5V/100mAh
Battery: Lithium 3.7V/500mAh 14500
Working time: 8h
Body colour: Black
Material: Aluminum
Detection Distance: 5-8m

LED Solar warm WHITE 3000K neutral WHITE 4000K cold WHITE 6500K SETTABLE Li-ion

98SOL317



Type: Motion Sensor Solar Light
Output Power: 15W
Lumen: 2000lm
Solar Panel: Monocrystal 6W, DC4.5V
Battery: 32700, 19.2Wh
Beam Angle: 95°*85°
Body Color: Black
Material: ABS+PC, anti-UV, V0 fireproof
Detection Angle/Distance: 120° /≤8m





3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP65
RoHs COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



98SOL23423



98SOL23429

SOLAR WALL LAMPS, IP44

LED Solar Li-ion

98SOL23423



Type: Solar wall light
Power: 0.8W
Lumens: 30m
Solar panel: Monocrystalline
Battery: LiFePO4/800mAh 18500 4.5V
Working time: 8h
Body colour: Black
Material: Plastic



LED Solar

98SOL23429



Type: Solar wall light
Power: 0.12W
Lumens: 6lm
Solar panel: Amorphous
Battery: Ni-Mh/ 300mAh 2V
Working time: 8h
Body colour: Grey
Material: Plastic



2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP44

RoHS COMPLIANT

CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



98SOL305



98SOL306

SOLAR LAMPS WITH SENSOR, IP65

LED Solar Li-ion

98SOL305



Type: Multifunction 7 in 1 Solar LED Light
Power: 8W
Lumens: 950lm
Battery: 3.7V/ 4000mAh 18650 Li-ion battery
Charging time: 5h
Discharging time:
- Mode A: till 5 nights
- Mode A: till 3 nights
- Mode B: till 5 nights

Body colour: Black
Material: ABS + PC; V0; UV-Resistant

FUNCTIONS:
- A- Full brightness after motion detection and lower when 20sec no motion
- B- continuously full brightness. After 5h full brightness after motion detection and lower when 20sec no motion.

INSTALLATION:
- Integrated Wall Mount
- Split Wall Mount



SENSOR:
- Detection range: 120°
- Detection distance: 8m
- Installation height: ≤ 4meters

LED Solar Li-ion

98SOL306



Type: Solar Wall Lamp
Power: 6W
Lumens: 800lm
Battery: 3.7V/ 3000mAh 18650 Li-ion battery
Charging time: 8h
Discharging time:
- Mode A: till 4 nights
- Mode B: till 2 nights

Body Colour: Black
Material: ABS + PC; V0; UV-Resistant

FUNCTIONS:
- A- Full brightness after motion detection and 5% when 20sec no motion
- B- continuously 50% brightness. After 5h full brightness after motion detection and turn off when 20sec no motion.

SENSOR:
- Detection range: 120°
- Detection distance: 6m
- Installation height: ≤ 4meters



3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP65

RoHs COMPLIANT

CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



98SOL1321



98SOL13223

SOLAR WALL LAMPS, IP54

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP54

RoHS COMPLIANT

CE

LED Solar Li-ion

98SOL1321



Type: Solar Wall Lamp
Lumens: 40lm
Solar panel: 5V/0,9Wx3pcs
Battery: 3.7V/ 1500mAh 18650 Li-ion battery
Colour temp.: 3000K-7000K-4500K settable
Charging time: 4-6h
Discharging time: 8-10h

Body Colour: Black
Material: ABS
Depth: 97mm

Working mode:
• Charging during the day and automatic lighting at night

LED Solar Li-ion

98SOL13223



Type: Solar Wall Lamp 2+1 LED
Lumens: 40lm
LED lamp: 3 x SMD
Solar panel: 5V/1.1W
Battery: 3.7V/ 1500mAh 18650
Li-ion battery
Colour temp.: 3000K-7000K-4500K settable
Charging time: 4-6h

Discharging time: 8-10h
Body Colour: Black
Material: ABS
Depth: 85mm

Working mode:
• Charging during the day and automatic lighting at night
• 1 lamp above 2 lamp below

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



98SOL132412



98SOL132420

SOLAR LAMPS WITH SENSOR, IP54

LED Solar Li-ion

98SOL132412



Type: Solar Wall Lamp 6+6 LED
Lumens: 40lm
LED lamp: 12 x SMD
Solar panel: 5V/0.35W
Battery: 3.7V/ 1200mAh 18650 Li-ion battery
Colour temp.: 3000K
Charging time: 4-6h
Discharging time: 8-10h

Body Colour: Black
Material: ABS
Depth: 30mm

Working mode:
• Charging during the day and automatic lighting at night
• 6 lamp above 6 lamp below

LED Solar Li-ion

98SOL132420



Type: Solar Wall Lamp 10+10 LED
Lumens: 50lm
LED lamp: 20 x SMD
Solar panel: 5V/0.5W
Battery: 3.7V/ 1500mAh 18650 Li-ion battery
Colour temp.: 3000K
Charging time: 4-6h

Discharging time: 8-10h
Body Colour: Black
Material: ABS
Depth: 30mm

Working mode:
• Charging during the day and automatic lighting at night
• 10 lamp above 10 lamp below

Scan each QR code to see the price and availability of the product.

3 YEARS TOTAL WARRANTY
+ 3 standard 0 extended

IP54
RoHS COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



98SOL13236



98SOL1472

SOLAR WALL LAMPS, IP54, IP44

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP54
IP44
RoHs COMPLIANT
CE

LED Solar Li-ion
IP54

98SOL13236



Type: Solar Wall Lamp 3+3 LED
Lumens: 40lm
LED lamp: 6 x SMD
Solar panel: 5V/1.5W
Battery: 3.7V/ 1500mAh 18650 Li-ion battery
Colour temp.: 3000K-7000K-4500K settable
Charging time: 4-6h
Discharging time: 8-10h
Body Colour: Black
Material: ABS
Depth: 65mm

Working mode:
• Charging during the day and automatic lighting at night
• 3 lamp above 3 lamp below

LED Solar Li-ion
IP44

98SOL1472



Type: Solar Wall Lamp 4 LED
Lumens: 50lm
LED lamp: 4 x SMD
Solar panel: 6V/1.8W
Battery: 3.7V/ 1300mAh 18650 Li-ion battery
Colour temp.: 3000K
Charging time: 4-6h
Discharging time: 8-10h
Body Colour: Black
Material: ABS
Depth: 61mm

Working mode:
• Charging during the day and automatic lighting at night
• Rotate the outer shell to switch light mode

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



98SOL23428



98SOL23456

SOLAR WALL LAMPS, IP44

LED Solar

98SOL23428



Type: Solar wall light
Power: 0.3W
Lumens: 10m
Solar panel: Monocrystalline
Battery: Ni-Mh/ 900mAh 2V
Working time: 8h
Body colour: Black
Material: Plastic



LED Solar

98SOL23456



Type: Solar wall light
Power: 0.42W/2V
Lumens: 15lm
Solar panel: Polycrystalline
Battery: AA Ni-Mh/1000mAh
Working time: 8h
Body colour: Black
Material: Plastic



2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP44

RoHS COMPLIANT

CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



98SOL23379



98SOL23405

SOLAR WALL LANTERNS, IP44

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP44

RoHs COMPLIANT

CE

LED Solar

98SOL23379



Type: Solar wall light
Power: 0.3W/2V
Lumens: 10lm
Solar panel: Polycrystalline
Battery: AA Ni-Mh/900mAh
Working time: 8h
Body colour: Black
Material: Plastic



LED Solar

98SOL23405



Type: Solar wall light
Power: 0.3W/2V
Lumens: 10lm
Solar panel: Polycrystalline
Battery: AA Ni-Mh/900mAh
Working time: 8h
Body colour: Black
Material: Plastic



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



98SOL23357W



98SOL316

SOLAR WALL LAMPS, IP44

LED Solar

98SOL23357W



Type: Solar wall light
Power: 0.2W
Lumens: 10lm
Solar panel: Polycrystalline
Battery: Ni-Mh/500mAh
Working time: 8h
Body colour: Black
Material: Plastic



3 YEARS TOTAL WARRANTY
+ 3 standard 0 extended

IP44
RoHs COMPLIANT
CE

LED Solar Li-ion

98SOL316



Type: Solar camping lamp
Power: 4W
Lumens: 300lm
Battery: 1800mAh removable
Charging time: 4h
Discharging time: >2h
Body Colour: White
Material: PC + ABS

FUNCTIONS:
- Mode A: 100% brightness
- Mode B: 40% brightness
- Mode C: Flash

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



98SOL315



98SOL319

SOLAR LIGHTS, IP44 & IP65

LED | Solar | neutral WHITE 4000K | Li-ion | IP44



98SOL315

Type: Solar lawn lamp
Power: 3W
Lumens: 330lm
Solar panel: 5V/ 2W
Battery: 1200mAh removable
Charging time: 10h
Discharging time: >12h
Body Colour: Black
Material: Alu Railing + Plastic body + PC diffuser

Functions:

- Mode A: Touch the switch to turn on the light at 35lm
- Mode B: Touch the switch to move on the light at 140lm
- Mode C: Touch the switch to move on the light at 330lm

LED | Solar | neutral WHITE 4000K | Li-ion | IP65



98SOL319

Type: Solar lamp
Power: 5W
Lumens: 260lm
Solar Panel: Mono 1.4W, 6V
Battery: Li-ion 7.4Wh
Beam Angle: 360°
Detection Angle/Distance: 120° /≤8m
Body Color: Black
Material: ABS+PC, anti-UV, V0 fireproof

Functions:

- 2 charging ways by Solar & USB
- Dimmable for different brightness
- 360° comfortable light
- Battery indicator for better use
- Intelligent system with radar sensor





2 YEARS TOTAL WARRANTY + 2 standard 0 extended

IP44 | RoHs COMPLAINT | CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



98SOL200



98SOL202

SOLAR LAMPS WITH SENSOR, IP54

LIMITED STOCK

LED | Solar | Li-ion

IP54

98SOL200





Type: Solar wall lamp with sensor
LED QTY: 16 (front 14pcs + back 2pcs)
Power: 1.5W
Lumens: 220lm
Solar panel: 0.7- polycrystalline
Battery: 3.7V / 1200mAh li-ion battery
Body colour: White
Material: ABS + PC, anti UV

Functions:

- A- Full brightness+Weak brightness (front and back lights ON);
- B- Full brightness+Weak brightness (front light OFF, back lights ON)
- Auto on at night; Full brightness

SENSOR:

- Detection range: 120°
- Detection distance: 6m
- Installation height: ≤ 4meters
- Battery: 3.7V/ 1200mAh
- Time-Delay: 10sec

LIMITED STOCK

LED | Solar | Li-ion

IP65

98SOL202





Type: Solar Wall Lamp with Sensor
Power: 4W
Lumens: 500lm
Solar Panel: 2.4W 5.5V DC Mono with Glass
Battery: 3.7V/ 2000mAh Li-ion battery
Charging time: 6h
Discharging time: 35h
Body Colour: White
Material: ABS + PC, UV Resistant

Functions:

- A- Full brightness after motion detection and lower when 20sec no motion
- B- Less than 30% energy: Saving mode with 50% brightness by motion detection

SENSOR:

- Detection range: 120°
- Detection distance: 6m
- Installation height: ≤ 4meters

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP65
IP54
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



98SOL300



98SOL301

SOLAR FLOODLIGHTS

LIMITED STOCK

LED Solar Li-ion

98SOL300



Solar flood light with sensor
Power: 5W
Lumens: 500lm
Solar Panel: 2.3Wp Mono-crystalline Silicon Housing
Battery: 3.7V/ 3000mAh Li-ion replaceable battery
Charging time: 8h
Discharging time: 35h
- Mode A: 5h
- Mode B: till 5 nights

Body Colour: Black
Material: ABS + PC; V0;
UV-Resistant

Functions:
- A- Keep Lighting Mode
- B- Sensor Mode

SENSOR:
- Detection range: 120°
- Detection distance: 6m
- Installation height: ≤ 4meters

LIMITED STOCK

LED Solar Li-ion

98SOL301



Solar flood light with sensor
Power: 10W
Lumens: 1080lm
Solar Panel: 6Wp Mono-crystalline Silicon Housing
Battery: 3.7V/ 7200mAh Li-ion replaceable battery
Charging time: 8h
Discharging time: 35h
- Mode A: 12h
- Mode B: till 5 nights
- Mode C: till 7 nights

Body Colour: Black
Material: ABS + PC; V0;
UV-Resistant

Functions:
- A-30% Constant Bright
- B- Full brightness after motion detection and 3% when 20sec no motion
- C- Full brightness after motion detection and OFF when 20sec no motion

SENSOR:
- Detection range: 120°
- Detection distance: 6m
- Installation height: ≤ 4meters

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP65

RoHs COMPLAINT

CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



98SOL307
98SOL308

SOLAR FLOODLIGHTS

LED Solar

98SOL307





Type: Solar Floodlight
Power: 10W
Lumens: 1300lm
Battery: 3.7V/ 3600mAh Li-ion replaceable battery
Charging time: 8h
Discharging time:
- Mode A: till 3 nights
- Mode B: till 2 nights

Body Colour: Black
Material: ABS + PC; V0; UV-Resistant

Functions:

- A- Full brightness 30 or 100%
- B- continuously full brightness. After 5h 30% brightness after motion detection and 5% when 20sec no motion

SENSOR:
- Detection range: 120°
- Detection distance: 6m
- Installation height: ≤ 4meters

LED Solar

98SOL308





Type: Solar Floodlight
Power: 30W
Lumens: 4500lm
Battery: 6.4V/ 6000mAh Li-ion battery
Charging time: 8h
Discharging time:
- Mode A: till 3 nights
- Mode B: till 2 nights

Body Colour: Black
Material: ABS + PC

Functions:
- A- Full brightness 30 or 100%
- B- continuously full brightness. After 5h 30% brightness after motion detection and 5% when 20sec no motion

SENSOR:
- Detection range: 120°
- Detection distance: 6m
- Installation height: ≤ 4meters

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP65
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



98SOL314

SOLAR FLOODLIGHTS

LED | Solar | neutral WHITE 4000K | Li-ion

98SOL314

Solar Panel



Type: Solar flood light with sensor
Power: 3x5W
Lumens: 3x500lm
Solar panel: 6V/ 3W
Battery: 3.7V/ 4400mAh
Charging time: 6-8h
Discharging time: >12h
Body Colour: White
Material: ABS + PC

Floodlight



Functions:
Mode 1: When people come, 100% bright, insisting 20s after people going through, then lights off
Mode 2: When people come,100% brightness lasts for 20s and then becomes 15% till dawn;
Modes 3: 100% brightness lasts for 1minute, 1-10minutes 75% brightness, 10-30minutes 50% brightness, 30minutes-5 hours 15% brightness, 5 hours to 10 hours 5% brightness.



2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP54

RoHs COMPLAINT

CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



98SOL318

SOLAR STREET LIGHTS WITH SENSOR, IP65

LED Solar





98SOL318

Type: Two solar pendant lights with remote control
Power: 2x5W
Lumen: 950lm
Solar Panel: Mono 7W,DC6V
Battery: 18650, 19.98Wh
Body Color: Black
Material: ABS+PC, anti-UV, V0 fireproof
Beam Angle: 360°
Lamp Size: 160x160x92.1mm
Solar Panel Size: 293.5x199x34mm

Features:

- Solar panel can support 1 or 2 lamps.
- 10 meters long connection cable.
- DIY work mode by remote control.

Working modes:

- Mode A: (No lighting sensor) Keep 60% bright for 3 hours (DIY right-ness /time by remote)
- Mode B: Keep 60% bright for 3 hours (DIY time by remote, bright-ness not changeable)





3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP65
SMD 5730
RoHS COMPLAINT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



98SOL114

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP65
SMD 5730
RoHs COMPLIANT
CE

LED Solar

98SOL114







Type: Solar street light with remote control
Power: 40W
Lumen: 4800lm
Solar Panel: Mono 19W, DC16V
Battery: LiFePO4 32700, 9.6V/ 6000mAh, 57.6Wh
Beam Angle: 140°* 70°
Detection Distance: 2-6m
Body Color: Black
Material: ABS+PC, anti-UV, V0 fireproof
Installation Height: 2.5-4m
*Mounting pole not included. Applicable to pole with diameter 60mm

Features:
- 2 heads for bigger lighting area.
- 2 CCT selectable in 1 lamp.
- 2 digital PIR sensors
- Each lamp head is 180° rotatable to achieve 360° uniform lighting.
- High-quality mono solar panel with MPPT system, higher conversion efficiency 22.5%
- DIY work mode by remote.

Working modes:
- *DIY work modes by remote,*
- *Keep Lighting Mode,*
- *Sensor Mode.*





Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



98SOL110
98SOL111
98SOL112

SOLAR STREET LIGHTS WITH REMOTE CONTROL, IP65

LED | Solar | cold WHITE 6000K | Li-ion

98SOL110



Type: Solar street light with remote control
Power: 100W
Lumens: 1100lm
Solar panel: 6V/25W Monocrystalline
Battery: 20Ah/3.2V LiFePo4 32650
Body colour: Grey
Material: Aluminum

Functions: Time sharing brightness, Automatic light control, Cable free installation

LED | Solar | cold WHITE 6000K | Li-ion

98SOL111



Type: Solar street light with remote control
Power: 200W
Lumens: 2000lm
Solar panel: 6V/35W Monocrystalline
Battery: 30Ah/3.2V LiFePo4 32650
Body colour: Grey
Material: Aluminum

Functions: Time sharing brightness, Automatic light control, Cable free installation

LED | Solar | cold WHITE 6000K | Li-ion

98SOL112



Type: Solar street light with remote control
Power: 300W
Lumens: 2700lm
Solar panel: 6V/45W Monocrystalline
Battery: 40Ah/3.2V LiFePo4 32650
Body colour: Grey
Material: Aluminum

Functions: Time sharing brightness, Automatic light control, Cable free installation

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP65
SMD 5730
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



98SOL103



98SOL104



98SOL105



98SOL106

SOLAR STREET LIGHTS WITH SENSOR, IP65

LED Solar cold WHITE 6800-7200K

98SOL103



Type: Solar street light with remote control
Power: 30W
Lumens: 360lm
Solar panel: 5V/7W
Battery: 3.2V/5000mAh
Body colour: Black
Material: ABS

Function: Light sensor; Control ON/OFF and dimmable via remote control

LED Solar cold WHITE 6800-7200K

98SOL104



Type: Solar street light with remote control
Power: 60W
Lumens: 720lm
Solar panel: 5V/11W
Battery: 3.2V/10000mAh
Body colour: Black
Material: ABS

Function: Light sensor; Control ON/OFF and dimmable via remote control

LED Solar cold WHITE 6800-7200K

98SOL105



Type: Solar street light with remote control
Power: 90W
Lumens: 1080lm
Solar panel: 5V/14W
Battery: 3.2V/15000mAh
Body colour: Black
Material: ABS

Function: Light sensor; Control ON/OFF and dimmable via remote control

LED Solar cold WHITE 6800-7200K

98SOL106



Type: Solar street light with remote control
Power: 120W
Lumens: 1440lm
Solar panel: 5V/18W
Battery: 3.2V/20000mAh
Body colour: Black
Material: ABS

Function: Light sensor; Control ON/OFF and dimmable via remote control

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP65
SMD 5730
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

FLOODLIGHTS





98HELIOS10



98HELIOS20



98HELIOS30



98HELIOS50

FLOODLIGHTS, IP65

LED | cold WHITE 5000-5500K | 120° | F

98HELIOS10



Type: LED Floodlight
Power: 10W
Lumens: 800lm
Efficiency: 80lm/W
Body colour: Black
Material: Aluminum casting
LED driver: Mounted in the body

LED | cold WHITE 5000-5500K | 120° | F

98HELIOS20



Type: LED Floodlight
Power: 20W
Lumens: 1600lm
Efficiency: 80lm/W
Body colour: Black
Material: Aluminum casting
LED driver: Mounted in the body

LED | cold WHITE 5000-5500K | 120° | F

98HELIOS30



Type: LED Floodlight*
Power: 30W
Lumens: 2400lm
Efficiency: 80lm/W
Body colour: Black
Material: Aluminum casting
LED driver: Mounted in the body

LED | cold WHITE 5000-5500K | 120° | F

98HELIOS50



Type: LED Floodlight*
Power: 50W
Lumens: 4000lm
Efficiency: 80lm/W
Body colour: Black
Material: Aluminum casting
LED driver: Mounted in the body

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP65
~230V
SMD 2835
15000h
Ra>70
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



98HELIOS100
98HELIOS150
98HELIOS200

FLOODLIGHTS, IP65

LED | cold WHITE 5000-5500K | 120° | F

98HELIOS100



Type: LED Floodlight*
Power: 100W
Lumens: 8000lm
Efficiency: 80lm/W
Body colour: Black
Material: Aluminum casting
LED driver: Mounted in the body

LED | cold WHITE 5000-5500K | 120° | F

98HELIOS150



Type: LED Floodlight
Power: 150W
Lumens: 10000lm
Efficiency: 67lm/W
Body colour: Black
Material: Aluminum casting
LED driver: Mounted in the body

LED | cold WHITE 5000-5500K | 120° | F

98HELIOS200



Type: LED Floodlight
Power: 200W
Lumens: 12000lm
Efficiency: 60lm/W
Body colour: Black
Material: Aluminum casting
LED driver: Mounted in the body

2 YEARS TOTAL WARRANTY
2 standard + 0 extended

IP65
~230V
SMD 2835
15000h
Ra>70
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



98HELIOS20SEN

PIR SENSOR



98HELIOS30SEN

PIR SENSOR



98HELIOS50SEN

PIR SENSOR

FLOODLIGHTS WITH SENSOR, IP65

LED | cold WHITE 5000-5500K | 120° | F

98HELIOS20SEN



Type: Floodlight with sensor
Power: 20W
Lumens: 1600lm
Efficiency: 80lm/W
Body colour: Black
Material: Aluminum casting
LED driver: Mounted in the body

Sensor

Detection range: 120°
Detection distance: max. 8m (±2 m)
Ambient light: 25±10 lux
Time setting: 140±20 s

LED | cold WHITE 5000-5500K | 120° | F

98HELIOS30SEN



Type: Floodlight with sensor*
Power: 30W
Lumens: 2400lm
Efficiency: 80lm/W
Body colour: Black
Material: Aluminum casting
LED driver: Mounted in the body

Sensor

Detection range: 120°
Detection distance: max. 8m (±2 m)
Ambient light: 25±10 lux
Time setting: 140±20 s

LED | cold WHITE 5000-5500K | 120° | F

98HELIOS50SEN



Type: Floodlight with sensor*
Power: 50W
Lumens: 4000lm
Efficiency: 80lm/W
Body colour: Black
Material: Aluminum casting
LED driver: Mounted in the body

Sensor

Detection range: 120°
Detection distance: max. 8m (±2 m)
Ambient light: 25±10 lux
Time setting: 140±20 s

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP65
~230V
SMD 2835
15000h
Ra>70
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



98HELIOS10/WH



98HELIOS20/WH



98HELIOS30/WH

FLOODLIGHTS, IP65

LED | neutral WHITE 4000K | 120° | F

98HELIOS10/WH



Type: LED Floodlight
Power: 10W
Lumens: 800lm
Efficiency: 80lm/W
Body colour: White
Material: Aluminum casting
LED driver: Mounted in the body

LED | neutral WHITE 4000K | 120° | F

98HELIOS20/WH



Type: LED Floodlight
Power: 20W
Lumens: 1600lm
Efficiency: 80lm/W
Body colour: White
Material: Aluminum casting
LED driver: Mounted in the body

LED | neutral WHITE 4000K | 120° | F

98HELIOS30/WH



Type: LED Floodlight*
Power: 30W
Lumens: 2400lm
Efficiency: 80lm/W
Body colour: White
Material: Aluminum casting
LED driver: Mounted in the body

2 YEARS TOTAL WARRANTY
+ 2 standard 0 extended

IP65
~230V
SMD 2835
15000h
Ra>70
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



98HELIOS50/WH



98HELIOS100/WH

FLOODLIGHTS, IP65

LED | neutral WHITE 4000K | 120° | F

98HELIOS50/WH



Type: LED Floodlight*
Power: 50W
Lumens: 4000lm
Efficiency: 80lm/W
Body colour: White
Material: Aluminum casting
LED driver: Mounted in the body

LED | neutral WHITE 4000K | 120° | F

98HELIOS100/WH



Type: LED Floodlight*
Power: 100W
Lumens: 8000lm
Efficiency: 80lm/W Body colour: White
Material: Aluminum casting
LED driver: Mounted in the body

2 YEARS TOTAL WARRANTY
+ 2 standard 0 extended

IP65
~230V
SMD 2835
15000h
Ra>70
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



98OMEGA10BLCW



98OMEGA20BLCW



98OMEGA30BLCW



98OMEGA50BLCW

FLOODLIGHTS, IP65

LED | cold WHITE 5500K | 110° | E

98OMEGA10BLCW

Similar product option:
98VEGA10SLIM



Type: LED Floodlight
Power: 10W
Lumens: 1100lm
Efficiency: 110lm/W
Body colour: Black
Material: Aluminum + Glass
LED driver: Linear

LED | cold WHITE 5500K | 110° | E

98OMEGA20BLCW

Similar product option:
98VEGA20SLIM



Type: LED Floodlight
Power: 20W
Lumens: 2200lm
Efficiency: 110lm/W
Body colour: Black
Material: Aluminum + Glass
LED driver: Linear

LED | cold WHITE 5500K | 110° | E

98OMEGA30BLCW



Type: LED Floodlight*
Power: 30W
Lumens: 3300lm
Efficiency: 110lm/W
Body colour: Black
Material: Aluminum + Glass
LED driver: Linear

LED | cold WHITE 5500K | 110° | E

98OMEGA50BLCW



Type: LED Floodlight*
Power: 50W
Lumens: 5500lm
Efficiency: 110lm/W
Body colour: Black
Material: Aluminum + Glass
LED driver: Linear

i Scan each QR code to see the price and availability of the product.

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP65
~230V
2385 SMD
20000h
Ra>80
Sdcm<6
EMC

Scan QR code for 3D models, IES files & price.

*Options with emergency kit



page 1004

ELMARK
The Brand of Electricity



98OMEGA100BLCW



98OMEGA150BLCW



98OMEGA200BLCW

FLOODLIGHTS, IP65

LED | cold WHITE 5500K | 110° | E

98OMEGA100BLCW



Type: LED Floodlight*
Power: 100W
Lumens: 11000lm
Efficiency: 110lm/W
Body colour: Black
Material: Aluminum + Glass
LED driver: Linear

LED | cold WHITE 5500K | 110° | E

98OMEGA150BLCW

Similar product option:
98VEGA150SLIM



Type: LED Floodlight
Power: 150W
Lumens: 16500lm
Efficiency: 110lm/W
Body colour: Black
Material: Aluminum + Glass
LED driver: Linear

LED | cold WHITE 5500K | 110° | E

98OMEGA200BLCW



Type: LED Floodlight
Power: 200W
Lumens: 22000lm
Efficiency: 110lm/W
Body colour: Black
Material: Aluminum + Glass
LED driver: Linear

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP65
~230V
2385 SMD
20000h
Ra>80
Sdcm<6
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

*Options with emergency kit

page 1004

ELMARK
The Brand of Electricity



98OMEGA20SBLCW
PIR SENSOR



98OMEGA10SBLCW
PIR SENSOR



98OMEGA30SBLCW
PIR SENSOR



98OMEGA50SBLCW
PIR SENSOR

FLOODLIGHTS WITH SENSOR, IP65

LED | cold WHITE 5500K | 110° | E | PIR SENSOR

98OMEGA10SBLCW

Similar product option:
98VEGA10SENSLIM



Type: LED Floodlight with sensor
Power: 10W
Lumens: 1100lm
Efficiency: 110lm/W
Body colour: Black
Material: Aluminum + Glass
LED driver: Linear

LED | cold WHITE 5500K | 110° | E | PIR SENSOR

98OMEGA20SBLCW



Type: LED Floodlight with sensor
Power: 20W
Lumens: 2200lm
Efficiency: 110lm/W
Body colour: Black
Material: Aluminum + Glass
LED driver: Linear

LED | cold WHITE 5500K | 110° | E | PIR SENSOR

98OMEGA30SBLCW



Type: LED Floodlight with sensor*
Power: 30W
Lumens: 3300lm
Efficiency: 110lm/W
Body colour: Black
Material: Aluminum + Glass
LED driver: Linear

LED | cold WHITE 5500K | 110° | E | PIR SENSOR

98OMEGA50SBLCW



Type: LED Floodlight with sensor*
Power: 50W
Lumens: 5500lm
Efficiency: 110lm/W
Body colour: Black
Material: Aluminum + Glass
LED driver: Linear

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP65
~230V
2385 SMD
20000h
Ra>80
Sdcm<6
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

*Options with emergency kit



page 1004

ELMARK
The Brand of Electricity



98OMEGA10WHW



98OMEGA20WHW



98OMEGA30WHW

FLOODLIGHTS, IP65

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP65
~230V
2385 SMD
20000h
Ra>80
Sdcm<6
EMC

LED | neutral WHITE 4000K | 110° | E

98OMEGA10WHW

Similar product option:
98VEGA10SLIM/WH;
98VEGA10WW/WH



Type: LED Floodlight
Power: 10W
Lumens: 1100lm
Efficiency: 110lm/W
Body colour: White
Material: Aluminum + Glass
LED driver: Linear

LED | neutral WHITE 4000K | 110° | E

98OMEGA20WHW

Similar product option:
98VEGA20SLIM/WH;
98VEGA20WW/WH



Type: LED Floodlight
Power: 20W
Lumens: 2200lm
Efficiency: 110lm/W
Body colour: White
Material: Aluminum + Glass
LED driver: Linear

LED | neutral WHITE 4000K | 110° | E

98OMEGA30WHW

Similar product option:
98VEGA30SLIM/WH;
98VEGA30WW/WH



Type: LED Floodlight*
Power: 30W
Lumens: 3300lm
Efficiency: 110lm/W
Body colour: White
Material: Aluminum + Glass
LED driver: Linear

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

*Options with emergency kit



page 1004

ELMARK
The Brand of Electricity



98OMEGA50WHW



98OMEGA100WHW

FLOODLIGHTS WITH SENSOR, IP65

LED | neutral WHITE 4000K | 110° | E

98OMEGA50WHW

Similar product option:
98VEGA50SLIM/WH;
98VEGA50WW/WH



Type: LED Floodlight*
Power: 50W
Lumens: 5500lm
Efficiency: 110lm/W
Body colour: White
Material: Aluminum + Glass
LED driver: Linear

LED | neutral WHITE 4000K | 110° | E

98OMEGA100WHW

Similar product option:
98VEGA100SLIM/WH;
98VEGA100WW/WH



Type: LED Floodlight*
Power: 100W
Lumens: 11000lm
Efficiency: 110lm/W
Body colour: White
Material: Aluminum + Glass
LED driver: Linear

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP65
~230V
2385 SMD
20000h
Ra>80
Sdcm<6
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

*Options with emergency kit



page 1004

ELMARK
The Brand of Electricity



98VEGA20SWW/WH
98VEGA20SENSLIM/WH

PIR SENSOR



98VEGA30SWW/WH
98VEGA30SENSLIM/WH

PIR SENSOR

FLOODLIGHTS WITH SENSOR, IP65

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP65
~230V
LED SMD
20000h
Ra>70
EMC

LIMITED STOCK

98VEGA20SWW/WH

LED | warm WHITE 3000K | 110° | F



Type: Floodlight with sensor
Power: 20W
Lumens: 1800lm
Efficiency: 90lm/W
Body colour: White
Material: Plastic+Aluminum
LED driver: Mounted in the body

Sensor

Detection range: 110°
Detection distance: max. 8m
Ambient light: 50 lux
Detection Motion Speed: 0.6-1.5m/s

LIMITED STOCK

98VEGA20SENSLIM/WH

LED | neutral WHITE 4000K | 110° | F



Type: Floodlight with sensor
Power: 20W
Lumens: 1800lm
Efficiency: 90lm/W
Body colour: White
Material: Plastic+Aluminum
LED driver: Mounted in the body

Sensor

Detection range: 110°
Detection distance: max. 8m
Ambient light: 50 lux
Detection Motion Speed: 0.6-1.5m/s

LIMITED STOCK

98VEGA30SWW/WH

LED | warm WHITE 3000K | 110° | F



Type: Floodlight with sensor*
Power: 30W
Lumens: 2700lm
Efficiency: 90lm/W
Body colour: White
Material: Plastic+Aluminum
LED driver: Mounted in the body

Sensor

Detection range: 120°
Detection distance: max. 8m
Ambient light: 50 lux
Detection Motion Speed: 0.6-1.5m/s

LIMITED STOCK

98VEGA30SENSLIM/WH

LED | neutral WHITE 4000K | 110° | F



Type: Floodlight with sensor*
Power: 30W
Lumens: 2700lm
Efficiency: 90lm/W
Body colour: White
Material: Plastic+Aluminum
LED driver: Mounted in the body

Sensor

Detection range: 120°
Detection distance: max. 8m
Ambient light: 50 lux
Detection Motion Speed: 0.6-1.5m/s

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

*Options with emergency kit



page 1004

ELMARK
The Brand of Electricity



98VEGA50SWW/WH
98VEGA50SENSLIM/WH

PIR SENSOR

FLOODLIGHTS WITH SENSOR, IP65

LIMITED STOCK

98VEGA50SWW/WH

LED | warm WHITE 4000K | 110° | F



Type: Floodlight with sensor*
Power: 50W
Lumens: 4500lm
Efficiency: 90lm/W
Body colour: White
Material: Plastic+Aluminum
LED driver: Mounted in the body

Sensor

Detection range: 120°
Detection distance: max. 8m m(±2 m)
Ambient light: 50 lux
Detection Motion Speed: 0.6-1.5m/s

LIMITED STOCK

98VEGA50SENSLIM/WH

LED | neutral WHITE 4000K | 110° | F



Type: Floodlight with sensor*
Power: 50W
Lumens: 4500lm
Efficiency: 90lm/W
Body colour: White
Material: Plastic+Aluminum
LED driver: Mounted in the body

Sensor

Detection range: 120°
Detection distance: max. 8m m(±2 m)
Ambient light: 50 lux
Detection Motion Speed: 0.6-1.5m/s

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP65
~230V
LED SMD
20000h
Ra>70
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



98LYRA15RGB



98LYRA30RGB



98LYRA50RGB

FLOODLIGHTS, IP65

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP65
~230V
LED SMD
20000h
Ra>70

LED RGB 120°

98LYRA15RGB



Type: LED Floodlight
Power: 15W
Body colour: Black
Material: Aluminum casting + Tempered glass
LED driver: Mounted in the body
Remote-controlled distance: 6-8m

LED RGB 120°

98LYRA30RGB



Type: LED Floodlight
Power: 30W
Body colour: Black
Material: Aluminum casting + Tempered glass
LED driver: Mounted in the body
Remote-controlled distance: 6-8m

LED RGB 120°

98LYRA50RGB



Type: LED Floodlight
Power: 50W
Body colour: Black
Material: Aluminum casting + Tempered glass
LED driver: Mounted in the body
Remote-controlled distance: 6-8m

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

TERMINAL BOXES & WATERPROOF JUNCTION BOXES, IP68

IP44

31071

Type: Waterproof terminal box
Voltage: 450V
Rated current: 6A
Material: PC
Wiring Capacity: 0.5-4.0mm2



IP65

31070

Type: Waterproof terminal box
Voltage: 450V
Rated current: 10A
Terminal Blocks: 3p screw type
Metal Part: Plated Brass/Steel Spring
Material: Polypropylene 94-V2 grade
Wiring Capacity: 0.5-2.5mm2



IP68

31072

Type: Waterproof cable connector
Rated operational voltage: AC250V
Rated operational Ampere(A): ≤30A
Material: flame retardant/Anti UV nylon(PA66)
Crimping terminals: Nickle-plated brass
Withstand voltage(normal t°):3KV
Operating t°range: -40°C~+105°C
Wiring Capacity: 0.5-2.5mm2



IP68

31076

Type: Waterproof junction box
Voltage: 450V AC
Rated current: 24A
Entry QTY: 2
Terminal Blocks: 3 pole screw fix terminal
Cable cross section: 0,5-2,5mm2
Material: UL94V-2 Fire and flame retardant
Dimensions: 161,74 x 66,98 x 38mm



IP68

31077

Type: Waterproof junction box
Voltage: 450V AC
Rated current: 24A
Entry QTY: 3
Terminal Blocks: 3 pole screw fix terminal
Cable cross section: 0,5-2,5mm2
Material: UL94V-2 Fire and flame retardant
Dimensions: 161,74 x 93,97 x 38mm



IP68

31078

Type: Waterproof junction box
Voltage: 450V AC
Rated current: 24A
Entry QTY: 4
Terminal Blocks: 3p screw type
Cable cross section: 0,5-2,5mm2
Material: UL94V-2 Fire and flame retardant
Dimensions: 161,74 x 93,97 x 38mm



IP68

31079

Type: Waterproof junction box
Voltage: 450V AC
Rated current: 24A
Entry QTY: 5
Terminal Blocks: 4p screw type
Cable cross section: 0,5-2,5mm2
Material: UL94V-2 Fire and flame retardant
Dimensions: 161,74 x 107,86 x 38mm



IP68

31080

Type: Waterproof junction box
Voltage: 450V AC
Rated current: 24A
Entry QTY: 8
Terminal Blocks: 3p screw type
Cable cross section: 0,5-2,5mm2
Material: UL94V-2 Fire and flame retardant
Dimensions: 170,63 x 49,3mm



RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

*Options with emergency kit



page 1005

ELMARK
The Brand of Electricity



98LIBRA50WW
98LIBRA50W



98LIBRA100WW
98LIBRA100W



98LIBRA150WW
98LIBRA150W

FLOODLIGHTS, IP66

INDUSTRIAL

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP66
120-277V
3030 SMD
30000h
Ra>80
IK07
EMC
RoHs COMPLIANT

Scan QR code for 3D models, IES files & price.

98LIBRA50WW

LED | 90° | E

warm WHITE 3000K

98LIBRA50W

neutral WHITE 4000K



Type: LED Floodlight*
Power: 50W
Lumens: 6500lm
Efficiency: 130lm/W
Body colour: Black
Material: Aluminum + Glass
LED driver: Constant current(CC)

98LIBRA100WW

LED | 90° | E

warm WHITE 3000K

98LIBRA100W

neutral WHITE 4000K

Similar product option:
98EOS100/BL



Type: LED Floodlight*
Power: 100W
Lumens: 14000lm
Efficiency: 140lm/W
Body colour: Black
Material: Aluminum + Glass
LED driver: Constant current(CC)

98LIBRA150WW

LED | 90° | D | E

warm WHITE 3000K

98LIBRA150W

neutral WHITE 4000K

Similar product option:
98EOS150/BL



Type: LED Floodlight
Power: 150W
Lumens: 21000lm
Efficiency: 140lm/W
Surge Protection: 6kV
Body colour: Black
Material: Aluminum + Glass
LED driver: Constant current(CC)

i Scan each QR code to see the price and availability of the product.



98LIBRA200WW
98LIBRA200W



98LIBRA300W



98LIBRA400W

FLOODLIGHTS, IP66

INDUSTRIAL

LED | 90° | E | warm WHITE 3000K | neutral WHITE 4000K

98LIBRA200WW

98LIBRA200W

Similar product option:
98EOS200/BL



Type: LED Floodlight
Power: 200W
Lumens: 28000lm
Efficiency: 140lm/W
Surge Protection: 6kV
Body colour: Black
Material: Aluminum + Glass
LED driver: Constant current(CC)

LED | neutral WHITE 4000K | 90° | E

98LIBRA300W



Type: LED Floodlight
Power: 300W
Lumens: 42000lm
Efficiency: 140lm/W
Surge Protection: 6kV
Body colour: Black
Material: Aluminum + Glass
LED driver: Constant current(CC)

LED | neutral WHITE 4000K | 90° | E

98LIBRA400W



Type: LED Floodlight
Power: 400W
Lumens: 56000lm
Efficiency: 140lm/W
Surge Protection: 6kV
Body colour: Black
Material: Aluminum + Glass
LED driver: Constant current(CC)

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP66
120-277V
3030 SMD
30000h
Ra>80
IK07
EMC
RoHs COMPLIANT

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

*Options with emergency kit



page 1005

ELMARK
The Brand of Electricity



98MARS20090CW
98MARS20030CW
98MARS20060CW



98MARS40090CW
98MARS40030CW
98MARS40060CW

STADIUM FLOODLIGHTS MARS SERIES, IP65

INDUSTRIAL

5 YEARS TOTAL WARRANTY
+ 5 standard
0 extended

IP65
AC85-265V
SMD 3030
EMC
CE



LED | cold WHITE 5500K | 90° | D

98MARS20090CW

Type: LED Floodlight*
Power: 200W
Lumens: 28000lm
Efficiency: 140lm/W
Surge Protection: 6kV
Driver: Phillips
Body colour: Grey
Material: Aluminum + PC

LED | cold WHITE 5500K | 30° | D

98MARS20030CW

Type: LED Floodlight*
Power: 200W
Lumens: 28000lm
Efficiency: 140lm/W
Surge Protection: 6kV
Driver: Phillips
Body colour: Grey
Material: Aluminum + PC

LED | cold WHITE 5500K | 60° | D

98MARS20060CW

Type: LED Floodlight*
Power: 200W
Lumens: 28000lm
Efficiency: 140lm/W
Surge Protection: 6kV
Driver: Phillips
Body colour: Grey
Material: Aluminum + PC



LED | cold WHITE 5500K | 90° | D

98MARS40090CW

Type: LED Floodlight
Power: 400W
Lumens: 56000lm
Efficiency: 140lm/W
Surge Protection: 6kV
Driver: Phillips
Body colour: Grey
Material: Aluminum + PC

LED | cold WHITE 5500K | 30° | D

98MARS40030CW

Type: LED Floodlight
Power: 400W
Lumens: 56000lm
Efficiency: 140lm/W
Surge Protection: 6kV
Driver: Phillips
Body colour: Grey
Material: Aluminum + PC

LED | cold WHITE 5500K | 60° | D

98MARS40060CW

Type: LED Floodlight
Power: 400W
Lumens: 56000lm
Efficiency: 140lm/W
Surge Protection: 6kV
Driver: Phillips
Body colour: Grey
Material: Aluminum + PC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



98MARS60090CW
98MARS60030CW
98MARS60060CW



98MARS80090CW1
98MARS80030CW1
98MARS80060CW1

STADIUM FLOODLIGHTS MARS SERIES, IP65

INDUSTRIAL



LED | cold WHITE 5500K | 90° | D

98MARS60090CW

Type: LED Floodlight
Power: 600W
Lumens: 84000lm
Efficiency: 140lm/W
Surge Protection: 6kV
Driver: Phillips
Body colour: Grey
Material: Aluminum + PC

LED | cold WHITE 5500K | 30° | D

98MARS60030CW

Type: LED Floodlight
Power: 600W
Lumens: 84000lm
Efficiency: 140lm/W
Surge Protection: 6kV
Driver: Phillips
Body colour: Grey
Material: Aluminum + PC

LED | cold WHITE 5500K | 60° | D

98MARS60060CW

Type: LED Floodlight
Power: 600W
Lumens: 84000lm
Efficiency: 140lm/W
Surge Protection: 6kV
Driver: Phillips
Body colour: Grey
Material: Aluminum + PC



LED | cold WHITE 5500K | 90° | D

98MARS80090CW1

Type: LED Floodlight
Power: 800W
Lumens: 112000lm
Efficiency: 140lm/W
Surge Protection: 6kV
Driver: Phillips
Body colour: Grey
Material: Aluminum + PC

LED | cold WHITE 5500K | 30° | D

98MARS80030CW1

Type: LED Floodlight
Power: 800W
Lumens: 112000lm
Efficiency: 140lm/W
Surge Protection: 6kV
Driver: Phillips
Body colour: Grey
Material: Aluminum + PC

LED | cold WHITE 5500K | 60° | D

98MARS80060CW1

Type: LED Floodlight
Power: 800W
Lumens: 112000lm
Efficiency: 140lm/W
Surge Protection: 6kV
Driver: Phillips
Body colour: Grey
Material: Aluminum + PC

5 YEARS TOTAL WARRANTY
5 standard + 0 extended

IP65
AC85-265V
SMD 3030
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



98MARS80090CW2
98MARS80030CW2
98MARS80060CW2



98MARS120090CW
98MARS120030CW
98MARS120060CW

STADIUM FLOODLIGHTS MARS SERIES, IP65

INDUSTRIAL

5 YEARS TOTAL WARRANTY
+ 5 standard
0 extended

IP65
AC85-265V
SMD 3030
EMC
CE



LED | cold WHITE 5500K | 90° | D

98MARS80090CW2
Type: LED Floodlight
Power: 800W
Lumens: 112000lm
Efficiency: 140lm/W
Surge Protection: 6kV
Driver: Phillips
Body colour: Grey
Material: Aluminum + PC

LED | cold WHITE 5500K | 30° | D

98MARS80030CW2
Type: LED Floodlight
Power: 800W
Lumens: 112000lm
Efficiency: 140lm/W
Surge Protection: 6kV
Driver: Phillips
Body colour: Grey
Material: Aluminum + PC

LED | cold WHITE 5500K | 60° | D

98MARS80060CW2
Type: LED Floodlight
Power: 800W
Lumens: 112000lm
Efficiency: 140lm/W
Surge Protection: 6kV
Driver: Phillips
Body colour: Grey
Material: Aluminum + PC



LED | cold WHITE 5500K | 90° | D

98MARS120090CW
Type: LED Floodlight
Power: 1200W
Lumens: 168000lm
Efficiency: 140lm/W
Surge Protection: 6kV
Driver: Phillips
Body colour: Grey
Material: Aluminum + PC

LED | cold WHITE 5500K | 30° | D

98MARS120030CW
Type: LED Floodlight
Power: 1200W
Lumens: 168000lm
Efficiency: 140lm/W
Surge Protection: 6kV
Driver: Phillips
Body colour: Grey
Material: Aluminum + PC

LED | cold WHITE 5500K | 60° | D

98MARS120060CW
Type: LED Floodlight
Power: 1200W
Lumens: 168000lm
Efficiency: 140lm/W
Surge Protection: 6kV
Driver: Phillips
Body colour: Grey
Material: Aluminum + PC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



98MARS160090CW
98MARS160030CW
98MARS160060CW

STADIUM FLOODLIGHTS MARS SERIES, IP65

INDUSTRIAL

5 YEARS TOTAL WARRANTY
+ 5 standard 0 extended

IP65
AC85-265V
SMD 3030
EMC
CE



LED | cold WHITE 5500K | 90° | D

98MARS160090CW

Type: LED Floodlight
Power: 1600W
Lumens: 224000lm
Efficiency: 140lm/W
Surge Protection: 6kV
Driver: Phillips
Body colour: Grey
Material: Aluminum + PC

LED | cold WHITE 5500K | 30° | D

98MARS160030CW

Type: LED Floodlight
Power: 1600W
Lumens: 224000lm
Efficiency: 140lm/W
Surge Protection: 6kV
Driver: Phillips
Body colour: Grey
Material: Aluminum + PC

LED | cold WHITE 5500K | 60° | D

98MARS160060CW

Type: LED Floodlight
Power: 1600W
Lumens: 224000lm
Efficiency: 140lm/W
Surge Protection: 6kV
Driver: Phillips
Body colour: Grey
Material: Aluminum + PC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



98FLOOD50S





WORK FLOODLIGHTS, IP67

LIMITED STOCK

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP65
~230V
LED SMD
30000h
Ra>70

98FLOOD50S

LED | cold WHITE 5500K | 110° | F



Type: LED Work flood light
Power: 50W
Lumens: 4500lm
Efficiency: 90lm/W
Body colour: Yellow
Material: Aluminum
Two meters 3x1.0mm^2
rubber cable with plug

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

STREET LIGHTS





98ROUTE30SMD
98ROUTE50SMD



FRONT



BACK

STREET LIGHTS 100lm/W, IP65

Note: For individual inquiries and accurate calculations, ELMARK offers to its customers free project preparation.

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP65
~230V
SMD 2835
20000h
RoHS

98ROUTE30SMD

LED | cold WHITE 5000-5500K | 85x140° | E



Type: LED Street light*
Power: 30W
Lumens: 3000lm
Efficiency: 100lm/W
Body colour: Black
Material: Aluminum + PC cover
Diameter of the pole: 45mm
Approximate mount. height: 2-4m

98ROUTE50SMD

LED | cold WHITE 5000-5500K | 85x140° | E



Type: LED Street light*
Power: 50W
Lumens: 5000lm
Efficiency: 100lm/W
Body colour: Black
Material: Aluminum + PC cover
Diameter of the pole: 45mm
Approximate mount. height: 3-5m

98ROUTE100SMD

LED | cold WHITE 5000-5500K | 85x140° | E



Type: LED Street light*
Power: 100W
Lumens: 10000lm
Efficiency: 100lm/W
Body colour: Black
Material: Aluminum + PC cover
Diameter of the pole: 45mm
Approximate mount. height: 5-7m

98ROUTE150SMD

LED | cold WHITE 5000-5500K | 85x140° | E



Type: LED Street light*
Power: 150W
Lumens: 15000lm
Efficiency: 100lm/W
Body colour: Black
Material: Aluminum + PC cover
Diameter of the pole: 45mm
Approximate mount. height: 6-8m

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

*Options with emergency kit



page 1004

ELMARK
The Brand of Electricity



98PRAGUE30/WW
98PRAGUE30/W
98PRAGUE30SMD



98PRAGUE50/WW
98PRAGUE50/W
98PRAGUE50SMD

STREET LIGHTS 130lm/W, IP65

Note: For individual inquiries and accurate calculations, ELMARK offers to its customers free project preparation.

INDUSTRIAL | LED | warm WHITE 3000K | 135x75° | E

98PRAGUE30/WW

Type: LED Street light*
Power: 30W
Lumens: 3900lm
Efficiency: 130lm/W
Surge Protection: 6kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Approximate mounting height: 3-5m



LED | neutral WHITE 4000K | 135x75° | E

98PRAGUE30/W

Type: LED Street light*
Power: 30W
Lumens: 3900lm
Efficiency: 130lm/W
Surge Protection: 6kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Approximate mounting height: 3-5m

LED | cold WHITE 5500K | 135x75°

98PRAGUE30SMD

Type: LED Street light*
Power: 30W
Lumens: 3900lm
Efficiency: 130lm/W
Surge Protection: 6kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Approximate mounting height: 3-5m

INDUSTRIAL | LED | warm WHITE 3000K | 135x75° | E

98PRAGUE50/WW

Type: LED Street light*
Power: 50W
Lumens: 6500lm
Efficiency: 130lm/W
Surge Protection: 6kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Approximate mounting height: 4-6m



LED | neutral WHITE 4000K | 135x75° | E

98PRAGUE50/W

Type: LED Street light*
Power: 50W
Lumens: 6500lm
Efficiency: 130lm/W
Surge Protection: 6kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Approximate mounting height: 4-6m

LED | cold WHITE 5500K | 135x75°

98PRAGUE50SMD

Type: LED Street light*
Power: 50W
Lumens: 6500lm
Efficiency: 130lm/W
Surge Protection: 6kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Approximate mounting height: 4-6m

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP65
~230V
SMD 3030
35000h
RoHS

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

*Options with emergency kit



page 1004

ELMARK
The Brand of Electricity



98PRAGUE100/WW
98PRAGUE100/W
98PRAGUE100SMD



98PRAGUE150/WW
98PRAGUE150/W
98PRAGUE150SMD

STREET LIGHTS 130lm/W, IP65

Note: For individual inquiries and accurate calculations, ELMARK offers to its customers free project preparation.

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP65
~230V
SMD 3030
35000h
RoHS



INDUSTRIAL | LED | warm WHITE 3000K | 135x75° | E

98PRAGUE100/WW

Type: LED Street light*
Power: 100W
Lumens: 12000lm
Efficiency: 120lm/W
Surge Protection: 6kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Approximate mounting height: 6-8m

LED | neutral WHITE 4000K | 135x75° | E

98PRAGUE100/W

Type: LED Street light*
Power: 100W
Lumens: 12000lm
Efficiency: 120lm/W
Surge Protection: 6kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Approximate mounting height: 6-8m

LED | cold WHITE 5500K | 135x75°

98PRAGUE100SMD

Type: LED Street light*
Power: 100W
Lumens: 13000lm
Efficiency: 130lm/W
Surge Protection: 6kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Approximate mounting height: 6-8m



INDUSTRIAL | LED | warm WHITE 3000K | 135x75° | E

98PRAGUE150/WW

Type: LED Street light*
Power: 150W
Lumens: 19500lm
Efficiency: 130lm/W
Surge Protection: 6kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Approximate mounting height: 7-9m

LED | neutral WHITE 4000K | 135x75° | E

98PRAGUE150/W

Type: LED Street light*
Power: 150W
Lumens: 19500lm
Efficiency: 130lm/W
Surge Protection: 6kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Approximate mounting height: 7-9m

LED | cold WHITE 5500K | 135x75°

98PRAGUE150SMD

Type: LED Street light*
Power: 150W
Lumens: 19500lm
Efficiency: 130lm/W
Surge Protection: 6kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Approximate mounting height: 7-9m

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



98PRAGUE200/WW
98PRAGUE200/W
98PRAGUE200SMD



98PRAGUE250/WW
98PRAGUE250/W
98PRAGUE250SMD

STREET LIGHTS 130lm/W, IP65

Note: For individual inquiries and accurate calculations, ELMARK offers to its customers free project preparation.

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP65
~230V
SMD 3030
35000h
RoHS

INDUSTRIAL | LED | warm WHITE 3000K | 135x75° | E

98PRAGUE200/WW

Type: LED Street light*
Power: 200W
Lumens: 26000lm
Efficiency: 130lm/W
Surge Protection: 6kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Approximate mounting height: 10-12m



LED | neutral WHITE 4000K | 135x75° | E

98PRAGUE200/W

Type: LED Street light*
Power: 200W
Lumens: 26000lm
Efficiency: 130lm/W
Surge Protection: 6kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Approximate mounting height: 10-12m

LED | cold WHITE 5500K | 135x75°

98PRAGUE200SMD

Type: LED Street light*
Power: 200W
Lumens: 26000lm
Efficiency: 130lm/W
Surge Protection: 6kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Approximate mounting height: 10-12m

INDUSTRIAL | LED | warm WHITE 3000K | 135x75° | E

98PRAGUE250/WW

Type: LED Street light*
Power: 250W
Lumens: 32500lm
Efficiency: 130lm/W
Surge Protection: 6kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Approximate mounting height: 11-13m



LED | neutral WHITE 4000K | 135x75° | E

98PRAGUE250/W

Type: LED Street light*
Power: 250W
Lumens: 32500lm
Efficiency: 130lm/W
Surge Protection: 6kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Approximate mounting height: 11-13m

LED | cold WHITE 5500K | 135x75°

98PRAGUE250SMD

Type: LED Street light*
Power: 250W
Lumens: 32500lm
Efficiency: 130lm/W
Surge Protection: 6kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Approximate mounting height: 11-13m

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



98AURORA50SCW
98AURORA100SCW
98AURORA150SCW
98AURORA200SCW

STREET LIGHTS WITH LIGHT CONTROL SENSOR 160lm/W, IP65

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

SMD 3030
160-270V
PF0.9
IP65
RoHS
EMC

Scan QR code for 3D models, IES files & price.

98AURORA50SCW

LED | cold WHITE 5500K | 130x80° | C | INDUSTRIAL



Type: LED Street light with light control sensor
Power: 50W
Lumens: 8000lm
Efficiency: 160lm/W
Body colour: Grey
Material: Aluminum Die-casting+ PC + Glass
Diameter of the pole: 60mm
Approximate mounting height: 4-6m
Light control mode: >50lux turn OFF the light, <6lux turn ON

98AURORA100SCW

LED | cold WHITE 5500K | 130x80° | C | INDUSTRIAL



Type: LED Street light with light control sensor
Power: 100W
Lumens: 16000lm
Efficiency: 160lm/W
Body colour: Grey
Material: Aluminum Die-casting+ PC + Glass
Diameter of the pole: 60mm
Approximate mount. height: 7-9m
Light control mode: >50lux turn OFF the light, <6lux turn ON

98AURORA150SCW

LED | cold WHITE 5500K | 130x80° | C



Type: LED Street light with light control sensor
Power: 150W
Lumens: 24000lm
Efficiency: 160lm/W
Body colour: Grey
Material: Aluminum Die-casting+ PC + Glass
Diameter of the pole: 60mm
Approximate mount. height: 8-10m
Light control mode: >50lux turn OFF the light, <6lux turn ON

98AURORA200SCW

LED | cold WHITE 5500K | 130x80° | C



Type: LED Street light with light control sensor
Power: 200W
Lumens: 32000lm
Efficiency: 160lm/W
Body colour: Grey
Material: Aluminum Die-casting+ PC + Glass
Diameter of the pole: 60mm
Approximate mount. height: 11-13m
Light control mode: >50lux turn OFF the light, <6lux turn ON

Scan each QR code to see the price and availability of the product.

*Options with emergency kit



page 1004

ELMARK
The Brand of Electricity



98BERLIN100SMD
98BERLIN150SMD
98BERLIN200SMD



FRONT



BACK

STREET LIGHTS 150lm/W, IP65

LED | cold WHITE 5500K | 70x145° | E | INDUSTRIAL

LIMITED STOCK

98BERLIN100SMD

Type: LED Street light*
Power: 100W
Lumens: 15000lm
Efficiency: 150lm/W
Surge Protection: 6kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Approximate mount. height: 7-9m



LIMITED STOCK

98BERLIN150SMD

Type: LED Street light*
Power: 150W
Lumens: 22500lm
Efficiency: 150lm/W
Surge Protection: 6kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Approximate mount. height: 8-10m



LIMITED STOCK

98BERLIN200SMD

Type: LED Street light*
Power: 200W
Lumens: 30000lm
Efficiency: 150lm/W
Surge Protection: 6kV
Body colour: Grey
Material: Aluminum + PC cover
Diameter of the pole: 60mm
Approximate mount. height: 11-13m



IP65
~230V
SMD 3030
35000h
RoHS

STREET POLE

98POLE38

Type: Wall mounting accessory
Diameter: 38mm
Material: Stainless Steel

98POLE45

Type: Wall mounting accessory
Diameter: 45 mm
Material: Stainless Steel

98POLE60

Type: Wall mounting accessory
Diameter: 60 mm
Material: Stainless Steel



98POLE38P

Type: Pole mounting accessory
Diameter: 38mm
Material: Stainless Steel

98POLE45P

Type: Pole mounting accessory
Diameter: 45 mm
Material: Stainless Steel

98POLE60P

Type: Pole mounting accessory
Diameter: 60 mm
Material: Stainless Steel



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

HIGH BAYS





98DUBLIN100SMD
98DUBLIN150SMD
98DUBLIN200SMD

HIGH BAYS 100lm/W, IP65

LIMITED STOCK

LED | cold WHITE 5500K | 100° | E

98DUBLIN100SMD



Type: LED high bay*
Power: 100W
Lumens: 10000lm
Efficiency: 100lm/W
Surge Protection: 3.5kV
Body colour: Grey
Material: Aluminum + Glass
Approximate mounting height: 3.5 m

LIMITED STOCK

LED | cold WHITE 5500K | 100° | E

98DUBLIN150SMD



Type: LED high bay*
Power: 150W
Lumens: 15000lm
Efficiency: 100lm/W
Surge Protection: 3.5kV
Body colour: Grey
Material: Aluminum + Glass
Approximate mounting height: 4.5 m

LIMITED STOCK

LED | cold WHITE 5500K | 100° | E

98DUBLIN200SMD



Type: LED high bay*
Power: 200W
Lumens: 20000lm
Efficiency: 100lm/W
Surge Protection: 3.5kV
Body colour: Grey
Material: Aluminum + Glass
Approximate mounting height: 6 m

2 YEARS TOTAL WARRANTY
+ 2 standard 0 extended

IP65
~230V
LED SMD
20000h
RoHS
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



98BRIGHTON100CW
98BRIGHTON150CW
98BRIGHTON200CW

HIGH BAYS 100lm/W, IP65

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

SMD 2835
220-240V
PF>0.95
IK07
IP65
30000h
RoHS
EMC

Scan QR code for 3D models, IES files & price.

1000

98BRIGHTON100CW

LED | cold WHITE 5500K | 120° | E



Type: LED high bay
Power: 100W
Lumens: 10000lm
Efficiency: 100lm/W
Surge Protection: 4kV
Body colour: Black RAL 9017
Material: Aluminum + Glass
Approximate mounting height: 3.5 m

98BRIGHTON150CW

LED | cold WHITE 5500K | 120° | E



Type: LED high bay
Power: 150W
Lumens: 15000lm
Efficiency: 100lm/W
Surge Protection: 4kV
Body colour: Black RAL 9017
Material: Aluminum + Glass
Approximate mounting height: 4.5 m

98BRIGHTON200CW

LED | cold WHITE 5500K | 120° | E



Type: LED high bay
Power: 200W
Lumens: 20000lm
Efficiency: 100lm/W
Surge Protection: 4kV
Body colour: Black RAL 9017
Material: Aluminum + Glass
Approximate mounting height: 6 m

Scan each QR code to see the price and availability of the product.

*Options with emergency kit



page 1004

ELMARK
The Brand of Electricity



98BOSTON100CW
98BOSTON100W
98BOSTON150CW
98BOSTON150W



98BOSTON200CW
98BOSTON200W
98BOSTON240CW
98BOSTON240W

HIGH BAYS 170lm/W, IP65

INDUSTRIAL

LED | 90° | C | cold WHITE 5500K | neutral WHITE 4000K | DIMMABLE 0-10V

98BOSTON100CW

98BOSTON100W

Similar product option:
98LONDON100/W;
98GENEVA100SMD



Type: Dimmable LED high bay with selectable power*
Power: 60W/80W/100W
Lumens: 17000lm
Efficiency: 170lm/W
Surge Protection: 6kV
Body colour: Black
Material: Aluminum + PC
Driver: Lifud 0-10V dimmable
Approximate mount. height: 6 m

LED | 90° | C | cold WHITE 5500K | neutral WHITE 4000K | DIMMABLE 0-10V

98BOSTON150CW

98BOSTON150W

Similar product option:
98LONDON150/W;
98GENEVA150SMD



Type: Dimmable LED high bay with selectable power
Power: 90W/120W/150W
Lumens: 25500lm
Efficiency: 170lm/W
Surge Protection: 6kV
Body colour: Black
Material: Aluminum + PC
Driver: Lifud 0-10V dimmable
Approximate mount. height: 6-8 m

LED | 90° | C | cold WHITE 5500K | neutral WHITE 4000K | DIMMABLE 0-10V

98BOSTON200CW

98BOSTON200W

Similar product option:
98LONDON200/W;
98GENEVA200SMD



Type: Dimmable LED high bay with selectable power
Power: 120W/160W/200W
Lumens: 34000lm
Efficiency: 170lm/W
Surge Protection: 6kV
Body colour: Black
Material: Aluminum + PC
Driver: Lifud 0-10V dimmable
Approximate mount. height: 8-10 m

LED | 90° | C | cold WHITE 5500K | neutral WHITE 4000K | DIMMABLE 0-10V

98BOSTON240CW

98BOSTON240W



Type: Dimmable LED high bay with selectable power
Power: 144W/192W/240W
Lumens: 40800lm
Efficiency: 170lm/W
Surge Protection: 6kV
Body colour: Black
Material: Aluminum + PC
Driver: Lifud 0-10V dimmable
Approximate mount. height: 10-12 m

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP65
120-240V
30 000h
Ra>70
IK09
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



98MILANO100CW
98MILANO200CW

SENSOR



99DS308



99DS309



99DS310

HIGH BAYS 160lm/W WITH SENSORS, IP65

INDUSTRIAL

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP65
120-277V
Ra≥80
IK08
50 000h
RoHS
EMC

LED | cold WHITE 5500K | 90° | D | DIMMABLE 0-10V



98MILANO100CW

Type: Dimmable LED high bay with selectable power and Zhaga base
Power: 60W/80W/100W
Lumens: 15700lm by 100W
Efficiency: 157lm/W
Surge Protection: 6kV
Body colour: Black RAL 9017
Material: Aluminum Die-casting+ PC
Driver: 0-10V dimmable
Approximate mount. height: 6 m
* **SENSOR NOT INCLUDED.**
This high bay can be assembled with Microwave, PIR, or smart Zhaga sensor.

LED | cold WHITE 5500K | 90° | D | DIMMABLE 0-10V



98MILANO200CW

Type: Dimmable LED high bay with selectable power and Zhaga base
Power: 100W/150W/200W
Lumens: 32000lm by 200W
Efficiency: 160lm/W
Surge Protection: 6kV
Body colour: Black RAL 9017
Material: Aluminum Die-casting + PC
Driver: 0-10V dimmable
Approximate mount. height: 8-10 m
** **SENSOR NOT INCLUDED.**
This high bay can be assembled with Microwave, PIR, or smart Zhaga sensor.

ZHAGA SENSORS



99DS308

Mircowave Motion Zhaga Sensor



99DS309

PIR Motion Sensor Zhaga Sensor



99DS310

TUYA Bluetooth Motion Zhaga Sensor



98MILANORC

Remote control for PIR and microwave sensors for LED high bays MILANO



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

*Options with emergency kit



page 1005

ELMARK
The Brand of Electricity



98VISTA120W



98VISTA240W

LED LINEAR HIGH BAY 170lm/W, IP65

INDUSTRIAL

LED | cold WHITE 5700K | 90x60° | D

98VISTA120W



Type: LED linear high bay
Power: 120W
Lumens: 16800lm
Efficiency: 140lm/W
Surge Protection: 6kV
Body colour: Black
Material: Aluminum + PC
Driver: Lifud
Approximate mount. height: 6 m

LED | cold WHITE 5700K | 90x60° | D

98VISTA240W



Type: LED linear high bay
Power: 240W
Lumens: 33600lm
Efficiency: 140lm/W
Surge Protection: 6kV
Body colour: Black
Material: Aluminum + PC
Driver: Lifud
Approximate mount. height: 10 m

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP65
120-277V
50 000h
Ra>80
IK09
EMC

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity

EMERGENCY DRIVER 20-100W

89228



EMERGENCY DRIVER FOR INDUSTRIAL LAMP WITH INTERNAL IC DRIVERS

This emergency driver is suitable for all 20-100W LED lamps with internal IC driver (This device CANNOT be used for the LED lights with RC driver). It can be used in public places to ensure LED lights work normally when power fail suddenly because of fire and earthquake and etc. The housing of this emergency driver adopts good-quality steel models with powder coating. It has low weight and being convenient to install, so you can rest assure its safety. It mainly includes housing, PCB and battery etc. Its battery adopts Li-ion battery with long lifespan. Its PCB adopts automatic SMT technology, uses IC control design in charging/discharging and power supply part. PCB uses fully automatic SMT technology, PCB core use 3525 IC chips which is especially for emergency lights and Li-ion battery protections. PCB circuit has the complete protection for over charging/discharging, output Short Circuit, Open Circuit, input/output reverse connection.

Operated principle:

The emergency driver is being charged when AC power works, when fully charged, the circuit will protect the battery from over being-charged, and the emergency is standing by as soon as the battery is fully charged. When AC power is down, emergency driver supplies power to LED fixtures and they up light to the way to escape.

Technical data

- Input voltage: 85-265V AC
- Battery: 18.5V 8800mAh
- Emergency switch time: <5s
- Suitable: for LED lamp with internal driver and power 20-100W
- Emergency time: 60-120min
- Working temperature: from -10 to +50°C
- Size: 290x105x50mm
- IP 44

Recommended:

For all LED road fixtures, high bays, flood lights and lighting fixtures with internal IC driver and power from 20-100W

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP44

CE

Scan QR code for 3D models, IES files & price.

YOU CAN VIEW ALL PRODUCTS WITH AN EMERGENCY BLOCK IN THE ELMARK DIGITAL CATALOG BY SCANNING THIS QR CODE


FLOODLIGHTS


FLOODLIGHTS WITH SENSOR


STREET LIGHTS


HIGH BAYS

Scan each QR code to see the price and availability of the product.

EMERGENCY DRIVER 50-250W

89227



EMERGENCY DRIVER FOR INDUSTRIAL LAMP WITH INTERNAL IC DRIVERS

This emergency driver is suitable for all 50-250W LED lamps with internal IC driver (This device CANNOT be used for the LED lights with RC driver). It can be used in public places to ensure LED lights work normally when power fail suddenly because of fire and earth-quake and etc. The housing of this emergency driver adopts good-quality steel models with powder coating. It has low weight and being convenient to install, so you can rest assure its safety. It mainly includes housing, PCB and battery etc. Its battery adopts Li-ion battery with long lifespan. Its PCB adopts automatic SMT technology, uses IC control design in charging/ discharging and power supply part. PCB uses fully automatic SMT technology, PCB core use 3525 IC chips which is especially for emergency lights and Li-ion battery protections. PCB circuit has the complete protection for over charging/discharg-ing,output Short Circuit, Open Circuit,input/output reverse connection.

Operated principle:

The emergency driver is being charged when AC power works, when fully charged, the circuit will protect the battery from over being-charged, and the emergency is standing by as soon as the battery is fully charged. When AC power is down, emergency driver supplies power to LED fixtures and they up light to the way to escape.

Technical data

- Input voltage: 85-265V AC
- Battery: Internal 19.2V 12000mAh
- Max. input power: 300W
- Emergency switch time: <5s
- Suitable: for LED lamp with internal driver and power 50-250W
- Emergency time: 60-250min
- Working temperature: from -10 to +50°C
- Material: Aluminum
- Size: 400x85x70mm
- IP 44

Recommended:

For all LED road fixtures, high bays, flood lights and lighting fixtures with internal IC driver and power from 50-250W.

89227MF

FIXED MOUNTING FITTING FOR EMERGENCY BLOCK 50-250W



YOU CAN VIEW ALL PRODUCTS WITH AN EMERGENCY BLOCK IN THE ELMARK DIGITAL CATALOG BY SCANNING THIS QR CODE



LED STREET LIGHTS



LED FLOODLIGHTS



LED HIGH BAYS



LED LINEAR HIGH BAYS

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP44

CE

EXPLOSION PROOF LIGHTING



EX ZONES- EUROPEAN DIRECTIVE

ATEX Directive 2014/34/EU is a directive that applies to protective systems against explosions as well as all equipment used in or related to explosive atmospheres, such as electrical and non-electrical equipment, components and safety devices, control and adjustments necessary for the safe operation of this equipment and protective systems.

Devices falling within the scope of the European Directive and responding to the essential requirements for the safety and health are identified by a marking plate on which the logo appears.

LABELING OF EXPLOSION PROOF EQUIPMENT ACCORDING TO ATEX 2014/34/EU



ELMARK
The Brand of Electricity



720100



720105

EX-PROOF CEILING & WALL LAMPS, IP67

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP67
~230V
50000h

LED | cold WHITE 6500K | EX-PROOF | F

720100



Type: Explosion Proof LED Ceiling Lamp
Application: Zone 1, 2, 21, 22
Power: 24W
Lumens: 2400lm
Efficiency: 100lm/W
LED Chip: SAMSUNG
CRI≥80
Lamp Class: I
Temperature operating range: from -40°C to + 45°C
Material: Aluminum & PC
IP Code: 67

II 2G Ex Db mb IIB +H2 T6 Gb
II 2D Ex tb mb IIIC T85°C IP67 Db

** Full range of products from the explosion proof section you can find in ELMARK Electrical Catalogue.*

LED | cold WHITE 6500K | EX-PROOF | F

720105



Type: Explosion Proof LED Ceiling / Wall Lamp
Application: Zone 1, 2, 21, 22
Power: 20W
Lumens: 2000lm
Efficiency: 100lm/W
LED Chip: SAMSUNG
CRI≥80
Lamp Class: I
Temperature operating range: from -40°C to + 45°C
Material: Aluminum & PC
IP Code: 67
Width: 55 mm

II 2G Ex Db mb IIB +H2 T6 Gb
II 2D Ex tb mb IIIC T85°C IP67 Db

** Full range of products from the explosion proof section you can find in ELMARK Electrical Catalogue.*

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



720102



720103

EX-PROOF CEILING & WALL LAMPS, IP67

LED | cold WHITE 6500K | EX-PROOF | F



720102

Type: Explosion Proof LED Ceiling Lamp
Application: Zone 1, 2, 21, 22
Power: 70W
Lumens: 6300lm
Efficiency: 90lm/W
LED Chip: SAMSUNG
CRI≥80
Lamp Class: I
Temperature operating range: from -40°C to + 45°C
Material: Aluminum & PC
IP Code: 67
Width: 470mm

II 2G Ex Db mb IIB +H2 T6 Gb
II 2D Ex tb mb IIIC T85°C IP67 Db

** Full range of products from the explosion proof section you can find in ELMARK Electrical Catalogue.*

LED | cold WHITE 6500K | EX-PROOF | F



720103

Type: Explosion Proof LED Wall Lamp for Pipe 3/4
Application: Zone 1, 2, 21, 22
Power: 70W
Lumens: 6300lm
Efficiency: 90lm/W
LED Chip: SAMSUNG
CRI≥80
Lamp Class: I
Temperature operating range: from -40°C to + 45°C
Material: Aluminum & PC
IP Code: 67
Width: 470mm

II 2G Ex Db mb IIB +H2 T6 Gb
II 2D Ex tb mb IIIC T85°C IP67 Db

** Full range of products from the explosion proof section you can find in ELMARK Electrical Catalogue.*

Scan each QR code to see the price and availability of the product.

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP67
~230V
50000h

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



720104



720101

EX-PROOF HIGH BAY & CEILING/WALL LAMP, IP67

LED | cold WHITE 6500K | EX-PROOF | F

720104



Type: Explosion Proof LED High Bay
Application: Zone 1, 2, 21, 22
Power: 150W
Lumens: 13000lm
Efficiency: 87lm/W
LED Chip: SAMSUNG
CRI≥80
Lamp Class: I
Temperature operating range: from -40°C to + 40°C
Material: Aluminum & PC
Width: max.280 mm
IP Code: 65

II 2G Ex Db mb IIB +H2 T6 Gb
II 2D Ex tb mb IIIC T85°C IP67 Db

** Full range of products from the explosion proof section you can find in ELMARK Electrical Catalogue.*

LED | cold WHITE 6500K | EX-PROOF | F

720101



Type: Explosion Proof LED Wall Lamp
Application: Zone 1, 2, 21, 22
Power: 70W
Lumens: 6500lm
Efficiency: 93lm/W
LED Chip: SAMSUNG
CRI≥85
Lamp Class: I
Temperature operating range: from -40°C to + 45°C
Material: Aluminum & PC
IP Code: 67

II 2G Ex Db mb IIB +H2 T6 Gb
II 2D Ex tb mb IIIC T85°C IP67 Db

** Full range of products from the explosion proof section you can find in ELMARK Electrical Catalogue.*

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP67
~230V
50000h

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



720106

EMERGENCY EX-PROOF LAMP, IP67

LED | cold WHITE 6500K | EX-PROOF | F

720106

Type: Explosion Proof LED EXIT Light
Application: Zone 1, 2, 21, 22
Battery: 3,6V, 60mAh, Ni-Cd
Emergency Work Time: 3h
CRI≥80≥6.5cd/m²
Lamp Class: I
Temperature operating range: from -40°C to + 50°C
Material: Aluminum & PC
IP Code: 67

II 2G Ex Db mb IIB +H2 T6 Gb
II 2D Ex tb mb IIIC T85°C IP67 Db



** Full range of products from the explosion proof section you can find in ELMARK Electrical Catalogue.*

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP67
~230V
50000h

Scan QR code for 3D models, IES files & price.





LAMPS & COMPONENTS

- LED BULLBS
- LED TUBES
- LED STRIPS
- LED DRIVERS
- LAMP HOLDERS
- SENSORS

ELMARK
The Brand of Electricity



99LED772D



99LED754D



99LED769D

LED VINTAGE BULBS

LED | warm WHITE 2800-3200K | 360° | F | DIMMABLE | E14 | Golden Glass | Smoky Glass

99LED772D

99LED772SD

Type: LED filament vintage lamp C35
Power: 4W
Lumens: 360lm
Lamp holder: E14
Material: Glass



LED | warm WHITE 2800-3200K | 360° | F | DIMMABLE | E14 | Golden Glass | Smoky Glass

99LED754D

99LED754SD

Type: LED filament vintage lamp FLAME
Power: 5W
Lumens: 350lm
Lamp holder: E14
Material: Glass



LED | warm WHITE 2800-3200K | 360° | F | DIMMABLE | E27 | Golden Glass | Smoky Glass

99LED769D

99LED769SD

Type: LED filament vintage lamp ST64
Power: 8W
Lumens: 580lm
Lamp holder: E27
Material: Glass



3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
~230V
>15000
25000h
RoHs COMPLIANT
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



99LED773D



99LED975D
99LED770D



99LED771D

LED VINTAGE BULBS



Golden Glass
Smoky Glass

99LED773D

99LED773SD

Type: LED filament vintage lamp A60
Power: 8W
Lumens: 580lm
Lamp holder: E27
Material: Glass





Golden Glass
Smoky Glass

99LED975D

99LED975SD

Type: LED filament vintage lamp G80
Power: 8W
Lumens: 580lm
Lamp holder: E27
Material: Glass





Golden Glass
Smoky Glass

99LED770D

99LED770SD

Type: LED filament vintage lamp G95
Power: 8W
Lumens: 580lm
Lamp holder: E27
Material: Glass





Golden Glass
Smoky Glass

99LED771D

99LED771SD

Type: LED filament vintage lamp G125
Power: 8W
Lumens: 580lm
Lamp holder: E27
Material: Glass



3 YEARS TOTAL WARRANTY
3 standard
0 extended

IP20
~230V
>15000
25000h
RoHs COMPLIANT
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



99LED662D



99LED664D



99LED660



99LED665D

LED FILAMENT BULBS MATT



99LED662D



Type: LED filament lamp C35
Power: 4W
Lumens: 400lm
Lamp holder: E14
Body colour: Matt

99LED664D



Type: LED filament lamp P45
Power: 4W
Lumens: 400lm
Lamp holder: E14
Body colour: Matt



99LED665D



Type: LED filament lamp G45
Power: 4W
Lumens: 400lm
Lamp holder: E27
Body colour: Matt



99LED660



Type: LED filament lamp A60
Power: 4W
Lumens: 400lm
Lamp holder: E27
Body colour: Matt

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
~230V
>25000
30000h
Ra≥80
RoHs COMPLIANT
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



99LED828WW
99LED828W



99LED829WW
99LED829W



99LED886WW



99LED830NWW
99LED830NW

LED FILAMENT BULBS TRANSPARENT

LED | 360° | E | warm WHITE 2700K | neutral WHITE 4000K | E14

99LED828WW
99LED828W

Type: LED filament lamp P45
Power: 5W
Lumens: 550lm
Lamp holder: E14
Body colour: Transparent



LED | 360° | E | warm WHITE 2700K | neutral WHITE 4000K | E14

99LED829WW
99LED829W

Type: LED filament lamp C35
Power: 5W
Lumens: 550lm
Lamp holder: E14
Body colour: Transparent



LED | 360° | E | warm WHITE 2700K | E14 | DIMMABLE

99LED886WW

Type: LED filament lamp FLAME
Power: 5W
Lumens: 450lm
Lamp holder: E14
Body colour: Transparent



LED | 360° | E | warm WHITE 2700K | neutral WHITE 4000K | E27

99LED830NWW
99LED830NW

Type: LED filament lamp A60
Power: 8W
Lumens: 1055lm
Lamp holder: E27
Body colour: Transparent



3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
~230V
>25000
30000h
Ra≥80
RoHS COMPLIANT
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



99LED838WW
99LED838W
99LED839WW
99LED839W



99LED834WW
99LED834W
99LED835WW
99LED835W

MILKY WHITE LED BULBS

LED | 360° | E | E27 | warm WHITE 2700K | neutral WHITE 4000K

99LED838WW
99LED838W



Type: LED lamp G95 milky white
Power: 7.2W
Lumens: 806lm
Efficiency: 112lm/W
Lamp holder: E27

LED | 360° | E | E27 | warm WHITE 2700K | neutral WHITE 4000K

99LED839WW
99LED839W



Type: LED lamp G95 milky white
Power: 12W
Lumens:1512lm
Efficiency: 126lm/W
Lamp holder: E27

LED | 360° | F | E27 | warm WHITE 2700K | neutral WHITE 4000K

99LED834WW
99LED834W



Type: LED lamp A60 milky white
Power: 9W
Lumens: 950lm
Efficiency: 105lm/W
Lamp holder: E27

LED | 360° | E | E27 | warm WHITE 2700K | neutral WHITE 4000K

99LED835WW
99LED835W



Type: LED lamp A60 milky white
Power: 11W
Lumens: 1260lm
Efficiency: 115lm/W
Lamp holder: E27

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
~230V
>25000
30000h
Ra≥80
RoHs COMPLIANT
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



99LED840WW
99LED840W



99LED836WW
99LED836W
99LED837WW
99LED837W

MILKY WHITE LED BULBS

LED | 360° | E | warm WHITE 2700K | neutral WHITE 4000K | E14

99LED840WW
99LED840W



Type: LED lamp G45 milky white
Power: 4.5W
Lumens: 500lm
Efficiency: 111lm/W
Lamp holder: E14

LED | 360° | E | warm WHITE 2700K | neutral WHITE 4000K | E27

99LED836WW
99LED836W



Type: LED lamp G45 milky white
Power: 4.5W
Lumens: 500lm
Efficiency: 111lm/W
Lamp holder: E27

LED | 360° | E | warm WHITE 2700K | neutral WHITE 4000K | E27

99LED837WW
99LED837W



Type: LED lamp G45 milky white
Power: 6W
Lumens: 800lm
Efficiency: 133lm/W
Lamp holder: E27

3 YEARS TOTAL WARRANTY
3 standard
0 extended

IP20
~230V
>25000
30000h
Ra≥80
RoHs COMPLIANT
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



HIGH EFFICIENCY
SAVE ENERGY

99LED917HE
99LED916HE
99LED917CWHE



DIMMABLE

99LED855

HIGH EFFICIENCY LED CANDLE BULBS

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
~230V
>25000
30000h
Ra≥80
RoHs COMPLIANT
EMC
CE

Scan QR code for 3D models, IES files & price.

HIGH EFFICIENCY

LED | warm WHITE 2700K | 180° | E | E14



99LED917HE

Type: LED lamp CANDLE C37
high efficiency
Power: 7W
Lumens: 770lm
Efficiency: 110lm/W
Lamp holder: E14

LED | neutral WHITE 4000K | 180° | E | E14

99LED916HE

Type: LED lamp CANDLE C37
high efficiency
Power: 7W
Lumens: 770lm
Efficiency: 110lm/W
Lamp holder: E14

LED | cold WHITE 6500K | 180° | E | E14

99LED917HECW

Type: LED lamp CANDLE C37
high efficiency
Power: 7W
Lumens: 770lm
Efficiency: 110lm/W
Lamp holder: E14

LED | warm WHITE 3000K | 180° | F | E14 | DIMMABLE



99LED855

Type: LED lamp CANDLE C37
Power: 5W
Lumens: 500lm
Efficiency: 100lm/W
Lamp holder: E14

Scan each QR code to see the price and availability of the product.



99LED754NEW
99LED753NEW
99LED820NEW

LED FLAME & CANDLE BULBS





99LED754NEW

Type: LED lamp FLAME
Power: 6W
Lumens: 660lm
Efficiency: 110lm/W
Lamp holder: E14



99LED753NEW

Similar product option:
99LED753

Type: LED lamp FLAME
Power: 6W
Lumens: 660lm
Efficiency: 110lm/W
Lamp holder: E14



99LED820NEW

Similar product option:
99LED820

Type: LED lamp FLAME
Power: 6W
Lumens: 660lm
Efficiency: 110lm/W
Lamp holder: E14

3 YEARS TOTAL WARRANTY
3 standard
0 extended

IP20
~230V
>25000
30000h
Ra≥80
RoHs COMPLIANT
EMC
CE

Scan QR code for 3D models, IES files & price.

i Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



99LED915NEW
99LED914NEW

LED CANDLE BULBS



99LED915NEW

Similar product option:
99LED915



Type: LED lamp CANDLE C37
Power: 8W
Lumens: 880lm
Efficiency: 110lm/W
Lamp holder: E27



99LED914NEW

Similar product option:
99LED914



Type: LED lamp CANDLE C37
Power: 8W
Lumens: 880lm
Efficiency: 110lm/W
Lamp holder: E27

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
~230V
>25000
30000h
Ra≥80
RoHs COMPLIANT
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



HIGH EFFICIENCY
SAVE ENERGY

99LED913HE
99LED912HE
99LED925HE

HIGH EFFICIENCY LED GLOBE BULBS





99LED913HE

Similar product option:
99LED913

Type: LED lamp GLOBE P45
high efficiency
Power: 7W
Lumens: 840lm
Efficiency: 120lm/W
Lamp holder: E14



99LED912HE

Similar product option:
99LED912

Type: LED lamp GLOBE P45
high efficiency
Power: 7W
Lumens: 840lm
Efficiency: 120lm/W
Lamp holder: E14



99LED925HE

Similar product option:
99LED925

Type: LED lamp GLOBE P45
high efficiency
Power: 7W
Lumens: 840lm
Efficiency: 120lm/W
Lamp holder: E14

3 YEARS TOTAL WARRANTY
3 standard
0 extended

IP20
~230V
>25000
30000h
RoHS COMPLIANT
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



99LED911NEW
99LED910NEW
99LED911NEWCW



B05-B-A60

SMART BULB

LED GLOBE BULBS & WI-FI SMART LED BULB A60

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
~230V
>25000
30000h
Ra≥80
RoHs COMPLIANT
EMC
CE



LED | warm WHITE 2700K | 180° | E | E27

99LED911NEW

Type: LED lamp GLOBE G45
Power: 8W
Lumens: 880lm
Efficiency: 110lm
Lamp holder: E27

LED | neutral WHITE 4000K | 180° | E | E27

99LED910NEW

Type: LED lamp GLOBE G45
Power: 8W
Lumens: 880lm
Efficiency: 110lm
Lamp holder: E27

LED | cold WHITE 6500K | 180° | E | E27

99LED911NEWCW

Type: LED lamp GLOBE G45
Power: 8W
Lumens: 880lm
Efficiency: 110lm
Lamp holder: E27

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | F

Smartphone Control | GET IT ON Google Play | Download on the App Store | IP20



B05-B-A60

Type: Smart LED bulb A60
• Input voltage: 220-240V AC
• Power: 9W
• Lumen: 806lm
• Colour Temp. : CCT 2700-6500K
• CRI: ≥Ra80
• For Lampholder: E27
• Wireless Standard: IEEE 802.11 b/g/n
• Material: PC V0

Control: via smart device

Functions:
• Remote Control: 16 million colors will make you feel relaxed and energized.
Control it via your phone anywhere.
• Pick a Scene: 8 build-in modes, pick one according to your mood.
• Smart Scene: Customize scenes for your smart life, make the light ready when you open the door
• Voice Control: Free your hands with Alexa/Google Assistant, just say out what you want.

Download EWeLink Application.

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



99XLED585NEW
99XLED586NEW
99XLED795NEW



99XLED587NEW
99XLED588NEW
99XLED821NEW

LED PEAR BULBS



LED | warm WHITE 2700K | 240° | F | E27

99XLED585NEW

Type: LED lamp PEAR A60 Stellar
Power: 10W
Lumens: 950lm
Efficiency: 95lm/W
Lamp holder: E27

LED | neutral WHITE 4000K | 240° | F | E27

99XLED586NEW

Type: LED lamp PEAR A60 Stellar
Power: 10W
Lumens: 950lm
Efficiency: 95lm/W
Lamp holder: E27

LED | cold WHITE 6500K | 240° | F | E27

99XLED795NEW

Type: LED lamp PEAR A60 Stellar
Power: 10W
Lumens: 950lm
Efficiency: 95lm/W
Lamp holder: E27



LED | warm WHITE 2700K | 240° | F | E27

99XLED587NEW

Type: LED lamp PEAR A60 Stellar
Power: 12W
Lumens: 1170lm
Efficiency: 97m/W
Lamp holder: E27

LED | neutral WHITE 4000K | 240° | F | E27

99XLED588NEW

Type: LED lamp PEAR A60 Stellar
Power: 12W
Lumens: 1170lm
Efficiency: 97m/W
Lamp holder: E27

LED | cold WHITE 6500K | 240° | F | E27

99XLED821NEW

Type: LED lamp PEAR A60 Stellar
Power: 12W
Lumens: 1170lm
Efficiency: 97m/W
Lamp holder: E27

2 YEARS TOTAL WARRANTY
2 standard + 0 extended

IP20
~230V
>15000
20000h
RoHs COMPLIANT
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



99LED743NEW
99LED742NEW
99LED743NEWCW

LED PEAR BULBS

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP20
~230V
>15000
20000h
Ra≥80
RoHs COMPLIANT
EMC
CE

Scan QR code for 3D models, IES files & price.



LED | warm WHITE 2700K | 240° | F | E27

99LED743NEW

Type: LED lamp PEAR A60 Stellar
Power: 15W
Lumens: 1425lm
Efficiency: 95lm/W
Lamp holder: E27

LED | neutral WHITE 4000K | 240° | F | E27

99LED742NEW

Type: LED lamp PEAR A60 Stellar
Power: 15W
Lumens: 1425lm
Efficiency: 95lm/W
Lamp holder: E27

LED | cold WHITE 6500K | 240° | F | E27

99LED743NEWCW

Type: LED lamp PEAR A60 Stellar
Power: 15W
Lumens: 1425lm
Efficiency: 95lm/W
Lamp holder: E27

Scan each QR code to see the price and availability of the product.



HIGH EFFICIENCY
SAVE ENERGY

99LED583HE
99LED584HE
99LED794HE
99LED585HE
99LED586HE
99LED795HE

HIGH EFFICIENCY LED PEAR BULBS



LED warm WHITE 2700K 240° E27

99LED583HE

Type: LED lamp PEAR A60 high efficiency
Power: 8W
Lumens: 960lm
Efficiency: 120lm/W
Lamp holder: E27

LED neutral WHITE 4000K 240° E27

99LED584HE

Type: LED lamp PEAR A60 high efficiency
Power: 8W
Lumens: 960lm
Efficiency: 120lm/W
Lamp holder: E27

LED cold WHITE 6500K 240° E27

99LED794HE

Type: LED lamp PEAR A60 high efficiency
Power: 8W
Lumens: 960lm
Efficiency: 120lm/W
Lamp holder: E27



LED warm WHITE 2700K 240° E27

99LED585HE

Type: LED lamp PEAR A60 high efficiency
Power: 10W
Lumens: 1200lm
Lamp holder: E27

LED neutral WHITE 4000K 240° E27

99LED586HE

Type: LED lamp PEAR A60 high efficiency
Power: 10W
Lumens: 1200lm
Lamp holder: E27

LED cold WHITE 6500K 240° E27

99LED795HE

Type: LED lamp PEAR A60 high efficiency
Power: 10W
Lumens: 1200lm
Lamp holder: E27

Scan each QR code to see the price and availability of the product.

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP20
~230V
>20000
30000h
RoHs COMPLIANT
EMC
CE

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



HIGH EFFICIENCY
SAVE ENERGY

99LED587HE
99LED588HE
99LED821HE
99LED819HE
99LED818HE
99LED797HE

HIGH EFFICIENCY LED PEAR BULBS

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP20
~230V
>25000
30000h
Ra≥80
RoHs COMPLIANT
EMC
CE



LED | warm WHITE 2700K | 240° | E | E27

99LED587HE

Type: LED lamp PEAR A60 high efficiency
Power:12W
Lumens: 1440lm
Efficiency: 120lm/W
Lamp holder: E27

LED | neutral WHITE 4000K | 240° | E | E27

99LED588HE

Type: LED lamp PEAR A60 high efficiency
Power:12W
Lumens: 1440lm
Efficiency: 120lm/W
Lamp holder: E27

LED | cold WHITE 6500K | 240° | E | E27

99LED821HE

Type: LED lamp PEAR A60 high efficiency
Power:12W
Lumens: 1440lm
Efficiency: 120lm/W
Lamp holder: E27



LED | warm WHITE 2700K | 240° | E | E27

99LED819HE

Type: LED lamp PEAR A60 high efficiency
Power:14W
Lumens: 1680lm
Efficiency: 120lm/W
Lamp holder: E27

LED | neutral WHITE 4000K | 240° | E | E27

99LED818HE

Type: LED lamp PEAR A60 high efficiency
Power:14W
Lumens: 1680lm
Efficiency: 120lm/W
Lamp holder: E27

LED | cold WHITE 6500K | 240° | E | E27

99LED797HE

Type: LED lamp PEAR A60 high efficiency
Power:14W
Lumens: 1680lm
Efficiency: 120lm/W
Lamp holder: E27

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



DIMMABLE

99LED581
99LED582



SENSOR

99LED852

DIMMABLE LED PEAR BULBS & LED PEAR BULBS WITH SENSOR

LED | 180° | A G F | warm WHITE 2700K | DIMMABLE | E27 | neutral WHITE 4000K

99LED581

99LED582



Type: LED lamp PEAR A60
Power: 12W
Lumens: 1080lm
Efficiency: 90lm/W
Lamp holder: E27

LED | 240° | A G G | neutral WHITE 4000K | E27

99LED852



Type: LED lamp PEAR A60
with radar sensor
Power: 10W
Lumens: 900lm
Efficiency: 90lm/W
Lamp holder: E27

SENSOR

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20
~230V
>25000
30000h
Ra≥80
RoHs COMPLIANT
EMC
CE

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity



99LED898CCT
99LED899CCT

Settable Colour Temperature

LED PEAR BULBS WITH ADJUSTABLE COLOUR TEMPERATURE



99LED898CCT



Type: LED lamp with settable colour temperature
Power: 9W
Lumens: 810lm
Efficiency: 90lm/W
Lamp holder: E27



99LED899CCT



Type: LED lamp with settable colour temperature
Power: 11W
Lumens: 1100lm
Efficiency: 110lm/W
Lamp holder: E27

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP20
~230V
>20000
30000h
Ra≥80
RoHs COMPLIANT
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

*Compatible with DALI

page 1163

ELMARK
The Brand of Electricity



12-48V

DALI DIMMABLE

99LED842WW
99LED842W
99LED842CW
99LED843WW
99LED843W
99LED843CW

LOW VOLTAGE LED PEAR BULBS



LED | warm WHITE 2700K | 240° | G | E27 | DALI DIMMABLE

99LED842WW

Type: LED lamp PEAR A60
Rated voltage: 12-48V
Power: 10W
Lumens: 800lm
Efficiency: 80lm/W
Lamp holder: E27
DALI dimmable

LED | neutral WHITE 4000K | 240° | G | E27 | DALI DIMMABLE

99LED842W

Type: LED lamp PEAR A60
Rated voltage: 12-48V
Power: 10W
Lumens: 800lm
Efficiency: 80lm/W
Lamp holder: E27
DALI dimmable

LED | cold WHITE 6500K | 240° | G | E27 | DALI DIMMABLE

99LED842CW

Type: LED lamp PEAR A60
Rated voltage: 12-48V
Power: 10W
Lumens: 800lm
Efficiency: 80lm/W
Lamp holder: E27
DALI dimmable



LED | warm WHITE 2700K | 180° | G | E27 | DALI DIMMABLE

99LED843WW

Type: LED lamp PEAR A60
Rared voltage: 12-48V
Power: 13W
Lumens: 1050lm
Efficiency: 80lm/W
Lamp holder: E27
DALI dimmable

LED | neutral WHITE 4000K | 180° | G | E27 | DALI DIMMABLE

99LED843W

Type: LED lamp PEAR A60
Rared voltage: 12-48V
Power: 13W
Lumens: 1050lm
Efficiency: 80lm/W
Lamp holder: E27
DALI dimmable

LED | cold WHITE 6500K | 180° | G | E27 | DALI DIMMABLE

99LED843CW

Type: LED lamp PEAR A60
Rared voltage: 12-48V
Power: 13W
Lumens: 1050lm
Efficiency: 80lm/W
Lamp holder: E27
DALI dimmable

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
12-48V
>25000
30000h
Ra≥80
RoHs COMPLIANT
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



99LED695NEW
99LED694NEW



99LED749NEW
99LED748NEW

LED GLOBE BULBS



99LED695NEW

Similar product option:
99LED695



Type: LED lamp GLOBE G95
Power: 15W
Lumens: 1650lm
Efficiency: 110 lm/W
Lamp holder: E27



99LED694NEW

Similar product option:
99LED694



Type: LED lamp GLOBE G95
Power: 15W
Lumens: 1650lm
Efficiency: 110 lm/W
Lamp holder: E27



99LED749NEW



Type: LED lamp GLOBE G120
Power: 20W
Lumens: 2200lm
Efficiency: 110 lm/W
Lamp holder: E27



99LED748NEW



Type: LED lamp GLOBE G120
Power: 20W
Lumens: 2200lm
Efficiency: 110 lm/W
Lamp holder: E27

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
~230V
>25000
30000h
RoHs COMPLIANT
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



99LED901NEW
99LED900NEW
99LED901NEWCW



99LED902CCT

Settable Colour Temperature

LED STICK BULBS



LED | warm WHITE 2700K | 180° | F | E27

99LED901NEW

Similar product option:
99LED901

Type: LED lamp STICK
Power: 15W
Lumens: 1500lm
Efficiency: 100lm/W
Lamp holder: E27

LED | neutral WHITE 4000K | 180° | F | E27

99LED900NEW

Type: LED lamp STICK
Power: 15W
Lumens: 1500lm
Efficiency: 100lm/W
Lamp holder: E27

LED | cold WHITE 6500K | 180° | F | E27

99LED901NEWCW

Type: LED lamp STICK
Power: 15W
Lumens: 1500lm
Efficiency: 100lm/W
Lamp holder: E27

3 YEARS TOTAL WARRANTY
3 standard
0 extended

IP20
~230V
>25000
30000h
RoHS COMPLIANT
EMC
CE

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | F | E27 | 180°

99LED902CCT



Type: LED lamp with settable colour temperature
Power: 9W
Lumens: 810lm
Efficiency: 90lm/W
Lamp holder: E27

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



99LED851



99LED439NEW
99LED440NEW



99LED827W
99LED827CW

LED CORN BULB &LED BULB WITH FLAME EFFECT

LED | 180° | G | E14 | warm WHITE 2700K | neutral WHITE 4000K

99LED440NEW
Similar product option:
99LED440

99LED439NEW
Similar product option:
99LED439



Type: LED lamp R50
Power: 5.5W
Lumens: 605lm
Efficiency: 110 lm/W
Lamp holder: E14

LED | 180° | F | E27 | neutral WHITE 4000K | cold WHITE 6400K

99LED827W

99LED827CW



Type: LED lamp R80
Power: 11W
Lumens: 950lm
Efficiency: 91 lm/W
Lamp holder: E27

LED | warm WHITE 1500-1800K | 360° | G | E27

99LED851



Type: LED lamp with flame effect
Power: 1.5-5W
Lumens: 200lm
Efficiency: 90lm/W
Lamp holder: E27



3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
~230V
>20000
30000h
RoHS COMPLIANT
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



99LED8M



99LED6KM

LED R50 / R80 & ANTIMOSQUITO LAMPS



99LED8M



Type: Mosquito repellent LED lamp
Power: 8W
Lumens: 780lm
Efficiency: 97.5 lm/W
Lamp holder: E27
No smell | No noise | No flicker | No UV | Friendly to eyes



99LED6KM



Type: Mosquito killer LED lamp
Power: 6W
Lumens: 400lm
Lamp holder: E27
Efficiency: 66.7 lm/W
No smell | No noise | No flicker | No UV | Friendly to eyes

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
~230V
>25000
30000h
Ra≥80
RoHs COMPLIANT
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



HIGH POWER

99LED736NEW
99LED736CWNEW
99LED737NEW
99LED737NEWCW
99LED812NEW
99LED812NEWCW

HIGH POWER LED LAMPS

LED | 200° | F | E27 | neutral WHITE 4000K | cold WHITE 6000K

99LED736NEW
99LED736CWNEW



Type: LED lamp SMD
Power: 28W
Lumens: 3000lm
Efficiency: 107lm/W
Lamp holder: E27

LED | 200° | F | E27 | neutral WHITE 4000K | cold WHITE 6400K

99LED737NEW
99LED737NEWCW



Type: LED lamp SMD
Power: 37W
Lumens: 4000lm
Efficiency: 108lm/W
Lamp holder: E27

LED | 180° | E | E27 | neutral WHITE 4000K | cold WHITE 6500K

99LED812NEW
Similar product option:
99LED812

99LED812NEWCW
Similar product option:
99LED812CW



Type: LED lamp SMD
Power: 45W
Lumens: 4950lm
Efficiency: 111 lm/W
Lamp holder: E27

3 YEARS TOTAL WARRANTY
3 standard
0 extended

IP20
~230V
>25000
30000h
Ra≥80
RoHs COMPLIANT
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



HIGH POWER

99LED853NEW
99LED853NEWCW



HIGH POWER

99LED854NEW
99LED854NEWCW

HIGH POWER LED LAMPS

LED | neutral WHITE 4000K | 360° | F | E27

99LED853NEW

Similar product option:
99LED853

Type: High power LED lamp
Power: 40W
Lumens: 3600lm
Efficiency: 90lm/W
Lamp holder: E27
Material: Thermal conductive plastic and aluminum + PC milky white cover



LED | cold WHITE 6500K | 360° | F | E27

99LED853NEWCW

Similar product option:
99LED853CW

Type: High power LED lamp
Power: 40W
Lumens: 3600lm
Efficiency: 90lm/W
Lamp holder: E27
Material: Thermal conductive plastic and aluminum + PC milky white cover



LED | neutral WHITE 4000K | 360° | F | E27

99LED854NEW

Type: High power LED lamp
Power: 60W
Lumens: 5400lm
Efficiency: 90lm/W
Lamp holder: E27
Material: Thermal conductive plastic and aluminum + PC milky white cover



LED | cold WHITE 6500K | 360° | F | E27

99LED854NEWCW

Similar product option:
99LED854CW

Type: High power LED lamp
Power: 60W
Lumens: 5400lm
Efficiency: 90lm/W
Lamp holder: E27
Material: Thermal conductive plastic and aluminum + PC milky white cover



3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
~230V
>25000
30000h
RoHs COMPLIANT
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



99LED791
99LED766



99LED792
99LED767



99LED793
99LED768

LED MOULD FOR CELLING LAMP

LED | 120° | E

warm WHITE 2700K — **99LED791**

neutral WHITE 4000K — **99LED766**



Type: LED mould for ceiling lamp
Rated voltage: 230V AC
Power: 9W
Lumens: 900lm
Efficiency: 100lm/W
Material: Epoxy board + PC

LED | 120° | E

warm WHITE 2700K — **99LED792**

neutral WHITE 4000K — **99LED767**



Type: LED mould for ceiling lamp
Rated voltage: 230V AC
Power: 18W
Lumens: 1800lm
Efficiency: 100lm/W
Material: Epoxy board + PC

LED | 120° | E

warm WHITE 2700K — **99LED793**

neutral WHITE 4000K — **99LED768**



Type: LED mould for ceiling lamp
Rated voltage: 230V AC
Power: 22W
Lumens: 2200lm
Efficiency: 100lm/W
Material: Epoxy board + PC

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
~230V
>25000
30000h
Ra≥80
RoHs COMPLIANT
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



12V DC 99LED766T



12V DC 99LED767T

LED MOULD FOR CELLING LAMP

LED | neutral WHITE 4000K | 120° | E

99LED766T



Type: LED mould for ceiling lamp
Rated voltage: 12V DC
Power: 9W
Lumens: 900lm
Efficiency: 100lm/W
Material: Epoxy board + PC

LED | neutral WHITE 4000K | 120° | E

99LED767T



Type: LED mould for ceiling lamp
Rated voltage: 12V DC
Power: 18W
Lumens: 1800lm
Efficiency: 100lm/W
Material: Epoxy board + PC

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
12V DC
>25000
30000h
RoHs COMPLIANT
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



99LED825



99LED826



99LED822



99LED823



99LED824

LED COLOUR LAMPS

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
~230V
>15000
20000h
RoHS COMPLIANT
CE





99LED825

Type: LED colour lamp
Power: 3W
Colour light: Red
Lamp holder: E27



99LED826

Type: LED colour lamp
Power: 3W
Colour light: Yellow
Lamp holder: E27



99LED822

Type: LED colour lamp
Power: 3W
Colour light: Blue
Lamp holder: E27





99LED823

Type: LED colour lamp
Power: 3W
Colour light: Green
Lamp holder: E27



99LED824

Type: LED colour lamp
Power: 3W
Colour light: White
Lamp holder: E27

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



99LED446
99LED445



99LED905
99LED904

DIMMABLE



99LED936WW
99LED936W
99LED936CW

LED T25 / AR111 / PAR30

LED | 180° | F | E14 | warm WHITE 2700K | neutral WHITE 4000K

99LED446
99LED445

Type: LED lamp T25
Power: 2W
Lumens: 170lm
Efficiency: 85lm/W
Lamp holder: E14



LED | 36° | F | G53 | DIMMABLE | warm WHITE 2700K | neutral WHITE 4000K

99LED905
99LED904

Type: High power LED lamp AR111
Power: 11W
Lumens: 990lm
Efficiency: 85lm/W
Lamp holder: G53



LED | warm WHITE 2700K | 38° | E | E27

99LED936WW

Type: LED lamp PAR30
Power: 15W
Lumens: 1350lm
Efficiency: 90lm/W
Lamp holder: E27

LED | neutral WHITE 4000K | 38° | E | E27

99LED936W

Type: LED lamp PAR30
Power: 15W
Lumens: 1350lm
Efficiency: 90lm/W
Lamp holder: E27

LED | cold WHITE 6500K | 38° | E | E27

99LED936CW

Type: LED lamp PAR30
Power: 15W
Lumens: 1350lm
Efficiency: 90lm/W
Lamp holder: E27



3 YEARS TOTAL WARRANTY
3 standard
0 extended

IP20
~230V
>25000
30000h
Ra≥80
RoHs COMPLIANT
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



99XLED728NEW
99XLED727NEW
99XLED731NEW



99XLED730NEW
99XLED729NEW
99XLED796NEW

LED GU10

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP20
~230V
>25000
15000h
RoHs COMPLIANT
EMC
CE



LED | warm WHITE 2700K | 120° | G | GU10

99XLED728NEW

Type: LED lamp SMD
Power: 3.5W
Lumens: 280lm
Efficiency: 80lm/W
Lamp holder: GU10

LED | neutral WHITE 4000K | 120° | G | GU10

99XLED727NEW

Type: LED lamp SMD
Power: 3.5W
Lumens: 280lm
Efficiency: 80lm/W
Lamp holder: GU10

LED | cold WHITE 6500K | 120° | G | GU10

99XLED731NEW

Type: LED lamp SMD
Power: 3.5W
Lumens: 280lm
Efficiency: 80lm/W
Lamp holder: GU10



LED | warm WHITE 2700K | 120° | G | GU10

99XLED730NEW

Type: LED lamp SMD
Power: 7W
Lumens: 600lm
Efficiency: 86lm/W
Lamp holder: GU10

LED | neutral WHITE 4000K | 120° | G | GU10

99XLED729NEW

Type: LED lamp SMD
Power: 7W
Lumens: 600lm
Efficiency: 86lm/W
Lamp holder: GU10

LED | cold WHITE 6500K | 120° | G | GU10

99XLED796NEW

Type: LED lamp SMD
Power: 7W
Lumens: 600lm
Efficiency: 86lm/W
Lamp holder: GU10

Scan QR code for 3D models, IES files & price.

i Scan each QR code to see the price and availability of the product.



99LED728
99LED727



99LED732NEW
99LED731NEW

DIMMABLE



99LED459NEWCCT

Settable Colour Temperature

LED GU10 & LED GU10 WITH ADJUSTABLE COLOUR TEMPERATURE

LED | 120° | F | GU10 | warm WHITE 2700K | neutral WHITE 4000K

99LED728
99LED727



Type: LED lamp SMD
Power: 3W
Lumens: 270lm
Efficiency: 90lm/W
Lamp holder: GU10

LED | 120° | F | GU10 | DIMMABLE | warm WHITE 2700K | neutral WHITE 4000K

99LED732NEW
99LED731NEW



Type: LED lamp SMD
Power: 5W
Lumens: 470lm
Efficiency: 94lm/W
Lamp holder: GU10

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | F | GU10 | 120°

99LED459NEWCCT



Type: LED lamp with settable colour temperature
Power: 6W
Lumens: 600lm
Efficiency: 100lm/W
Lamp holder: GU10

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
~230V
>25000
30000h
Ra≥80
RoHs COMPLIANT
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



99LED831HENEWW
99LED831HENEWWW
99LED831HENEWCW

HIGH EFFICIENCY
SAVE ENERGY



99LED730NEW
99LED729NEW

HIGH EFFICIENCY LED GU10

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP20
~230V
>25000
30000h
Ra≥80
RoHs COMPLIANT
EMC
CE

Scan QR code for 3D models, IES files & price.

LED | warm WHITE 2700K | 120° | E | GU10



99LED831HENEWWW

Type: LED lamp SMD
Power: 6W
Lumens: 660lm
Efficiency: 110 lm/W
Lamp holder: GU10

LED | neutral WHITE 4000K | 120° | E | GU10

99LED831HENEWW

Type: LED lamp SMD
Power: 6W
Lumens: 660lm
Efficiency: 110 lm/W
Lamp holder: GU10

LED | cold WHITE 6400K | 120° | E | GU10

99LED831HENEWCW

Type: LED lamp SMD
Power: 6W
Lumens: 660lm
Efficiency: 110 lm/W
Lamp holder: GU10

LED | warm WHITE 2700K | 120° | F | GU10



99LED730NEW

Type: LED lamp SMD
Power: 6.5W
Lumens: 715lm
Efficiency: 110lm/W
Lamp holder: GU10

LED | neutral WHITE 4000K | 120° | F | GU10

99LED729NEW

Type: LED lamp SMD
Power: 6.5W
Lumens: 715lm
Efficiency: 110lm/W
Lamp holder: GU10

Scan each QR code to see the price and availability of the product.



99LED831NEWWW
99LED831NEW
99LED831NEWCW



99LED832NEWWW
99LED832NEWW
99LED832NEWCW

38°
BEAM ANGLE

LED GU10 120° & LED GU10 38°



LED warm WHITE 2700K | 120° | E | GU10

99LED831NEWWW

Type: LED lamp SMD
Power: 8W
Lumens: 880lm
Efficiency: 110lm/W
Lamp holder: GU10

LED neutral WHITE 4000K | 120° | E | GU10

99LED831NEW

Type: LED lamp SMD
Power: 8W
Lumens: 880lm
Efficiency: 110lm/W
Lamp holder: GU10

LED cold WHITE 6400K | 120° | E | GU10

99LED831NEWCW

Type: LED lamp SMD
Power: 8W
Lumens: 880lm
Efficiency: 110lm/W
Lamp holder: GU10



LED warm WHITE 2700K | 38° | F | GU10

99LED832NEWWW

Type: LED lamp SMD
Power: 7W
Lumens: 700lm
Efficiency: 100 lm/W
Lamp holder: GU10

LED neutral WHITE 4000K | 38° | F | GU10

99LED832NEWW

Type: LED lamp SMD
Power: 7W
Lumens: 700lm
Efficiency: 100 lm/W
Lamp holder: GU10

LED cold WHITE 6500K | 38° | F | GU10

99LED832NEWCW

Similar product option:
99LED832CW

Type: LED lamp SMD
Power: 7W
Lumens: 700lm
Efficiency: 100 lm/W
Lamp holder: GU10

3 YEARS TOTAL WARRANTY
3 standard
0 extended

IP20
~230V
>25000
30000h
Ra≥80
RoHs COMPLIANT
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



HIGH EFFICIENCY
HIGH POWER
SAVE ENERGY

99LED832HEWW
99LED832HEW
99LED832HECW
99LED833HEWW
99LED833HEW
99LED833HECW

HIGH EFFICIENCY LED GU10

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP20
~230V
>25000
30000h
Ra≥80
RoHs COMPLIANT
EMC
CE



LED | warm WHITE 2700K | 38° | E | GU10

99LED832HEWW

Type: LED lamp SMD
Power: 9W
Lumens: 1000lm
Efficiency: 110lm/W
Lamp holder: GU10

LED | neutral WHITE 4000K | 38° | E | GU10

99LED832HEW

Type: LED lamp SMD
Power: 9W
Lumens: 1000lm
Efficiency: 110lm/W
Lamp holder: GU10

LED | cold WHITE 6500K | 38° | E | GU10

99LED832HECW

Type: LED lamp SMD
Power: 9W
Lumens: 1000lm
Efficiency: 110lm/W
Lamp holder: GU10



LED | warm WHITE 2700K | 38° | F | GU10

99LED833HEWW

Type: LED lamp SMD
Power: 11W
Lumens: 1200lm
Efficiency: 109lm/W
Lamp holder: GU10

LED | neutral WHITE 4000K | 38° | F | GU10

99LED833HEW

Type: LED lamp SMD
Power: 11W
Lumens: 1200lm
Efficiency: 109lm/W
Lamp holder: GU10

LED | cold WHITE 6500K | 38° | F | GU10

99LED833HECW

Type: LED lamp SMD
Power: 11W
Lumens: 1200lm
Efficiency: 109lm/W
Lamp holder: GU10

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



12V DC

99LED841WW
99LED841W
99LED841CW



12V DC

99LED880WW
99LED880

LOW VOLTAGE LED LAMPS GU10 & GU5.3





99LED841WW

Type: LED lamp SMD
Rated voltage: 12V DC
Power: 7W
Lumens: 490lm
Efficiency: 70lm/W
Lamp holder: GU10



99LED841W

Type: LED lamp SMD
Rated voltage: 12V DC
Power: 7W
Lumens: 490lm
Efficiency: 70lm/W
Lamp holder: GU10



99LED841CW

Type: LED lamp SMD
Rated voltage: 12V DC
Power: 7W
Lumens: 490lm
Efficiency: 70lm/W
Lamp holder: GU10



99LED880WW

99LED880



Type: LED lamp SMD
Rated voltage: 12V DC
Power: 6W
Lumens: 480lm
Efficiency: 80lm/W
Lamp holder: GU5.3

3 YEARS TOTAL WARRANTY
3 standard
0 extended

IP20
12V DC
>25000
30000h
Ra≥80
RoHs COMPLIANT
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



99LED815
99LED816
99LED817



99LED933
99LED933W
99LED933CW

LED G9

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
~230V
>25000
30000h
Ra≥80
RoHs COMPLIANT
EMC
CE





99LED815

Type: LED lamp SMD
Power: 4W
Lumens: 350lm
Efficiency: 87.5lm/W
Lamp holder: G9



99LED816

Type: LED lamp SMD
Power: 4W
Lumens: 350lm
Efficiency: 87.5lm/W
Lamp holder: G9



99LED817

Type: LED lamp SMD
Power: 4W
Lumens: 350lm
Efficiency: 87.5lm/W
Lamp holder: G9





99LED933

Type: LED lamp SMD
Power: 7W
Lumens: 630lm
Efficiency: 90lm/W
Lamp holder: G9



99LED933W

Type: LED lamp SMD
Power: 7W
Lumens: 630lm
Efficiency: 90lm/W
Lamp holder: G9



99LED933CW

Type: LED lamp SMD
Power: 7W
Lumens: 630lm
Efficiency: 90lm/W
Lamp holder: G9

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



99LED918WW
99LED918W
99LED918CW



99LED813

LED G9 / G4



LED | warm WHITE 2700K | 300° | F | DIMMABLE | G9

99LED918WW

Type: LED lamp SMD
Power: 7W
Rated voltage: 220V AC
Lumens: 700lm
Efficiency: 100lm/W
Lamp holder: G9

LED | neutral WHITE 4000K | 300° | F | DIMMABLE | G9

99LED918W

Type: LED lamp SMD
Power: 7W
Rated voltage: 220V AC
Lumens: 700lm
Efficiency: 100lm/W
Lamp holder: G9

LED | cold WHITE 6500K | 300° | F | DIMMABLE | G9

99LED918CW

Type: LED lamp SMD
Power: 7W
Rated voltage: 220V AC
Lumens: 700lm
Efficiency: 100lm/W
Lamp holder: G9

3 YEARS TOTAL WARRANTY
3 standard
0 extended

IP20
>25000
30000h
RoHs COMPLIANT
EMC
CE

LED | warm WHITE 3000K | 300° | F | G4

99LED813



Type: LED lamp SMD
Rated voltage: 12V DC
Power: 1.2W
Lumens: 100lm
Lamp holder: G4

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



Settable Colour Temperature

99LED443/CCT



Settable Colour Temperature

99LED445/CCT



Settable Colour Temperature

99LED444/CCT



Settable Colour Temperature

99LED446/CCT

LED R7s / LED GX53

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
~230V
>20000
30000h
Ra≥80
RoHs COMPLIANT
EMC
CE

Scan QR code for 3D models, IES files & price.

99LED443/CCT

LED | warm WHITE 2700K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | 360° | E | R7s



Type: LED lamp with settable colour temperature
Power: 3.2W
Lumens: 400lm
Efficiency: 125lm/W
Lamp holder: R7s

99LED444/CCT

LED | warm WHITE 2700K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | 360° | E | R7s



Type: LED lamp with settable colour temperature
Power: 7.5W
Lumens: 850lm
Efficiency: 113lm/W
Lamp holder: R7s

99LED445/CCT

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | 112° | E



Type: LED lamp with settable colour temperature
Power: 3W
Lumens: 410lm
Efficiency: 136lm/W
Lamp holder: GX53

99LED446/CCT

LED | warm WHITE 3000K | neutral WHITE 4000K | cold WHITE 6500K | SETTABLE | 112° | E



Type: LED lamp with settable colour temperature
Power: 10W
Lumens: 1200lm
Efficiency: 120lm/W
Lamp holder: GX53

Scan each QR code to see the price and availability of the product.



99LED930

LED PLL



99LED930



Type: LED PLL lamp
Power: 20W
Lumens: 2000lm
Efficiency: 100lm/W
Lamp holder: 2G11

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
~230V
>20000
30000h
RoHs COMPLIANT
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



99LED960M
99LED962M

99LED963F
99LED965F

FRESH LIGHT LED TUBE T8 FOR MEAT & FRUITS



99LED960M

Type: LED tube T8 for meat
Power: 9W
Lumens: 585lm
Efficiency: 65lm/W
Lamp holder: G13
Red LED tube with spacial purpose used for meat in supermarkets.





99LED962M

Type: LED tube T8 for meat
Power: 18W
Lumens: 1170lm
Lamp holder: G13
Efficiency: 65lm/W
Red LED tube with spacial purpose used for meat in supermarkets.





99LED963F

Type: LED tube T8 for fruits and vegetables
Power: 9W
Lumens: 720lm
Efficiency: 80lm/W
Lamp holder: G13
Green LED tube with spacial purpose used for fruits and vegetables in supermarkets.





99LED965F

Type: LED tube T8 for fruits and vegetables
Power: 18W
Lumens: 1440lm
Efficiency: 80lm/W
Lamp holder: G13
Green LED tube with spacial purpose used for fruits and vegetables in supermarkets.



3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
~230V
SMD 4014
>25000
30000h
Ra≥80
RoHs COMPLIANT
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



99LED966B
99LED968B

FRESH LIGHT LED TUBE T8 FOR BREAD

LED | warm WHITE 3000K | 300° | F | G13

99LED966B

Type: LED tube T8 for bread
Power: 9W
Lumens: 810lm
Efficiency: 90lm/W
Lamp holder: G13
LED tube with spacial purpose used for bread in supermarkets.



LED | warm WHITE 3000K | 300° | F | G13

99LED968B

Type: LED tube T8 for bread
Power: 18W
Lumens: 1620lm
Efficiency: 90lm/W
Lamp holder: G13
LED tube with spacial purpose used for bread in supermarkets.



Through the colour mixing technology to achieve unparalleled lighting effect and effectively improve the fresh food area to attract customer different occasions, green for vegetable and fruit departament. Red in generally used for meat lighting to show the delicios meat and you could always find the lighting that you need.
Application: supermarket, shelves, freezer stores, departament stores counters.



99LED960M
99LED962M



99LED963F
99LED965F



99LED966B
99LED968B

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
~230V
SMD 4014
>25000
30000h
Ra≥80
RoHs COMPLIANT
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



99XLED352NEW
99XLED351NEW



99XLED355NEW
99XLED354NEW



99XLED448NEW
99XLED447NEW

LED TUBES T8, STELLAR

LED | 270° | F | G13

neutral WHITE 4000K
cold WHITE 6400K

99XLED352NEW
Similar product option:
99XLED352

99XLED351NEW
Similar product option:
99XLED351N

Type: LED tube T8 Stellar
Power: 9W
Lumens: 900lm
Efficiency: 100lm/W
Lamp holder: G13



LED | 270° | F | G13

neutral WHITE 4000K
cold WHITE 6400K

99XLED355NEW
Similar product option:
99XLED355

99XLED354NEW
Similar product option:
99XLED354

Type: LED tube T8 Stellar
Power: 18W
Lumens: 1800lm
Efficiency: 100lm/W
Lamp holder: G13



LED | 270° | F | G13

neutral WHITE 4000K
cold WHITE 6400K

99XLED448NEW
Similar product option:
99XLED448

99XLED447NEW
Similar product option:
99XLED447

Type: LED tube T8 Stellar
Power: 24W
Lumens: 2400lm
Efficiency: 100lm/W
Lamp holder: G13



2 YEARS TOTAL WARRANTY
2 standard + 0 extended

IP20
~230V
SMD 4014
>20000
15000h
Ra≥80
RoHs COMPLIANT
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



99LED352MNEW
99LED351MNEW



99LED355MNEW
99LED354MNEW



99LED448MNEW
99LED447MNEW

LED TUBES T8, ELMARK

LED | 300° | E | G13 | neutral WHITE 4000K | cold WHITE 6400K

99LED352MNEW

99LED351MNEW

Similar product option:
99LED351M

Type: LED tube T8 ELMARK
Power: 9W
Lumens: 1080lm
Efficiency: 120lm/W
Lamp holder: G13



LED | 300° | E | G13 | neutral WHITE 4000K | cold WHITE 6400K

99LED355MNEW

99LED354MNEW

Type: LED tube T8 ELMARK
Power: 18W
Lumens: 2160lm
Efficiency: 120lm/W
Lamp holder: G13



LED | 300° | E | G13 | neutral WHITE 4000K | cold WHITE 6400K

99LED448MNEW

Similar product option:
99LED448M

99LED447MNEW

Type: LED tube T8 ELMARK
Power: 24W
Lumens: 2880lm
Efficiency: 120lm/W
Lamp holder: G13



3 YEARS TOTAL WARRANTY
3 standard
0 extended

IP20
~230V
SMD 4014
>25000
30000h
Ra≥80
RoHs COMPLIANT
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



HIGH EFFICIENCY
SAVE ENERGY

99LED352MHE
99LED351MHE



HIGH EFFICIENCY
SAVE ENERGY

99LED355MHE
99LED354MHE



HIGH EFFICIENCY
SAVE ENERGY

99LED448MHE
99LED447MHE

ROTATING HIGH EFFICIENCY LED TUBES T8, ELMARK

LED | 270° | D | G13 | neutral WHITE 4000K | cold WHITE 6400K

99LED352MHE
99LED351MHE



Type: High efficiency LED tube T8 ELMARK
Power: 9W
Lumens: 1350lm
Efficiency: 150lm/W
Lamp holder: G13

LED | 270° | D | G13 | neutral WHITE 4000K | cold WHITE 6400K

99LED355MHE
99LED354MHE



Type: High efficiency LED tube T8 ELMARK
Power: 18W
Lumens: 2700lm
Efficiency: 150lm/W
Lamp holder: G13

LED | 270° | D | G13 | neutral WHITE 4000K | cold WHITE 6400K

99LED448MHE
99LED447MHE



Type: High efficiency LED tube T8 ELMARK
Power: 24W
Lumens: 3600lm
Efficiency: 150lm/W
Lamp holder: G13

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP20
~230V
SMD 4014
>25000
30000h
Ra≥80
RoHs COMPLIANT
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



99LED928NEW
99LED926NEW



99LED929NEW
99LED927NEW

LED TUBES T5, ELMARK

LED | 300° | F | G5 | neutral WHITE 4000K | cold WHITE 6400K

99LED928NEW

99LED926NEW

Type: LED tube T5 ELMARK
Power: 10W
Lumens: 1100lm
Efficiency: 110lm/W
Lamp holder: G5



LED | 300° | F | G5 | neutral WHITE 4000K | cold WHITE 6400K

99LED929NEW

Similar product option:
99LED929

99LED927NEW

Similar product option:
99LED927

Type: LED tube T5 ELMARK
Power: 20W
Lumens: 2200lm
Efficiency: 110lm/W
Lamp holder: G5



3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
~230V
SMD 4014
>20000
30000h
Ra≥80
RoHs COMPLIANT
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



99XLED311
99XLED316



99XLED306
99XLED305



99XLED313
99XLED312

LED STRIPS LED 150 RGB & LED 300 12V DC

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

12V DC
SMD 5050
15000h
REEL 5m
RoHs COMPLIANT
CE

LED RGB 120°

99XLED311



IP20

Type: LED 150 RGB
Power: 7.2 W/m
LEDs quantity: 30 pc/m
LED chip: 5050
Width: 10 mm
Flex white FCB, double layer, mark cut.

LED RGB 120°

99XLED316



IP65

Type: LED 150 RGB
Power: 7.2 W/m
LEDs quantity: 30 pc/m
LED chip: 5050
Width: 10 mm
Flex white FCB, double layer, mark cut, with mount. brackets.

LED 120° A G G

warm WHITE 2700-3000K
cold WHITE 6000-6500K

99XLED306
99XLED305



IP20

Type: LED 300
Power: 4.8 W/m
Luminous efficiency: 3-4 lm/LED
LEDs quantity: 60 pc/m
LED chip: 2835
Width: 8 mm
Flex white PCB, single layer, mark cut.

LED 120° A G G

warm WHITE 2700-3000K
cold WHITE 6000-6500K

99XLED313
99XLED312



IP65

Type: LED 300
Power: 4.8 W/m
Luminous efficiency: 3-4 lm/LED
LEDs quantity: 60 pc/m
LED chip: 2835
Width: 8 mm
Flex white PCB, single layer, mark cut, with mount. brackets.

Scan QR code for 3D models, IES files & price.

i Scan each QR code to see the price and availability of the product.



99XLED310
99XLED322
99XLED309



99XLED318
99XLED319
99XLED317

LED STRIPS LED 300 12V DC



IP20

99XLED310

warm WHITE 2700-3000K | 120° | G

Type: LED 300
Power: 14.4 W/m
LEDs quantity: 60 pc/m
LED chip: 5050
Width: 10 mm

99XLED322

neutral WHITE 4000-4300K | 120° | G

Type: LED 300
Power: 14.4 W/m
LEDs quantity: 60 pc/m
LED chip: 5050
Width: 10 mm

99XLED309

cold WHITE 6000-6500K | 120° | G

Type: LED 300
Power: 14.4 W/m
LEDs quantity: 60 pc/m
LED chip: 5050
Width: 10 mm

Flex white FCB, double layer, mark cut



IP65

99XLED318

warm WHITE 2700-3000K | 120° | G

Type: LED 300
Power: 14.4 W/m
LEDs quantity: 60 pc/m
LED chip: 5050
Width: 10 mm

99XLED319

neutral WHITE 4000-4300K | 120° | G

Type: LED 300
Power: 14.4 W/m
LEDs quantity: 60 pc/m
LED chip: 5050
Width: 10 mm

99XLED317

cold WHITE 6000-6500K | 120° | G

Type: LED 300
Power: 14.4 W/m
LEDs quantity: 60 pc/m
LED chip: 5050
Width: 10 mm

Flex white FCB, double layer, mark cut, with mount. brackets.

2 YEARS TOTAL WARRANTY
2 standard + 0 extended

12V DC
SMD 5050
15000h
REEL 5m
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

*Compatible with DALI

page 1162

ELMARK
The Brand of Electricity



99LED676
99LED670
99LED671



99LED677
99LED678

LED STRIPS LED 300 12V DC

LED | RGB | 120°

99LED676

Type: LED 300 RGB
Power: 14.4 W/m
LEDs quantity: 60 pc/m
LED chip: 5050
Width: 10 mm
Flex white PCB, with 3M adhere attached, mark cut.
**DALI dimmable*



IP20

LED | 120° | A F G | F | warm WHITE 2700-3000K | cold WHITE 6200-6500K

99LED670
99LED671

Type: LED 300
Power: 14.4 W/m
LEDs quantity: 60 pc/m
LED chip: 5050
Width: 10 mm
Flex white PCB, with 3M adhere attached, mark cut.
**DALI dimmable*



IP20

LED | 120° | A F G | F | warm WHITE 2700-3000K | cold WHITE 6200-6500K

99LED677
99LED678

Type: LED 300
Power: 14.4 W/m
LEDs quantity: 60 pc/m
LED chip: 5050
Width: 10 mm
Flex white PCB, mark cut, with mount. brackets.
**DALI dimmable*



IP65

5 YEARS TOTAL WARRANTY + 3 standard 2 extended

12V DC | SMD 5050 | 30000h | REEL 5m | RoHS COMPLIANT | CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

*Compatible with DALI

DALI page 1162

ELMARK
The Brand of Electricity



99LED672
99LED673
99LED674
99LED675



99LED679
99LED680
99LED681
99LED682

COLOUR LED STRIPS LED 300 12V DC

LED 120°



IP20

99LED672
YELLOW 587-592K

Type: LED strip ELMARK
Power: 14.4 W/m
LEDs quantity: 60 pc/m
LED Chip: 5050
Width: 10 mm
DALI dimmable

99LED673
GREEN 520-525K

Type: LED strip ELMARK
Power: 14.4 W/m
LEDs quantity: 60 pc/m
LED Chip: 5050
Width: 10 mm
DALI dimmable

99LED674
BLUE 465-470K

Type: LED strip ELMARK
Power: 14.4 W/m
LEDs quantity: 60 pc/m
LED Chip: 5050
Width: 10 mm
DALI dimmable

99LED675
RED 620-630K

Type: LED strip ELMARK
Power: 14.4 W/m
LEDs quantity: 60 pc/m
LED Chip: 5050
Width: 10 mm
DALI dimmable

Flex white PCB, with 3m adhere attached, mark cut

LED 120°



IP65

99LED679
YELLOW 587-592K

Type: LED strip ELMARK
Power: 14.4 W/m
LEDs quantity: 60 pc/m
LED Chip: 5050
Width: 10 mm
DALI dimmable

99LED680
GREEN 520-525K

Type: LED strip ELMARK
Power: 14.4 W/m
LEDs quantity: 60 pc/m
LED Chip: 5050
Width: 10 mm
DALI dimmable

99LED681
BLUE 465-470K

Type: LED strip ELMARK
Power: 14.4 W/m
LEDs quantity: 60 pc/m
LED Chip: 5050
Width: 10 mm
DALI dimmable

99LED682
RED 620-630K

Type: LED strip ELMARK
Power: 14.4 W/m
LEDs quantity: 60 pc/m
LED Chip: 5050
Width: 10 mm
DALI dimmable

Flex white PCB, mark cut, with mount. brackets.

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

12V DC
SMD 5050
30000h
REEL 5m
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

i Scan each QR code to see the price and availability of the product.



99XLED308
99XLED321
99XLED307



99XLED315
99XLED320
99XLED314

LED STRIPS LED 600 12V DC

2 YEARS TOTAL WARRANTY
2 standard + 0 extended

12V DC
SMD 5050
15000h
REEL 5m
RoHs COMPLIANT
CE



IP20

LED | warm WHITE 2700-3000K | 120° | G

99XLED308

Type: LED 600
Power: 9.6 W/m
LEDs quantity: 120 pc/m
LED chip: 2835
Width: 8 mm

LED | neutral WHITE 4000-4300K | 120° | G

99XLED321

Type: LED 600
Power: 9.6 W/m
LEDs quantity: 120 pc/m
LED chip: 2835
Width: 8 mm

LED | cold WHITE 6000-6500K | 120° | G

99XLED307

Type: LED 600
Power: 9.6 W/m
LEDs quantity: 120 pc/m
LED chip: 2835
Width: 8 mm

Flex white FCB, double layer, mark cut.



IP65

LED | warm WHITE 2700-3000K | 120° | G

99XLED315

Type: LED 600
Power: 9.6 W/m
LEDs quantity: 120 pc/m
LED chip: 2835
Width: 8 mm

LED | neutral WHITE 4000-4300K | 120° | G

99XLED320

Type: LED 600
Power: 9.6 W/m
LEDs quantity: 120 pc/m
LED chip: 2835
Width: 8 mm

LED | cold WHITE 6000-6500K | 120° | G

99XLED314

Type: LED 600
Power: 9.6 W/m
LEDs quantity: 120 pc/m
LED chip: 2835
Width: 8 mm

Flex white FCB, double layer, mark cut, with mount. brackets.

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



99LED666
99LED667



99LED668
99LED669

LED STRIPS LED 600 12V DC

LED | 120° | F | warm WHITE 2700-3000K | cold WHITE 6200-6500K

99LED666
99LED667



Type: LED strip 600 ELMARK
Power: 9.6 W/m
LEDs quantity: 120 pc/m
LED Chip: 2835
Width: 8 mm
Flex white PCB, with 3m adhere attached, mark cut.
**DALI dimmable*

IP20

LED | 120° | F | warm WHITE 2700-3000K | cold WHITE 6200-6500K

99LED668
99LED669



Type: LED strip 600 ELMARK
Power: 9.6 W/m
LEDs quantity: 120 pc/m
LED Chip: 2835
Width: 8 mm
Flex white FCB, double layer, mark cut, with mount. brackets.
**DALI dimmable*

IP65

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

12V DC
SMD 2835
30000h
REEL 5m
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

*Compatible with DALI

page 1162

ELMARK
The Brand of Electricity



99LED688
99LED689



99LED691
99LED692



99LED684
99LED685



99LED686
99LED687

LED STRIPS LED 600 & LED 1200 12V DC

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

12V DC
30000h
REEL 5m
RoHs COMPLIANT
CE

LED | 120° | F

warm WHITE 2700-3000K
cold WHITE 6000-6500K

99LED688
99LED689

Type: LED 600
Power: 29 W/m
LEDs quantity: 2X60 pc/m
LED chip: 5050
Width: 12 mm
Flex white PCB, with 3M adhere attached, mark cut.
**DALI dimmable*



IP20

LED | 120° | F

warm WHITE 2700-3000K
cold WHITE 6000-6500K

99LED691
99LED692

Type: LED 600
Power: 29 W/m
LEDs quantity: 2X60 pc/m
LED chip: 5050
Width: 12 mm
Flex white PCB hollow tube waterproof IP65, mark cut, with mount. brackets.
**DALI dimmable*



IP65

LED | 120° | F

warm WHITE 2700-3000K
cold WHITE 6000-6500K

99LED684
99LED685

Type: LED 1200
Power: 20 W/m
LEDs quantity: 2X120 pc/m
LED chip: 5050
Width: 12 mm
Flex white PCB, with 3M adhere attached, mark cut.
**DALI dimmable*



IP20

LED | 120° | F

warm WHITE 2700-3000K
cold WHITE 6000-6500K

99LED686
99LED687

Type: LED 1200
Power: 20 W/m
LEDs quantity: 2X120 pc/m
LED chip: 5050
Width: 12 mm
Flex white PCB hollow tube waterproof IP65, mark cut, with mount. brackets.
**DALI dimmable*



IP65

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

*Compatible with DALI

DALI page 1162

ELMARK
The Brand of Electricity



99LED690



99LED693



RGB + WHITE

99LED884

LED STRIPS LED 600 & LED 300 RGB+W 12V DC

LED | RGB | 120°

99LED690



IP20

Type: LED 600 RGB
Power: 29 W/m
LEDs quantity: 2X60 pc/m
LED chip: 5050
Width: 12 mm
Flex white PCB, with 3M adhere attached, mark cut.
**DALI dimmable*

LED | RGB | 120°

99LED693



IP65

Type: LED 600 RGB
Power: 29 W/m
LEDs quantity: 2X60 pc/m
LED chip: 5050
Width: 12 mm
Flex white PCB hollow tube waterproof IP65, mark cut, with mount. brackets.
**DALI dimmable*

LED | RGB+WHITE | 120°

99LED884



IP20

Type: LED 300 RGB+WHITE
Power: 14.4 W/m
LEDs quantity: 60 pc/m
LED chip: 5050
Width: 10 mm
Flex white PCB, with 3M adhere attached, mark cut.
**DALI dimmable*





5 YEARS TOTAL WARRANTY
3 standard + 2 extended

12V DC
SMD 5050
30000h
REEL 5m
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

*Compatible with DALI

page 1162

ELMARK The Brand of Electricity



99LED866
99LED867



99LED874
99LED875



99LED864
99LED865



99LED872
99LED873

LED STRIPS LED 300 & LED 600 24V DC

LED | 120° | F | warm WHITE 2700-3000K | cold WHITE 6200-6500K

99LED866
99LED867



Type: LED 300
Power: 14.4 W/m
LEDs quantity: 60 pc/m
LED chip: 5050
Width: 10 mm
Flex white PCB, with 3m adhere attached, mark cut
**DALI dimmable*

IP20

LED | 120° | F | warm WHITE 2700-3000K | cold WHITE 6200-6500K

99LED874
99LED875



Type: LED 300
Power: 14.4 W/m
LEDs quantity: 60 pc/m
LED chip: 5050
Width: 10 mm
Flex white PCB hollow tube waterproof IP65, mark cut, with mount. brackets.
**DALI dimmable*

IP65

LED | 120° | F | warm WHITE 2700-3000K | cold WHITE 6000-6500K

99LED864
99LED865



Type: LED 600
Power: 9.6W/m
LEDs quantity: 120 pc/m
LED chip: 2835
Width: 8 mm
Flex white PCB, with 3M adhere attached, mark cut
**DALI dimmable*

IP20

LED | 120° | F | warm WHITE 2700-3000K | cold WHITE 6000-6500K

99LED872
99LED873



Type: LED 600
Power: 9.6 W/m
LEDs quantity: 120 pc/m
LED chip: 2835
Width: 10 mm
Flex white PCB hollow tube waterproof IP65, mark cut, with mount. brackets.
**DALI dimmable*

IP65

5 YEARS TOTAL WARRANTY + 3 standard 2 extended

24V DC
30000h
REEL 5m
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

*Compatible with DALI

DALI page 1162

ELMARK
The Brand of Electricity



99LED868
99LED869
99LED870
99LED871



99LED876
99LED877
99LED878
99LED879

COLOUR LED STRIPS LED 600 24V DC

LED 120°



IP20

99LED868

YELLOW 587-592K

Type: LED strip
Power: 9.6 W/m
LEDs quantity: 120 pc/m
LED chip: 2835
Width: 8 mm
DALI dimmable

99LED869

GREEN 520-525K

Type: LED strip
Power: 9.6 W/m
LEDs quantity: 120 pc/m
LED chip: 2835
Width: 8 mm
DALI dimmable

99LED870

BLUE 465-470K

Type: LED strip
Power: 9.6 W/m
LEDs quantity: 120 pc/m
LED chip: 2835
Width: 8 mm
DALI dimmable

99LED871

RED 620-630K

Type: LED strip
Power: 9.6 W/m
LEDs quantity: 120 pc/m
LED chip: 2835
Width: 8 mm
DALI dimmable

Flex white PCB, with 3m adhere attached, mark cut

LED 120°



IP65

99LED876

YELLOW 587-592K

Type: LED stripPower: 9.6 W/m
LEDs quantity: 120 pc/m
LED chip: 2835
Width: 8 mm
DALI dimmable

99LED877

GREEN 520-525K

Type: LED strip
Power: 9.6 W/m
LEDs quantity: 120 pc/m
LED chip: 2835
Width: 8 mm
DALI dimmable

99LED878

BLUE 465-470K

Type: LED strip
Power: 9.6 W/m
LEDs quantity: 120 pc/m
LED chip: 2835
Width: 8 mm
DALI dimmable

99LED879

RED 620-630K

Type: LED strip
Power: 9.6 W/m
LEDs quantity: 120 pc/m
LED chip: 2835
Width: 8 mm
DALI dimmable

Flex white PCB hollow tube waterproof IP65, mark cut, with mount. brackets.

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

24V DC
SMD 2835
30000h
REEL 5m
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

*Compatible with DALI

page 1162

ELMARK
The Brand of Electricity



99LED891WWIP20
99LED891WIP20
99LED891CWIP20



99LED891WWIP65
99LED891WIP65
99LED891CWIP65

LED STRIPS LED 300 24V DC

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

24V DC
SMD 5050
30000h
REEL 5m
RoHs COMPLIANT
CE



IP20

LED warm WHITE 2700-3000K 120° F

99LED891WWIP20

Type: LED strip 300
Power: 6W/m
Luminous efficiency: 500lm/W
LEDs quantity: 60 pc/m
Width: 8 mm
DALI dimmable

LED neutral WHITE 4000-4300K 120° F

99LED891WIP20

Type: LED strip 300
Power: 6W/m
Luminous efficiency: 500lm/W
LEDs quantity: 60 pc/m
Width: 8 mm
DALI dimmable

LED cold WHITE 6000-6500K 120° F

99LED891CWIP20

Type: LED strip 300
Power: 6W/m
Luminous efficiency: 500lm/W
LEDs quantity: 60 pc/m
Width: 8 mm
DALI dimmable

Flex white FCB, double layer, mark cut



IP65

LED warm WHITE 2700-3000K 120° F

99LED891WWIP65

Type: LED strip 300
Power: 6W/m
Luminous efficiency: 500lm/W
LEDs quantity: 60 pc/m
Width: 8 mm
DALI dimmable

LED neutral WHITE 4000-4300K 120° F

99LED891WIP65

Type: LED strip 300
Power: 6W/m
Luminous efficiency: 500lm/W
LEDs quantity: 60 pc/m
Width: 8 mm
DALI dimmable

LED cold WHITE 6000-6500K 120° F

99LED891CWIP65

Type: LED strip 300
Power: 6W/m
Luminous efficiency: 500lm/W
LEDs quantity: 60 pc/m
Width: 8 mm
DALI dimmable

Flex white PCB hollow tube waterproof IP65, mark cut, with mount. brackets.

Scan QR code for 3D models, IES files & price.

i Scan each QR code to see the price and availability of the product.



99XLED892WWIP20
99XLED892WIP20
99XLED892CWIP20



99XLED892WWIP65
99XLED892WIP65
99XLED892CWIP65

LED STRIPS LED 1200 24V DC

LED warm WHITE 3000K | 120° | F

99XLED892WWIP20

Type: LED strip 1200
Power: 18W/m
Luminous efficiency: 1800lm/W
LEDs quantity: 240 pc/m
Width: 10 mm

LED neutral WHITE 4000K | 120° | F

99XLED892WIP20

Type: LED strip 1200
Power: 18W/m
Luminous efficiency: 1800lm/W
LEDs quantity: 240 pc/m
Width: 10 mm

LED cold WHITE 6500K | 120° | F

99XLED892CWIP20

Type: LED strip 1200
Power: 18W/m
Luminous efficiency: 1800lm/W
LEDs quantity: 240 pc/m
Width: 10 mm



IP20

Flex white FCB, double layer, mark cut

LED warm WHITE 3000K | 120° | F

99XLED892WWIP65

Type: LED strip 1200
Power: 18W/m
Luminous efficiency: 1800lm/W
LEDs quantity: 240 pc/m
Width: 10 mm

LED neutral WHITE 4000K | 120° | F

99XLED892WIP65

Type: LED strip 1200
Power: 18W/m
Luminous efficiency: 1800lm/W
LEDs quantity: 240 pc/m
Width: 10 mm

LED cold WHITE 6500K | 120° | F

99XLED892CWIP65

Type: LED strip 1200
Power: 18W/m
Luminous efficiency: 1800lm/W
LEDs quantity: 240 pc/m
Width: 10 mm



IP65

Flex white PCB hollow tube waterproof IP65, mark cut, with mount. brackets.

2 YEARS TOTAL WARRANTY
2 standard + 0 extended

24V DC
SMD 2835
30000h
REEL 5m
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

*Compatible with DALI

page 1162

ELMARK
The Brand of Electricity



99LED892WWIP20
99LED892WIP20
99LED892CWIP20



99LED892WWIP65
99LED892WIP65
99LED892CWIP65

LED STRIPS LED 1200 24V DC

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

24V DC
SMD 5050
30000h
REEL 5m
RoHs COMPLIANT
CE



IP20

LED warm WHITE 3000K | 120° | ENERGY F

99LED892WWIP20

Type: LED strip 1200
Power: 18W/m
Luminous efficiency: 1800lm/W
LEDs quantity: 240 pc/m
Width: 10 mm
DALI dimmable

LED neutral WHITE 4000K | 120° | ENERGY F

99LED892WIP20

Type: LED strip 1200
Power: 18W/m
Luminous efficiency: 1800lm/W
LEDs quantity: 240 pc/m
Width: 10 mm

DALI dimmable

LED cold WHITE 6500K | 120° | ENERGY F

99LED892CWIP20

Type: LED strip 1200
Power: 18W/m
Luminous efficiency: 1800lm/W
LEDs quantity: 240 pc/m
Width: 10 mm
DALI dimmable

Flex white FCB, double layer, mark cut.



IP65

LED warm WHITE 3000K | 120° | ENERGY F

99LED892WWIP65

Type: LED strip 1200
Power: 18W/m
Luminous efficiency: 1800lm/W
LEDs quantity: 240 pc/m
Width: 10 mm
DALI dimmable

LED neutral WHITE 4000K | 120° | ENERGY F

99LED892WIP65

Type: LED strip 1200
Power: 18W/m
Luminous efficiency: 1800lm/W
LEDs quantity: 240 pc/m
Width: 10 mm
DALI dimmable

LED cold WHITE 6500K | 120° | ENERGY F

99LED892CWIP65

Type: LED strip 1200
Power: 18W/m
Luminous efficiency: 1800lm/W
LEDs quantity: 240 pc/m
Width: 10 mm
DALI dimmable

Flex white PCB hollow tube waterproof IP65, mark cut, with mount. brackets.

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

*Compatible with DALI

DALI page 1162

ELMARK
The Brand of Electricity



Ra | >90

99LED895WWIP20
99LED895WIP20
99LED895CWIP20



99LED893RGBIP20



RGB + WHITE

99LED894RGBW20



99LED893RGBIP65

LED STRIPS LED 600 24V DC Ra>90 & LED STRIPS LED 300 RGB 24V DC

LED | warm WHITE 3000K | 120° | F

99LED895WWIP20



IP20

Type: LED strip 600
Power: 11W/m
Luminous efficiency: 900lm/W
LEDs quantity: 120 pc/m
Width: 8 mm
Ra>90
DALI dimmable

Flex white FCB, double layer, mark cut.

LED | neutral WHITE 4000K | 120° | F

99LED895WIP20

Type: LED strip 600
Power: 11W/m
Luminous efficiency: 900lm/W
LEDs quantity: 120 pc/m
Width: 8 mm
Ra>90
DALI dimmable

LED | cold WHITE 6500K | 120° | F

99LED895CWIP20

Type: LED strip 600
Power: 11W/m
Luminous efficiency: 900lm/W
LEDs quantity: 120 pc/m
Width: 8 mm
Ra>90
DALI dimmable

24V DC
SMD 5050
30000h
REEL 5m
RoHs COMPLIANT
CE

5 YEARS TOTAL WARRANTY
4 standard + 1 extended

LED | 120°

RGB
RGB+WHITE

99LED893RGBIP20

99LED894RGBW20



IP20

Type: LED strip 300 RGB/ RGBW
Power: 12W/m
LEDs quantity: 60 pc/m
Width: 10 mm
Flex white FCB, double layer, mark cut.
*DALI dimmable

LED | RGB | 120°

99LED893RGBIP65



IP65

Type: LED strip 300 RGB
Power: 12W/m
LEDs quantity: 60 pc/m
Width: 10 mm
Flex white PCB hollow tube water-proof IP65, mark cut, with mount. brackets.
*DALI dimmable

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

*Compatible with DALI

DALI page 1162

ELMARK
The Brand of Electricity



HIGH EFFICIENCY

99LED982WW
99LED982
99LED982CW



99LED983WW
99LED983
99LED983CW

LED STRIPS HIGH EFFICIENCY & S-TYPE BENDABLE LED STRIP 24V DC

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

24V DC
SMD 5630
30000h
REEL 5m
RoHs COMPLIANT
CE



IP20

LED warm WHITE 3000K 120° E

99LED982WW

Type: High efficiency LED strip
Power: 9.6 W/m
LEDs quantity: 72pc/m
LED chip: 5630
Width: 8 mm
**DALI dimmable*

LED neutral WHITE 4000K 120° E

99LED982

Type: High efficiency LED strip
Power: 9.6 W/m
LEDs quantity: 72pc/m
LED chip: 5630
Width: 8 mm
**DALI dimmable*

LED cold WHITE 6500K 120° E

99LED982CW

Type: High efficiency LED strip
Power: 9.6 W/m
LEDs quantity: 72pc/m
LED chip: 5630
Width: 8 mm
**DALI dimmable*

Self adhesive, mark cut.



IP20

LED warm WHITE 3000K 120° G

99LED983WW

Type: S-type bendable LED strip
Power: 7.2 W/m
Luminous efficiency: 700 lm/m
LED chip: 2835
Width: 6 mm
**DALI dimmable*

LED neutral WHITE 4000K 120° G

99LED983

Type: S-type bendable LED strip
Power: 7.2 W/m
Luminous efficiency: 700 lm/m
LED chip: 2835
Width: 6 mm
**DALI dimmable*

LED cold WHITE 6500K 120° G

99LED983CW

Type: S-type bendable LED strip
Power: 7.2 W/m
Luminous efficiency: 700 lm/m
LED chip: 2835
Width: 6 mm
**DALI dimmable*

Self adhesive, mark cut.

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



99LED1311CCTIP20



99LED1311CCTIP66

COB LED STRIP 24V DC

LED | SETTABLE 2700K ÷ 6500K | Ra>90 | 120° | F

99LED1311CCTIP20



Type: LED COB strip
Power: 14W/m
Lumens: 1260lm/m
Efficiency: 90lm/W
Cutting unit: 26.31mm
LED QTY: 608 pcs/m
Width: 8 mm

IP20

LED | SETTABLE 2700K ÷ 6500K | Ra>90 | 120° | F

99LED1311CCTIP66



Type: LED COB strip
Power: 14W/m
Lumens: 1260lm/m
Efficiency: 90lm/W
Cutting unit: 26.31mm
LED QTY: 608 pcs/m
Width: 8 mm

IP66

99ACC1311SW

Type: Wire for CCT LED COB strip with 15 cm cable- 3 PIN



99ACC1311SSW

Type: Strip to strip wire for CCT LED COB strip
with 15 cm cable- 3 PIN



99ACC1311SS

Type: Strip to strip 3 PIN connector for CCT LED COB strip



3 YEARS TOTAL WARRANTY
3 standard + 0 extended

24V DC
Ra>90
REEL 5m
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



99LED1312RGBIP20



99LED1312RGBIP66

COB LED STRIP 24V DC

LED | RGB | Ra>90 | 120°

99LED1312RGBIP20



Type: LED COB strip
Power: 14W/m
Cutting unit: 62.5mm
LED QTY: 576 pcs/m
Width: 8 mm

IP20

LED | RGB | Ra>90 | 120°

99LED1312RGBIP66



Type: LED COB strip
Power: 14W/m
Cutting unit: 62.5mm
LED QTY: 576 pcs/m
Width: 8 mm

IP66

99ACC1312SW

Type: Wire for RGB LED COB strip with 15 cm cable- 4 PIN



99ACC1312SSW

Type: Strip to strip wire for RGB LED COB strip with 15 cm cable- 4 PIN



99ACC1312SS

Type: Strip to strip 4 PIN connector for RGB LED COB strip



3 YEARS TOTAL WARRANTY
3 standard + 0 extended

24V DC
Ra>90
REEL 5m
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



99LED1313WWIP20
99LED1313WIP20



99LED1313WWIP65
99LED1313WIP65

ULTRA THIN COB LED STIP

LED | 120° | A F G | warm WHITE 3000K | Ra>90 | neutral WHITE 4000K

ULTRA THIN ONLY 3mm

99LED1313WWIP20

99LED1313WIP20

Type: Ultra thin LED COB strip
Power: 5W/m
Lumens: 450lm/m
Efficiency: 90lm/W
Cutting unit: 30.75mm
LED QTY: 392 pcs/m
Width: 3 mm



IP20

LED | 120° | A F G | warm WHITE 3000K | Ra>90 | neutral WHITE 4000K

ULTRA THIN ONLY 3mm

99LED1313WWIP65

99LED1313WIP65

Type: Ultra thin LED COB strip
Power: 5W/m
Lumens: 450lm/m
Efficiency: 90lm/W
Cutting unit: 30.75mm
LED QTY: 392 pcs/m
Width: 3 mm



IP65

3 YEARS TOTAL WARRANTY
3 standard
0 extended

24V DC
Ra>90
REEL 5m
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

i Scan each QR code to see the price and availability of the product.

*Compatible with DALI

page 1162

ELMARK
The Brand of Electricity



99LED980WW
99LED980
99LED980CW
99LED981CW
99LED981BL



99LED981CW

COB LED STRIP 24V DC, IP20 & IP67

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

24V DC
SMD 5050
30000h
REEL 5m
RoHs COMPLIANT
CE

LED | warm WHITE 3000K | 120° | F

99LED980WW

Type: LED COB strip
Power: 10W/m
Lumens: 1000lm/m
Width: 8 mm
DALI dimmable



IP20

Self adhesive, mark cut.

LED | neutral WHITE 4000K | 120° | F

99LED980

Type: LED COB strip
Power: 10W/m
Lumens: 1000lm/m
Width: 8 mm
DALI dimmable

LED | cold WHITE 6500K | 120° | F

99LED980CW

Type: LED COB strip
Power: 10W/m
Lumens: 1000lm/m
Width: 8 mm
DALI dimmable

LED | BLUE | 120°

99LED980BL



Type: LED COB strip
Power: 10W/m
Lumens: 1000lm/m
Width: 8 mm
DALI dimmable

IP20

Self adhesive, mark cut.

LED | cold WHITE 6500K | 120° | F

99LED981CW



Type: LED COB strip
Power: 10W/m
Lumens: 1000lm/m
Width: 8 mm
DALI dimmable

IP67

Scan QR code for 3D models, IES files & price.

i Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



99LED896WWIP68
99LED896WIP68
99LED896CWIP68



99LED897WWIP68
99LED897WIP68
99LED897CWIP68

LED COB 24V DC, IP68

5 YEARS TOTAL WARRANTY
4 standard + 1 extended

IP68
24V DC
SMD 5050
30000h
REEL 5m
RoHs COMPLIANT
CE



LED warm WHITE 3000K | 120° | F

99LED896WWIP68

Type: LED COB strip
Power: 6W/m
Luminous efficiency: 360lm/W
LEDs quantity: 320 pc/m
Width: 10 mm
DALI dimmable

LED neutral WHITE 4000K | 120° | F

99LED896WIP68

Type: LED COB strip
Power: 6W/m
Luminous efficiency: 360lm/W
LEDs quantity: 320 pc/m
Width: 10 mm
DALI dimmable

LED cold WHITE 6500K | 120° | F

99LED896CWIP68

Type: LED COB strip
Power: 6W/m
Luminous efficiency: 360lm/W
LEDs quantity: 320 pc/m
Width: 10 mm
DALI dimmable



LED warm WHITE 3000K | 120° | F

99LED897WWIP68

Type: LED COB strip
Power: 9W/m
Luminous efficiency: 540lm/W
LEDs quantity: 480 pc/m
Width: 10 mm
DALI dimmable

LED neutral WHITE 4000K | 120° | F

99LED897WIP68

Type: LED COB strip
Power: 9W/m
Luminous efficiency: 540lm/W
LEDs quantity: 480 pc/m
Width: 10 mm
DALI dimmable

LED cold WHITE 6500K | 120° | F

99LED897CWIP68

Type: LED COB strip
Power: 9W/m
Luminous efficiency: 540lm/W
LEDs quantity: 480 pc/m
Width: 10 mm
DALI dimmable

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



99LED986S

BLUETOOTH 5V TV LED STRIP, SET

LIMITED STOCK

LED RGB IP20

Bluetooth



99LED986S

Type: Bluetooth 5V TV LED strip, set
Input voltage: 5V
Output current: 5A
LED strip length: 3

Control: via remote control or via Smartphone Bluetooth
DIY mode: adjustable speed and brightness
Brightness: Adjustable
The set includes:

- 3 meters USB Bluetooth TV strip with 90LEDS
- 24 keys remote control
- USB cable
- Bluetooth controller

Remote Control | Smart Scene | Bluetooth

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

IP20
5V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



L1 LITE-5M-EU

SMART LED STRIP, SET

LED RGB IP20

Smartphone Control | GET IT ON Google Play | Download on the App Store



L1 LITE-5M-EU

Type: Smart RGB strip, set
Input voltage: 12V DC
Adapter Input voltage: 100-240V AC
Controller Input voltage: 5-24 DC
Output current: 5A
Lumens: 300lm
LEDs quantity: 30 pc/m
LED strip length: 5 m

Control: From Anywhere via smart device

Functions:

- Magicians of Light: More than 16 million colors. You can capture colors from anything to better match the surroundings.
- Diverse Modes: Music Visualizer mode can display a perfect fusion of music and lights. 11 build-in modes, set what you want.
- Voice Control: Speak to your voice assistant (Alexa/Google Assistant), change L1 Lite as you prefer.
- On/Off On Schedule: Free your hands, set your daily routine.
- Note: L1 lite is not water-proof. If you want to extend it, you can use the group feature to control multiple light strips.

The set includes:

- 1x LED Strip- 5m; 1x Wi-Fi Controller; 1x Power Adapter

Download EWeLink Application.

Remote Control | Voice Control | Timing Schedule | Smart Scene | Share Control | Power on State

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
12V DC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



L2LITE-5M-EU

SMART LED STRIP, SET

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

LED RGB IP65

Smartphone Control

GET IT ON Google Play

Download on the App Store

IP65

12V DC

RoHs COMPLIANT

CE





L2LITE-5M-EU

LED STRIP TECHNICAL DATA

- Input voltage: 12V DC
- LED Strip Length: 5m
- LED QTY: 30 pcs/m
- Colour Temp. : RGB
- Beam angle: 140°
- Lumens: ≥300 lm/m

WI-FI CONTROLLER TECHNICAL DATA

- Input voltage: 5-12V DC
- Remote controller battery: 3V (CR2025)
- Power: 24W (max.36W)
- Wi-Fi: IEEE 802.11 b/g/n
- Remote controller: Infrared; 24 keys

POWER ADAPTER TECHNICAL DATA

- Input voltage: 100-240V AC
- Output voltage: 12V
- Cable length: 1.5m
- Protections: over-voltage, overload and overheat

Control: From Anywhere via smart device

Functions:

- Diverse Selection Methods: Color palette, color circle, recent and classic color, various selecting ways for color changing. Enjoy the endless variations and real-time synchronization, more than 16 million colors.
- Smart scenes: 21 recommended scene modes and up to 8 DIY scenes, define your own scene to better adapt your surrounding.
- Work With The Sensor: Customize the scene and create an atmosphere when you at home.
- Adjustable Brightness/Color in Scene: Not only turns on the light at any time, but also adjust the brightness, color temperature, and color in the Scene
- IP65 Waterproof: High flexibility, feel free to cut and stick with ease. Note: WiFi Controller is non-waterproof.

The set includes:

- LED Strip- 5m; Remote Controller- 1pc; Power AC Adapter- 1pc; Controller- 1pc

Download EWeLink Application.

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



99LED988D/IP20
99LED989D/IP20

DIGITAL LED STRIPS

Smartphone Control | GET IT ON Google Play | Download on the App Store

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
24V DC
RoHs COMPLIANT
CE

LED RGBCCT IP20



99LED988D/IP20

- Type: Digital RGB+IC LED strip
- Input voltage: 220-240V
- LED Driver and strip voltage: 24V DC
- Colour temperature: RGB
- LED chip: SMD 5050
- LED QTY: 30LED/m
- Beam angle: 120°
- CRI>80
- LED strip length: 5m
- PCB board: 10mm single

The set includes:
- 1 x LED strip 5m
- 1 x LED driver 24V/24W (1A)
- 1 x TUYA controller
- 1 x IR remote

LED RGBCCT IP20



99LED989D/IP20

- Type: Digital RGBCCT+IC LED strip
- Input voltage: 220-240V
- LED Driver and strip voltage: 24V DC
- Colour temperature: RGB+ adjustabe white colour
- White colour lumens: 68lm/W
- LED chip: SMD 2835
- LED QTY:
  - RGB: 30LED/m
  - 3000K: 30LED/m
  - 6500: 30LED/m
- Beam angle: 120°
- CRI>80
- LED strip length: 5m
- PCB board: 12mm double

The set includes:
- 1 x LED strip 5m
- 1 x LED driver 24V/24W (1A)
- 1 x TUYA controller
- 1 x IR remote

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



99LED990D/IP20



99LED990D/IP54

DIGITAL LED STRIPS

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
IP54
24V DC
RoHs COMPLIANT
CE

Smartphone Control
GET IT ON Google Play
Download on the App Store

LED RGBCCT IP20



99LED990D/IP20

- Type: Digital RGBCCT+IC LED strip
- Input voltage: 220-240V
- LED Driver and strip voltage: 24V DC
- Colour temperature: RGB+ adjustabe white colour
- White colour lumens: 68lm/W
- LED chip: SMD 2835
- LED QTY:
  - RGB: 30LED/m
  - 3000K: 30LED/m
  - 6500: 30LED/m
- Beam angle: 120°
- CRI>80
- LED strip length: 2x5m
- PCB board: 12mm double

The set includes:
- 2 x LED strip 5m
- 1 x LED driver 24V/36W (1.5A)
- 1 x TUYA controller
- 1 x IR remote

LED RGBCCT IP54



99LED990D/IP54

- Type: Digital RGBCCT+IC LED strip
- Input voltage: 220-240V
- LED Driver and strip voltage: 24V DC
- Colour temperature: RGB+ adjustabe white colour
- White colour lumens: 68lm/W
- LED chip: SMD 2835
- LED QTY:
  - RGB: 30LED/m
  - 3000K: 30LED/m
  - 6500: 30LED/m
- Beam angle: 120°
- CRI>80
- LED strip length: 2x5m
- PCB board: 12mm double

The set includes:
- 2 x LED strip 5m, IP54
- 1 x LED driver 24V/36W (1.5A)
- 1 x TUYA controller
- 1 x IR remote

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



99LED991/3W
99LED991/6W

SMART LIGHT

Smartphone Control | GET IT ON Google Play | Download on the App Store

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
12V DC
RoHs COMPLIANT
CE

LED RGB+IC IP20



99LED991/3W

- Type: TUYA smart light RGB+IC
- Input voltage: 220-240V
- LED Driver and strip voltage: 12V DC
- Colour temperature: RGB
- Power: 3x3.5W
- LED QTY: 30LED/pcs
- Beam angle: 180°
- Material: ABS+PC
- Dimension (DxH): 400x30mmBeam angle: 120°
- CRI>80
- LED strip length: 2x5m
- PCB board: 12mm double

The set includes:
- 3 x Wall lamp
- 1 x power supply
- 1 x TUYA controller

LED RGB+IC IP20



99LED991/6W

- Type: TUYA smart light RGB+IC
- Input voltage: 220-240V
- LED Driver and strip voltage: 12V DC
- Colour temperature: RGB
- Power: 6x3.5W
- LED QTY: 30LED/pcs
- Beam angle: 180°
- Material: ABS+PC
- Dimension (DxH): 400x30mm

The set includes:
- 6 x Wall lamp
- 1 x power supply
- 1 x TUYA controller

CONTROL: From Anywhere via Smart Device or local via remote.

Scan QR code for 3D models, IES files & price.

i Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



99LED992/RGBCCT
99LED990D/IP54

SMART LIGHT

3 YEARS TOTAL WARRANTY
+ 3 standard 0 extended

IP20
IP54
12V DC
RoHs COMPLIANT
CE

LED RGB IP20

Smartphone Control | GET IT ON Google Play | Download on the App Store



99LED992/RGBCCT

- Type: TUYA smart light RGBCCT+IC
- Input voltage: 220-240V
- LED Driver and strip voltage: 12V DC
- Colour temperature: RGB+ CCT (3000K & 6500K) adjustable
- LED Chip: SMD5050 + SMD2835
- LED QTY: 60 RGB LEDs + 60 LEDs 3000K & 6500K
- Lamp length: 1400mm
- Holder length: 400mmBeam angle: 120°
- CRI>80
- LED strip length: 2x5m
- PCB board: 12mm double

The set includes:

- 1 x Corner lamp with holder
- 1 x LED driver 12V/1A
- 1 x TUYA Bluetooth controller
- 1 x 26 key IR remote

LED SETTABLE 2700K ÷ 6500K IP54



99LED990D/IP54

- Type: TUYA smart light CCT+IC
- Input voltage: 220-240V
- LED Driver and strip voltage: 12V DC
- Colour temperature: CCT (3000K & 6500K) adjustable
- LED Chip: SMD2835
- LED QTY: 120pcs
- Lamp length: 1400mm
- Holder length: 400mm

The set includes:

- 1 x Corner lamp with holder
- 1 x LED driver 12V/1A
- 1 x TUYA Bluetooth controller
- 1 x 24 key IR remote

CONTROL: From Anywhere via Smart Device or local via remote.

FUNCTION

- Light Control: Adjust the brightness, color, effect and speed parameters as needed
- Easy to Install: the smart floor Light is composed of a silicone lampshade, color LED lamp beads, aluminum strip, and detachable solid tripod.

Scan QR code for 3D models, IES files & price.

i Scan each QR code to see the price and availability of the product.



99LED993/RGBW
99LED994/RGB

SMART DESKTOP LIGHT

LED RGBW+IC IP20

Bluetooth



99LED993/RGBW

- Type: Digital bluetooth lights RGBW+IC
- Input voltage: 220-240V
- Ouput voltage: 5V DC
- Colour temperature: RGB+ W (4000K)
- Power: 2x2.5W
- LED QTY: 15 RGB LEDs + 15 LEDs 4000K
- Material: ABS+PC
- Dimensions (DxH): 300x30mm

The set includes:
- 2 x Desktop lamps
- 1 x USB cable 1m
- 1 x remote control

CONTROL: Via bluetooth or remote device.

Smartphone Control | GET IT ON Google Play | Download on the App Store



99LED994/RGB

- Type: Digital bluetooth lights RGBW+IC
- Input voltage: 220-240V
- Ouput voltage: 5V DC
- Colour temperature: RGB
- Power: 2x4W
- LED QTY: 30 pcs
- Material: ALU+PC
- Dimensions (DxH): 550x30mm

The set includes:
- 2 x Desktop lamps
- 1 x USB cable 1m
- 1 x remote control

CONTROL: From Anywhere via Smart Device or local via remote.

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
5V DC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



99LED985S

SMART RGB LED STRIP WITH MUSIC CONTROL, SET

LIMITED STOCK

LED RGB IP20

Smartphone Control

GET IT ON Google Play

Download on the App Store



99LED985S

Type: Smart RGB strip with music control, set
Input voltage: 5-24V DC
Output current: 5A
LEDs quantity: 48 pc
LED strip length: 4x22 cm

Control: via smartphone app or remote control
DIY mode: 16 million colours, adjustable speed and brightness
Microphone: Built-in high sensitivity microphone
Music sensitivity: Adjustable
The set includes:

- USB connector
- Car Charger
- 20 keys remote control
- Bluetooth controller
- 4 strip lights with 12 LED,s

and length 220mm

Remote Control | Smart Scene | Bluetooth | Music Sync

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
5-24V DC
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



99LED987S

SMART RGB LED STRIP WITH MUSIC CONTROL, SET

LIMITED STOCK

LED | RGB | IP65

Smartphone Control | GET IT ON Google Play | Download on the App Store



99LED987S

Type: Smart RGB strip with music control, set
Input voltage:100-240V DC
Output current: 12V/6A
LEDs quantity: 300 pc
LED strip length: 2x5 m

Control: via smartphone app or remote control
DIY mode: 16 million colours, adjustable speed and brightness
Microphone: Built-in high sensitivity microphone
Music sensitivity: Adjustable
The set includes:

- 2 rolls-10 meters with 300LEDs strip
- 40 keys remote control
- Adapter 100-240V to 12V/6A
- Bluetooth controller

Remote Control | Smart Scene | Bluetooth | Music Sync

Scan each QR code to see the price and availability of the product.

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP65
12V DC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.



99LEDM010540



99LEDM02140



99LEDM031540

LED MODULE WITH OPTIC LENS



99LEDM010540

Type: LED module with optic lens
Model: 1LED
Power: 0.5W
Lumens: 80lm
Efficiency: 160lm/W
Colour temp.: 4000K
Body colour: White
Installation: Surface
Cable length:
Double site x
15cm



99LEDM02140

Type: LED module with optic lens
Model: 2LED
Power: 1W
Lumens: 160lm
Efficiency: 160lm/W
Colour temp.: 4000K
Body colour: White
Installation: Surface
Cable length:
Double site x
15cm



99LEDM031540

Type: LED module with optic lens
Model: 3LED
Power: 1.5W
Lumens: 240lm
Efficiency: 160lm/W
Colour temp.: 4000K
Body colour: White
Installation: Surface
Cable length:
Double site x
15cm



3 YEARS TOTAL WARRANTY
3 standard
0 extended

~230V
IP20
30000h
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



99LEDM011540



99LEDM033RGBW

LED MODULE WITH OPTIC LENS



99LEDM011540



Type: OSRAM LED module with optic lens
Model: 1LED
Power: 1.5W
Lumens: 240lm
Efficiency: 160lm/W
Colour temp.: 4000K
Body colour: White
Installation: Surface
Cable length: Double site x 15cm



99LEDM033RGBW



Type: LED module with optic lens
Model: 3LED
Power: 2.88W
Colour temp.: RGBW
Body colour: White
Installation: Surface
Cable length: Double site x 15cm



3 YEARS TOTAL WARRANTY
3 standard
0 extended

IP20
12V DC
Ra≥80
EMC
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

i Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



99LED1333WWIP65
99LED1333WIP65



99LED1333RGBIP65

ROUND LED NEON, IP65

LED | 360° | F | warm WHITE 3000K | neutral WHITE 4000K

99LED1333WWIP65

99LED1333WIP65



Type: Round LED neon light
Power: 12W/m
Lumens: 1200lm/m
Efficiency: 100lm/W
Reel length: 5m
LED QTY: 2x320 pcs/m
Diameter: 20 mm
** No cutting possibility*

LED | RGB | 360°

99LED1333RGBIP65



Type: Round LED neon light
Power: 12W/m
Reel length: 5m
LED QTY: 2x320 pcs/m
Diameter: 20 mm
** No cutting possibility*

99LED1333ECH

Type: End cap with hole for round LED NEON



99LED1333EC

Type: End cap with for round LED NEON



99LED1333C

Type: Mounting PVC clip for round LED NEON



3 YEARS TOTAL WARRANTY
3 standard + 0 extended

24V DC
Ra>80
REEL 5m
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



99LED940WW

LED NEON FLEX IP68 & ACCESSORIES

LED | 150° | A F G | warm WHITE 3000K

99LED940WW



Type: LED neon flex
Power: 4.8 W/m
Luminous efficiency: 160lm/m
Width: 8mm
Height: 16mm

Mark cut 1m.

LED | 150° | A F G | neutral WHITE 4000K

99LED940W



Type: LED neon flex
Power: 4.8 W/m
Luminous efficiency: 160lm/m
Width: 8mm
Height: 16mm

Mark cut 1m.

99ACC81

Type: End cap for neon 12V DC 4.8W/m



99ACC82

Type: Power cable for neon 12V DC 4.8W/m



99ACC83

Type: Connector for neon 12V DC 4.8W/m



99ACC84

Type: Clip for neon 12V DC 4.8W/m



5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP65
24V DC
SMD 3528
30000h
REEL 10m
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

i Scan each QR code to see the price and availability of the product.

*Compatible with DALI

page 1162

ELMARK
The Brand of Electricity

LED NEON FLEX 12W/M, IP65

LED 150° F

warm WHITE 2700-3000K

cold WHITE 6000-6500K

99LED950

99LED951



Type: LED neon flex
Power: 12 W/m
Luminous efficiency: 18-22lm/LED
Width: 10mm
Height: 16mm
**DALI dimmable*
Mark cut 1m.

LED RGB 150°

99LED958



Type: LED neon flex
Power: 12 W/m
Luminous efficiency: 18-22lm/LED
Width: 10mm
Height: 19.5mm
**DALI dimmable*
Mark cut 1m.

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP65
24V DC
SMD 3528
30000h
REEL 10m
RoHs COMPLIANT
CE

Type: LED neon flex
Power: 12 W/m
Luminous efficiency: 18-22lm/LED
Width: 10mm
Height: 16mm
**DALI dimmable*
Mark cut 1m.

LED PINK 150°

99LED980WW



LED VIOLET 380-440K 150°

99LED953



LED BLUE 465-470K 150°

99LED955



Type: LED neon flex
Power: 12 W/m
Luminous efficiency: 18-22lm/LED
Width: 10mm
Height: 16mm
**DALI dimmable*
Mark cut 1m.

LED YELLOW 587-592K 150°

99LED957



LED GREEN 520-525K 150°

99LED954



LED RED 620-630K 150°

99LED956



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ACCESSORIES FOR LED NEON FLEX 12W/M

99ACC72

Type: Fixing bracket for Led Neon Flex



99ACC73

Type: Caps for Led Neon Flex



99ACC74

Type: Connector for single color Led Neon Flex



99ACC75

Type: Connector for RGB color Led Neon Flex



99ACC76

Type: Power cable for Led Neon Flex



99ACC77

Type: Power cable for Led RGB Neon Flex



3 YEARS TOTAL WARRANTY
3 standard
0 extended

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



99ACC07FL



99ACC07S

FLEXIBLE ALUMINUM PROFILE FOR LED STRIPS & ACCESSORIES

IP20

RoHs COMPLIANT

CE

99ACC07FL

Type: Flexible aluminum profile for LED strip
Dimensions: 13.8x19x5mm
Length: 2m



99ACC78

Type: Fixing bracket



99ACC51

Type: Suspension wire without console



99ACC07S

Type: Flexible silicone tube for LED strip
Dimensions: 20x20mm
Length: 1m
* LED Strip not included



99ACC80

Type: Fixing bracket



99ACC79

Type: End cap



Scan each QR code to see the price and availability of the product.



99ACC61



99ACC62



99ACC63



99ACC64



99ACC65

LED PROFILES FOR DRYWALL MOUNTING



99ACC61

Type: Inside corner aluminum LED profile for recessed mounting in drywall
Dimensions AxBxC: 9.7x12.7x10mm
Length: 2m



99ACC62

Type: Outside corner aluminum LED profile for recessed mounting in drywall
Dimensions AxC: 9.7x10mm
Length: 2m



99ACC63

Type: Aluminum LED profile for recessed mounting in drywall
Dimensions AxBxC: 19.04x27.76x12.2mm
Length: 2m



Frosted PC cover with high light transparency | Aluminum Extrusion 2mm with Acid Sand Oxidation treatment on the surface | No mechanical line



99ACC65

Type: Aluminum LED profile for recessed mounting in drywall
Dimensions AxBxC: 28.58x36.91x12.2mm
Length: 2m



99ACC64

Type: Connectors for aluminum LED profiles DP63 and DP65
Set of 2 pieces



Frosted PC cover with high light transparency | Aluminum Extrusion 2mm with Acid Sand Oxidation treatment on the surface | No mechanical line

IP20

RoHs COMPLIANT

CE

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



99ACC403FLP



99ACC314CLP

ALUMINIUM FLOOR & CEILING LED PROFILE

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

IP20

RoHs COMPLIANT

CE



99ACC403FLP

Type: Aluminium floor LED profile
Model: EL-403
Material: Anodized AL6063
Profile colour: Silver
Cover colour: Opal
PCB Width: ≤ 12mm
Dimension: 27.1x11.3mm
Length: 2m
Installation: Recessed

APPLICATION

- For light to medium foot traffic
- Suitable for many types of flooring

FEATURES

- Easy recessed installation
- High quality PC cover make light more homogenous

INCLUDED ACCESSORIES

- Opal PC diffuser
- 2 pcs end caps





99ACC314CLP

Type: Aluminium ceiling LED profile
Model: EL-314
Material: Anodized AL6063
Profile colour: Silver
Cover colour: Opal
PCB Width: ≤ 8mm
Dimension: 97.4x35.4mm
Length: 2m
Installation: Recessed

APPLICATION

- Suitable for drywall ceilings

FEATURES

- Easy installation
- High quality PC cover make light more homogenous

INCLUDED ACCESSORIES

- Opal PC diffuser
- 2 pcs end caps

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



99ACC1204LPBL



99ACC1203LPBL

LED PROFILES, BLACK SERIES





99ACC1204LPBL

Type: Aluminium LED profile for recessed mounting, BLACK Series
Model: EL-1204
Material: Anodized AL6063
Profile colour: Black
Cover colour: Black
PCB Width: ≤ 12mm
Dimension: 23.6x12mm
Length: 2m
Installation: Recessed

INCLUDED ACCESSORIES
- Black PC diffuser
- 2 pcs End cap
- 4 pcs metal Clips





99ACC1203LPBL

Type: Aluminium angle LED profile for surface mounting, BLACK Series
Model: EL-1203
Material: Anodized AL6063
Profile colour: Black
Cover colour: Black
PCB Width: ≤ 12mm
Dimension: 18x18mm
Length: 2m
Installation: Surface

INCLUDED ACCESSORIES
- Black PC diffuser
- 2 pcs End cap
- 4 pcs metal Clips

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP20
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



99ACC2015LPBL



99ACC60HLP

LED PROFILES, BLACK SERIES & HANGING LED PROFILE





99ACC2015LPBL

Type: Aluminium LED profile for surface mounting, BLACK Series
Model: EL-2015
Material: Anodized AL6063
Profile colour: Black
Cover colour: Black
PCB Width: ≤ 18mm
Dimension: 20x15mm
Length: 2m
Installation: Surface

INCLUDED ACCESSORIES
- Black PC diffuser
- 2 pcs End cap
- 4 pcs metal Clips





99ACC60HLP

Type: Hanging round aluminium LED profile
Model: EL-60
Material: Anodized AL6063
Profile colour: Silver
Cover colour: Opal
PCB Width: ≤ 30mm
Diameter: 60mm
Length: 2m
Installation: Hanging
* Suspension wire not included

INCLUDED ACCESSORIES
- Opal PC diffuser
- 2 pcs End cap
- 4 pcs metal Clips

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP20

RoHS COMPLIANT

CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



99ACC513SLP

SKIRT PROFILE FOR SURFACE MOUNTING





99ACC513SLP

Type: Aluminium skirting LED profile
Model: EL-513
Material: Anodized AL6063
Profile colour: Silver
Cover colour: Opal
PCB Width: ≤ 10mm
Dimension: 17x65mm
Length: 2m
Installation: Surface

APPLICATION

- Can be used to brighten up dark corners of a room and make it look brighter and more spacious
- Can be used to create a focal point in a room.

FEATURES

- Easy installation
- High quality PC cover make light more homogenous

INCLUDED ACCESSORIES

- Opal PC diffuser

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

IP20

RoHS COMPLIANT

CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



99ACC91



99ACC92

STAIRCASE PROFILES FOR RECESSED MOUNTING





99ACC91

Type: Staircase Profile for Recessed Mounting
Material: Aluminum
Diffuser: Opal PC
Dimensions AxBxC: 31.2x13.2x12.2mm
Length: 2m
* With End Caps







99ACC92

Type: Staircase Profile for Recessed Mounting
Material: Aluminum
Diffuser: Opal PC
Dimensions AxBxC: 68x12.5x38mm
Length: 2m
* With End Caps



IP20

RoHS COMPLIANT

CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



99ACC94

SKIRT PROFILE FOR RECESSED MOUNTING





99ACC94

Type: Skirt Profile for Recessed Mounting
Material: Aluminum
Diffuser: Opal PC
Dimensions AxBxC: 60x10.6x15.4mm
Length: 2m
* With End Caps



IP20

RoHs COMPLIANT

CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



99ACC14
99ACC15



99ACC23

PROFILES AND ACCESSORIES FOR LED STRIP

IP20
RoHS COMPLIANT
CE

99ACC14

Type: Aluminum profile for LED strip with matt PVC cover - 1m
Width: 15 mm
Height: 6 mm
Length: 1 m



99ACC15

Type: Aluminum profile for LED strip with matt PVC cover - 2m
Width: 15 mm
Height: 6 mm
Length: 2 m



99ACC16

Type: PVC end cap for profile 99ACC14 & 99ACC15
Set of 2 pc



99ACC17

Type: Fixing bracket for profile 99ACC14 & 99ACC15
Set of 2 pc



99ACC23

Type: Aluminum profile for LED strip with matt PVC cover - 1m
Width: 23.8 mm
Height: 6 mm
Length: 1 m



99ACC24

Type: PVC end cap for profile 99ACC23



99ACC25

Type: Fixing bracket for profile 99ACC23



Scan each QR code to see the price and availability of the product.



99ACC07
99ACC08



99ACC11
99ACC12

PROFILES AND ACCESSORIES FOR LED STRIP

99ACC07

Type: Aluminum profile for LED strip with matt PVC cover - 1m
Width: 15 mm
Height: 6 mm
Length: 1 m



99ACC08

Type: Aluminum profile for LED strip with matt PVC cover - 2m
Width: 15 mm
Height: 6 mm
Length: 2 m



99ACC09

Type: PVC end cap for profile 99ACC07 & 99ACC08



99ACC10

Type: Fixing bracket for profile 99ACC07 & 99ACC08



99ACC11

Type: Aluminum profile for LED strip with matt PVC cover-1m
Width: 15 mm
Height: 6 mm
Length: 1 m



99ACC12

Type: Aluminum profile for LED strip with matt PVC cover - 2m
Width: 15 mm
Height: 6 mm
Length: 2 m



99ACC13

Type: PVC end cap for profile 99ACC11 & 99ACC12



IP20
RoHs COMPLIANT
CE

Scan each QR code to see the price and availability of the product.



99ACC26



99ACC31



99ACC28

PROFILES AND ACCESSORIES FOR LED STRIP

IP20

RoHS COMPLIANT

CE

99ACC26

Type: Aluminum profile for LED strip with matt PVC cover - 1m
Width: 23.8 mm
Height: 6 mm
Length: 1 m



99ACC27

Type: PVC end cap for profile 99ACC26



99ACC31

Type: Aluminum profile for LED strip with matt PVC cover - 1m
Width: 49.2 mm
Height: 6 mm
Length: 1 m



99ACC32

Type: PVC end cap for profile 99ACC31



99ACC28

Type: Aluminum profile for LED strip with matt PVC cover-1m
Width: 56.6 mm
Height: 6 mm
Length: 1 m



99ACC29

Type: PVC end cap for profile 99ACC28



99ACC30

Fixing bracket for profile 99ACC28



Scan each QR code to see the price and availability of the product.

ACCESSORIES FOR LED STRIP

LIMITED STOCK

99ACC02

Type: One colour LED strip connector, 150mm cable



LIMITED STOCK

99ACC021

Type: Connector for 8mm one colour LED strip,150mm cable



99ACC03

Type: One colour LED strip connector, 150mm cable



99ACC031

Type: Connector for 8mm one colour LED strip,150mm cable



99ACC05

Type: One colour LED strip connector



99ACC051

Type: Connector for 8mm one colour LED strip



99ACC06

Type: RGB LED strip connector



99ACC01

Type: Silicone clips for LED strip



99ACC19

Type: Female connector with cable 15cm, white D-5.5



99ACC20

Type: 4pin connector with cable 20cm, white



99LED450

Type: Front caps for LED strip SMD3528 IP65

99LED452

Type: Front caps for LED strip SMD5050 IP65

99LED454

Type: Front caps for RGB LED strip SMD5050 IP65



99LED451

Type: End caps for LED strip SMD3528 IP65

99LED453

Type: End caps for LED strip SMD5050 IP65

99LED455

Type: End caps for RGB LED strip SMD5050 IP65

IP20

RoHs COMPLIANT

CE



CHRISTMAS LIGHTS

Christmas lights

ELMARK
The Brand of Electricity



99CRL001CW
99CRL001WW
99CRL001RGB

REGULAR STRAIGHT STRING LIGHT

LED cold WHITE 6000-6500K

99CRL001CW



Type: Regular straight String Light
Power: 3.6W
LED QTY: 300pcs
Total Length: 22.43m
LED Distance: 7.5cm
Cable Length: 5m
Input Voltage: 100-240V AC
* 8 Function

LED warm WHITE 2700-3000K

99CRL001WW



Type: Regular straight String Light
Power: 3.6W
LED QTY: 300pcs
Total Length: 22.43m
LED Distance: 7.5cm
Cable Length: 5m
Input Voltage: 100-240V AC
* 8 Function

LED RGB

99CRL001RGB



Type: Regular straight String Light
Power: 3.6W
LED QTY: 300pcs
Total Length: 22.43m
LED Distance: 7.5cm
Cable Length: 5m
Input Voltage: 100-240V AC
* 8 Function



2 YEARS TOTAL WARRANTY
2 standard + 0 extended

IP44
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Christmas lights

ELMARK
The Brand of Electricity



99CRL009CW
99CRL009WW
99CRL010RGB

REGULAR STRAIGHT STRING LIGHT

LED cold WHITE 6000-6500K

99CRL009CW



Type: Regular straight String Light
Power: 7.2W
LED QTY: 920pcs
Total Length: 22.98m
LED Distance: 2.5cm
Cable Length: 5m
Input Voltage: 100-240V AC
* 8 Function

LED warm WHITE 2700-3000K

99CRL009WW



Type: Regular straight String Light
Power: 7.2W
LED QTY: 920pcs
Total Length: 22.98m
LED Distance: 2.5cm
Cable Length: 5m
Input Voltage: 100-240V AC
* 8 Function

LED RGB

99CRL010RGB



Type: Regular straight String Light
Power: 7.2W
LED QTY: 920pcs
Total Length: 22.98m
LED Distance: 2.5cm
Cable Length: 5m
Input Voltage: 100-240V AC
* 8 Function



2 YEARS TOTAL WARRANTY
2 standard + 0 extended

IP44
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

i Scan each QR code to see the price and availability of the product.

Christmas lights

ELMARK
The Brand of Electricity



99CRL006CW
99CRL006WW



99CRL007RGB

STRAIGHT STRING LIGHT

LED cold WHITE 6000-6500K



99CRL006CW

Type: String Light
Power: 3.6W
LED QTY: 160pcs
Total Length: 2x1.5m
Cable Length: 5m
Input Voltage: 100-240V AC
* 8 Function

LED warm WHITE 2700-3000K



99CRL006WW

Type: String Light
Power: 3.6W
LED QTY: 160pcs
Total Length: 2x1.5m
Cable Length: 5m
Input Voltage: 100-240V AC
* 8 Function

LED RGB



99CRL007RGB

Type: String Light
Power: 3.6W
LED QTY: 120pcs
Total Length: 9m
LED Distance: 7.5cm
Cable Length: 5m
Input Voltage: 100-240V AC
* 8 Function



2 YEARS TOTAL WARRANTY
2 standard + 0 extended

IP44
~230V
RoHs COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Christmas lights

ELMARK
The Brand of Electricity



99CRL002CW

ICICLE STRAIGHT LIGHT WITH BATTERY

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

IP44
~230V
RoHs COMPLIANT
CE

LED cold WHITE 6000-6500K



99CRL002CW

Type: String Light
Power: 3.6W
LED ICE QTY: 10pcs per string
Connecting wire: 30 cm
Cable Length: 5m
Input Voltage: 100-240V AC
* Function: Running

LED warm WHITE 2700-3000K



99CRL008WW

Type: Icicle Straight String Light with Battery
LED ICE QTY: 10pcs
LED Distance: 18.3cm
Cable Length: 0.3m
Input Voltage: 100-240V AC
* SET's without battery

LED RGB



99CRL008RGB

Type: Icicle Straight String Light with Battery
LED ICE QTY: 10pcs
LED Distance: 18.3cm
Cable Length: 0.3m
Input Voltage: 100-240V AC
* SET's without battery





Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Christmas lights

ELMARK
The Brand of Electricity



99CRL003



99CRL004



99CRL005

GARDEN LED PROJECTOR

LED





99CRL003

Type: 6 in 1 Garden LED Projector
Power: 6x1W
LED Type: 2835 SMD
Material: ABS
Projection Distance: 8-12m (10-30m^2)
Input Voltage: 100-240V AC

LED





99CRL004

Type: Garden LED Projector
Power: 5W
Colours: 6
Material: ABS
Projection Distance: 8-12m (10-30m^2)
Input Voltage: 100-240V AC

LED





99CRL005

Type: Red & Green 6 in 1 Garden LED Projector
Colours: 6
Lighting Source: Red 650NM 100MW+ Green 532NM 30MW
Classification: Class 2
Material: ABS
Projection Distance: 20x20m^2
Input Voltage: 100-240V AC



2 YEARS TOTAL WARRANTY
2 standard + 0 extended

IP44
~230V
RoHS COMPLIANT
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

tuya SMART CONTROLLERS

TUYA SMART WI-FI & RF 2 CHANNELS LED CONTROLLER, WT1



FEATURES:

- Used for control single color or color temperature LED strip
- DC power socket input and 2 channel constant voltage output.
- Tuya smart APP cloud control, support on/off, color temperature and brightness adjust, delay turn on/off light, timer run, scene edit function
- Voice control, support for Amazon Alexa, Google Assistant, Tmall Genie and Xiaodu smart speake
- Match with RF 2.4G remote control optional
- User need set light type by press key before Tuya smart APP network connection and match RF remote of the same light type
- Each WT1 controller can also work as WiFi-RF converter, then use Tuya smart APP to control one or more RF LED controller or RF LED dimming driver synchronously
- Connect with external push switch to achieve on/off and 0-100% dimming function
- Light on/off fade time 3s selectable

TECHNICAL DATA

- Input voltage: 12-36V DC
- Output voltage: 2 x (12-36)V DC
- Output power: 2 x (12V-60W; 24V-120W; 36V-180W)
- Output current: 2 x 5A
- Output type: Constant voltage
- Input signal: Wi-Fi (Tuya APP) + RF 2.4GHz (Remote control) + Push Dim
- Control distance: 30m (Barrier-free space)
- Dimming gray scale: 4096 (2^12) levels
- Dimming range: 0-100%
- Dimming curve: Logarithmic
- PWM frequency: 2000Hz
- Operation temperature: from -30°C to +55°C
- IP degree: IP20
- Size (LxWxH): 120x43x27mm
- Weight: 73gr

PROTECTION

- Reverse polarity
- Over-heat
- Short circuit

Catalogue number	Model	Input voltage	Output current	Colour
195120	WT1	12 - 36V DC	2 x 5A	White

Wiring system



Wiring diadram



Scan each QR code to see the price and availability of the product.

5 YEARS TOTAL WARRANTY
3 standard
2 extended

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity

TUYA SMART WI-FI & RF 5 CHANNELS LED CONTROLLER, V5-L(WT)



FEATURES:

- 5 in 1 function, used for control RGB, RGBW, RGB+CCT, color temperature or single color LED strip.
- DC12-48V input, 5 channel constant voltage output
- Tuya smart APP cloud control, support on/off, RGB color, color temperature and brightness adjust, delay turn on/off light, timer run, scene edit and music play function
- Voice control, support for Amazon Alexa, Google Assistant, Tmall Genie and Xiaodu voice assistant
- Match with RF 2.4G remote control optional
- User need set light type by press key before Tuya smart APP network connection and match RF remote of the same light type
- Each V5-L(WT) controller can also work as WiFi-RF converter, then use Tuya smart APP to control one or more RF LED controller or RF LED dimming driver synchronously.
- PWM frequency 500Hz, 2000Hz, 8000Hz or 16000Hz selectable
- Light on/off fade time 3s selectable
- Connect with external push switch to achieve on/off and 0-100% dimming function

TECHNICAL DATA

- Input voltage: 12-48V DC
- Output voltage: 5 x (12-48)V DC
- Output current: 5 x 6A / 12-24V; 5 x 4A / 36-48V
- Output power: 5 x (12V-60W; 24V-120W; 36V-144W; 48V-192W)
- Output type: Constant voltage
- Input signal: Wi-Fi (Tuya APP) + RF 2.4GHz (Remote control) + Push Dim
- Control distance: 30m (Barrier-free space)
- Dimming gray scale: 4096 (2^12) levels
- Dimming range: 0-100%
- Dimming curve: Logarithmic
- PWM frequency: 2000Hz (default)
- Operation temperature: from -30°C to +55°C
- IP degree: IP20
- Size (LxWxH): 185x58x36mm
- Weight: 193gr

PROTECTION

- Reverse polarity
- Over-heat
- Short circuit

Catalogue number	Model	Input voltage	Output current	Colour
195121	V5-L(WT)	12 - 48V DC	5 x 4/6A	White

Wiring system



PWN frequency setting



When power is off, select the DIP switch firstly, then press hold the MATCH key, and power up the controller in the same time, the RUN LED indicator will flash white color two times means PWM frequency setting is successful. We can select four PWM frequency: 500Hz, 2000Hz, 8000Hz or 16000Hz. Higher PWM frequency, will cause lower output current, higher power noise, but more suitable for camera(No flickers for video).

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Wiring diadram

- For RGB+CCT



Lighting type: RGB+CCT, RUN indicator is blue.

- For RGBW



Lighting type: RGBW, RUN indicator is green.

- For RGB



Lighting type: RGB, RUN indicator is red.

- For dual color CCT



Lighting type: CCT, RUN indicator is yellow.

- For single color



Press and hold MATCH key for 1.5s, until the RUN LED indicator turn white, then release, the controller will become DIM type, the light on/off time also restore to 0.5s, the output PWM frequency also restore to 2000Hz.

Note:

1. After changed the light type by DIP switch, please redo the tuya APP config operation.
2. For RGB+CCT or CCT light type, continuous power on and off will change 3 levels color temperature (WW, NW and CW) in sequence.
3. Switch off the power, then switch on power, repeat again. Immediately short press match key 3 times, the light on/off time will change between 3s and 0.5s.

5 YEARS TOTAL WARRANTY
3 standard
2 extended

Scan QR code for 3D models, IES files & price.



TUYA SMART WI-FI & RF 1 CHANNEL HIGH VOLTAGE LED DIMMER, S1-B(WT)

FEATURES:

- WiFi + RF + Push AC phase-cut dimmer, 1 channel output.
- To dim and switch single color dimmable LED lamps, traditional incandescent and halogen lights.
- Easy to be placed in standard wall junction box behind a push switch.
- Tuya smart APP cloud control, support on/off, brightness adjust, delay turn on/off light, timer run, scene function.
- Voice control, support for Amazon Alexa, Google Assistant, Tmall Genie and Xiaodu voice assistant.
- 256 levels 0-100% dimming smoothly without any flash.
- Leading edge dimming or trailing edge dimming set by dip switch.
- Min. brightness can be set by key.
- Compatibility with RF 2.4G single zone or multiple zone dimming remote control.
- Light on/off fade time 3s selectable
- Each S1-B(WT) controller can also work as WiFi-RF converter, then use Tuya smart APP to control one or more RF dimming LED controller or driver synchronously.
- Connect with external push switch to achieve on/off and 0-100% dimming function.

TECHNICAL DATA

- Input voltage: 100-240V AC
- Output voltage: 100-240V AC
- Output current: 1 x 1,5A
- Output power: 1 x (150-360W)
- Input signal: Wi-Fi (Tuya APP) + RF 2.4GHz (Remote control) + Push Dim
- Control distance: 30m (Barrier-free space)
- Dimming level: 256 levels
- Dimming range: 0-100%
- Operation temperature: from -30°C to +55°C
- IP degree: IP20
- Size (LxWxH): 160x60x40mm
- Weight: 61gr

PROTECTION

- Over-load
- Over-heat

Catalogue number	Model	Input voltage	Output current	Colour
195125	S1-B(WT)	100-240V AC	1 x 1,5A	White

Typical wall junction box mounting



Wiring system



5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Wiring diadram

Caution:

Please carefully ensure all wire connections and polarities are correct and secure before applying power, otherwise this controller will be damaged.



Connect with dimmable LED light

Connect with Triac dimmable LED driver

Light on/off fade time:

Switch off the power, then switch on power,
repeat again.
Immediately short press match key 3 times,
the light on/off time will change between 3s and 0.5s.

Factory default (long press Match key 20s):

Min light brightness is 5%,
on/off fade time is 0.5s.

5 YEARS TOTAL WARRANTY
3 standard
+ 2 extended

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

Scan QR code for 3D models, IES files & price.



TUYA SMART WI-FI & RF 3 CHANNELS HIGH VOLTAGE LED CONTROLLER, S3(WT)

FEATURES:

- 3 channel high voltage LED strip controller, can control maximum about 50 meters of high voltage LED strip, different LED strip may have difference.
- 3 in 1 function, used for control RGB, color temperature or single color LED strip.
- Tuya APP cloud control, support on/off, RGB color, color temperature and brightness adjust, delay turn on/off light, timer run, scene edit and music play function.
- Voice control, support for Amazon Alexa, Google Assistant, Tmall Genie and Xiaodu smart speakers.
- Match with RF 2.4G remote control optional.
- User need set light type by press key before Tuya APP network connection and match RF remote of the same light type.
- Each S3(WT) controller can also work as WiFi-RF converter, then use Tuya APP to control one or more RF LED controller or RF LED dimming driver synchronously.
- Light on/off fade time 3s selectable
- Connect with external push switch to achieve on/off and 0-100% dimming function.

TECHNICAL DATA

- Input voltage: 100-240V AC
- Output voltage: 100-240V AC
- Output current: 3 x 1A
- Output power: 3 x (100-240W)
- Input signal: Wi-Fi (Tuya APP) + RF 2.4GHz (Remote control) + Push Dim
- Control distance: 30m (Barrier-free space)
- Dimming level: 4096 (2^12) levels
- Dimming range: 0-100%
- PWM Frequency: 2kHz
- Operation temperature: from -30°C to +55°C
- IP degree: IP20
- Size (LxWxH): 178x150x38mm
- Weight: 136gr

Catalogue number	Model	Input voltage	Output current	Colour
195126	S3(WT)	100-240V AC	3 x 1A	White

Wiring system



Scan each QR code to see the price and availability of the product.

Wiring diadram

- S3(WT) for RGB



Press and hold match/set key for 12s, until the RUN LED indicator turn red, then release, the controller will become RGB type, then do smart config by tuya APP, or short press match key to match with RGB RF remote.

- S3(WT) for dual color



Press and hold match/set key for 10s, until the RUN LED indicator turn yellow, then release, the controller will become CCT type, then do smart config by tuya APP, or short press match key to match with CCT RF remote.

- S3(WT) for single color



Suitable for single color/CCT/RGB high voltage LED strips

3 in 1, 3 LED light types can be switched before controlling



Scan each QR code to see the price and availability of the product.

5 YEARS TOTAL WARRANTY
3 standard + 2 extended

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity

TUYA SMART BLUETOOTH & RF 5 CHANNELS LED CONTROLLER, WB5



FEATURES:

- 5 in 1 function, used for control RGB, RGBW, RGB+CCT, color temperature or single color LED strip.
- DC power socket input and 5 channel constant voltage output
- Tuya smart APP cloud control, support on/off, RGB color, color temperature and brightness adjust, delay turn on/off light,timer run, scene edit and music play function.
- Voice control, support for Amazon Alexa, Google Assistant, Tmall Genie and Xiaodu voice assistant.
- Match with RF 2.4G remote control optional.
- User need set light type by press key before Tuya APP network connection and match RF remote of the same light type.
- Each WB5 controller can also work as Bluetooth-RF converter, then use Tuya smart APP to control one or more RF LED controller or RF LED dimming driver synchronously.
- Light on/off fade time 3s selectable

TECHNICAL DATA

- Input voltage: 12-24V DC
- Output voltage: 5 x (12-24)V DC
- Output current: 5 x 3A
- Output power: 5 x (36-72W)
- Output type: Constant voltage
- Input signal: Bluetooth (Tuya APP) + RF 2.4GHz (Remote control)
- Control distance: 30m (Barrier-free space)
- Dimming level: 4096 (2^12) levels
- Dimming range: 0-100%
- Dimming curve: Logarithmic
- PWM Frequency: 1000Hz (default)
- Operation temperature: from -30°C to +55°C
- IP degree: IP20
- Size (LxWxH): 120x43x27mm
- Weight: 55gr

PROTECTION

- Reverse polarity
- Over-heat
- Short circuit

Catalogue number	Model	Input voltage	Output current	Colour
195127	WB5	12-24V DC	5 x 3A	White

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

Wiring system



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

Wiring diadram

- For RGB+CCT



Press and hold match/set key for 16s, until the RUN LED indicator turn blue, then release, the controller will become RGB+CCT type, then do smart config by Tuya smart APP, or short press match key to match with RGB+CCT RF remote.

- For RGBW



Press and hold match/set key for 14s, until the RUN LED indicator turn green, then release, the controller will become RGBW type, then do smart config by Tuya smart APP, or short press match key to match with RGBW RF remote.

- For RGB



Press and hold match/set key for 12s, until the RUN LED indicator turn red, then release, the controller will become RGB type, then do smart config by Tuya smart APP, or short press match key to match with RGB RF remote.

- For dual color CCT



Press and hold match/set key for 10s, until the RUN LED indicator turn yellow, then release, the controller will become CCT type, then do smart config by tuya APP, or short press match key to match with CCT RF remote.

- For single color



Press and hold match/set key for 8s, until the RUN LED indicator turn white, then release, the controller will become DIM type, then do smart config by Tuya smart APP, or short press match key to match with dimming RF remote.

5 YEARS TOTAL WARRANTY
3 standard
+ 2 extended

Scan QR code for 3D models, IES files & price.

TRIAC DIMMERS



TRIAC 1 CHANNEL HIGH VOLTAGE LED DIMMER, S1-B

FEATURES:

- RF + Push AC phase-cut dimmer, 1 channel output.
- To dim and switch single color dimmable LED lamps, traditional incandescent and halogen lights.
- 256 levels 0-100% dimming smoothly without any flash.
- Leading edge dimming or trailing edge dimming set by dip switch.
- Min. brightness can be set by key.
- Compatibility with RF 2.4G single zone or multiple zone dimming remote control.
- Light on/off fade time 3s selectable
- Connect with external push switch to achieve on/off and 0-100% dimming function.

TECHNICAL DATA

- Input voltage: 100-240V AC
- Output voltage: 100-240V AC
- Output current: 1 x 1,5A
- Output power: 1 x (150-360W)
- Input signal: RF 2.4GHz (Remote control) + Push Dim
- Control distance: 30m (Barrier-free space)
- Dimming level: 256 levels
- Dimming range: 0-100%
- Operation temperature: from -20°C to +55°C
- IP degree: IP20
- Size (LxWxH): 160x60x40mm
- Weight: 61gr

PROTECTION

- Over-load
- Over-heat

Catalogue number	Model	Input voltage	Output current	Colour
195122	S1-B	100-240V AC	1 x 1,5A	White

Typical wall junction box mounting



Wiring diadram



5 YEARS TOTAL WARRANTY
3 standard
+ 2 extended

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



TRIAC 1 CHANNEL HIGH VOLTAGE LED DIMMER FOR DIN RAIL MOUNTING, TR1

FEATURES:

- RF + Push AC phase-cut dimmer, 1 channel output.
- To dim and switch single color dimmable LED lamps, traditional incandescent and halogen lights.
- Digital numeric display, set brightness by buttons.
- 0-100% dimming smoothly without any flash.
- Reverse-phase dimming or forward-phase dimming selectable.
- Light on/off fade time 0 - 20s selectable
- Minimum brightness set from 1% to 40%
- Compatibility with RF 2.4G single zone or multiple zone dimming remote control.
- Connect with external push switch to achieve on/off and 0-100% dimming function.

TECHNICAL DATA

- Input voltage: 100-240V AC
- Output voltage: 100-240V AC
- Output current: 1 x 2A
- Output power: 1 x (200-480W)
- Input signal: 3 Buttons + RF 2.4GHz (Remote control) + AC Push
- Dimming level: 100 levels
- Dimming range: 0-100%
- Operation temperature: from -30°C to +55°C
- IP degree: IP20
- Size (LxWxH): 120x78x55mm
- Weight: 121gr

PROTECTION

- Recover automatically
- Over-heat

Catalogue number	Model	Input voltage	Output current	Colour
195123	TR1	100-240V AC	1 x 2A	White

Wiring diagram



5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

TRIAC 1 CHANNEL CONSTANT VOLTAGE DIMMER, V1-S



FEATURES:

- Triac dimming, input AC100V-240V dimming signal
- Apply to leading edge/trailing edge Triac dimmers and dimming system.
- One channel PWM constant voltage output, output current 15A max.
- PWM digital dimming, logarithmic dimming curve.
- Reverse-phase dimming or forward-phase dimming selectable.
- Over current protection, short circuit protection, over temperature protection
- Connect with external AC push switch to achieve on/off and dimming function.

TECHNICAL DATA

- Input voltage: 12-48V DC
- Output voltage: 12-48V DC
- Output current: 1 x 15A
- Output power: 1 x (180-720W)
- Input signal: 100-240V AC + AC Push-Dim
- Dimming range: 0-100%
- Dimming curve: Logarithmic
- PWM Frequency: 500Hz (default)
- Operation temperature: from -30°C to +55°C
- IP degree: IP20
- Size (LxWxH): 178x50x38mm
- Weight: 126gr

PROTECTION

- Reverce polarity
- Over-heat
- Over current
- Short circuit

Catalogue number	Model	Input voltage	Output current	Colour
195124	V1-S	12-48V DC	1 x 15A	White

Wiring diadram



5 YEARS TOTAL WARRANTY
3 standard + 2 extended

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



TRIAC 1 CHANNEL TOUCH GLASS DIMMER, S1-T

FEATURES:

- Touch glass panel AC phase-cut dimmer, 1 channel output.
- To dim and switch single color dimmable LED lamps, traditional incandescent and halogen lights.
- Ultra sensitive high strength glass touch panel with touch slide in the middle.
- 256 levels 0-100% dimming smoothly without any flash
- Leading edge dimming or trailing edge dimming set by dip switch.
- Light on/off fade time 3s selectable
- Compatibility with RF 2.4G single zone or multiple zone dimming remote control.

TECHNICAL DATA

- Input voltage: 100-240V AC
- Output voltage: 100-240V AC
- Output current: 1,5A
- Output power: 150-360W
- Input signal: Touch key + RF 2.4GHz (Remote control)
- RF Control distance: 10m(Barrier-free space)
- Operation temperature: from -30°C to +55°C
- IP degree: IP20
- Size (LxWxH): 86x86x33mm
- Weight: 239gr

PROTECTION

- Recover automatically
- Over-heat

Catalogue number	Model	Input voltage	Output current	Colour
99TOUCH1	S1-T	100-240V AC	1 x 1,5A	White

Wiring diagram



5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

PIR SENSOR CONTROLERS

ELMARK
The Brand of Electricity



PIR SENSOR STAR LIGHT CONTROLLER SET, ES32-V

FEATURES:

- Dual PIR sensing + dual push switch 32 step stair light controller with daylight detection function.
- 32 channels constant voltage output drive low voltage LED strip, Max. 1A current per channel.
- OLED display screen, 3-buttons operate
- 6 run modes are available: flow, chase, trail, float, five-step and one-step, with 1-8 levels of adjustable speed and brightness.
- Multiple steps can be set to synchronize or sequence on/off.
- 0-3 seconds on/off fade time selectable.
- 5 seconds -10 minutes auto-off delay time selectable.
- Two push switch can be connected for use as manual switch input.
- With fast self-testing function
- Any damaged LED channel in 32 channels can be set disable.

TECHNICAL DATA

- Input voltage: 5-24V DC
- Output voltage: 32 x (5-24)V DC
- Output current: 32 x 1A
- Output power: 32 x (5-24W)
- Output type: Constant voltage
- Sensitive: ≤3m
- Sensitivity angle: 30°(±10°)
- Operation temperature: from -20°C to +55°C
- IP degree: IP20
- Size (LxWxH): 213x130x45mm
- Weight: 650gr

SET INCLUDES

- 1 x LED controller
- 1 x daylight sensor with 30cm cable
- 2 x PIR sensor with 1,2m cable
- 2 x PIR sensor extension line 5m

Catalogue number	Model	Input voltage	Output current	Colour
195130	ES32-V	5-24V DC	32 x 1A	White

* This sensor is suitable with ES32-V, and can be ordered additional.
Cat. number: 195130PS



Wiring diadram



5 YEARS TOTAL WARRANTY
3 standard + 2 extended

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

DUAL SENSING 2 CHANNELS LED CONTROLLER SET, ES-V



FEATURES:

- Dual sensor inputs to control single color or color temperature low voltage LED strip or other low voltage powered devices.
- Compatible with a variety of sensing probes, including PIR human motion sensor, door sensor, hand sweep sensor, etc.
- Connect the self-reset switch for on/off, brightness and color temperature adjustment.
- DIP switch to set light type, daylight detection switch, delay light off time.
- Can be applied to staircase light control, bedroom, living room, cabinet, wardrobe and other light control.

TECHNICAL DATA

- Input voltage: 12-48V DC
- Output voltage: 2 x (12-48)V DC
- Output current: 12/24V- 2 x 6A; 36/48V- 2 x 4A
- Output power: 2 x (72W; 144W; 144W; 192W)
- Input signal: Push switch
- Dimming range: 10-100%
- Dimming gray scale: 4096 (2^12) level
- PWM Frequency: 2000Hz (default)
- Operation temperature: from -30°C to +55°C
- IP degree: IP20
- Size (LxWxH): 120x78x55mm
- Weight: 210gr

SET INCLUDES

- 1 x LED controller
- 1 x daylight sensor with 30cm cable
- 2 x PIR sensor with 1,2m cable
- 2 x PIR sensor extension line 5m

Catalogue number	Model	Input voltage	Output current	Colour
195131	ES-V	12-48V DC	2 x 6/4A	White

Wiring diagram

● ES-V for single color (DIP switch 1set to DIM)



Note: The W2 channel output is not dimmable and is used for inductive control of other low voltage powered devices.

● ES-V for dual color (DIP switch 1 set to CCT)



5 YEARS TOTAL WARRANTY
3 standard
2 extended

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity

SENSOR LED DIMMER, E1-L



FEATURES:

- Input connect with a variety of induction sensor head, output connected directly to the low voltage LED strip.
- Max 8A output current, max output power 384W@48V.
- Work with PIR motion sensor 195133PMS: when people enter the sensitive field, the light turn ON, when people exit the sensitive field, the light turn OFF after 30 seconds.
- Work with hand sweep sensor 195133HSS: when hand sweep, the light turn on gradually; when hand sweep again, the light turn off gradually.

TECHNICAL DATA

- Input voltage: 12-48V DC
- Output voltage: 12-48V DC
- Output current: 1 x 8A
- Output power: 1 x (12V-96W; 24V-192W; 36V-288W; 48V-384W)
- Output type: Constant voltage
- Operation temperature: from -30°C to +55°C
- IP degree: IP20
- Size (LxWxH): 114x38x26mm
- Weight: 52gr

Catalogue number	Model	Input voltage	Output current	Colour
195133	E1-L	12-48V DC	1 x 8A	White

Wiring diagram



*** SUITABLE SENSORS**



195133PMS
PIR MOTION SENSOR, ER

- Sensitive field: ≤3m
- Sensitivity angle:120°
- Mounting: Surface
- Size (LxWxH): 35,5x19x16mm

When people enter the sensitive field, the light turn ON, when people exit the sensitive field, the light turn OFF after 30 seconds.



195133HSS
HAND SWEEP SENSOR, EB(C)

- 2KHz PWM Frequency
- Detective distance:<10cm
- Detective angle:15-30°
- Mounting: Surface or flush
- Size (DxH): 26x18mm
- Mounting hole diameter: 20mm

When hand sweep, the light turn on gradually, when hand sweep again, the light turn off gradually.

Scan each QR code to see the price and availability of the product.

MICROWAVE INDUCTION DIMMER AND SWITCH, EH-M



FEATURES:

- Ceiling mounting microwave motion detectors with HF system 10.525GHz, built-in daylight sensor.
- Output 1 channel 0/1-10V signal, connect with 0/1-10V dimmable driver.
- High voltage AC input, High voltage AC relay output with zero-cross detection.
- Work as RF remote, output RF 2.4G signal, matched with RF LED controller or RF dimmable LED driver optional.
- Detection area, time delay and light threshold can be set via knob potentiometer.

TECHNICAL DATA

- Working voltage: 100-240V AC
- Output signal: 0/1-10V (Max.30mA), RF 2.4GHz
- Output current: 4A
- Output power: 32 x (5-24W)
- HF system: 10.525GHz
- Power consumption: <1,6W
- Detection zone: 20 x 10m
- Detection sensitivity: 10%/25%/50%/75%/100%
- Hold time: 10s/30s/90s/3min/10min/30min/+∞
- Stand-by time: 0s/30s/90s/3min/10min/30min/+∞
- Daylight threshold: 10lux/30lux/50lux/100lux/150lux/200lux/ Disable
- Expected light: 50lux/100lux/150lux/200lux/250lux/300lux/400lux
- Mounting height: Max.10m
- Motion detection: 0.5-3m/
- Detection angle: 360°
- Operation temperature: from -20°C to +55°C
- IP degree: IP20
- Size (DxH): 95x40mm
- Mountind hole diameter: 86mm

Catalogue number	Model	Input voltage	Output current	Colour
195132	EH-M	100-240V AC	4A	White

Wiring diadram

• Used as dimmer or switch, connect with 0/1-10V dimming driver (no use AC OUT)



• Used as dimmer or switch, connect with 0/1-10V dimming driver (use AC OUT)



• Used as switch, connect with non-dimmable LED light (use AC OUT)



5 YEARS TOTAL WARRANTY
3 standard
2 extended

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity



PIR MOTION SENSING SWITCH, E1-RS

FEATURES:

- PIR motion sensor switch with daylight detection
- 5 level brightness (100%, 75%, 50%, 25%,10%)
- 4 level timer (10s, 30s, 60s, 180s).
- Two light off modes are available, the light goes out when people leave or the light maintains low brightness when people leave.
- Match with RF 2.4G single-zone or multi-zone dimming remote control optional.
- Work as RF remote, output RF 2.4G signal, remote control other RF LED controller or RF dimmable LED driver.
- Multiple sensor switch support linkage induction light switch function.
- Suitable for staircase, corridors, bedroom, living room, closet, aisle and other light sensor switch control.

TECHNICAL DATA

- Input voltage: 12-48V DC
- Output voltage: 12-48V DC
- Output current:1 x 6A / 12-24V; 1 x 4A / 36-48V
- Output power: 1 x (12V-72W; 24V-144W; 36V-144W; 48V-192W)
- Output type: Constant voltage
- Input signal: PIR sensor + RF 2.4GHz (Remote control)
- Sensitivity range: 3-5m
- Sensitivity angle: 80°(±20° Error)
- Dimming range: 10-100%
- PWM Frequency: 2KHz(default)
- Operation temperature: from -20°C to +55°C
- IP degree: IP20
- Size (LxWxH): 70x60x40mm
- Weight: 59gr

Catalogue number	Model	Input voltage	Output current	Colour
195134	E1-RS	12-48V DC	1 x 4/6A	White

Wiring diadram



Installation example



5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

CONSTANT VOLTAGE REPEATERS

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended

ELMARK
The Brand of Electricity

CONSTANT VOLTAGE 1 CHANNEL POWER REPEATER, EV1



FEATURES:

- 5-36V constant voltage power repeater.
- One channel, 8A
- To receive PWM signal control.
- Power repeater in series or in parallel to expand output unlimitedly.
- Apply to single color constant voltage LED strip or module.

TECHNICAL DATA

- Input voltage: 5-36V DC
- Output voltage: 1 x (5-36V DC)
- Output current: 1 x 8A
- Output power: 1 x (40-288W)
- Output type: Constant voltage
- Input signal: PWM
- Operation temperature: from -30°C to +55°C
- IP degree: IP20
- Size (LxWxH): 114x38x26mm
- Weight: 53gr

PROTECTION

- Reverse polarity
- Over-heat
- Short circuit

Catalogue number	Model	Input voltage	Output current	Colour
99REPEATER1	EV1	5-36V DC	1 x 8A	White

Wiring diadram





Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

CONSTANT VOLTAGE 4 CHANNELS POWER REPEATER, EV4



FEATURES:

- 12-36V constant voltage power repeater.
- Four channel, 5A per channel.
- To receive PWM signal control.
- Power repeater in series or in parallel to expand output unlimitedly.
- Apply to single color, dual color, RGB or RGBW constant voltage LED strip or module.

TECHNICAL DATA

- Input voltage: 12-36V DC
- Output voltage: 4 x (12-36)V DC
- Output current: 4 x 5A
- Output power: 4 x (60-180W)
- Output type: Constant voltage
- Input signal: PWM
- Operation temperature: from -30°C to +55°C
- IP degree: IP20
- Size (LxWxH): 178x50x38mm
- Weight: 140gr

PROTECTION

- Reverse polarity
- Over-heat
- Short circuit

Catalogue number	Model	Input voltage	Output current	Colour
99REPEATER4	EV4	12-36V DC	4 x 5A	White

Wiring diagram





5 YEARS TOTAL WARRANTY
3 standard + 2 extended

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

5 YEARS TOTAL WARRANTY
+ 3 standard 2 extended



CONSTANT VOLTAGE 4 CHANNELS POWER REPEATER FOR DIN RAIL MOUNTING, EV4-D

FEATURES:

- 12-24V constant voltage power repeater.
- Four channel, 5A per channel.
- To receive PWM signal control.
- Power repeater in series or in parallel to expand output unlimitedly.
- Apply to single color, dual color, RGB or RGBW constant voltage LED strip or module.

TECHNICAL DATA

- Input voltage: 12-24V DC
- Output voltage: 4 x (12-24)V DC
- Output current: 4 x 5A
- Output power: 4 x (60-120W)
- Output type: Constant voltage
- Input signal: PWM
- Operation temperature: from -30°C to +55°C
- IP degree: IP20
- Size (LxWxH): 120x78x55mm
- Weight: 170gr

PROTECTION

- Reverse polarity
- 3KV Optoelectronic Isolation

Catalogue number	Model	Input voltage	Output current	Colour
195128	EV4-D	12-24V DC	4 x 5A	White

Wiring diadram



Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



CONSTANT VOLTAGE 5 CHANNELS POWER REPEATER, EV5

FEATURES:

- 12-24V constant voltage power repeater.
- Five channel, 5A per channel.
- To receive PWM signal control.
- Power repeater in series or in parallel to expand output unlimitedly.
- Apply to RGB+CCT constant voltage LED strip or module.

TECHNICAL DATA

- Input voltage: 12-24V DC
- Output voltage: 5 x (12-24)V DC
- Output current: 5 x 5A
- Output power: 5 x (60-120W)
- Output type: Constant voltage
- Input signal: PWM
- Operation temperature: from -30°C to +55°C
- IP degree: IP20
- Size (LxWxH): 120x90x30mm
- Weight: 264gr

PROTECTION

- Reverse polarity
- 3KV Optoelectronic Isolation

Catalogue number	Model	Input voltage	Output current	Colour
195129	EV5	12-24V DC	5 x 5A	Black

Wiring diagram





CONSTANT VOLTAGE 1 CHANNEL POWER REPEATER

TECHNICAL DATA

- Input voltage: 12-24V DC
- Output voltage: 1 x (12-24V DC)
- Output current: 1 x 6A
- Output power: 1 x (72-144W)
- Output type: Constant voltage
- Operation temperature: from 0°C to +55°C
- IP degree: IP20
- Size (LxWxH): 30x44x20mm

Catalogue number	Model	Input voltage	Output current	Colour
99AMPLIFIER1	AMPLIFIER1	12-24V DC	1 x 6A	White

5 YEARS TOTAL WARRANTY
3 standard
2 extended

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

5 YEARS TOTAL WARRANTY
+ 3 standard
2 extended



CONSTANT VOLTAGE 3 CHANNELS POWER REPEATER

TECHNICAL DATA

- Input voltage: 12V DC
- Output voltage: 3 x (12V DC)
- Output current: 3 x 2A
- Output power: 3 x (24W)
- Output type: Constant voltage
- Operation temperature: from 0°C to +55°C
- IP degree: IP20
- Size (LxWxH): 30x44x20mm

Catalogue number	Model	Input voltage	Output current	Colour
99RGBAMPLIFIER3	RGBAMPLIFIER3	12V DC	3 x 2A	White



CONSTANT VOLTAGE 3 CHANNELS POWER REPEATER

TECHNICAL DATA

- Input voltage: 12-24V DC
- Output voltage: 3 x (12-24V DC)
- Output current: 3 x 4A
- Output power: 3 x (48-96W)
- Output type: Constant voltage
- Operation temperature: from 0°C to +55°C
- IP degree: IP20
- Size (LxWxH): 105,5x65x25mm

Catalogue number	Model	Input voltage	Output current	Colour
99RGBAMPLIFIER2	RGBAMPLIFIER	12-24V DC	3 x 4A	Grey



CONSTANT VOLTAGE 3 CHANNELS POWER REPEATER

TECHNICAL DATA

- Input voltage: 12-24V DC
- Output voltage: 4 x (12-24V DC)
- Output current: 4 x 6A
- Output power: 4 x (72-144W)
- Output type: Constant voltage
- Operation temperature: from 0°C to +55°C
- IP degree: IP20
- Size (LxWxH): 105,5x65x24mm

Catalogue number	Model	Input voltage	Output current	Colour
99RGBWAMPLIFIER3	RGBWAMPLIFIER3	12-24V DC	4 x 6A	Grey

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

SETS & REMOTE CONTROLLERS



FOUR CHANNELS (RGBW) LED CONTROLLER WITH REMOTE CONTROL, SET

FEATURES:

- Controller with 4 channel constant voltage output.
- Ultra sensitive color adjustment touch wheel.
- Smooth dimming and switch without any flickering.
- Built in 10 dynamic mode, include jump or gradual change style.
- Independent dimming function of each R, G, B, W channel to achieve millions of colors.
- 4 scene memory
- Auto-transmitting function: Controller automaticly transmit signal to another controller with 30m control distance.
- Synchronize on multiple number of controllers.
- Light on/off fade time 3s selectable.

LED CONTROLLER TECHNICAL DATA

- Input voltage: 12-24V DC
- Output voltage: 12-24V DC
- Output current: 4 x 4A
- Output power: 4 x (12V-48W; 24V-96W)
- Output type: Constant voltage
- Dimming level: 4096 levels
- Dimming range: 0-100%
- Dimming curve: Logarithmic
- PWM Frequency: 1000Hz
- Operation temperature: from -30°C to +55°C
- IP degree: IP20
- Colour: White
- Size (LxWxH): 114x38x20mm

REMOTE TECHNICAL DATA

- Output signal: RF(2.4GHz)
- Working voltage: 3VDC(AAAx2)
- Working current:<5mA
- Standby current: < 10μA
- Remote distance: 30m
- Operation temperature: from -30°C to +55°C
- IP degree: IP20
- Colour: Black
- Size (LxWxH): 1077x58,5x9mm

Catalogue number	Model	Input voltage	Output current	Colour
195136	VP + RT4	12-24V DC	4 x 8A	White + Black

Wiring diagram



Remote function



2 YEARS TOTAL WARRANTY
2 standard + 0 extended

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



SINGLE COLOUR LED CONTROLLER WITH REMOTE CONTROL, SET

FEATURES:

- Remote control or connected with external push switch to achieve on/off and dimming function.
- Ultra sensitive brightness adjustment touch wheel.
- Smooth dimming and switch without any flickering.
- Auto-transmitting function: Controller automatically transmit signal to another controller with 30m control distance.
- Light on/off fade time 3s selectable.

LED CONTROLLER TECHNICAL DATA

- Input voltage: 5-36V DC
- Output voltage: 5-36V DC
- Output current: 1 x 8A
- Output power: 1 x (5V-40W; 12V-96W; 24V-192W; 36V-288W)
- Output type: Constant voltage
- Dimming level: 4096 levels
- Dimming range: 0-100%
- Dimming curve: Logarithmic
- PWM Frequency: 2000Hz
- Operation temperature: from -30°C to +55°C
- IP degree: IP20
- Colour: White
- Size (LxWxH): 97x33x18mm

REMOTE TECHNICAL DATA

- Output signal: RF(2.4GHz)
- Working voltage: 3VDC(CR2032)
- Working current:<5mA
- Standby current: < 10μA
- Remote distance: 30m
- Operation temperature: from -30°C to +55°C
- IP degree: IP20
- Colour: White
- Size (LxWxH): 1077x58,5x9mm

Catalogue number	Model	Input voltage	Output current	Colour
195135	V1 + R6-1	5-36V DC	1 x 8A	White

Wiring diagram



2 YEARS TOTAL WARRANTY
2 standard
0 extended

Scan QR code for 3D models, IES files & price.

3 YEARS TOTAL WARRANTY
3 standard
0 extended

Scan QR code for 3D models, IES files & price.



MINI SINGLE COLOUR LED CONTROLLER WITH REMOTE CONTROL, SET

TECHNICAL DATA

- Input voltage: 12V DC
- Output voltage:12V DC
- Output current: 1 x 6A
- Output power: 1 x 72W
- Output type: Constant voltage
- Operation temperature: from 0°C to +55°C
- IP degree: IP20
- Colour: White
- Controller size (LxWxH): 44x30mm
- Remote size (LxWxH): 40x85mm

Catalogue number	Model	Input voltage	Output current	Colour
99LEDDIMMER3	RF mini	12V DC	1 x 6A	White



SINGLE COLOUR LED CONTROLLER WITH REMOTE CONTROL, SET

TECHNICAL DATA

- Input voltage: 12V DC
- Output voltage:12V DC
- Output current: 1 x 6A
- Output power: 1 x 72W
- Output type: Constant voltage
- Operation temperature: from 0°C to +55°C
- IP degree: IP20
- Colour: White
- Controller size (LxWxH): 44x30mm
- Remote size (LxWxH): 40x85mm

Catalogue number	Model	Input voltage	Output current	Colour
99LEDDIMMER4	RF dimmer	12-24V DC	1 x 18A	Black



CONSTANT VOLTAGE 3 CHANNELS MINI INFRARED CONTROLLER WITH REMOTE CONTROL, SET

TECHNICAL DATA

- Input voltage: 12V DC
- Output voltage:12V DC
- Output current: 3 x 2A
- Output power: 3 x 24W
- Output type: Constant voltage
- Operation temperature: from 0°C to +55°C
- IP degree: IP20
- Colour: White

Catalogue number	Model	Input voltage	Output current	Colour
99RGBCONTROL3	RGB IR mini	12V DC	3 x 2A	White

Scan each QR code to see the price and availability of the product.



CONSTANT VOLTAGE 3 CHANNELS INFRARED CONTROLLER WITH REMOTE CONTROL, SET

FEATURES

- RGB controller 20 stationary colour and 6 dynamic modes with regulation and RGB mixer mode.

TECHNICAL DATA

- Input voltage: 12V DC
- Output voltage:12V DC
- Output current: 3 x 2A
- Output power: 3 x 24W
- Output type: Constant voltage
- Operation temperature: from 0°C to +55°C
- IP degree: IP20
- Colour: White

Catalogue number	Model	Input voltage	Output current	Colour
99RGBCONTROL2	RGB IR	12V DC	3 x 2A	White



CONSTANT VOLTAGE 3 CHANNELS CONTROLLER WITH REMOTE CONTROL, SET

TECHNICAL DATA

- Input voltage: 12-24V DC
- Output voltage:12-24V DC
- Output current: 3 x 6,5A
- Output power: 3 x 78W/ 12V; 3 x 156W/ 24V;
- Output type: Constant voltage
- Operation temperature: from 0°C to +55°C
- IP degree: IP20
- Colour: Grey controller with black remote

Catalogue number	Model	Input voltage	Output current	Colour
99RGBCONTROL4	RGB Controller	12-24V DC	3 x 6,5A	Grey/Black



CONSTANT VOLTAGE 4 CHANNELS (RGB+W) CONTROLLER WITH REMOTE CONTROL, SET

TECHNICAL DATA

- Input voltage: 12-24V DC
- Output voltage:12-24V DC
- Output current: 4 x 6A
- Output power: 4 x 72W/ 12V; 4 x 144W/ 24V;
- Output type: Constant voltage
- Operation temperature: from 0°C to +55°C
- IP degree: IP20
- Colour: White

Catalogue number	Model	Input voltage	Output current	Colour
99RGB4W	RGBW Controller	12-24V DC	4 x 6A	White

3 YEARS TOTAL WARRANTY
3 standard
0 extended

Scan QR code for 3D models, IES files & price.



FOUR CHANNEL FOUR ZONES REMOTE, T24

FEATURES:

- Touch panel 4 zone 4 color RF remote
- Each zone can remote control multiple RF 2.4G LED controllers.
- Ultra sensitive high strength glass touch panel with touch slide in the middle.
- Smooth and accurate color adjustment by touching the color slide.
- Leading edge dimming or trailing edge dimming set by dip switch.
- Touch keys with chord tones and LED indicator
- Free installation, no wiring, removable.
- AAA x 2 battery powered.

TECHNICAL DATA

- Output signal: RF(2.4GHz)
- Working voltage: 3VDC(AAAx2)
- Working current:<5mA
- Standby current: <20μA
- Remote distance: 30m (Barrier-free space)
- Operation temperature: from -30°C to +55°C
- IP degree: IP20
- Colour: White
- Size (LxWxH): 86x86x20,5mm

Catalogue number	Model	Working voltage	Battery type	Colour
99TOUCHB4	T24	3V DC	AAA	White

Key function

T24 RGBW panel



Turn on/off all zone light.
Color slide.
M — Short press play 10 built-in mode, long press run mode-cycle.
Adjust dynamic mode speed or static color brightness, 10 levels.
W — Short press turn on/off W channel, long press adjust W channel brightness.
1 2 3 4
Short press turn on zone light and select zone simultaneously, long press 2s turn off zone light.
Short press multiple zone key fastly, will select multiple zone synchronously.
4 zone control seperately or synchronously, each zone could control multiple receivers.

4 Zone Keys , Separately Control for 4 Areas

You can set one zone key control for one area of your house. Numerous LED controllers and lights can be controlled by one zone key. 30m remote control distance.



5 YEARS TOTAL WARRANTY
3 standard + 2 extended

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



ONE CHANNEL FOUR ZONES REMOTE, T21

FEATURES:

- Touch panel 4 zone 1 color RF remote
- Each zone can remote control multiple RF 2.4G LED controllers.
- Ultra sensitive high strength glass touch panel with touch slide in the middle.
- Smooth and accurate color adjustment by touching the color slide.
- Leading edge dimming or trailing edge dimming set by dip switch.
- Touch keys with chord tones and LED indicator
- Free installation, no wiring, removable.
- AAA x 2 battery powered.

TECHNICAL DATA

- Output signal: RF(2.4GHz)
- Working voltage: 3VDC(AAAx2)
- Working current: <5mA
- Standby current: <20μA
- Remote distance: 30m (Barrier-free space)
- Operation temperature: from -30°C to +55°C
- IP degree: IP20
- Colour: White
- Size (LxWxH): 86x86x20,5mm

Catalogue number	Model	Working voltage	Battery type	Colour
99TOUCHB1	T21	3V DC	AAA	White

Key function

T21 Single color panel



Power — Turn on/off all zone light.

Brightness slide.

Scene 1 Scene 2 Scene 3 — Short press recall scene. Long press 2s to save the current state into 1/2/3.

Zone 1 Zone 2 Zone 3 Zone 4

Short press turn on zone light and select zone simultaneously, long press 2s turn off zone light.
Short press multiple zone key fastly, will select multiple zone synchronously.
4 zone control seperately or synchronously, each zone could control multiple receivers.



5 YEARS TOTAL WARRANTY
3 standard
+ 2 extended

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

2 YEARS TOTAL WARRANTY
2 standard + 0 extended

Scan QR code for 3D models, IES files & price.



RF 1 ZONE REMOTE CONTROLLER, R6-1

FEATURES:

- Apply to single color LED controller.
- Ultra sensitive color adjustment touch wheel.
- Each remote can match one or more receiver.
- CR2032 battery powered
- Operate with LED indicator light.

TECHNICAL DATA

- Output signal: RF(2.4GHz)
- Working voltage: 3VDC(CR2032)
- Working current: <5mA
- Standby current: <10μA
- Remote distance: 30m
- Operation temperature: from -30°C to +55°C
- IP degree: IP20
- Colour: White
- Size (LxWxH): 107x58,5x9mm

Catalogue number	Model	Working voltage	Battery type	Colour
99REMOTE1	R6-1	3V DC	3V DC	White

Key function

● R6-1 1 zone dimming remote



On/Off: Turn on/off light.
Bright wheel: Touch to change brightness.
Bright+/-: Adjust brightness, short press 10 levels, long press 1-6s for continuous 256 levels adjustment.
100%,75%,50%,25%: Get 4 kinds brightness directly.
3 Scene: Brightness memory.
Short press recall the scene, long press 2s save the current brightness into the scene. the LED indicator will light up longer when save OK.

Scan each QR code to see the price and availability of the product.



RF 1 ZONE RGB/RGBW REMOTE CONTROLLER, RT4

FEATURES:

- Apply to RGB or RGBW LED controller.
- Ultra sensitive color adjustment touch wheel.
- Independent dimming function of each R, G, B, W channel to achieve millions of colors.
- Each remote can match one or more receiver.
- AAAx2 battery powered.
- Operate with LED indicator light.

TECHNICAL DATA

- Output signal: RF(2.4GHz)
- Working voltage: 3VDC(AAAx2)
- Working current: <5mA
- Standby current: <10μA
- Remote distance: 30m
- Operation temperature: from -30°C to +55°C
- IP degree: IP20
- Colour: Black
- Size (LxWxH): 122x53x17,5mm

Catalogue number	Model	Working voltage	Battery type	Colour
99RGBREMOTE1	RT4	3V DC	AAA	Black

Key function

● RT4 1 zone RGB/RGBW remote



:Turn on/off light.

:Touch to change static RGB color.

: Short press get 24 kinds static RGB color, long press for continuous static color adjustment.



: Short press run next dynamic mode, long press 2s run mode-cycle.

: For dynamic RGB mode, adjust speed, short press 10 levels, long press 2s get the default speed.
For static RGB color, adjust saturation, namely change current static RGB color to mixed white slowly, short press 11 levels, long press 1-6s for continuous 256 levels adjustment.

: Adjust brightness, short press 10 levels, long press 1-6s for continuous 256 levels adjustment.

R G B : Short press get red, green or blue color directly. long press 1-6s to adjust R/G/B brightness continuously to achieve millions of colors.

W : For RGB light, short press turn on/off white(RGB mix), long press 1-6s to adjust saturation continuously, namely change current static color to mixed white slowly.
For RGBW light, short press turn on/off W channel, long press 1-6s to adjust W brightness continuously, namely change saturation by add white color slowly.

S1 S2 S3 S4 : Short press recall the scene, long press 2s save current color into S1/2/3/4. the LED indicator display green when save OK.

2 YEARS TOTAL WARRANTY
2 standard
+ 0 extended

Scan QR code for 3D models, IES files & price.



RF 4 ZONE RGB/RGBW REMOTE CONTROLLER, RT9

FEATURES:

- Apply to RGB or RGBW LED controller.
- Ultra sensitive color adjustment touch wheel.
- Independent dimming function of each R, G, B, W channel to achieve millions of colors.
- Each remote can match one or more receiver.
- AAAx2 battery powered.
- Operate with LED indicator light.

TECHNICAL DATA

- Output signal: RF(2.4GHz)
- Working voltage: 3VDC(AAAx2)
- Working current: <5mA
- Standby current: <10μA
- Remote distance: 30m
- Operation temperature: from -30°C to +55°C
- IP degree: IP20
- Colour: Black
- Size (LxWxH): 122x53x17,5mm

Catalogue number	Model	Working voltage	Battery type	Colour
99RGBREMOTE4	RT9	3V DC	AAA	Black

Key function

● RT9 4 zone RGB/RGBW remote



: Short press turn on/off all zone light.

: Touch to change current zone static RGB color.

1 2 3 4 : Short press select and turn on zone light, long press 2s turn off zone light.
Short press multiple zone key fastly, will select multiple zone synchronously.

R G B : Short press get red, green or blue color directly.
long press 1-6s adjust R/G/B brightness continuously to achieve millions of colors.

W : For RGB light, short press turn on/off white(RGB mix), long press 1-6s adjust saturation continuously, namely change current static RGB color to mixed white slowly.
For RGBW light, short press turn on/off W channel, long press 1-6s adjust W brightness continuously,namely change saturation by add white color slowly.

: Adjust dynamic mode for current selected zone, Short press run next dynamic mode, long press 2s run mode-cycle.

: For static color, adjust brightness, short press 10 levels, long press 1-6s for continuous 256 levels adjustment.
For dynamic mode, adjust speed, short press 10 levels, long press 2s get the default speed.

S1 S2 : Short press recall the scene, long press 2s save current state into S1/S2.
the LED indicator display green when save OK.
4 zone recall or save synchronously.

2 YEARS TOTAL WARRANTY
+ 2 standard
0 extended

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.



RF 1 ZONE REMOTE CONTROLLER WITH 6 KEYS, RM1

FEATURES:

- Single colour 1 zone dimming remote.
- Each remote can match one or more receiver.
- CR2032 battery powered
- Operate with LED indicator light.

TECHNICAL DATA

- Output signal: RF(2.4GHz)
- Working voltage: 3VDC(CR2032)
- Working current:<5mA
- Standby current: < 2μA
- Remote distance: 30m
- Operation temperature: from -30°C to +55°C
- IP degree: IP20
- Colour: Black
- Size (LxWxH): 107x58,5x9mm

Catalogue number	Model	Working voltage	Battery type	Colour
195137	RM1	3V DC	CR2032	Black

Key function

- RM1 1 zone dimming remote



On/Off

Turn off light after 30s, long press 2s will turn off light after 60s.

50% brightness

10% brightness for small night light

Brightness+/-: Short press 10 levels, long press 1-6s for continuous 256 levels adjustment.

ADAPTERS 12V DC & 24V DC



TECHNICAL DATA

- Input voltage: 230V AC
- Output voltage: 12V DC/ 24V DC
- Output current: 1A/ 2A
- Operation temperature: from 0°C to +55°C
- IP degree: IP20
- Size (LxWxH): 90x48x34mm

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

Catalogue number	Model	Input voltage	Output voltage	Output current	Colour
99SETDC12PVC	SETDC12PVC	230V AC	12V DC	1A	Black
99SETDC24PVC	SETDC24PVC	230V AC	24V DC	2A	Black

2 YEARS TOTAL WARRANTY
2 standard + 0 extended

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

CONSTANT VOLTAGE DRIVER

CONSTANT VOLTAGE DRIVER 12V DC FOR LED STRIPS

12V DC

9XSETDC60IP20



Type: 12V DC Driver Slim Series
Power: 60W
Input Voltage: 176-264V AC/ 50-60Hz
Output voltage: 12V DC
Output Current: 5A
Height: 40 mm

12V DC

9XSETDC120IP20



Type: 12V DC Driver Slim Series
Power: 120W
Input Voltage: 176-264V AC/ 50-60Hz
Output voltage: 12V DC
Output Current: 10A
Height: 36 mm

12V DC

9XSETDC150IP20



Type: 12V DC Driver Slim Series
Power: 150W
Input Voltage: 176-264V AC/ 50-60Hz
Output voltage: 12V DC
Output Current: 12.5A
Height: 39 mm

12V DC

9XSETDC200IP20



Type: 12V DC Driver Slim Series
Power: 200W
Input Voltage: 176-264V AC/ 50-60Hz
Output voltage: 12V DC
Output Current: 16.66A
Height: 40 mm

12V DC

9XSETDC250IP20



Type: 12V DC Driver Slim Series
Power: 250W
Input Voltage: 176-264V AC/ 50-60Hz
Output voltage: 12V DC
Output Current: 20.83A
Height: 40 mm

12V DC

9XSETDC360IP20



Type: 12V DC Driver Slim Series
Power: 360W
Input Voltage: 176-264V AC/ 50-60Hz
Output voltage: 12V DC
Output Current: 30A
Height: 40mm

2 YEARS TOTAL WARRANTY
2 standard
0 extended

IP20
12V DC
RoHS
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity

CONSTANT VOLTAGE DRIVER 12V DC FOR LED STRIPS

12V DC

99SETDC60IP20S



Type: 12V DC Driver Slim Series
Power: 60W
Input Voltage: 176-264V AC/ 50-60Hz
Output voltage: 12V DC
Output Current: 5A
Height: 30 mm

12V DC

99SETDC120IP20S



Type: 12V DC Driver Slim Series
Power: 120W
Input Voltage: 176-264V AC/ 50-60Hz
Output voltage: 12V DC
Output Current: 10A
Height: 32 mm

12V DC

99SETDC150IP20S



Type: 12V DC Driver Slim Series
Power: 150W
Input Voltage: 176-264V AC/ 50-60Hz
Output voltage: 12V DC
Output Current: 12.5A
Height: 35 mm

12V DC

99SETDC200IP20S



Type: 12V DC Driver Slim Series
Power: 200W
Input Voltage: 176-264V AC/ 50-60Hz
Output voltage: 12V DC
Output Current: 16.66A
Height: 40 mm

12V DC

99SETDC250IP20S



Type: 12V DC Driver Slim Series
Power: 250W
Input Voltage: 176-264V AC/ 50-60Hz
Output voltage: 12V DC
Output Current: 20.83A
Height: 40 mm

12V DC

99SETDC360IP20S



Type: 12V DC Driver Slim Series
Power: 360W
Input Voltage: 176-264V AC/ 50-60Hz
Output voltage: 12V DC
Output Current: 30A
Height: 40mm

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
12V DC
RoHS
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

CONSTANT VOLTAGE DRIVER 12V DC FOR LED STRIPS, IP67

12V DC

9XSETDC30IP67



Type: 12V DC Driver Slim Series
Power: 30W
Input Voltage: 90-264V AC/ 50-60Hz
Output voltage: 12V DC
Output Current: 2.5A
Height: 20 mm

12V DC

9XSETDC60IP67



Type: 12V DC Driver Slim Series
Power: 60W
Input Voltage: 176-264V AC/ 50-60Hz
Output voltage: 12V DC
Output Current: 5A
Height: 22mm

12V DC

9XSETDC120IP67



Type: 12V DC Driver Slim Series
Power: 120W
Input Voltage: 176-264V AC/ 50-60Hz
Output voltage: 12V DC
Output Current: 10A
Height: 22mm

12V DC

9XSETDC150IP67



Type: 12V DC Driver Slim Series
Power: 150W
Input Voltage: 176-264V AC/ 50-60Hz
Output voltage: 12V DC
Output Current: 12.5A
Height: 40 mm

12V DC

9XSETDC200IP67



Type: 12V DC Driver Slim Series
Power: 200W
Input Voltage: 176-264V AC/ 50-60Hz
Output voltage: 12V DC
Output Current: 16.66A
Height: 40 mm

2 YEARS TOTAL WARRANTY
2 standard
0 extended

IP67
12V DC
RoHS
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity

CONSTANT VOLTAGE DRIVER SLIM SERIES 12V DC FOR LED STRIPS, IP67

12V DC

99SETDC30IP67S



Type: 12V DC Driver Slim Series
Power: 30W
Input Voltage: 90-264V AC/ 50-60Hz
Output voltage: 12V DC
Output Current: 2.5A
Height: 20 mm

12V DC

99SETDC1248TIP67



Type:12V DC Driver Sli Series
Power: 48W
Input voltage: 180-240V AC/ 50-60Hz
Output voltage: 12V DC
Output Current: 4A
Height: 22 mm

12V DC

99SETDC60IP67S



Type: 12V DC Driver Slim Series
Power: 60W
Input Voltage: 90-264V AC/ 50-60Hz
Output voltage: 12V DC
Output Current: 5A
Height: 22mm

12V DC

99SETDC120IP67S



Type: 12V DC Driver Slim Series
Power: 120W
Input Voltage: 90-264V AC/ 50-60Hz
Output voltage: 12V DC
Output Current: 10A
Height: 22mm

12V DC

99SETDC150IP67S



Type: 12V DC Driver Slim Series
Power: 150W
Input Voltage: 90-264V AC/ 50-60HzOutput voltage: 12V DC
Output Current: 12.5A
Height: 22 mm

12V DC

99SETDC200IP67S



Type: 12V DC Driver Slim Series
Power: 200W
Input Voltage: 90-264V AC/ 50-60Hz
Output voltage: 12V DC
Output Current: 16.5A
Height: 33 mm

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
12V DC
RoHS
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

CONSTANT VOLTAGE DIMMABLE DRIVER 12V DC FOR LED STRIPS

DIMMABLE | DIMMABLE 0-10V | 12V DC

99SETDC60IP20SD



Type: 12V DC Dimmable Driver
Slim Series
Power: 60W
Input Voltage: 176-264V AC/ 50-60Hz
Output Volatge: 12V DC
Output Current: 5A
Height: 30mm

** 0-10V signal Dimming & AC Thyristor Dimming*

DIMMABLE | DIMMABLE 0-10V | 12V DC

99SETDC120IP20SD



Type: 12V DC Dimmable Driver
Slim Series
Power: 120W
Input Voltage: 176-264V AC/ 50-60Hz
Output Volatge: 12V DC
Output Current: 10A
Height: 30mm

** 0-10V signal Dimming & AC Thyristor Dimming*

DIMMABLE | DIMMABLE 0-10V | 12V DC

99SETDC200IP20SD



Type: 12V DC Dimmable Driver
Slim Series
Power: 200W
Input Voltage: 176-264V AC/ 50-60Hz
Output Volatge: 12V DC
Output Current: 16.7A
Height: 30mm

** 0-10V signal Dimming & AC Thyristor Dimming*

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
12V DC
RoHS
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

CONSTANT VOLTAGE DRIVER 24V DC FOR LED STRIPS

24V DC

99XSETDC6024IP20



Type: 24V DC Driver Slim Series
Power: 60W
Input Voltage: 180-240V AC/ 50-60Hz
Output voltage: 24V DC
Output Current: 2.5A
Height: 33 mm

24V DC

99XSETDC10024IP20



Type: 24V DC Driver Slim Series
Power: 100W
Input Voltage: 180-240V AC/ 50-60Hz
Output voltage: 24V DC
Output Current: 4.2A
Height: 36 mm

24V DC

99XSETDC15024IP20



Type: 24V DC Driver Slim Series
Power: 150W
Input Voltage: 180-240V AC/ 50-60Hz
Output voltage: 24V DC
Output Current: 6.25A
Height: 39 mm

24V DC

99XSETDC20024IP20



Type: 24V DC Driver Slim Series
Power: 200W
Input Voltage: 176-264V AC/ 50-60Hz
Output voltage: 24V DC
Output Current: 8.33A
Height: 40 mm

24V DC

99XSETDC25024IP20



Type: 24V DC Driver Slim Series
Power: 250W
Input Voltage: 176-264V AC/ 50-60Hz
Output voltage: 24V DC
Output Current: 10.42A
Height: 40 mm

24V DC

99XSETDC36024IP20



Type: 24V DC Driver Slim Series
Power: 360W
Input Voltage: 176-264V AC/ 50-60Hz
Output voltage: 24V DC
Output Current: 15A
Height: 40mm

2 YEARS TOTAL WARRANTY
2 standard + 0 extended

IP20
24V DC
RoHS
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

CONSTANT VOLTAGE DRIVER 24V DC FOR LED STRIPS

24V DC

99SET6024IP20S



Type: 24V DC Driver Slim Series
Power: 60W
Input Voltage: 176-264V AC/ 50-60Hz
Output voltage: 24V DC
Output Current: 2.5A
Height: 30 mm

24V DC

99SET12024IP20S



Type: 24V DC Driver Slim Series
Power: 120W
Input Voltage: 176-264V AC/ 50-60Hz
Output voltage: 24V DC
Output Current: 5A
Height: 32 mm

24V DC

99SET15024IP20S



Type: 24V DC Driver Slim Series
Power: 150W
Input Voltage: 176-264V AC/ 50-60Hz
Output voltage: 24V DC
Output Current: 6.25A
Height: 35 mm

24V DC

99SET20024IP20S



Type: 24V DC Driver Slim Series
Power: 200W
Input Voltage: 176-264V AC/ 50-60Hz
Output voltage: 24V DC
Output Current: 8.3A
Height: 40 mm

24V DC

99SET25024IP20S



Type: 24V DC Driver Slim Series
Power: 250W
Input Voltage: 176-264V AC/ 50-60Hz
Output voltage: 24V DC
Output Current: 10.4A
Height: 40 mm

24V DC

99SET36024IP20S



Type: 24V DC Driver Slim Series
Power: 360W
Input Voltage: 176-264V AC/ 50-60Hz
Output voltage: 24V DC
Output Current: 15A
Height: 40mm

Scan each QR code to see the price and availability of the product.

3 YEARS TOTAL WARRANTY
3 standard
0 extended

IP20
24V DC
RoHS
EMC
CE

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity

CONSTANT VOLTAGE DRIVER 24V DC FOR LED STRIPS, IP67

24V DC

99SET3024IP67S



Type: 24V DC Driver Slim Series
Power: 30W
Input Voltage: 90-264V AC/ 50-60Hz
Output voltage: 24V DC
Output Current: 1.25A
Height: 20 mm

24V DC

99SETDC2448TIP67



Type: 24V DC Driver Slim Series
Power: 48W
Input voltage: 180-240V AC/ 50-60Hz
Output voltage: 24V DC
Output Current: 2A
Height: 22 mm

24V DC

99SET6024IP67S



Type: 24V DC Driver Slim Series
Power: 60W
Input Voltage: 90-264V AC/ 50-60Hz
Output voltage: 24V DC
Output Current: 2.5A
Height: 22mm

24V DC

99SET12024IP67S



Type: 24V DC Driver Slim Series
Power: 120W
Input Voltage: 90-264V AC/ 50-60Hz
Output voltage: 24V DC
Output Current: 5A
Height: 22mm

24V DC

99SET15024IP67S



Type: 24V DC Driver Slim Series
Power: 150W
Input Voltage: 90-264V AC/ 50-60Hz
Output voltage: 24V DC
Output Current: 6.25A
Height: 22 mm

24V DC

99SET20024IP67S



Type: 24V DC Driver Slim Series
Power: 200W
Input Voltage: 90-264V AC/ 50-60Hz
Output voltage: 24V DC
Output Current: 8.25A
Height: 33 mm

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP67
24V DC
RoHS
EMC
CE

Scan QR code for 3D models, IES files & price.

i Scan each QR code to see the price and availability of the product.

CONSTANT VOLTAGE DIMMABLE DRIVER 24V DC FOR LED STRIPS

DIMMABLE | DIMMABLE 0-10V | 24V DC

99SETDC6024IP20SD



Type: 24V DC Dimmable Driver
Slim Series
Power: 60W
Input Voltage: 176-264V AC/ 50-60Hz
Output Voltage: 24V DC
Output Current: 2.5A
Height: 30mm

** 0-10V signal Dimming & AC Thyristor Dimming*

DIMMABLE | DIMMABLE 0-10V | 24V DC

99SETDC12024IP20SD



Type: 24V DC Dimmable Driver
Slim Series
Power: 120W
Input Voltage: 176-264V AC/ 50-60Hz
Output Voltage: 24V DC
Output Current: 5A
Height: 30mm

** 0-10V signal Dimming & AC Thyristor Dimming*

DIMMABLE | DIMMABLE 0-10V | 24V DC

99SETDC20024IP20SD



Type: 12V DC Dimmable Driver
Slim Series
Power: 200W
Input Voltage: 176-264V AC/ 50-60Hz
Output Voltage: 12V DC
Output Current: 8.3A
Height: 30mm

** 0-10V signal Dimming & AC Thyristor Dimming*

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
24V DC
RoHS
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity

CONSTANT VOLTAGE DRIVER SLIM SERIES 48V DC FOR MAGNETIC TRACK LIGHTS

48V DC

99SETDC5048IP20



Type: 48V constant voltage driver for magnet track light
Power: 50W
Voltage Uin/Uout: 176-240V AC/48V DC
Height: 40 mm

48V DC

99SETDC10048IP20



Type: 48V constant voltage driver for magnet track light
Power: 100W
Voltage Uin/Uout: 176-240V AC/48V DC
Height: 40 mm

48V DC

99SETDC15048IP20



Type: 48V constant voltage driver for magnet track light
Power: 150W
Voltage Uin/Uout: 176-240V AC/48V DC
Height: 45 mm

48V DC

99SETDC20048IP20



Type: 48V constant voltage driver for magnet track light
Power: 200W
Voltage Uin/Uout: 176-240V AC/48V DC
Height: 60 mm

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
48V DC
RoHS
EMC
CE

Scan QR code for 3D models, IES files & price.

i Scan each QR code to see the price and availability of the product.

CONSTANT CURRENT DIMMABLE DRIVER 0-10V FOR LED FIXTURES

0-10V

99SETDC12D010



Type: Constant Current LED Dimmable
Driver 0-10V
Power: 12W
Input Voltage: 220-240V AC
Output Voltage: 9-42V
Output Current: from 150 till 400mA
via DIP Switch in Steps of 50mA
Height: 21 mm
Application: for Decorative, Indoor, Commercial, Residential Lighting

99SETDC21D010



Type: Constant Current LED Dimmable
Driver 0-10V
Power: 21W
Input Voltage: 220-240V AC
Output Voltage: 9-42V
Output Current: from 250 till 500mA via
DIP Switch in Steps of 50mA
Height: 23mm
Application: for Decorative, Indoor, Commercial, Residential Lighting

99SETDC32D010



Type: Constant Current LED Dimmable
Driver 0-10V
Power: 31.5W
Input Voltage: 198-264V AC
Output Voltage: 9-42V
Output Current: from 400 till 750mA
via DIP Switch in Steps of 50mA
Height: 23mm
Application: for Decorative, Indoor, Commercial, Residential Lighting

99SETDC40D010



Type: Constant Current LED Dimmable
Driver 0-10V
Power: 40W
Input Voltage: 220-240V AC
Output Voltage: 9-42V
Output Current: from 550 till 1050mA via
DIP Switch in Steps of 50mA
Height: 27.5mm
Application: for Decorative, Indoor, Commercial, Residential Lighting

99SETDC50D010



Type: Constant Current LED Dimmable
Driver 0-10V
Power: 50W
Input Voltage: 220-240V AC
Output Voltage: 9-42V
Output Current: from 1100 till 1500mA
via DIP Switch in Steps of 50mA
Height: 27.5mm
Application: for Decorative, Indoor, Commercial, Residential Lighting

3 YEARS TOTAL WARRANTY
3 standard
0 extended

IP20
0-10V
RoHS
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity

DALI CONSTANT VOLTAGE DIMMABLE DRIVER FOR LED STRIPS

DALI DIMMABLE | 12V DC

99DALI12012DC



Type: DALI T6 Constant Voltage Driver
Power: 120W
Input Voltage: 198-264V AC/ 50-60Hz
Output Volatge: 12V DC
Output Current: 0 - 10A
Dimming Depth: 0.1%
Application: for LED Strips; Light Box
Height: 30.3mm
** DALI + Push Dimming Functions*

DALI DIMMABLE | 24V DC

99DALI15024DC



Type: DALI T6 Constant Voltage Driver
Power: 150W
Input voltage: 220-240V AC/ 50-60Hz
Output voltage: 24V DC
Output Current: 0 - 6.25A
Dimming Depth: 0.1%
Application: for LED Strips; Light Box
Height: 30.3mm
** DALI + Push Dimming Functions*

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

IP20
12/24V DC
RoHS
EMC
CE

Scan QR code for 3D models, IES files & price.

i Scan each QR code to see the price and availability of the product.

DALI CONSTANT CURRENT LED DRIVER FOR LED FIXTURES WITH EXTERNAL DRIVERS

DALI DIMMABLE

99DALI1240042



Type: DALI Constant Current LED Driver
Power: 12W
Input voltage: 198-264V AC
Output voltage: 9-42V
Output current: from 150 till 400mA via DIP Switch in Steps of 50mA
Dimming Depth: 0.1%
Application: for Decorative, Indoor, Commercial, Residential Lighting
Height: 25mm

** DALI + Push Dimming Functions*

DALI DIMMABLE

99DALI2050042



Type: DALI Constant Current LED Driver
Power: 20W
Input voltage: 198-264V AC
Output voltage: 9-42V
Output current: from 250 till 500mA via DIP Switch in Steps of 50mA
Dimming Depth: 0.1%
Application: for Decorative, Indoor, Commercial, Residential Lighting
Height: 25mm

** DALI + Push Dimming Functions*

DALI DIMMABLE

99DALI40105042



Type: DALI Constant Current LED Driver
Power: 40W
Input voltage: 198-264V AC
Output voltage: 25-42V
Output current: from 250 till 1050mA via DIP Switch in Steps of 50mA
Dimming Depth: 0.1%
Application: for Decorative, Indoor, Commercial, Residential Lighting
Height: 31.2mm

** 5in1: Support DALI, Push, 0-10, PWM & Rx Dimming*

DALI DIMMABLE

99DALI60150042



Type: DALI Constant Current LED Driver
Power: 60W
Input voltage: 198-264V AC
Output voltage: 25-42V
Output current: from 1100 till 1500mA via DIP Switch in Steps of 50mA
Dimming Depth: 0.1%
Application: for Decorative, Indoor, Commercial, Residential Lighting
Height: 31.2mm

** 5in1: Support DALI, Push, 0-10, PWM & RxDimming*

DALI DIMMABLE

99DALI80200042



Type: DALI Constant Current LED Driver
Power: 80W
Input voltage: 198-264V AC
Output voltage: 25-42V
Output Current: from 1550 till 2000mA via DIP Switch in Steps of 50mA
Dimming Depth: 0.1%
Application: for Decorative, Indoor, Commercial, Residential Lighting
Height: 21mm

** DALI + Push Dimming Functions*

DALI DIMMABLE

99DALIBPS



Type: DALI Bus Power Supply
Input voltage: 100-240V AC
Output voltage: 14-18V
Output Current: 230 ± 10mA
Devices: Drive 64 Devices with DALI Addresses
Communication Frequency: 1200bps
Mounting: DIN-Rail or Screw Fixation

** Output Short Circuit Protection; LED Indicator*

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP20
220V AC
RoHS
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity

DRIVERS FOR LED PANELS ELMARK

99DRIVERPN6



Type: Driver for LED panel
Power: 6W
Input voltage: 220-240V
Output voltage: 12-25V DC
Output current: 300mA
Height: 22 mm

99DRIVERPN12



Type: Driver for LED panel
Power: 12W
Input voltage: 220-240V
Output voltage: 24-50V DC
Output current: 300mA
Height: 22 mm

99DRIVERPN18



Type: Driver for LED panel
Power: 18W
Input voltage: 220-240V
Output voltage: 36-75V DC
Output current: 300mA
Height: 22 mm

99DRIVERPN24



Type: Driver for LED panel
Power: 24W
Input voltage: 220-240V
Output voltage: 50-84V DC
Output current: 300mA
Height: 22 mm

LIMITED STOCK

99DRIVERPN40



Type: Driver for LED panel
Power: 40W
Input voltage: 220-240V
Output voltage: 30-42V DC
Output current: 1000mA
Height: 22 mm

99DRIVERPN48



Type: Driver for LED panel
Power: 48W
Input voltage: 220-240V
Output voltage: 27-42V DC
Output current: 1200mA
Height: 22 mm

3 YEARS TOTAL WARRANTY
3 standard
0 extended

IP20
~230V
RoHS
EMC
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

DRIVERS FOR LED BULBS 12V DC

99DRIVER12



Type: Driver for LED bulb
12V DC
Power: 12W
Current: 1A
Input voltage: 230V AC
Output voltage: 12V DC
Height: 22 mm

99DRIVER18



Type: Driver for IED bulb
12V DC
Power: 18W
Current: 1.5A
Input voltage: 230V AC
Output voltage: 12V DC
Height: 28 mm

99DRIVER24



Type: Driver for LED bulb
12V DC
Power: 24W
Current: 2A
Input voltage: 230V AC
Output voltage: 12V DC
Height: 28 mm

99DRIVER36



Type: Driver for LED bulb
12V DC
Power: 36W
Current: 2A
Input voltage: 230V AC
Output voltage: 12V DC
Height: 28 mm

3 YEARS TOTAL WARRANTY
2 standard
1 extended

IP67
12V DC
RoHS
EMC
CE

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity

CERAMIC LAMP HOLDERS & LAMP BASES



99292

Type: Lamp holder
Base: GU10
Length of the cable: 140 mm
Material: Ceramic
Diameter: 27 mm
Height: 16 mm



99293

Type: Lamp holder
Base: G 4 / G 5.3 / GY 6.35
Length of the cable: 90 mm
Material: Ceramic
Diameter: 16 mm
Height: 10 mm



99296

Type: Lamp holder
Base: E14
Material: Ceramic
Diameter: 33 mm
Height: 20 mm
Length: 44 mm



99294

Type: Lamp holder
Base: E27
Material: Ceramic
Diameter: 42 mm
Length: 48 mm



99295

Type: Lamp holder
Base: E27
Material: Ceramic
Length: 48 mm



99298

Type: Lamp holder
Base: E40
Material: Ceramic
Length: 72 mm



99199

Type: Straight lamp base
Base: E27
Rated current: 4A
Material: PET
Diameter: 63 mm
Length: 40 mm
Cable section: 0.5-2.5mm^2



99200

Type: Oblique lamp base
Base: E27
Rated current: 4A
Material: PET
Diameter: 78 mm
Length: 38 mm
Cable section: 0.5-2.5mm^2

IP20
~230V
CE

Scan QR code for 3D models, IES files & price.

i Scan each QR code to see the price and availability of the product.

HANGING LAMP HOLDERS & LAMP ADAPTERS



99198

Type: Twin socket lamp holder
Base: E27-2xE27
Rated current: 4A
Material: Iron + PBT
Diameter: 76 mm
Length: 74 mm
Cable section: 0.5-2.5mm²



192168

Type: Adapter E40/E27
Base: E27
Rated current: 4A
Material: iron + plastic
Diameter: 78 mm
Length: 45 mm
Cable section: 0.5-2.5mm²



192169

Type: Adapter G24/E27
Base: E27
Rated current: 4A
Material: iPBT+ copper
Diameter: 78 mm
Length: 50 mm
Cable sections: 0.5-2.5mm²



99194

Type: Screwless hanging lamp holder
Base: E14
Material: Plastic
Diameter: 44 mm
Length: 56.3 mm
Cable section: 0.5-2.5mm²



99195

Type: Screwless hanging lamp holder
Base: E27
Material: Plastic
Diameter: 55 mm
Length: 62.5 mm
Cable section: 0.5-2.5mm²



99197

Type: Screw hanging lamp holder
Base: E27
Material: Bakelite
Diameter: 38.5 mm
Length: 55 mm
Cable section: 0.5-2.5mm²



99196

Type: Screw hanging lamp holder
Base: E27
Material: Bakelite
Diameter: 38.5 mm
Length: 55 mm
Cable section: 0.5-2.5mm²

Scan each QR code to see the price and availability of the product.

IP20
RoHS
CE

Scan QR code for 3D models, IES files & price.

ELMARK
The Brand of Electricity

INFRARED MOTION SENSORS

99DS402



Type: Infrared motion sensor ST40
Detection range: 360°
Rated load: 800W (110-130V/AC); 1200W (220-240V/AC)
Detection distance: max. 6m
Colour body: White
Cut size: 40 mm
Height: 66.5 mm
Time-Delay: 10sec ± 3sec to 7min ± 2min (adjustable)
Ambient light: <3 - 2000lux (adjustable)
Detection motion speed: 0.6-1.5m/s

99DS104



Type: Infrared motion sensor ST42
Detection range: 360°
Rated load: ESL/LED-300W, IL-1200W
Detection distance: max. 6m
Colour body: White
Installation height: 2.2 - 4m
Cut size: 76 mm
Height: 75.6 mm
Time-Delay: 10sec ± 3sec to 7min ± 2min (adjustable)
Ambient light: <3 - 2000lux (adjustable)
Detection motion speed: 0.6-1.5m/s

99DS103



Type: Infrared motion sensor ST41
Detection range: 360°
Rated load: ESL/LED-300W, IL-1200W
Detection distance: max. 6m
Colour body: White
Installation height: 2.2 - 4m
Cut size: 61.5 mm
Height: 75.6 mm
Time-Delay: 10sec ± 3sec to 7min ± 2min (adjustable)
Ambient light: <3 - 2000lux (adjustable)
Detection motion speed: 0.6-1.5m/s

99DS403



Type: Infrared motion sensor ST11
Detection range: 180°
Rated load: 500W (110-130V/AC) 800W (220-240V/AC)
Detection distance: max. 12m
Colour body: White
Cut size: 40 mm
Width: 80.2 mm
Time-Delay: 10sec ± 3sec to 7min ± 2min (adjustable)
Ambient light: <3 - 2000lux (adjustable)
Detection motion speed: 0.6-1.5m/s

99DS100



Type: Infrared motion sensor ST02A
Detection range: 160°
Rated load: ESL/LED-100W, IL-500W
Detection distance: max. 9m
Colour body: White
Installation height: 1-1.8m
Cut size: 48.5 mm
Height: 24.7 mm
Time-Delay: 10sec ± 3sec to 7min ± 2min (adjustable)
Ambient light: <3 - 2000lux (adjustable)
Detection motion speed: 0.6-1.5m/s

IP44

99DS130



Type: Infrared motion sensor ST48
Detection range: 360°
Rated load: ESL/LED-1000W, IL-2000W
Detection distance: 6-16m (adjustable)
Colour body: White
Installation height: 2.2 - 4m
Mounting: Recessed and surface
Height: 61 mm
Time-Delay: 10sec ± 3sec to 30min ± 2min (adjustable)
Ambient light: <3 - 2000lux (adjustable)

3 YEARS TOTAL WARRANTY
3 standard + 0 extended

IP40
~230V
F
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

INFRARED MOTION SENSORS

99DS101



Type: Infrared motion sensor ST07
Detection range: 360°
Rated load: ESL/LED - 300W, IL - 1200W
Detection distance: max. 6m
Time delay: 10s to 7min
Ambient light: 10 - 2000LUX
Detection motion speed: 0.6-1.5m/s
Body colour: White
Height: 58 mm

99DS102



Type: Infrared motion sensor ST07
Detection range: 360°
Rated load: ESL/LED - 300W, IL - 1200W
Detection distance: max. 6m
Time delay: 10s to 7min
Ambient light: 10 - 2000LUX
Detection motion speed: 0.6-1.5m/s
Body colour: Black
Diameter: 115 mm

99DS110



Type: Infrared motion sensor ST05CA
Detection range: 360°
Rated load: ESL/LED - 300W, IL - 800W
Detection distance: max. 6m
Time delay: 10s to 15min
Ambient light: 10 - 2000LUX
Detection motion speed: 0.6-1.5m/s
Height: 24.3 mm

99DS131



Type: Infrared presence sensor ST05N
Detection range: 360°
Rated load: ESL/LED - 1000W, IL-2000W
Detection distance: max. 20m
Time delay: 10s to 30min
Ambient light: 3 - 2000LUX
Height: 47.5mm

3 YEARS TOTAL WARRANTY
3 standard
0 extended

IP40
~230V

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity

INFRARED MOTION SENSORS ST10A / ST15 / ST29

IP40

99DS108

Type: Infrared motion sensor ST10A
Detection range: 180°
Rated load: ESL/LED - 300W, IL - 1200W
Detection distance: 5-12m
Time delay: 10sec ± 3sec to 7min ± 2min (adjustable)
Ambient light: <3 - 2000lux (adjustable)
Detection motion speed: 0.6 - 1.5m/s
Installation height: 2.2 - 4m



IP40

99DS107

Type: Infrared motion sensor ST15
Detection range: 180°
Rated load: ESL/LED - 300W, IL - 1200W
Detection distance max.12m
Time delay: 10sec ± 3sec to 7min ± 2min (adjustable)
Ambient light: <3 - 2000lux (adjustable)
Detection motion speed: 0.6 - 1.5m/s
Width: 119.5 mm
Installation height: 2.2 - 4m



IP65

99DS304

Type: Infrared motion sensor ST29
Detection range: 360°
Rated load: ESL/LED - 300W, IL - 1200W
Detection distance: 10m
Time delay: 10sec ± 3sec to 7min ± 2min (adjustable)
Ambient light: <3 - 2000lux (adjustable)
Detection motion speed: 0.6 - 1.5m/s
Width: 33.2 mm
Installation height: 2.2 - 4m



99DS109

Type: Infrared motion sensor ST24
Detection range: 120°/360°
Rated load: ESL/LED - 200W, IL - 800W
Detection distance: max. 6m
Time delay: 5s, 30s, 1,3,5,8min
Ambient light: 10 - 2000LUX
Detection motion speed: 0.6-1.5m/s
Height: 25.5 mm



3 YEARS TOTAL WARRANTY
3 standard
0 extended

IP40
~230V
F
CE

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

TOUCHING AND MOVING HAND SENSOR

99DS115

Type: Touching sensor
Rated load: ESL/LED - 200W, IL - 500W
Height: 16.8 mm



99DS122

Type: Moving hand sensor
Rated load: ESL/LED - 500W
Detection range: 5-6 cm
Height: 20.6 mm



99DS123

Type: Moving hand sensor
Rated load: ESL/LED - 500W
Detection range: 5-6 cm
Height: 36.6 mm



3 YEARS TOTAL WARRANTY
3 standard
0 extended

IP40
~230V

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

MICROWAVE SENSORS

IP40

99DS400



Type: Microwave sensor ST701F
Detection range: 360°
Rated load: ESL/LED - 200W, IL - 1200W
Detection distance: 1-8m (radius), adjustable
Installation hight: 1.5-3.5m
Height: 25mm
Time-Delay: 10sec ± 3sec to 12min ±1 min (adjustable)
Ambient light: <3 - 2000LUX
HF System: 5.8GHz CW radar, ISM band

IP65

99DS303



Type: Microwave sensor ST757
Detection range: 180°
Rated load: ESL/LED - 200W, IL - 1200W
Detection distance: 15m & 10m
Detection motion speed: 0.6-1.5m/s
Installation hight: 1.5-3.5m
Height: 24 mm
Time-Delay: 5s, 90s, 3min & 20min
Ambient light: <3 - 2000LUX
HF System: 5.8GHz CW radar, ISM band

3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

~230V

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

LIGHT-CONTROL SENSORS

99DS300

Type: Light control sensor ST303
Rated current: 25A
Ambient light: <5 - 50lux (adjustable)



99DS301

Type: Light control sensor ST302
Rated current: 10A
Ambient light: <5 - 50lux (adjustable)



99DS405

Type: Light control sensor ST302
Rated current: 6A
Ambient light: <5 - 50lux (adjustable)



IP44

99DS404

Type: Light control sensor ST300
Rated current: 10A
Ambient light: 3-500LUX (adjustable)
* Timer Built-in from 1-9 hours



IP66

99DS132

Type: Light control sensor with timer ST321
Rated current: 16A
Ambient light: 3-500LUX (adjustable)
Timer Built-in from 1-9 hours
Height: 55 mm



IP65

99DS302

Type: Light control sensor ST308
Rated current: 20A
Ambient light: <2 - 100lux (adjustable)
Width: 66 mm



3 YEARS TOTAL WARRANTY
3 standard + 0 extended

~230V

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.

ELMARK
The Brand of Electricity

LIGHT-CONTROL SENSORS

IP44

99DS307

Type: Light control sensor ST314
Rated current: 10A
Ambient light: <10lux



IP44

99DS306

Type: Base for 99DS305
Rated current: 10A



IP66

99DS305

Type: Light control sensor ST305-3
Rated current: 10A
Ambient light: <5- 15lux



3 YEARS TOTAL WARRANTY
+ 3 standard
0 extended

~230V

Scan QR code for 3D models, IES files & price.

Scan each QR code to see the price and availability of the product.