TECHNICAL SPECIFICATION

ELMARK
The Brand of Electricity

BATHROOM LIGHTING

TRITON

Technical data

Rated voltage:	230V/ 50-60Hz
Power:	7.2W;
Power supply:	LED driver- mounted in the body
Colour temperature:	4000K;
LED source:	SMD
Colour:	Chromium
Body:	Aluminium alloy
Beam angle:	120˚
Colour rendering index:	Ra≥80
Switch on/off:	>50 000
Long life:	30 000h
Protection against dust and moisture:	IP44

TECHNICAL SPECIFICATION

Product benefits

- *Installation options: surface ceiling mounting*
- *Low power consumption*
- *Repeated switch-on/off does not affect the lifespan of the luminaire*
- *Instant light with maximum luminous flux*
- *No ultraviolet and infrared rays*
- *Stable and functional light distribution*

Areas of application

- *Bathrooms*
- *Administrative buildings*
- *Places with high level of moisture*

Variants and dimensions

Watt	Whole fixture lumens	Colour temp. (K)	Colour body	Size (mm)			Catalogue number	Packing (pcs)
				Length	Height	Width		
7.2W	576lm	4000K	Chrome	480	125	60	955TRITON7	1

Barcodes

3800131199614	955TRITON7

TECHNICAL SPECIFICATION

Energy efficiency



Standards

● EN 55015 ● EN 61000-3-2 ● EN 61000-3-3 ● EN 61547 ● EN 60598-1 ● EN 60598-2-2 ● EN 61347-1 ● EN 61347-2-13 ● EN 13032-4 ●

CE RoHS COMPLIANT