

EL[®]MARK

The Brand of Electricity

LED CEILING LAMPS

EL- 4015



GENERAL INFORMATION »

- ∴ Rated voltage: 220-240V/ 50-60Hz
- ∴ Body Color: Gray
- ∴ Power: 20W; 24W; 36W
- ∴ Colour temperature: 4000K
- ∴ Material: Polypropylene (PP)
- ∴ Colour rendering index: Ra≥80
- ∴ Average lifetime: 30000h
- ∴ Environmentally Friendly – does not emit Mercury and Lead (by RoHS Directive)
- ∴ Protection against dust and moisture: IP54
- ∴ Mounting: Surface

FEATURES »

- ∴ Environmentally friendly - no mercury and lead
- ∴ Modern design
- ∴ No ultraviolet and infrared rays
- ∴ Resistant to shock and vibration stable body
- ∴ Low heat emission

AREAS OF APPLICATION »


- ∴ Residential and Commercial buildings
- ∴ Home interior and exterior
- ∴ Hotels and Restaurants

PRODUCT DETAILS »

Catalogue number	Type	Power (W)	Whole fixture lumens (lm)	Colour temp. (K)	Material:	Colour body
95EL401520W/GR	Led ceiling lamp	20	1600	4000	PP	Gray
95EL401524W/GR	Led ceiling lamp	24	1920	4000	PP	Gray
95EL401536W/GR	Led ceiling lamp	36	2880	4000	PP	Gray

DIMENSIONS »

Catalogue number	Diameter (mm)	Height (mm)
95EL401520W/GR	270	55
95EL401524W/GR	320	55
95EL401536W/GR	380	55



ADDITIONAL INFORMATION »

Catalogue number	Barcode	Packing/Box (pcs)
95EL401520W/GR	3800131253927	1/10
95EL401524W/GR	3800131253934	1/10
95EL401536W/GR	3800131253941	1/10

